

# Fiyat Listesi 2024



# Fiyat Listesi 2024

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “[industrial.omron.com.tr](http://industrial.omron.com.tr)” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: [satis@eu.omron.com](mailto:satis@eu.omron.com)

Online Destek:

[industrial.omron.com.tr](http://industrial.omron.com.tr)

[myomron.com](http://myomron.com)

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Auto ID Ürün V600</b>											
CJ1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1,909.00	EC001422	V60C1035H	4536854870866			AA	AAB	JPN	8473.3080.00
CJ1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,700.00	EC001422	V60C1036F	4536854870873			AA	AAB	JPN	8473.3080.00
V600-D8KF04	V600 ID tag, rectangular	267.10	EC002996	V60D1155C	4547648173049		4	AA	AAB	JPN	8473.3080.00
V600-HAM42-DRT	530kHz for US, F and JPN only	1,336.00	EC002998	V60H1067R	4536854707704			AA	AAB	JPN	8473.3080.00
V600-HS63-2 8M	RFID	2,267.00	EC002998	V60H1066M	4536854707841			AA	AAB	JPN	8473.3080.00
V780-HMD68-EIP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	3,461.00	EC002998	V78A0028H	4549734218641			AA	AAB	JPN	9031.8080.00
V780-HMD68-ETN-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC	3,408.00	EC002998	V78A0016D	4549734137638			AA	AAB	JPN	9031.8080.00
V780-A-JIME-Z3BLI-10	V780 RF Tag, 150 x 14 x 6 mm (W x H x D), 1 MB Memory, IP68, Box of 10 Tags	1,598.00	EC002996	V78A0004M	4549734098953			AA	AAB	JPN	8473.3080.00
V780-A-TA-133-10	Mounting attachment for V780-A-JIME-Z3BLI-10, 180 x 50 x 30 mm (W x H x D), Box of 10 Mounting attachments	955.00	EC002997	V78A0005R	4549734098960			AA	AAB	JPN	8473.3080.00
<b>Auto ID Ürün V680</b>											
V680S-HMD63-EIP	V680S RFID okuyucu/ yazıcı ünitesi, 50x50x30mm, EtherNet/IP, IP67, 24VDC	1,065.00	EC002998	V68S0028D	4548583561960	#		AA	AAD	JPN	9031.8080.00
V680S-HMD63-ETN	V680S RFID okuyucu/ yazıcı ünitesi, 50x50x30mm, Modbus TCP/IP, IP67, 24VDC	1,184.00	EC002998	V68S0027F	4548583561953	#		AA	AAD	JPN	9031.8080.00
V680S-HMD63-PNT	V680S RFID okuyucu/ yazıcı ünitesi, 50x50x30mm, Profinet, IP67, 24VDC	1,065.00	EC002998	V68S0029B	4548583561977	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-EIP	V680S RFID okuyucu/ yazıcı ünitesi, 75x75x40mm, EtherNet/IP, IP67, 24VDC	1,388.00	EC002998	V68S0030F	4548583561984	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-ETN	V680S ID okuyucu/ yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,567.00	EC002998	V68S0003R	4548583407695	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-PNT	V680S RFID okuyucu/ yazıcı ünitesi, 75x75x40mm, Profinet, IP67, 24VDC	1,388.00	EC002998	V68S0031D	4548583561991	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-EIP	V680S RFID okuyucu/ yazıcı ünitesi, 120x120x40mm, EtherNet/IP, IP67, 24VDC	1,706.00	EC002998	V68S0032B	4548583562004	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-ETN	V680S ID okuyucu/ yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,940.00	EC002998	V68S0002M	4548583407688	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-PNT	V680S RFID okuyucu/ yazıcı ünitesi, 120x120x40mm, Profinet, IP67, 24VDC	1,706.00	EC002998	V68S0033M	4548583562011	#		AA	AAD	JPN	9031.8080.00
V680-D1KP52MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm	40.59	EC002996	V68D1008D	4547648393645	#	10	AA	AAD	JPN	8526.9200.90
V680-D1KP53M	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 10mm diameter x 4.5mm	40.03	EC002996	V68D1015G	4547648616966	#	50	AA	AAD	JPN	8526.9200.90
V680-D1KP54T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 20mm diameter x 2.7mm	37.75	EC002996	V68D1019M	4547648826693	#	50	AA	AAD	JPN	8526.9200.90
V680-D1KP66MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	42.36	EC002996	V68D1010F	4547648393652	#	20	AA	AAD	JPN	8526.9200.90
V680-D1KP66T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	34.82	EC002996	V68D1009B	4547648393669	#		AA	AAD	JPN	8526.9200.90
V680S-D2KF67	V680S RF Tag, 2 kbytes, 40x40x5, metal olmayan yüzeyler için montaj	50.25	EC002996	V68S0013F	4548583453951	#	20	AA	AAD	JPN	8473.3080.00
V680S-D2KF67M	V680S RF Tag, 2 kbytes, 40x40x5, metal yüzeyler için montaj	91.95	EC002996	V68S0014D	4548583453968	#	20	AA	AAD	JPN	8473.3080.00
V680S-D8KF67	V680S RF Tag, 8 kbytes, 40x40x5 for flush mounting on nonmetallic surface	196.70	EC002996	V68S0015B	4548583453975	#	20	AA	AAD	JPN	8473.3080.00
V680S-D8KF67M	V680S RF Tag, 8 kbytes, 40x40x5 for flush mounting on metallic surface	146.10	EC002996	V68S0016M	4548583453982	#	10	AA	AAD	JPN	8473.3080.00
V680-H01-V02	Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters	3,639.00	EC002998	V68H1029E	4547648637008			AA	AAD	JPN	9031.8080.00
V680-HAM42-DRT	V680 DeviceNet Slave controller	1,099.00	EC002998	V68H1024D	4547648546140			AA	AAD	JPN	9031.8080.00
V680-HS51 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	309.30	EC002998	V68H1023F	4547648514545	#		AA	AAD	JPN	9031.8080.00
V680-HS52-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	280.20	EC002998	V68H1006F	4547648318402			AA	AAD	JPN	8473.3080.00
V680S-A41 2M	V680S ID okuyucu/ yazıcı Ethernet ve güç kablosu, M12 - RJ45, 2m uzunluk	297.50	EC002997	V68S0007A	4548583408029			AA	AAD	JPN	9031.8080.00
V680S-A41 5M	V680S ID okuyucu/ yazıcı Ethernet ve güç kablosu, M12 - RJ45, 5m uzunluk	357.50	EC002997	V68S0008M	4548583408036	#		AA	AAD	JPN	9031.8080.00
<b>Kontrol Sistemi CP1L/H</b>											
CP1H-X40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x röle 2 A, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,239.00	EC000236	CP1W0004C	4547648203579	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor PNP, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,239.00	EC000236	CP1W0006M	4547648203593	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor NPN, 20K step program kapasitesi, 32K word data hafızası, USB port	1,239.00	EC000236	CP1W0005A	4547648203586	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x röle 2 A + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,904.00	EC000236	CP1W0001R	4547648203548	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor PNP + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,904.00	EC000236	CP1W0003E	4547648203562	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor NPN + 2x analog, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,904.00	EC000236	CP1W0002G	4547648203555	#		BA	BAB	CHN	8471.4100.00
CP1L-EL20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	486.00	EC000236	CP1W9211H	4548583751880	#		BA	BAB	NLD	8471.4100.00
CP1L-EL20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	486.00	EC000236	CP1W9212F	4548583751897	#		BA	BAB	NLD	8471.4100.00
CP1L-EL20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	486.00	EC000236	CP1W9213D	4548583751903	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	629.50	EC000236	CP1W9214B	4548583751910	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	629.50	EC000236	CP1W9215M	4548583751927	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	629.50	EC000236	CP1W9216R	4548583751934	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	784.50	EC000236	CP1W9217G	4548583751941	#		BA	BAB	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-EM40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	784.50	EC000236	CP1W9218E	4548583751958	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 2 analog giriş 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	784.50	EC000236	CP1W9219C	4548583751965	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DR-A	PLC, 100-240 VAC besleme, 8 x 24 VDC giriş, 6 x röle çıkışı 2 A, 1K admılik program + 10K kelime veri hafızası	419.40	EC000236	CP1W9220G	4548583764675	#		BA	BAB	NLD	8471.4100.00
CP1L-L10DR-A	CPU, 100-240 VAC, 6x 24 VDC giriş, 4x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	386.10	EC000236	CP1W9226F	4548583764736	#		BA	BAB	NLD	8471.4100.00
CP1L-L10DR-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	373.60	EC000236	CP1W9227D	4548583764743	#		BA	BAB	NLD	8471.4100.00
CP1L-L10DT1-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	366.70	EC000236	CP1W9228B	4548583764750	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DR-A	CPU, 100-240 VAC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	490.40	EC000236	CP1W9231B	4548583764781	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DR-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	431.70	EC000236	CP1W9232M	4548583764798	#		BA	BAB	NLD	8471.4100.00
CP1L-L14DT1-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	435.90	EC000236	CP1W9233R	4548583764804	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DR-A	CPU, 100-240 VAC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	567.00	EC000236	CP1W9236C	4548583764835	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2 A, 5K step program kapasitesi, 10K word veri hafızası	567.00	EC000236	CP1W9237A	4548583764842	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	567.00	EC000236	CP1W9238M	4548583764859	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3A, 5K Step program kapasitesi, 10K Word veri hafızası	567.00	EC000236	CP1W9240A	4548583764873	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-A	CPU, 100-240 VAC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	711.50	EC000236	CP1W9241M	4548583764880	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2 A, 10 K step program, 32K word veri hafızası	711.50	EC000236	CP1W9242H	4548583764897	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	711.50	EC000236	CP1W9243F	4548583764903	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	711.50	EC000236	CP1W9245B	4548583764927	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DR-A	CPU, 100-240 VAC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	823.50	EC000236	CP1W9246M	4548583764934	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	823.50	EC000236	CP1W9247R	4548583764941	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	823.50	EC000236	CP1W9248G	4548583764958	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	823.50	EC000236	CP1W9250R	4548583764972	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-A	CPU, 100-240 VAC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	1,053.00	EC000236	CP1W9251G	4548583764989	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x röle çıkış 2 A, 10 K step program kapasitesi, 32K word veri hafızası	1,053.00	EC000236	CP1W9252E	4548583764996	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT1-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x PNP çıkış 0.3 A, 10 K step program kapasitesi, 32K word veri sayfası	1,053.00	EC000236	CP1W9253C	4548583765009	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x NPN çıkış 0.3A, 10K Step program kapasitesi, 32K Word veri hafızası	1,053.00	EC000236	CP1W9255M	4548583765023	#		BA	BAB	NLD	8471.4100.00
<b>Kontrol Sistemi CP1E-E</b>											
CP1E-E10DR-A	CPU, 100-240 VAC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	281.60	EC000236	CP1W0118M	4547648800792	#		BA	BAC	CHN	8471.6070.00
CP1E-E10DR-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x röle çıkış 2 A, 2K step program kapasitesi, 2K word veri hafızası	281.60	EC000236	CP1W0121M	4547648800822	#		BA	BAC	CHN	8471.6070.00
CP1E-E10DT1-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x PNP transistor çıkış, 2K step program kapasitesi, 2K word veri hafızası	281.60	EC000236	CP1W0123F	4547648800846	#		BA	BAC	CHN	8471.6070.00
<b>Kontrol Sistemi CP1E-N</b>											
CP1E-NA20DR-A	CPU, 100-240 VAC, 12 x 24 VDC giriş, 8 x röle çıkış 2 A, 8K step program kapasitesi, 8K word veri hafızası, RS-232C port, giriş: 2x analog, çıkış: 1x analog, çözünürlük 1/6,000	993.50	EC000236	CP1W0115E	4547648800761	#		BA	BAD	CHN	8471.6070.00
CP1E-NA20DT1-D	CPU, 24 VDC, 12 x 24 VDC giriş, 8 x PNP transistor çıkış, 8K step program kapasitesi, 8K word data hafızası, RS-232C port, giriş: 2x analog, çıkış: 1x analog, çözünürlük 1/6,000	993.50	EC000236	CP1W0117A	4547648800785	#		BA	BAD	CHN	8471.6070.00
<b>Kontrol Sistemi CS1</b>											
CS1H-CPU64H	CPU, 30K steps program, 64K words data memory, 7 expansion racks max.	4,183.00	EC000236	CS1W0183R	4536854781667	#		BA	BAF	JPN	8471.4100.00
CS1H-CPU66H	CPU, 120K steps program, 256K words data memory, 7 expansion racks max.	7,125.00	EC000236	CS1W0185E	4536854781711	#		BA	BAF	JPN	8471.4100.00
CS1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1,916.00	EC000236	CS1W0178B	4536854781612	#		BA	BAF	JPN	8471.4100.00
CS1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	2,119.00	EC000236	CS1W0179M	4536854781629	#		BA	BAF	JPN	8471.4100.00
CS1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	2,709.00	EC000236	CS1W0180D	4536854781636	#		BA	BAF	JPN	8471.4100.00
CS1G-CPU45H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3,784.00	EC000236	CS1W0181B	4536854781643	#		BA	BAF	JPN	8471.4100.00
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	414.70	EC000810	CS1W0232M	4536854845666	#		BA	BAF	CHN	8538.9099.99
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	533.50	EC000810	CS1W0233R	4536854845673	#		BA	BAF	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	736.50	EC000810	CS1W0234G	4536854845680	#		BA	BAF	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	712.00	EC000810	CS1W0237A	4536854845710	#		BA	BAF	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	882.00	EC000810	CS1W0238M	4536854845727	#		BA	BAF	CHN	8538.9099.99
CS1D-PD025	Power supply unit for duplex system, 24 VDC, 40W, 1.3-5.3A	2,098.00	EC000599	CS1D0021C	4547648198912	#		BA	BAF	JPN	8523.8090.00
CS1D-ETN21D	CS1D Ethernet unit, 1 x RJ45 socket, supports dual-redundant use	2,792.00	EC001423	CS1D0012D	4547648023184	#		BA	BAF	JPN	8523.8090.00
CS1W-CLK23	Controller Link unit, 2-wire twisted pair, screw connectors	1,190.00	EC001423	CS1W0394G	4547648706674	#		BA	BAF	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master / slave unit	1,278.00	EC001423	CS1W0399H	4547648708548	#		BA	BAF	CHN	8537.1098.99
CS1W-EIP21	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	2,199.00	EC001423	CS1W0393R	4547648706650	#		BA	BAF	CHN	8471.6070.00
CS1W-ETN21	Ethernet unit, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	2,404.00	EC001423	CS1W0387D	4547648706568	#		BA	BAF	CHN	8471.6070.00
CS1W-PNT21	PROFINET IO Controller (master) unit, 1 x RJ45 socket	1,493.00	EC001423	CS1W9073D	45476488831093	#		BA	BAF	NLD	8529.1095.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1W-PRM21	PROFIBUS DP master unit	1,784.00	EC001423	CS1W9013M	4547648010962	#		BA	BAF	NLD	8529.1095.00
CS1W-SCB21-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	696.00	EC001423	CS1W0381E	4547648706490	#		BA	BAF	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	787.00	EC001423	CS1W0382C	4547648706506	#		BA	BAF	CHN	8538.9099.99
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,388.00	EC001423	CS1W0392M	4547648706643	#		BA	BAF	CHN	8537.1098.99
CS1D-DPL02D	DPL unit for Duplex CPU & Dual Expansion system	2,065.00	EC002584	CS1D0023M	4547648307802	#		BA	BAF	JPN	8471.4100.00
CS1W-ID211	Dijital giriş ünitesi, 16 x 24 VDC giriş, NPN/PNP	357.10	EC001419	CS1W3000F	4547648096539	#		BA	BAF	CHN	8471.6070.00
CS1W-ID231	Dijital giriş ünitesi, 32 x 24 VDC giriş, NPN/PNP	664.00	EC001419	CS1W3001D	4547648096546	#		BA	BAF	CHN	8471.6070.00
CS1W-ID261	Dijital giriş ünitesi, 64 x 24 VDC giriş, NPN/PNP	1,054.00	EC001419	CS1W3002B	4547648096553	#		BA	BAF	CHN	8471.6070.00
CS1W-OC211	Dijital çıkış ünitesi, 16 x röle çıkış, 2 A, 24 VDC/250 VAC, 2 commons	501.00	EC001419	CS1W3006E	4547648096591	#		BA	BAF	CHN	8471.6070.00
CS1W-OD211	Dijital çıkış ünitesi, 16 x transistor çıkış, NPN, 0.5 A, 12-24 VDC	419.90	EC001419	CS1W3007C	4547648096607	#		BA	BAF	CHN	8471.6070.00
CS1W-OD212	Dijital çıkış ünitesi, 16 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	675.50	EC001419	CS1W3008A	4547648096614	#		BA	BAF	CHN	8471.6070.00
CS1W-OD232	Dijital çıkış ünitesi, 32 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	986.50	EC001419	CS1W3010C	4547648096638	#		BA	BAF	CHN	8471.6070.00
CS1W-OD261	Dijital çıkış ünitesi, 64 x transistor çıkış, NPN, 0.3 A, 12-24 VDC	1,417.00	EC001419	CS1W3011A	4547648096645	#		BA	BAF	CHN	8471.6070.00
CS1W-OD262	Dijital çıkış ünitesi, 64 x transistor çıkış, PNP with short circuit protection, 0.3 A, 24 VDC	1,650.00	EC001419	CS1W0121R	4536854615290	#		BA	BAF	JPN	8471.6070.00
CS1W-AD041-V1	Analog giriş ünitesi, 4 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	1,402.00	EC001420	CS1W0193F	4536854819704	#		BA	BAF	JPN	8471.6070.00
CS1W-AD081-V1	Analog giriş ünitesi, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	2,259.00	EC001420	CS1W0194D	4536854819711	#		BA	BAF	JPN	8471.6070.00
CS1W-AD161	Analog giriş ünitesi, 16 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	2,599.00	EC001420	CS1W0324F	4547648140287	#		BA	BAF	JPN	8471.6070.00
CS1W-PT555	İzolasyonlu Termokupl giriş ünitesi, 8 x giriş (K,J,L,R,S,T,B), 0.1°C çözünürlük	2,372.00	EC001420	CS1W0300R	4547648086264	#		BA	BAF	JPN	8471.6070.00
CS1W-PT556	İzolasyonlu RTD giriş ünitesi, 8 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük	2,357.00	EC001420	CS1W0301G	4547648086271	#		BA	BAF	JPN	8471.6070.00
CS1W-DA041	Analog çıkış ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	1,489.00	EC001420	CS1W0089A	4536854493584	#		BA	BAF	JPN	8471.6070.00
CS1W-DA08-C	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidalı terminal, 12 bit çözünürlük	2,251.00	EC001420	CS1W0088C	4536854493577	#		BA	BAF	JPN	8471.6070.00
CS1W-DA08-V	Analog çıkış ünitesi, 8 x 1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	2,259.00	EC001420	CS1W0087E	4536854493560	#		BA	BAF	JPN	8471.6070.00
CS1W-MAD44	Analog I/O ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10/+10V giriş, 4 x 1-5V/0-5V/0-10V/-10 to +10V çıkış, vidalı terminal, 12 bit çözünürlük	2,586.00	EC001420	CS1W0054R	4536854445248	#		BA	BAF	JPN	8471.6070.00
CS1W-CT021	Yüksek hızlı sayıcı ünitesi, 2 Kanals, 500 kHz, open collector (5/12/24 VDC) & line driver giriş, 4 integral çıkış	1,317.00	EC001422	CS1W9010F	4536854681639	#		BA	BAF	NLD	9029.1000.90
CS1W-CT041	Yüksek hızlı sayıcı ünitesi, 4 Kanals, 500 kHz, open collector (5/12/24 VDC) & line driver giriş, 4 integral çıkış	1,766.00	EC001422	CS1W9011D	4536854681646	#		BA	BAF	NLD	9029.1000.90
CS1W-CTS21	Yüksek hızlı sayıcı ünitesi, SSI absolute encoder 2 Kanals, 9 to 31 bit, Gray/Binary/Taunnenbaum/Raw coding, 4x Dijital giriş, 4x Dijital çıkış NPN ve PNP	1,589.00	EC001422	CS1W9012B	4536854842627	#		BA	BAF	NLD	9029.1000.90

**Kontrol Sistemi XW2**

XW2Z-2005-CV	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	127.30	EC001681	XW2Z0085H	4536854488191	#		BA	BAJ	JPN	8536.9010.00
XW2Z-2005-V	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	121.30	EC001681	XW2Z6011G	4536854230660	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m	118.30	EC001681	XW2Z0034C	4536854230226	#		BA	BAJ	JPN	8536.9010.00
XW2Z-500T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m	117.60	EC001681	XW2Z0035A	4536854230233	#		BA	BAJ	JPN	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	49.72	EC002780	XW2D0046D	4549734723121	#		BA	BAJ	JPN	8536.9010.00
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	65.10	EC002780	XW2D0049R	4549734723152	#		BA	BAJ	JPN	8536.9010.00
XW2D-40G6	Terminal Bloks, 40 point (M3 vidalı)	76.15	EC002780	XW2D0052R	4549734723183	#		BA	BAJ	JPN	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	69.45	EC002780	XW2D0055C	4549734723213	#		BA	BAJ	JPN	8536.9010.00
XW2R-E34G-C2	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 32x IN + power, for Omron PLC units with MIL40 connectors	75.60	EC002780	XW2R0021A	4548583367517	#		BA	BAJ	JPN	8536.9010.00
XW2R-E34G-C4	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 32x OUT + power, for Omron PLC units with MIL40 connectors	75.60	EC002780	XW2R0023H	4548583367531	#		BA	BAJ	JPN	8536.9010.00
XW2R-E40G-T	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 40 points, general-purpose	76.25	EC002780	XW2R0008D	4548583367388	#		BA	BAJ	JPN	8536.9010.00
XW2R-J34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, philips screw	49.05	EC002780	XW2R0065C	4548583546455	#		BA	BAJ	JPN	8536.9010.00
XW2R-J40G-T	DIN-rail mounting terminal block, MIL40 socket, M3 screws, 40 points, general-purpose	76.50	EC002780	XW2R0003C	4548583367326	#		BA	BAJ	JPN	8536.9010.00
XW2R-P32GD-C2-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL40 connectors	81.90	EC002780	XW2R0074B	4548583546547	#		BA	BAJ	JPN	8536.9010.00
XW2R-P34G-C2	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x IN + power, for Omron PLC units with MIL40 connectors	51.45	EC002780	XW2R0025D	4548583367555	#		BA	BAJ	JPN	8536.9010.00
XW2R-P34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, push in spring	52.85	EC002780	XW2R0099H	4548583547131	#		BA	BAJ	JPN	8536.9010.00
XW2R-P40G-T	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 40 points, general-purpose	59.80	EC002780	XW2R0013M	4548583367432	#		BA	BAJ	JPN	8536.9010.00
XW2G-40G7	Giriş Terminal Blok, C1W-CTL41-E (XW2Z-xxxK kablo ile birlikte kullanın)	139.50	EC002780	XW2G0001H	4547648089852	#		BA	BAJ	NLD	8536.9010.00
XW2K-20G-016A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Input, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	82.45	EC002780	XW2K0075R	4549734758116	#		BA	BAJ	CHN	8536.9010.00
XW2K-20G-016B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Output, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	82.45	EC002780	XW2K0080E	4549734758161	#		BA	BAJ	CHN	8536.9010.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW2K-20G-T	General purpose interface wiring system with push-in plus technology, 20 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	47.09	EC002780	XW2K0066M	4549734758024			BA	BAJ	CHN	8536.9010.00
XW2K-34G-T	General purpose interface wiring system with push-in plus technology, 34 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	61.85	EC002780	XW2K0067H	4549734758031	#		BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32A	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	70.65	EC002780	XW2K0070H	4549734758062			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	100.10	EC002780	XW2K0076G	4549734758123			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	70.65	EC002780	XW2K0071F	4549734758079			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	100.10	EC002780	XW2K0081C	4549734758178			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	70.65	EC002780	XW2K0072D	4549734758086			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	100.10	EC002780	XW2K0077E	4549734758130			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	100.10	EC002780	XW2K0082A	4549734758185			BA	BAJ	CHN	8536.9010.00
XW2K-40G-T	General purpose interface wiring system with push-in plus technology, 40 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	73.60	EC002780	XW2K0068F	4549734758048			BA	BAJ	CHN	8536.9010.00
XW2K-50G-T	General purpose interface wiring system with push-in plus technology, 50 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	85.35	EC002780	XW2K0069D	4549734758055			BA	BAJ	CHN	8536.9010.00
XW2K-COM20	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	82.45	EC002780	XW2K0087B	4549734758239			BA	BAJ	CHN	8536.9010.00
XW2K-COM20N	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	82.45	EC002780	XW2K0086D	4549734758222			BA	BAJ	CHN	8536.9010.00
XW2K-COM20P	Interface wiring system with push-in plus technology and common terminals , 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting	82.45	EC002780	XW2K0085F	4549734758215			BA	BAJ	CHN	8536.9010.00
XW22-0030FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 30 cm	28.75	EC000237	XW220515R	4548583449138			BA	BAJ	CHN	8544.4290.90
XW22-0050FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	29.83	EC000237	XW220516G	4548583449145	#		BA	BAJ	CHN	8544.4290.90
XW22-0100BF-L	I/O connection cable, unshielded, FCN40 to MIL40, 1 m	60.80	EC000237	XW220467E	4548583448650			BA	BAJ	CHN	8544.4290.90
XW22-0100DL-L	I/O connection cable, unshielded, MIL20 to open ends, 1 m	33.78	EC000237	XW220493D	4548583448919	#		BA	BAJ	CHN	8544.4290.90
XW22-0100FF-L	I/O bağlantı kabloyu, MIL40 to MIL40, L = 100 cm	43.39	EC000237	XW220517E	4548583449152	#		BA	BAJ	CHN	8544.4290.90
XW22-0100FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	41.13	EC000237	XW220522A	4548583449206	#		BA	BAJ	CHN	8544.4290.90
XW22-0150FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	75.00	EC000237	XW220518C	4548583449169	#		BA	BAJ	CHN	8544.4290.90
XW22-0150FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	64.55	EC000237	XW220523M	4548583449213	#		BA	BAJ	CHN	8544.4290.90
XW22-0200BN-L	I/O connection cable, unshielded, FCN40 to open ends, 2 m	88.95	EC000237	XW220473M	4548583448711	#		BA	BAJ	CHN	8544.4290.90
XW22-0200EE-L	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	43.51	EC000237	XW220504C	4548583449022	#		BA	BAJ	CHN	8544.4290.90
XW22-0200FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 2 m	55.60	EC000237	XW220519A	4548583449176	#		BA	BAJ	CHN	8544.4290.90
XW22-0200FN-L	I/O connection cable, unshielded, MIL40 to open ends, 2 m	51.10	EC000237	XW220524H	4548583449220	#		BA	BAJ	CHN	8544.4290.90
XW22-0300BN-L	I/O connection cable, unshielded, FCN40 to open ends, 3 m	120.60	EC000237	XW220474H	4548583448728	#		BA	BAJ	CHN	8544.4290.90
XW22-0300FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	74.25	EC000237	XW220520E	4548583449183	#		BA	BAJ	CHN	8544.4290.90
XW22-0300FN-L	I/O connection cable, unshielded, MIL40 to open ends, 3 m	45.83	EC000237	XW220526D	4548583449244	#		BA	BAJ	CHN	8544.4290.90
XW22-0500DL-L	I/O connection cable, unshielded, MIL20 to open ends, 5 m	76.55	EC000237	XW220497G	4548583448957	#		BA	BAJ	CHN	8544.4290.90
XW22-050B	I/O connection cable, FCN40 to MIL40, 0.5 m	76.55	EC000237	XW223004H	4536854230479	#		BA	BAJ	JPN	8536.9010.00
XW22-100A	I/O connection cable, FCN24 to MIL20, 1 m	79.60	EC000237	XW222001H	4536854230370	#		BA	BAJ	JPN	8536.9010.00
XW22-100B	kablo - 40 pin Fujitsu konnektör ( XW2*-40G*), 1m	108.60	EC000237	XW223001C	4536854230448	#		BA	BAJ	JPN	8536.9010.00
XW22-100D	I/O connection cable, FCN40 to 2 x MIL20, 1 m	102.90	EC000237	XW220002E	4536854229909	#		BA	BAJ	JPN	8536.9010.00
XW22-100K	kablo , 40 pin MIL konnektör ( XW2*-40G*), 1m	69.45	EC000237	XW220165M	4536854792908	#		BA	BAJ	JPN	8536.9010.00
XW22-100N	I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired	71.60	EC000237	XW220134M	4536854771613	#		BA	BAJ	JPN	8536.9010.00
XW22-150B	I/O connection cable, FCN40 to MIL40, 1.50 m	83.80	EC000237	XW223009R	4536854230523	#		BA	BAJ	JPN	8536.9010.00
XW22-150K	I/O connection cable, MIL40 to MIL40, 1.5 m	83.80	EC000237	XW220166H	4536854792915	#		BA	BAJ	JPN	8536.9010.00
XW22-200A	I/O connection cable, FCN24 to MIL20, 2 m	56.75	EC000237	XW222002F	4536854230387	#		BA	BAJ	JPN	8536.9010.00
XW22-200B	I/O connection cable, FCN40 to MIL40, 2 m	122.00	EC000237	XW223002A	4536854230455	#		BA	BAJ	JPN	8536.9010.00
XW22-200D	I/O connection cable, FCN40 to 2 x MIL20, 2 m	111.00	EC000237	XW220004A	4536854229923	#		BA	BAJ	JPN	8536.9010.00
XW22-200K	I/O connection cable, MIL40 to MIL40, 2 m	91.50	EC000237	XW220168D	4536854792939	#		BA	BAJ	JPN	8536.9010.00
XW22-300B	I/O connection cable, FCN40 to MIL40, 3 m	130.50	EC000237	XW223003M	4536854230462	#		BA	BAJ	JPN	8536.9010.00
XW22-300K	I/O connection cable, MIL40 to MIL40, 3 m	123.30	EC000237	XW220167F	4536854792922	#		BA	BAJ	JPN	8536.9010.00
XW22-500K	I/O connection cable, MIL40 to MIL40, 5 m	137.40	EC000237	XW220169B	4536854792946	#		BA	BAJ	JPN	8536.9010.00
<b>Kontrol Sistemi C1J / C1Z</b>											
C1ZH-CPU64	CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	3,274.00	EC000236	C1ZW0006D	4547648638630	#		BA	BAK	JPN	8471.4100.00
C1ZH-CPU64-EIP	CPU, Dahili EtherNet/IP portu, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	4,376.00	EC000236	C1ZW0001C	4547648519113	#		BA	BAK	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ2H-CPU65	CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks. , RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı	3,968.00	EC000236	CJ2W0007B	4547648638647			BA	BAK	JPN	8471.4100.00
CJ2H-CPU65-EIP	CPU, Dahili EtherNet/IP portu, 100K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	4,718.00	EC000236	CJ2W0002A	4547648519120	#		BA	BAK	JPN	8471.6070.00
CJ2H-CPU66-EIP	CPU, Dahili EtherNet/IP portu, 150K step program hafızası, 32K word veri hafızası, 32K word x 10 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	6,355.00	EC000236	CJ2W0003M	4547648519144	#		BA	BAK	JPN	8537.1098.99
CJ2H-CPU67	CPU, 250K step program hafızası, 32K word veri hafızası, 32K words x 15 bank EM, 2560 I/O maks. , RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	7,450.00	EC000236	CJ2W0009R	4547648638661			BA	BAK	JPN	8471.4100.00
CJ2H-CPU67-EIP	CPU, Dahili EtherNet/IP portu, 250K step program hafızası, 32K word veri hafızası, 32K word x 15 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	8,180.00	EC000236	CJ2W0004H	4547648519151	#		BA	BAK	JPN	8471.6070.00
CJ2H-CPU68-EIP	CPU, Dahili EtherNet/IP portu, 400K step program hafızası, 32K word veri hafızası, 32K word x 25 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	10,400.00	EC000236	CJ2W0005F	4547648519168			BA	BAK	JPN	8471.6070.00
CJ2M-CPU11	CPU, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	568.00	EC000236	CJ2W9015B	4548583498389	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU12	CPU, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks, RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	818.00	EC000236	CJ2W9016M	4548583498396	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU13	CPU, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks. , RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,145.00	EC000236	CJ2W9017R	4548583498402	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU14	CPU, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks. , RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,428.00	EC000236	CJ2W9018G	4548583498419	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU15	CPU, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks. , RS-232C seri port, USB programlama portu, Maks. 3 genişletme Rack'ı.	1,745.00	EC000236	CJ2W9019E	4548583498426	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU31	CPU, Dahili EtherNet/IP portu, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks. , RS-232C/485 için opsiyon kartı, USB programmi	1,436.00	EC000236	CJ2W9020R	4548583498433	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU32	CPU, Dahili EtherNet/IP portu, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks. , RS-232C/485 için opsiyon kartı, USB program	1,545.00	EC000236	CJ2W9021G	4548583498440	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU33	CPU, Dahili EtherNet/IP portu, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2,560 I/O maks. , RS-232C/485 için opsiyon kartı, USB program	1,900.00	EC000236	CJ2W9022E	4548583498457	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU34	CPU, Dahili EtherNet/IP portu, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks. , RS-232C/485 için opsiyon kartı, USB program	2,240.00	EC000236	CJ2W9023C	4548583498464	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU35	CPU, Dahili EtherNet/IP portu, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks. , RS-232C/485 için opsiyon kartı, USB program	2,543.00	EC000236	CJ2W9024A	4548583498471	#		BA	BAK	NLD	8471.4100.00
CJ1W-PA202	Güç kaynağı ünitesi, 100-240 VAC, çıkış kapasitesi: 14 W	268.90	EC000599	CJ1W0057E	4536854806018	#		BA	BAK	JPN	8504.4083.90
CJ1W-PA205C	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, bakım monitörü	495.60	EC000599	CJ1W0174A	4547648156936	#		BA	BAK	JPN	8504.4083.90
CJ1W-PA205R	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, RUN çıkışlı	381.10	EC000599	CJ1W0389B	4548583452244	#		BA	BAK	CHN	8504.4083.90
CJ1W-PD022	Güç kaynağı ünitesi, 24 VDC, çıkış kapasitesi: 19.6 W	169.60	EC000599	CJ1W0310H	4547648706117	#		BA	BAK	CHN	8504.4083.90
CJ1W-PD025	Güç kaynağı, 24 VDC, çıkış gücü: 25 W	376.20	EC000599	CJ1W0086R	4536854827761	#		BA	BAK	JPN	8504.4083.90
CJ1W-TC001	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B termokuple giriş, transistör (NPN) çıkış, 4 çevrim	1,159.00	EC001421	CJ1W0031A	4536854740749			BA	BAK	JPN	8471.6070.00
CJ1W-TC002	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 4 çevrim	1,183.00	EC001421	CJ1W0032M	4536854740534	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC003	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B termokuple giriş, transistör (NPN) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	1,003.00	EC001421	CJ1W0033H	4536854740558			BA	BAK	JPN	8471.6070.00
CJ1W-TC004	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	1,026.00	EC001421	CJ1W0034F	4536854903519			BA	BAK	JPN	8471.6070.00
CJ1W-TC101	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (NPN) çıkış, 4 çevrim	1,145.00	EC001421	CJ1W0035D	4536854740565			BA	BAK	JPN	8471.6070.00
CJ1W-TC102	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 4 çevrim	1,145.00	EC001421	CJ1W0036B	4536854740572	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC104	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	1,026.00	EC001421	CJ1W0038R	4536854740596	#		BA	BAK	JPN	8471.6070.00
CJ1W-CLK23	ControllorLink arayüzü	1,122.00	EC001423	CJ1W0278M	4547648597661	#		BA	BAK	CHN	8471.6070.00
CJ1W-COR21	Kullanıcı tanımlı CAN Ünitesi (11 ve 29-bit tanımlayıcı)	1,201.00	EC001423	CJ1W9030B	4547648093477	#		BA	BAK	NLD	8529.1095.00
CJ1W-CRM21	CompoNet CJ1 master ünitesi	818.00	EC001423	CJ1W0324H	4547648708661	#		BA	BAK	CHN	8471.6070.00
CJ1W-ECT21	CJ-series EtherCAT Slave ünitesi	1,071.00	EC001423	CJ1W9131G	4548583576568			BA	BAK	NLD	8471.8000.00
CJ1W-EIP21	CJ1 EtherNet/IP ünitesi, 100Base-TX, CIP, FINS/UDP ve FINS/TCP destekler	1,970.00	EC001423	CJ1W0281M	4547648597692	#		BA	BAK	CHN	8471.6070.00
CJ1W-ETN21	Ethernet ünitesi, RJ45 (100Base-TX ve 10 Base-T) konektör ile (TCP/IP & UDP/IP soket servisleri, FTP, SMTP, FINS)	1,897.00	EC001423	CJ1W0274H	4547648597586	#		BA	BAK	CHN	8471.6070.00
CJ1W-PNT21	ProfiNet master ünitesi	1,381.00	EC001423	CJ1W9076M	4547648476584	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRM21	Profibus-DP Master ünitesi	1,538.00	EC001423	CJ1W9006G	4547648010955	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRT21	Profibus-DP slave ünitesi, 100 word'e kadar giriş çıkış, 180 word maksimum	1,036.00	EC001423	CJ1W9001R	4536854859908	#		BA	BAK	NLD	8529.1095.00
CJ1W-SCU22	Yüksek hız seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar.	726.50	EC001423	CJ1W0337M	4547648779173	#		BA	BAK	JPN	8471.8000.00
CJ1W-SCU32	Yüksek hız seri haberleşme ünitesi, 2x RS-422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	995.00	EC001423	CJ1W0338H	4547648779180	#		BA	BAK	JPN	8471.8000.00
CJ1W-SCU42	Yüksek hız seri haberleşme ünitesi, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	913.50	EC001423	CJ1W0339F	4547648779197	#		BA	BAK	JPN	8471.8000.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C1W-IC101	Genişleme I/O kontrol ünitesi, CPU'nun sağ tarafına bağlanır	295.60	EC002584	C1W0300M	4547648705998	#	2	BA	BAK	CHN	8471.6070.00
C1W-II101	Genişleme I/O arayüz ünitesi, Genişleme I/O'larının soluna bağlanır, 3 genişletme Rack'ı maks.	342.60	EC002584	C1W0301R	4547648706001	#	2	BA	BAK	CHN	8471.6070.00
C1W-IA111	Dijital input unit, 16 x 100-120 VAC inputs, screw terminal	407.50	EC001419	C1W0303E	4547648706025	#		BA	BAK	CHN	8471.6070.00
C1W-IA201	Dijital giriş ünitesi, 8x 200-240 VAC, vida terminal	315.70	EC001419	C1W0304C	4547648706049	#		BA	BAK	CHN	8471.6070.00
C1W-ID201	Dijital giriş ünitesi, 8x 24 VDC, bağımsız girişler, vida terminal	208.30	EC001419	C1W9123F	4548583424968	#		BA	BAK	NLD	8471.6070.00
C1W-ID211	Dijital giriş ünitesi, 16x 24 VDC, vida terminal	258.90	EC001419	C1W9124D	4548583424975	#		BA	BAK	NLD	8471.6070.00
C1W-ID211(SL)	Dijital giriş ünitesi, 16x 24 VDC, vidasız kelepçe terminal	258.90	EC001419	C1W9007H	4547648023092	#		BA	BAK	NLD	8471.6070.00
C1W-ID212	Dijital yüksek-hız giriş ünitesi, 16x 24 VDC, vida terminal	327.40	EC001419	C1W9125B	4548583424982	#		BA	BAK	NLD	8471.6070.00
C1W-ID231	Dijital giriş ünitesi, 32x 24 VDC, FCN konnektör (dahil değil)	440.40	EC001419	C1W3009A	4547648050302	#		BA	BAK	CHN	8471.6070.00
C1W-ID232	Dijital giriş ünitesi, 32x 24 VDC, MIL konnektör (dahil değil)	429.70	EC001419	C1W3010E	4547648050319	#	2	BA	BAK	CHN	8471.6070.00
C1W-ID233	Dijital high-speed input unit, 32 x 24 VDC inputs, MIL40 connector (not included)	558.50	EC001419	C1W0288H	4547648610537	#		BA	BAK	CHN	8471.6070.00
C1W-ID261	Dijital giriş ünitesi, 64x 24 VDC, 2 x FCN konnektör (dahil değil)	724.50	EC001419	C1W3011C	4547648050326	#		BA	BAK	CHN	8471.6070.00
C1W-ID262	Dijital giriş ünitesi, 64x 24 VDC, MIL konnektör (dahil değil)	752.00	EC001419	C1W3012A	4547648050333	#		BA	BAK	CHN	8471.6070.00
C1W-IDP01	Dijital hızlı cevap giriş ünitesi, 16x 24 VDC, single shot pulse capture 30 µs minimum, vida terminal	477.30	EC001419	C1W0308F	4547648706094	#		BA	BAK	CHN	8471.6070.00
C1W-INT01	Dijital interrupt giriş ünitesi, 16x 24 VDC, CPU başına maks. 2 tane, vida terminal	657.50	EC001419	C1W0302G	4547648706018	#		BA	BAK	CHN	8471.6070.00
C1W-OA201	Dijital output unit, 8 x triac outputs, 250 VAC, 0.6 A, screw terminal	341.60	EC001419	C1W0305A	4547648706056	#		BA	BAK	CHN	8471.6070.00
C1W-OC201	Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vida terminal	305.60	EC001419	C1W9126M	4548583424999	#		BA	BAK	NLD	8471.6070.00
C1W-OC201(SL)	Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vidasız kelepçe terminal	305.60	EC001419	C1W9008F	4547648023108	#		BA	BAK	NLD	8471.6070.00
C1W-OC211	Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vida terminal	385.20	EC001419	C1W9127R	4548583425002	#		BA	BAK	NLD	8471.6070.00
C1W-OD211(SL)	Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vidasız kelepçe terminal	385.20	EC001419	C1W9009D	4547648023122	#		BA	BAK	NLD	8471.6070.00
C1W-OD201	Dijital çıkış ünitesi, 8x transistör, NPN, 2.0 A, 12 to 24 VDC, vida terminal	374.40	EC001419	C1W0306M	4547648706070	#		BA	BAK	CHN	8471.6070.00
C1W-OD202	Dijital çıkış ünitesi, 8x transistör, PNP, 2.0 A, 24 VDC, vida terminal	353.40	EC001419	C1W0307H	4547648706087	#		BA	BAK	CHN	8471.6070.00
C1W-OD203	Dijital çıkış ünitesi, 8x transistör, NPN, 0.5 A, 24 VDC, vida terminal	262.70	EC001419	C1W0127M	4536854961182	#		BA	BAK	CHN	8471.6070.00
C1W-OD204	Dijital çıkış ünitesi, 8x transistör, PNP, 0.5 A, 24 VDC, kısa devre ve alarm korumalı, vida terminal	281.00	EC001419	C1W0309D	4547648706100	#		BA	BAK	CHN	8471.6070.00
C1W-OD211	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vida terminal	305.60	EC001419	C1W9128G	4548583425019	#		BA	BAK	NLD	8471.6070.00
C1W-OD211(SL)	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vidasız kelepçe terminal	305.60	EC001419	C1W9010H	4547648023139	#		BA	BAK	NLD	8471.6070.00
C1W-OD212	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vida terminal	352.80	EC001419	C1W9129E	4548583425026	#		BA	BAK	NLD	8471.6070.00
C1W-OD212(SL)	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vidasız kelepçe terminal	352.80	EC001419	C1W9011F	4547648023146	#		BA	BAK	NLD	8471.6070.00
C1W-OD213	Dijital high-speed output unit, 16 x transistor outputs, NPN, 0.5 A, 24VDC, screw terminal	400.90	EC001419	C1W0291H	4547648610568	#		BA	BAK	CHN	8471.6070.00
C1W-OD231	Dijital çıkış ünitesi, 32x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konnektör (dahil değil)	526.00	EC001419	C1W3014H	4547648050357	#		BA	BAK	CHN	8471.6070.00
C1W-OD232	Dijital çıkış ünitesi, 32x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, MIL konnektör (dahil değil)	616.50	EC001419	C1W3015F	4547648050364	#		BA	BAK	CHN	8471.6070.00
C1W-OD233	Dijital output unit, 32 x transistor outputs, NPN, 0.5 A, 24 VDC, MIL40 connector (not included)	531.00	EC001419	C1W3016D	4547648050371	#		BA	BAK	CHN	8471.6070.00
C1W-OD234	Dijital high-speed output unit, 32 x transistor outputs, NPN, 0.5 A, 24VDC, MIL40 connector (not included)	585.00	EC001419	C1W0289F	4547648610544	#		BA	BAK	CHN	8471.6070.00
C1W-OD261	Dijital çıkış ünitesi, 64x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konnektör (dahil değil)	838.50	EC001419	C1W3017B	4547648050388	#		BA	BAK	CHN	8471.6070.00
C1W-OD262	Dijital çıkış ünitesi, 64x transistör, PNP, 0.3 A, 24 VDC, MIL konnektör (dahil değil)	712.00	EC001419	C1W0129F	4536854961205	#		BA	BAK	CHN	8471.9000.00
C1W-MD231	Dijital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x FCN24 connectors (not included)	454.40	EC001419	C1W0106G	4536854880971	#		BA	BAK	CHN	8541.2900.00
C1W-MD232	Dijital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	575.50	EC001419	C1W0130M	4536854961212	#		BA	BAK	CHN	8541.2900.00
C1W-MD233	Dijital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	458.50	EC001419	C1W0107E	4536854880988	#		BA	BAK	CHN	8541.2900.00
C1W-MD261	Dijital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x FCN40 connectors (not included)	838.50	EC001419	C1W0108C	4536854880995	#		BA	BAK	CHN	8541.2900.00
C1W-MD263	Dijital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x MIL40 connectors (not included)	716.50	EC001419	C1W0109A	4536854881008	#		BA	BAK	CHN	8541.2900.00
C1W-AD041-V1	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	1,064.00	EC001420	C1W9003E	4536854912948	#		BA	BAK	NLD	8471.6070.00
C1W-AD041-V1(SL)	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	1,064.00	EC001420	C1W9012D	4547648023252	#		BA	BAK	NLD	8471.6070.00
C1W-AD042	Analog yüksek-hız giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, 1-5 V, 0-10 V, -5-5 V, -10-10 V ve 4-20 mA, vida terminal	1,745.00	EC001420	C1W3042C	4547648722797	#		BA	BAK	JPN	8471.6070.00
C1W-AD044	Evrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K,J,T,L,R,S,B), Pt100, Pt1000, JPt100, vida terminal	1,098.00	EC001420	C1W9059M	4547648318266	#		BA	BAK	NLD	8471.6070.00
C1W-AD044(SL)	Evrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K,J,T,L,R,S,B), Pt100, Pt1000, JPt100, vidasız kelepçe terminal	1,098.00	EC001420	C1W9060D	4547648318273	#		BA	BAK	NLD	8471.6070.00
C1W-AD081-V1	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	1,389.00	EC001420	C1W9002G	4536854912931	#		BA	BAK	NLD	8471.6070.00
C1W-AD081-V1(SL)	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	1,389.00	EC001420	C1W9013B	4547648023269	#		BA	BAK	NLD	8471.6070.00
C1W-PH41U	Evrensel analog giriş ünitesi, yüksek çözünürlük, 4x ±100mV up to ±10V, potansiyometre, 0/4 to 20mA, Termokupl (K,J,T,E,L,U,N,R,S,B), Pt100 (3-kablo), vida terminal	2,032.00	EC001420	C1W0250M	4547648513999	#		BA	BAK	JPN	8471.4100.00
C1W-PT551	İzole sıcaklık kontrol ünitesi, 4 x giriş (K,J,L,R,S,T,B), 0.1°C çözünürlük, vida terminal	963.00	EC001420	C1W0138E	4547648023214	#		BA	BAK	JPN	8471.6070.00
C1W-PT552	İzole RTD giriş ünitesi, 4 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük, vida terminal	958.50	EC001420	C1W0139C	4547648023221	#		BA	BAK	JPN	8471.6070.00
C1W-TS561	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vida terminal	815.50	EC001420	C1W9021C	4547648023467	#		BA	BAK	NLD	8473.3080.00
C1W-TS561(SL)	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	815.50	EC001420	C1W9019A	4547648023320	#		BA	BAK	NLD	8473.3080.00
C1W-TS562	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vida terminal	797.50	EC001420	C1W9022A	4547648023474	#		BA	BAK	NLD	8473.3080.00
C1W-TS562(SL)	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	797.50	EC001420	C1W9020E	4547648023337	#		BA	BAK	NLD	8473.3080.00
C1W-DA021	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA,harici besleme 24 VDC 140mA, vida terminal	850.50	EC001420	C1W9005A	4536854912962	#		BA	BAK	NLD	8471.6070.00
C1W-DA021(SL)	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 140mA, vidasız kelepçe terminal	850.50	EC001420	C1W9014M	4547648023276	#		BA	BAK	NLD	8471.6070.00
C1W-DA041	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vida terminal	945.00	EC001420	C1W9004C	4536854912955	#		BA	BAK	NLD	8471.6070.00



2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
CJ1W-DA041(SL)	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vidasz keleççe terminal	945.00	EC001420	CJ1W9015R	4547648023283	#	BA	BAK	NLD	8471.6070.00
CJ1W-DA042V	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 10V, -10 to 10V, 1:10,000/20,000/40,000 çözünürlük, 20µs/25µs/30µs/35µs dönüştürme periyodu, vida terminal	1,306.00	EC001420	CJ1W3043A	4547648722810	#	BA	BAK	JPN	8471.6070.00
CJ1W-DA08C	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vida terminal, 12 bit çözünürlük, vida terminal	1,306.00	EC001420	CJ1W9025F	4547648023436	#	BA	BAK	NLD	8471.6070.00
CJ1W-DA08C(SL)	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidasz keleççe terminal, 12 bit çözünürlük, vida terminal	1,306.00	EC001420	CJ1W9016G	4547648023290	#	BA	BAK	NLD	8471.6070.00
CJ1W-DA08V	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/±10V çıkış, çözünürlük 1:4000 ±32000 veya 1:8000 olarak skalaveirilebilir, vida terminal	1,284.00	EC001420	CJ1W9024H	4547648023443	#	BA	BAK	NLD	8471.6070.00
CJ1W-DA08V(SL)	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/±10V çıkış, çözünürlük 1:4000 ±32000 veya 1:8000 olarak skalaveirilebilir, vidasz keleççe terminal	1,284.00	EC001420	CJ1W9017E	4547648023306	#	BA	BAK	NLD	8471.6070.00
CJ1W-MAD42	Analog I/O ünitesi, 4x ±10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x ±10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 ±32000 veya 1:8000 olarak skalaveirilebilir, vida terminal	899.50	EC001420	CJ1W9023M	4547648023450	#	BA	BAK	NLD	8471.6070.00
CJ1W-MAD42(SL)	Analog I/O ünitesi, 4x ±10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x ±10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 ±32000 veya 1:8000 olarak skalaveirilebilir, vidasz keleççe terminal	899.50	EC001420	CJ1W9018C	4547648023313	#	BA	BAK	NLD	8471.6070.00
CJ1W-CT021	Yüksek hızlı sayıcı ünitesi, 2 eksen, 500 kHz, RS422 line driver ve ya open collector giriş	989.00	EC001422	CJ1W0320E	4547648708890	#	BA	BAK	CHN	9029.1000.90
CJ1W-CTL41-E	Yüksek hızlı sayıcı ünitesi, 4x puls giriş portu, 24 VDC open collector ve line driver encoder tipi destekler, 24 VDC open collector 100 kHz giriş maks., XW2G-40G7-E terminal bloğu ve XW2Z-XXXX kablolu kullanımlı	797.50	EC001422	CJ1W9029R	4547648089753	#	BA	BAK	NLD	9029.1000.90
CJ1W-CTS21-E	Yüksek hızlı sayıcı ünitesi, SSI mutlak enkoder 2 kanal, 9-31 bit, Gray/Binary/Taunbaum/Raw kodlama, vida terminal	931.50	EC001422	CJ1W9028M	4547648089739	#	BA	BAK	NLD	9029.1000.90
CJ1W-DCM11-E	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM control, plug-in terminals	1,140.00	EC001422	CJ1W9052C	4547648273626	#	BA	BAK	NLD	8529.1095.00
CJ2M-MD211	Puls I/O Module for CJ2M, NPN with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	331.60	EC001422	CJ2W0028E	4547648833080	#	BA	BAK	CHN	8471.6070.00
CJ2M-MD212	Puls I/O Module for CJ2M, PNP with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	331.60	EC001422	CJ2W0029C	4547648833097	#	BA	BAK	CHN	8471.6070.00
CJ1W-V680C11	V680 RFID Sensor unit, one channel, for CJ-series PLCs	2,005.00	EC001422	V68C1011M	4547648510714	#	BA	BAK	JPN	9031.8080.00
CJ1W-V680C12	V680 RFID Sensor unit, two channel, for CJ-series PLCs	2,859.00	EC001422	V68C1012H	4547648510721	#	BA	BAK	JPN	9031.8080.00
<b>Kontrol Sistemi CP1</b>										
CP1W-16ER	CP1 Serisi ek ünite, 16x röle çıkış 2 A	303.40	EC001419	CP1W9256H	4548583810747	#	BA	BAL	NLD	8471.6070.00
CP1W-16ET	CP1 Serisi Ek ünite, 16x NPN çıkış 0.3 A	268.20	EC001419	CP1W9257F	4548583810754	#	BA	BAL	NLD	8471.6070.00
CP1W-16ET1	CP1 Serisi Ek ünite, 16x PNP çıkış 0.3 A	268.20	EC001419	CP1W9258D	4548583810761	#	BA	BAL	NLD	8471.6070.00
CP1W-20EDR1	CP1 Serisi Ek ünite, 12x 24 VDC giriş ve 8x röle çıkış 2 A	291.50	EC001419	CP1W9259B	4548583810778	#	BA	BAL	NLD	8471.6070.00
CP1W-20EDT	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x NPN çıkış 0.3 A	302.20	EC001419	CP1W9260F	4548583810785	#	BA	BAL	NLD	8471.6070.00
CP1W-20EDT1	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A	302.20	EC001419	CP1W9261D	4548583810792	#	BA	BAL	NLD	8471.6070.00
CP1W-32ER	CP1 Serisi Ek ünite, 32x röle çıkış 2 A	515.50	EC001419	CP1W9262B	4548583810808	#	BA	BAL	NLD	8471.6070.00
CP1W-32ET	CP1 Serisi Ek ünite, 32x NPN çıkış 0.3 A	515.50	EC001419	CP1W9263M	4548583810815	#	BA	BAL	NLD	8471.6070.00
CP1W-32ET1	CP1 Serisi Ek ünite, 32x PNP çıkış 0.3 A	515.50	EC001419	CP1W9264R	4548583810822	#	BA	BAL	NLD	8471.6070.00
CP1W-40EDR	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x röle çıkış 2 A	534.00	EC001419	CP1W9265G	4548583810839	#	BA	BAL	NLD	8471.6070.00
CP1W-40EDT	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x NPN çıkış 0.3 A	538.00	EC001419	CP1W9266E	4548583810846	#	BA	BAL	NLD	8471.6070.00
CP1W-40EDT1	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A	525.50	EC001419	CP1W9267C	4548583810853	#	BA	BAL	NLD	8471.6070.00
CP1W-8ED	CP1 Serisi Ek ünite, 8x 24 VDC giriş	206.80	EC001419	CP1W9268A	4548583810860	#	BA	BAL	NLD	8471.6070.00
CP1W-8ER	CP1 Serisi Ek ünite, 8x röle çıkış 2 A	209.90	EC001419	CP1W9269M	4548583810877	#	BA	BAL	NLD	8471.6070.00
CP1W-8ET	CP1 Serisi Ek ünite, 8x NPN çıkış 0.3 A	226.90	EC001419	CP1W9270C	4548583810884	#	BA	BAL	NLD	8471.6070.00
CP1W-8ET1	CP1 Serisi Ek ünite, 8x PNP çıkış 0.3 A	232.90	EC001419	CP1W9271A	4548583810891	#	BA	BAL	NLD	8471.6070.00
CP1W-AD041	CP1 Serisi analog giriş ek ünite, giriş: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	529.50	EC001420	CP1W9272M	4548583810907	#	BA	BAL	NLD	8471.6070.00
CP1W-AD042	CP1 Serisi Ek ünite, 4x analog giriş(0 to 5 V, 1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	290.30	EC001420	CP1W9280M	4548583810983	#	BA	BAL	NLD	8471.6070.00
CP1W-ADB21	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 veya 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000	140.40	EC001420	CP1W0158R	4548583106703	#	BA	BAL	CHN	8471.4100.00
CP1W-BAT01	CP1 PLC için pil	26.19	EC002584	AA050523M	4549734925969	#	BA	BAL	JPN	8506.5010.90
CP1W-CIF01	CP1 RS-232C (15 m maks.) seri haberleşme opsiyonel kartı	71.45	EC001423	CP1W9273H	4548583810914	#	BA	BAL	NLD	8471.6070.00
CP1W-CIF11	CP1 RS422/485 (50 m maks.) seri haberleşme opsiyonel kartı	71.45	EC001423	CP1W9274F	4548583810921	#	BA	BAL	NLD	8471.6070.00
CP1W-CIF12-V1	CP1 RS422/485 (isolated 500 m maks.) serial communication option board	161.50	EC001423	CP1W9305M	4549734446303	#	BA	BAL	NLD	8471.8000.00
CP1W-CIF41	CP1 Ethernet haberleşme opsiyonel kartı	425.80	EC001423	CP1W9276B	4548583810945	#	BA	BAL	NLD	8471.6070.00
CP1W-DA021	CP1 Serisi analog çıkış ek ünite, Ek analog çıkış ünitesi, çıkış: 2x 0 to 5V, 1 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, çözünürlük 1/6,000	515.50	EC001420	CP1W9277M	4548583810952	#	BA	BAL	NLD	8471.6070.00
CP1W-DA041	CP1 Serisi analog çıkış ünite, çıkış: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	587.00	EC001420	CP1W9278R	4548583810969	#	BA	BAL	NLD	8471.6070.00
CP1W-DA042	CP1 Serisi ek ünite , 4x analog çıkış (1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	312.80	EC001420	CP1W9281R	4548583810990	#	BA	BAL	NLD	8471.6070.00
CP1W-DAB21V	CP1L analog opsiyonel kart (only CP1L-EL/EM port 1 or 2) çıkış: 2x 0-10 V çözünürlük 1/4,000	140.40	EC001420	CP1W0159G	4548583106710	#	BA	BAL	CHN	8471.4100.00
CP1W-DAM01	LCD opsiyonel kartı CP1L ve CP1H için	161.40	EC002584	CP1W0077R	4547648527286	#	BA	BAL	CHN	8471.6070.00
CP1W-ELP61	CP1 Ethernet/IP haberleşme opsiyonel kartı, sadece datalink fonksiyonu içindir	549.00	EC001423	AA036230G	4547648934893	#	BA	BAL	USA	8471.6070.00
CP1W-MAB221	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 or 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000 ve çıkış: 2x 0-10 V çözünürlük 1/4,000	243.90	EC001420	CP1W0157M	4548583106697	#	BA	BAL	CHN	8471.4100.00
CP1W-MAD11	CP1 Serisi ek analog G/Ç ünite, giriş: 2x 0-20mA, 4-20mA, 0-5V, 1-5V, 0-10V, -10 to 10V girişler ve çıkış: 1x 0-20mA, 4-20mA, 1-5V, 0-10V, -10 to 10V çıkışlar, çözünürlük 1/6,000	591.00	EC001420	CP1W9279G	4548583810976	#	BA	BAL	NLD	8471.6070.00
CP1W-MAD42	CP1 Serisi ek ünite, 4x analog giriş ve 2x analog çıkış	375.90	EC001420	CP1W9282G	4548583811003	#	BA	BAL	NLD	8471.6070.00
CP1W-MAD44	CP1 Serisi ek ünite, 4x analog giriş ve 4x analog çıkış	534.00	EC001420	CP1W9283E	4548583811010	#	BA	BAL	NLD	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-MODTCP61	CP1 Modbus TCP haberleşme opsiyon kartı, Master or Slave	529.50	EC001423	AA036231E	4547648934909	#		BA	BAL	USA	8471.6070.00
CP1W-TS001	CP1 Serisi sıcaklık sensörü ek ünite, 2x J/K Termokupl giriş	489.60	EC001420	CP1W9285A	4548583811034	#		BA	BAL	NLD	8471.6070.00
CP1W-TS002	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş	617.50	EC001420	CP1W9286M	4548583811041	#		BA	BAL	NLD	8471.6070.00
CP1W-TS003	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş ya da 2x J/K giriş ve 2 analog giriş	324.30	EC001420	CP1W9284C	4548583811027	#		BA	BAL	NLD	8471.6070.00
CP1W-TS004	CP1 Serisi sıcaklık sensörü ek ünite, 12x J/K Termokupl giriş	534.00	EC001420	CP1W0190B	4548583557932	#		BA	BAL	CHN	8471.6070.00
CP1W-TS101	CP1 Serisi sıcaklık sensörü ek ünite, 2x Pt100 giriş	489.60	EC001420	CP1W9287H	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	CP1 Serisi sıcaklık sensörü ek ünite, 4x Pt100 giriş	617.50	EC001420	CP1W9288F	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	6.01	EC002584	CP2W0060H	4549734752800	#		BA	BAL	JPN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	119.70	EC001423	CP2W0040C	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	119.70	EC001423	CP2W0041A	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	119.70	EC001423	CP2W0042M	4549734542548	#		BA	BAL	CHN	8471.8000.00
<b>Kontrol Sistemi Yazılımı</b>											
SYSMAC-DE001L	Sysmac Studio Drive Edition	164.50	EC000809	AA046877F	4548583988262	#		BA	BAM	NLD	8523.8090.00
SYSMAC-HE001L	Sysmac studio, HMI edition	356.20	EC000809	AA042255E	4547648994675	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE201L	Yalnızca Sysmac Studio Lite lisansı, tek kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	1,206.00	EC000809	AA046461D	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE203L	Yalnızca Sysmac Studio Lite lisansı, 3 kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	2,414.00	EC000809	AA046371E	4548583983205	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LU501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1-user licence only	1,495.00	EC000809	AA046876H	4548583988255	#		BA	BAM	NLD	8523.8090.00
SYSMAC-ME001L	Sysmac Studio Measurement Edition 1 User Licence	451.40	EC000809	AA038896R	4547648963145	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0000D	CNC operatörü DVD'si	52.85	EC000809	NXNC0002B	4549734166874	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operatörü Ek lisans	1,694.00	EC000809	NXNC0003M	4549734166881	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operatörü SDK DVD	2,975.00	EC000809	NXNC0004R	4549734166898	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	653.00	EC000809	NXS0038H	4549734601375	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	2,480.00	EC000809	NXS0039F	4549734601382	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	4,959.00	EC000809	NXS0040M	4549734601399	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	10,420.00	EC000809	NXS0041H	4549734601405	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	14,400.00	EC000809	NXS0042F	4549734601412	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	22,330.00	EC000809	NXS0043D	4549734601429	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SE201L	Sysmac Studio lisansı, tek kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	2,049.00	EC000809	AA034702B	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio lisansı, 3 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	4,087.00	EC000809	AA034703M	4547648909808	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio lisansı, 10 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	8,185.00	EC000809	AA034704R	4547648909815	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE2XL-ED	Sysmac Studio Educational Edition site license	364.10	EC000809	AA043371R	4548583953949	#		BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	656.50	EC000809	AA052282G	4549734942607	#		BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,338.00	EC000809	AA052284C	4549734942621	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4	Tek kullanıcı lisansı, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	1,342.00	EC000809	AA030399H	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Tek kullanıcı lisans güncelleme, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	415.70	EC000809	AA030405F	4547648876773	#		BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3-kullanıcı lisansı, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	2,710.00	EC000809	AA030400E	4547648876728	#		BA	BAM	NLD	8523.8090.00
CXONE-AL10-EV4	10-kullanıcı lisansı, CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4, veya CXOne-DVD-EV4 gereklidir)	5,275.00	EC000809	AA030401C	4547648876735	#		BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4.x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), 1x DVD, (CXOne-ALxx-EV4-xx) gereklidir	20.53	EC000809	AA030412R	4547648876841	#		BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4.x yazılımı, Windows 2000/XP/Vista, tek kullanıcı lisansı, (Kurulum için CDs, CXOne-LTCD-EV4 gereklidir), yazılım sadece CPx serisi kompakt PLC desteklemektedir	333.40	EC000809	AA029348H	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4.x yazılımı, Windows 2000/XP/Vista, 2xCDs, (CXOne-LT01-EV4), yazılım sadece CPx serisi kompakt PLC desteklemektedir	27.32	EC000809	AA029349F	4547648871136	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-DEV-SUB-01L	CX-Supervisor V4 Developer package (1 License Soft Activation annual subscription)	382.60	EC001416	WS029148M	4549734752985	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-01L-V4	CX-Supervisor V4 Machine Edition Runtime (1 License Soft Activation)	1,049.00	EC001416	WS029149H	4549734752992	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor Machine Edition Runtime paketi (USB dongle ile birlikte)	790.00	EC001416	WS029145E	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-01L-V4	CX-Supervisor V4 PLUS Runtime package (1 License Soft Activation)	1,707.00	EC001416	WS029150A	4549734753005	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor PLUS Runtime paketi (USB dongle ile birlikte)	1,241.00	EC001416	WS029146C	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	834.50	EC001416	WS029144G	4549734667913	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package, Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	790.00	EC001416	WS029143R	4549734667906	#		BA	BAM	NLD	8523.8090.00
CX-COMPOLET-EV1-01L	1 kullanıcı lisansı, PC ve PLC arası, Visual Studio, .NET2003/2005/2008/2010/2013. Developm. languages: VB, .NET, Visual C#	526.00	EC001435	AA032225R	4547648887182	#		BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi CP2</b>											
CP2E-E14DR-A	CP2E series compact PLC - Essential Type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	356.60	EC000236	CP2W0035G	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-E20DR-A	CP2E series compact PLC - Essential Type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	382.40	EC000236	CP2W0036E	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-E30DR-A	CP2E series compact PLC - Essential Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	519.50	EC000236	CP2W0037C	4549734542494	#		BA	BAN	CHN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-E40DR-A	CP2E series compact PLC - Essential Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	600.50	EC000236	CP2W0038A	4549734542500	#		BA	BAN	CHN	8471.4100.00
CP2E-E60DR-A	CP2E series compact PLC - Essential Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	724.50	EC000236	CP2W0039M	4549734542517	#	3	BA	BAN	CHN	8471.4100.00
CP2E-N14DR-A	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	519.50	EC000236	CP2W0001B	4549734542135	#		BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	519.50	EC000236	CP2W0006C	4549734542180	#		BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type; 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	519.50	EC000236	CP2W0021G	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N14DT-D	CP2E series compact PLC - Network type; 8 DI, 6DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	519.50	EC000236	CP2W0016M	4549734542289	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	600.50	EC000236	CP2W0002M	4549734542142	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	600.50	EC000236	CP2W0007A	4549734542197	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DT1-D	CP2E series compact PLC - Network type; 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	600.50	EC000236	CP2W0022E	4549734542340	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	724.50	EC000236	CP2W0003R	4549734542159	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	724.50	EC000236	CP2W0008M	4549734542203	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	724.50	EC000236	CP2W0023C	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	902.00	EC000236	CP2W0004G	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	902.00	EC000236	CP2W0009H	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	902.00	EC000236	CP2W0024A	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	902.00	EC000236	CP2W00019E	4549734542219	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	1,147.00	EC000236	CP2W0005E	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	1,147.00	EC000236	CP2W0010A	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	1,147.00	EC000236	CP2W0025M	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	600.50	EC000236	CP2W0026H	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	600.50	EC000236	CP2W00032B	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	600.50	EC000236	CP2W0029B	4549734542418	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	724.50	EC000236	CP2W0027F	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	724.50	EC000236	CP2W0033M	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	724.50	EC000236	CP2W0030F	4549734542425	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	902.00	EC000236	CP2W0028D	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	902.00	EC000236	CP2W0034R	4549734542463	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	902.00	EC000236	CP2W0031D	4549734542432	#		BA	BAN	CHN	8471.4100.00
<b>Diğer Kontrol Sistemleri</b>											
W4S1-05D	5-port enhanced Ethernet switch	395.10	EC000734	W4S10007F	4549734712224	#		BA	BAX	JPN	8517.6200.00
3G8F7-CLK23-E	controllerLink PC interface (PCI)	3,069.00	EC001423	3GF70025R	4547648458719	#		BA	BAX	JPN	8537.1098.99
HMC-EF583	Flash hafıza kartı, 512MB	1,117.00	EC000192	HMC 1041E	4549734599740	#		BA	BAX	TWN	8523.5110.00
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	201.20	EC002780	G70A7002H	4548583411821	#		BA	BAX	CHN	8536.4900.99
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	201.20	EC002780	G70A7003F	4548583411838	#		BA	BAX	CHN	8536.4900.99
<b>Özel Kontrol Sistemleri</b>											
CJ1W-F130	Load cell giriş ünitesi, 1 Kanal, high-performance, 10 VDC or 2.5 VDC, max 4x 350 Ohm load cells, vida terminal	5,450.00	EC001422	AA037491G	4547648949613	#		BA	BAY	JPN	8471.6070.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CP1W-CN221	USB Programlama kablosu, A-tip erkek - B-tip erkek, 1.8 m	13.07	EC001681	AA049340A	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	CP1 CPU'dan CP1 Ek ünitelerine uzatma kablosu, 80 cm	107.30	EC002584	CP1W0010H	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EXT01	CP1H CPU'dan CJ1W ek ünite adaptörü, CJ sonlandırıcı kapağı dahil	129.00	EC002584	CP1W0011F	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 hafıza kartı (kullanıcı programı yüklemek/çekmek için)	85.15	EC000192	CP1W0009D	4547648203623	#		BA	BAZ	CHN	8542.3255.00
CP1W-SW806	Input simulation switch board	70.20	EC000238	AA023122R	4536853913489	#		BA	BAZ	NLD	8473.3080.00
CPM2C-BAT01	Battery for CPM2C PLCs	76.75	EC002584	CP2C0014M	4536854490033	#		BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral port	179.90	EC001681	CP2C1000F	4547648227148	#		BA	BAZ	CHN	8544.4290.90
CPM2A-BAT01	Battery for CPM2A/CQM1H/CJ1G/CJ1H PLCs	92.65	EC002584	AA043192R	4548583951709	#		BA	BAZ	JPN	8506.5090.90
CJ1W-BAT01	CJ1M PLC için batarya	68.75	EC002584	AA043073F	4548583950603	#		BA	BAZ	JPN	8506.5090.90
CJ1W-TER01	CJ1 CPU için sonlandırma kapağı, sadece yedek parça olarak gerekir.	136.80	EC002584	CJ1W0006M	4536854716195	#		BA	BAZ	JPN	8471.9000.00
CS1W-CN133	CS1/CJ/NJ ek şase bağlantı kablosu, 10m	647.00	EC002584	CS1W3018R	4547648226868	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN223	CS1/CJ/NJ ek şase bağlantı kablosu, 2m	304.50	EC002584	CS1W3015D	4547648226837	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN313	CS1/CJ/NJ ek şase bağlantı kablosu, 30cm	135.30	EC002584	CS1W3013H	4547648226813	#		BA	BAZ	CHN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1W-CN323	CS1/CJ/NJ ek şase bağlantı kablosu, 3m	348.60	EC002584	CS1W3016B	4547648226844	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN523	CS1/CJ/NJ ek şase bağlantı kablosu, 5m	406.00	EC002584	CS1W3017M	4547648226851	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN713	CS1/CJ/NJ ek şase bağlantı kablosu, 70cm	202.00	EC002584	CS1W3014F	4547648226820	#		BA	BAZ	CHN	8544.4290.90
CS1W-BAT01	Battery for CS1 PLCs	63.15	EC002584	AA044063D	4548583960404	#		BA	BAZ	JPN	8506.5090.90
CJ1W-CIF11	RS-485 adaptörü, 2 veya 4 kablo, seri PLC link için doğrudan 9-pin RS-232C portuna bağlanır, RS-485 tarafı vida terminal	212.20	EC001467	CJ1W0100H	4536854855863	#		BA	BAZ	JPN	8471.6070.00
CS1W-CIF31	kablo, PC USB RS-232C çevirici kablo, an Omron Programlama kablosu gerekli	307.80	EC001467	CS1W0255M	4536854935596	#		BA	BAZ	JPN	8471.6070.00
CS1W-CN114	kablo, 5cm, bağlantı için CQM1-PRO01 CS1/CQM1H/CPM2C	109.00	EC001681	CS1W3035R	4547648227056	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN118	Peripheral-RS232 çevirici	109.00	EC001681	CS1W3032D	4547648227025	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN226	Kablo, 2m, bağlantı için CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS-232C port	156.20	EC001681	CS1W3030H	4547648226998	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN626	Kablo, 6m, bağlantı için CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS-232C port	225.40	EC001681	CS1W3031F	4547648227001	#		BA	BAZ	CHN	8544.4290.90
XS5W-T421-BM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 0.5 m	54.00	EC002599	XS5W0104B	4548583003774	#	10	BA	BAZ	JPN	8544.4290.90
XS5W-T421-BMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 0.5 m	165.80	EC002599	XS5W0091G	4547648843898	#	10	BA	BAZ	JPN	8544.4290.90
XS5W-T421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 1 m	61.05	EC002599	XS5W0105M	4548583003781	#	10	BA	BAZ	JPN	8544.4290.90
XS5W-T421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 1 m	69.10	EC002599	XS5W0113A	4548583003873	#	10	BA	BAZ	JPN	8544.4290.90
XS5W-T421-DM2-K	EtherCAT kablo, zırhlı, M12 düz erkek/M12 düz, erkek, 2 m	70.80	EC002599	XS5W0106R	4548583003798	#	5	BA	BAZ	JPN	8544.4290.90
XS5W-T421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 2 m	78.35	EC002599	XS5W0079H	4547648832212	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-DMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 2 m	162.10	EC002599	XS5W0093C	4547648843911	#	5	BA	BAZ	JPN	8544.4290.90
XS5W-T421-EMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 3 m	87.95	EC002599	XS5W0114M	4548583003880	#	5	BA	BAZ	JPN	8544.4290.90
XS5W-T421-EMC-SS	EtherCAT kablo, zırhlı, M12 düz, erkek/RJ45, 3 m	158.10	EC002599	XS5W0412B	4548583869318	#	5	BA	BAZ	JPN	8544.4290.90
XS5W-T421-GMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 5 m	105.00	EC002599	XS5W0080A	4547648832229	#	2	BA	BAZ	JPN	8544.4290.90
XS5W-T421-GMC-SS	EtherCAT kablo, zırhlı, M12 düz, erkek/RJ45, 5 m	188.90	EC002599	XS5W0413M	4548583869325	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-GMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 5 m	215.40	EC002599	XS5W0095M	4547648843935	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-JM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 10 m	158.90	EC002599	XS5W0109C	4548583003835	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-JMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 10 m	152.10	EC002599	XS5W0115H	4548583003897	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-JMC-SS	EtherCAT kablo, zırhlı, M12 düz, erkek/RJ45, 10 m	264.00	EC002599	XS5W0414R	4548583869332	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-JMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 10 m	287.50	EC002599	XS5W0096H	4547648843942	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 15 m	185.70	EC002599	XS5W0081M	4547648832236	#		BA	BAZ	JPN	8544.4290.90
XS5W-T421-KMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 15 m	296.30	EC002599	XS5W0097F	4547648843959	#		BA	BAZ	JPN	8544.4290.90
XS5W-T422-JMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 10 m	152.10	EC002599	XS5W0217M	4548583361614	#		BA	BAZ	JPN	8544.4290.90
XS6G-T421-1	RJ45 connector assembly (For AWG22 to AWG24)	51.00	EC001121	XS6G0001M	4548583002180	#	16	BA	BAZ	CHE	8544.4290.90
XS6W-5PUR8S51000CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 10 m	81.85	EC002599	XS6W0022H	4548583378797	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S5100CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 1 m	19.79	EC002599	XS6W0016C	4548583378735	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S51500CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 15 m	116.90	EC002599	XS6W0023F	4548583378803	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S5150CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 1.5 m	23.58	EC002599	XS6W0014A	4548583378742	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S52000CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 20 m	152.10	EC002599	XS6W0024D	4548583378810	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S5200CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 2 m	26.78	EC002599	XS6W0018M	4548583378759	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S5300CM-G	Ethernet Cat.5 patch cable, PUR çift zırhlı (Green), 3 m	33.56	EC002599	XS6W0019H	4548583378766	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S5500CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 5 m	47.05	EC002599	XS6W0020A	4548583378773	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR8S550CM-G	Ethernet Cat.5 patch kablo, PUR çift zırhlı (Green), 0.5 m	16.32	EC002599	XS6W0015E	4548583378728	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S51000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 10 m	48.95	EC002599	XS6W0034A	4548583378674	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5100CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 10 m	48.95	EC002599	XS6W0046E	4548583378551	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 10 m	48.95	EC002599	XS6W0010D	4548583378438	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5100CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 1 m	11.86	EC002599	XS6W0028G	4548583378612	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5100CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 1 m	11.86	EC002599	XS6W0040F	4548583378490	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 1 m	11.86	EC002599	XS6W0004M	4548583378360	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S51500CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 15 m	69.70	EC002599	XS6W0035M	4548583378681	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5150CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 15 m	69.70	EC002599	XS6W0047C	4548583378568	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 15 m	69.70	EC002599	XS6W0011B	4548583378445	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5150CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 1.5 m	13.91	EC002599	XS6W0041D	4548583378506	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 1.5 m	13.89	EC002599	XS6W0005H	4548583378384	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S52000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 20 m	90.00	EC002599	XS6W0036H	4548583378698	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S52000CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 20 m	90.00	EC002599	XS6W0048A	4548583378575	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S52000CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 20 m	90.00	EC002599	XS6W0012M	4548583378452	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5200CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Blue), 2 m	15.97	EC002599	XS6W0030R	4548583378636	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5200CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 2 m	15.97	EC002599	XS6W0042B	4548583378513	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5200CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 2 m	15.97	EC002599	XS6W0006F	4548583378391	#	5	BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S520CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 0.2 m	8.88	EC002599	XS6W0025B	4548583378582	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S520CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 0.2 m	8.88	EC002599	XS6W0037F	4548583378469	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S520CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.2 m	8.88	EC002599	XS6W0001E	4548583378322	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8S5300CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 3 m	20.07	EC002599	XS6W0031G	4548583378643	#		BA	BAZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS6W-6LSZH8SS300CM-G	Ethernet Cat.6 patch cable, LSZH çift zırlı (Green), 3 m	20.07	EC002599	XS6W0043M	4548583378520	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS300CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Yellow), 3 m	20.07	EC002599	XS6W0007D	4548583378407	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS300CM-B	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Blue), 0.3 m	9.19	EC002599	XS6W0026M	4548583378599	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS300CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Green), 0.3 m	9.19	EC002599	XS6W0038D	4548583378476	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS300CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Yellow), 0.3 m	9.38	EC002599	XS6W0002C	4548583378339	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-B	Ethernet Cat.6 patch cable, LSZH çift zırlı (Blue), 5 m	28.29	EC002599	XS6W0032E	4548583378650	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-G	Ethernet Cat.6 patch cable, LSZH çift zırlı (Green), 5 m	28.29	EC002599	XS6W0044R	4548583378537	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Yellow), 5 m	28.29	EC002599	XS6W0008B	4548583378414	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-B	Ethernet Cat.6 patch cable, LSZH double shielding (Blue), 0.5 m	9.80	EC002599	XS6W0027R	4548583378605	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-G	Ethernet Cat.6 patch cable, LSZH çift zırlı (Green), 0.5 m	9.80	EC002599	XS6W0039B	4548583378483	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Yellow), 0.5 m	9.80	EC002599	XS6W0003A	4548583378346	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH8SS750CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırlı (Yellow), 7.5 m	38.68	EC002599	XS6W0009M	4548583378421	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S51000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	115.40	EC002599	XS6W0079A	4549734686044	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5100CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	34.91	EC002599	XS6W0073B	4549734685986	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S51500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	167.40	EC002599	XS6W0080E	4549734686051	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5150CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	41.49	EC002599	XS6W0074M	4549734685993	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S52000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	217.40	EC002599	XS6W0081C	4549734686068	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	42.14	EC002599	XS6W0075R	4549734686006	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S520CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	17.79	EC002599	XS6W0070H	4549734685955	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	44.78	EC002599	XS6W0076G	4549734686013	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S530CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	26.34	EC002599	XS6W0071F	4549734685962	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	65.25	EC002599	XS6W0077E	4549734686020	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S550CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	28.98	EC002599	XS6W0072D	4549734685979	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR8S5750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	88.25	EC002599	XS6W0078C	4549734686037	#		BA	BAZ	CHN	8544.4210.00
C200H-BAT09	Battery for CM5NH/C200H PLCs	76.15	EC002584	AA043191M	4548583951693	#		BA	BAZ	JPN	8506.5090.90
C500-BAT08	Battery for CQM1(NOT CQM1H), CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMIs	84.50	EC002584	AA044062F	4548583960398	#		BA	BAZ	JPN	8506.5090.90
HMC-EF183	Flash hafıza kartı, 128MB	242.60	EC000192	HMC 1039C	4549734599726	#	20	BA	BAZ	TWN	8523.5110.00
CJ-OD507-18P-5	Vida terminal yedeği, 5'li paket	157.10	EC002584	AA018228G	4547648850391	#		BA	BAZ	NLD	8538.9099.99
CJ-WM01-18P-5	Vidasız, kısa kablolu terminal yedeği, 5'li paket	162.90	EC002584	AA010894M	4536853882853	#		BA	BAZ	NLD	8538.9099.99
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	56.40	EC002584	3GA56006H	4536854288241	#		BA	BAZ	JPN	8473.3080.00
G7TC-IA16 AC200/220	Input Terminal Block, 16 points, Relay coil voltage = 200/220 V AC	467.80	EC002780	G7TC7005B	4548583411661	#		BA	BAZ	CHN	8536.4900.99
G7TC-ID16 DC24	Input Terminal Block, 16 points, Relay coil voltage = 24 V DC	431.00	EC002780	G7TC7011G	4548583411722	#		BA	BAZ	CHN	8536.4900.99
G7TC-OC16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	429.10	EC002780	G7TC7019B	4548583411807	#		BA	BAZ	CHN	8536.4900.99
G7TC-OC16-1 24VDC	Output Terminal Block for PNP output unit, 16 points, Relay coil voltage = 24 V DC	422.00	EC002780	G7TC7017F	4548583411784	#		BA	BAZ	CHN	8536.4900.99
XW22-R100C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m	78.65	EC000237	XW228008H	4548583800311	#		BA	BAZ	JPN	8544.4290.90
XW22-R200C	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m	100.00	EC000237	XW228010M	4548583800335	#		BA	BAZ	JPN	8544.4290.90
XW22-R200C-175-150	I/O connection cable, with shield connection, FCN56 to 3 x MIL20 for G70A-ZOC16-3, 2 m / 1.75 m / 1.5 m	217.30	EC000237	XW228024M	4548583800472	#		BA	BAZ	JPN	8544.4290.90
XW22-RA200C	I/O bağlantı kablosu, MIL20 - açık uçlu, 2 m, G70V ile uyumlu	120.60	EC000237	XW228006A	4548583800298	#		BA	BAZ	JPN	8544.4290.90
XW22-RI100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 1 m / 0.75 m	100.00	EC000237	XW228013D	4548583800366	#		BA	BAZ	JPN	8544.4290.90
XW22-R1200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20, 2 m / 1.75 m	119.00	EC000237	XW228015M	4548583800380	#		BA	BAZ	JPN	8544.4290.90
XW22-R150C	I/O connection cable, MIL20 to MIL20, 0.5 m	97.80	EC000237	XW228027D	4548583800502	#		BA	BAZ	JPN	8544.4290.90
XW22-RO100-75-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 1 m	113.60	EC000237	XW220604M	4549734137478	#		BA	BAZ	JPN	8544.4290.90
XW22-RO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1 m / 0.75 m	98.55	EC000237	XW228018E	4548583800410	#	3	BA	BAZ	JPN	8544.4290.90
XW22-RO150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1.5 m / 1.25 m	110.70	EC000237	XW228019C	4548583800427	#	3	BA	BAZ	JPN	8544.4290.90
XW22-RO200-175-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70A-ZOC16-3, 0.75 m	199.10	EC000237	XW220598A	4549734137416	#		BA	BAZ	JPN	8536.4900.99
XW22-RO200C-150	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 2 m / 1.5 m	114.90	EC000237	XW228150E	4548583801738	#		BA	BAZ	JPN	8536.4900.99
XW22-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 2 m / 1.75 m	119.00	EC000237	XW228020G	4548583800434	#		BA	BAZ	JPN	8544.4290.90
XW22-RO50C	I/O connection cable, MIL20 to MIL20 for XW2*20G* or G70A-ZOC16-3, 0.5 m	97.80	EC000237	XW228029M	4548583800526	#		BA	BAZ	JPN	8544.4290.90
XW22-RO75-50-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70A-ZOC16-3, 0.75 m	195.30	EC000237	XW228033R	4548583800564	#		BA	BAZ	JPN	8536.4900.99
XW22-RY200C	I/O bağlantı kablosu, MIL20 - açık uçlu (çatal ferrüllü), 2 m, G70V ile uyumlu	111.00	EC000237	XW228003G	4548583800267	#		BA	BAZ	JPN	8544.4290.90
<b>İnsan Makine Arabirimi Yazılımı</b>											
CX-OPC-EV2	CX-Server OPC yazılımı(Tek Lisans), Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), tek-kullanıcı lisansı, CD-Rom	901.50	EC001416	AA025544F	4547648857703	#		BB	BBG	NLD	8523.8090.00
NS-NSRCL1	NS-Runtime, NS uygulamaları PC'de çalıştırma, 1 x USB Dongle	1,813.00	EC001435	NSR 0001D	4547648352567	#		BB	BBG	JPN	8523.8090.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Insan Makine Arabirimi NB</b>											
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	79.70	EC002584	NB100701M	4548583313880	#		BB	BBP	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	28.49	EC002584	NB3Q0701C	4548583313873	#		BB	BBP	CHN	3919.9080.99
NB5Q-KBA04	HMI için Aksesuar,NB5Q için ekran koruyucu (5 parça)	31.45	EC002584	NB5Q0701M	4548583108073	#		BB	BBP	CHN	3919.9080.99
NB7W-KBA04	HMI için Aksesuar,NB7W için ekran koruyucu (5 parça)	52.20	EC002584	NB7W0701R	4548583108097	#		BB	BBP	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs.)	31.45	EC002584	NB000701F	4548583132771	#		BB	BBP	CHN	8531.9000.00
<b>Insan Makine Arabirimi NA</b>											
NA5-12W101B-V1	Dokunmatik Ekran, 12.1 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah	5,035.00	EC001412	NA579014D	4549734556552	#		BB	BBR	NLD	8531.2040.90
NA5-12W101S-V1	Dokunmatik Ekran, 12.1 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş	5,035.00	EC001412	NA579013F	4549734556545	#		BB	BBR	NLD	8531.2040.90
NA5-15W101B-V1	Dokunmatik Ekran, 15.4 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Siyah	5,480.00	EC001412	NA579016M	4549734556576	#		BB	BBR	NLD	8531.2040.90
NA5-15W101S-V1	Dokunmatik Ekran, 15.4 inch geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi : Gümüş	5,480.00	EC001412	NA579015B	4549734556569	#		BB	BBR	NLD	8531.2040.90
NA5-7W001B-V1	Dokunmatik Ekran, 7 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah	2,452.00	EC001412	NA579010A	4549734556514	#		BB	BBR	NLD	8531.2040.90
NA5-7W001S-V1	Dokunmatik Ekran, 7 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş	2,452.00	EC001412	NA579009H	4549734556507	#		BB	BBR	NLD	8531.2040.90
NA5-9W001B-V1	Dokunmatik Ekran, 9 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Siyah	3,703.00	EC001412	NA579012H	4549734556538	#		BB	BBR	NLD	8531.2040.90
NA5-9W001S-V1	Dokunmatik Ekran, 9 inch geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi : Gümüş	3,703.00	EC001412	NA579011M	4549734556521	#		BB	BBR	NLD	8531.2040.90
NA-12WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 12" (contains 5 sheets)	228.40	EC002584	NA579702E	4548583531994	#		BB	BBR	NLD	3919.9080.99
NA-15WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 sheets)	387.40	EC002584	NA579703C	4548583532007	#		BB	BBR	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7	246.80	EC002584	NA579711D	4548583748118	#		BB	BBR	NLD	8531.9000.00
NA-9WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 9" (contains 5 sheets)	210.90	EC002584	NA579701G	4548583531987	#		BB	BBR	NLD	3919.9080.99
<b>Insan Makine Arabirimleri için Aksesuarlar</b>											
NSH5-232UL-10M	NSH5 kablo, 10m (RS-232C haberleşme, 24 VDC, fonksiyon tuşu + E-stop + enabling switch kablo)	951.50	EC001681	NS050706M	4547648269582	#		BB	BBZ	JPN	8531.9000.00
XW2Z-S002-NL	RS-232C haberleşme kabloyu PC ile PLC/HMI arası, 2 m	52.85	EC001681	AA043413H	4548583954366	#		BB	BBZ	ITA	8544.4210.00
<b>Uzak I/O DRT (DeviceNet)</b>											
DRT2-ID08-1	DeviceNet Dijital giriş ünitesi, 8x 24 VDC giriş, PNP	378.80	EC001599	DRT27012E	4547648218825	#		BF	BFD	CHN	8471.6070.00
DRT2-ID16	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, NPN	608.50	EC001599	DRT27000A	4547648209045	#		BF	BFD	CHN	8471.6070.00
DRT2-ID16-1	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	608.50	EC001599	DRT27001M	4547648209052	#		BF	BFD	CHN	8471.6070.00
DRT2-ID16MLX	DeviceNet digital input unit, 16 x inputs, 24 VDC, NPN, MIL connector (not included)	547.00	EC001599	DRT20088G	4547648242592	#		BF	BFD	CHN	8471.6070.00
DRT2-ID16TA-1	DeviceNet Dijital giriş ünitesi with 3-tier terminal Blok, 16x 24 VDC PNP giriş	639.00	EC001599	DRT20023B	4536854960772	#		BF	BFD	CHN	8471.6070.00
DRT2-OD16-1	DeviceNet Dijital çıkış ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC	592.50	EC001599	DRT27008G	4547648209120	#		BF	BFD	CHN	8471.6070.00
DRT2-OD16MLX	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, with MIL connector + 10 cm cable	547.00	EC001599	DRT20090R	4547648242615	#		BF	BFD	CHN	8471.6070.00
DRT2-OD16MLX-1	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, PNP, with MIL connector + 10 cm cable	509.50	EC001599	DRT20091G	4547648242622	#		BF	BFD	CHN	8471.6070.00
DRT2-R0S16	DeviceNet Dijital çıkış ünitesi, 16x röle çıkış, 3 A	905.50	EC001599	DRT27009E	4547648209137	#		BF	BFD	CHN	8538.9099.99
DRT2-MD16-1	DeviceNet Dijital I/O ünitesi, 8x 24 VDC PNP giriş & 8x 24 VDC PNP 0.5 A çıkış	567.50	EC001599	DRT27040M	4547648813273	#		BF	BFD	CHN	8471.6070.00
DRT2-MD16TA-1	DeviceNet Dijital I/O ünitesi with 3-tier terminal Blok, 8x 24 VDC PNP giriş & 8x 24 VDC PNP 0.5 A çıkış	639.00	EC001599	DRT20027E	4536854960819	#		BF	BFD	CHN	8471.6070.00
DRT2-TS04P	DeviceNet resistance thermometer giriş ünitesi 4x PT, JPT, PT2, JPT2 giriş	891.00	EC001596	DRT20054B	4547648073530	#		BF	BFD	JPN	8471.6070.00
DRT2-TS04T	DeviceNet Termokupl giriş ünitesi, 4x R,S,K,J,T,B,L,E,U,N,W,PLII giriş	920.00	EC001596	DRT20068B	4547648096720	#		BF	BFD	JPN	8471.6070.00
<b>Uzak I/O GRT (SmartSlice)</b>											
GCN2-100	SmartSlice turn-back cable (1 m)	72.80	EC002584	GRT10011F	4547648219426	#		BF	BFH	JPN	8544.4210.00
<b>Uzak I/O CRT (CompoNet)</b>											
CRT1-ID08-1	CompoNet IP20 word slave ünitesi, 8x 24 VDC giriş, PNP, vidalı terminal	415.10	EC001599	CRT13069E	4547648571326	#		BF	BFI	JPN	8471.6070.00
CRT1-ID16	CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals	486.80	EC001599	CRT13001F	4547648237857	#		BF	BFI	CHN	8471.6070.00
CRT1-ID16-1	CompoNet IP20 word slave ünitesi, 16x 24 VDC giriş, PNP, vidalı terminal	486.80	EC001599	CRT13002D	4547648237864	#		BF	BFI	CHN	8471.6070.00
CRT1-OD08-1	CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	489.50	EC001599	CRT13071G	4547648571340	#		BF	BFI	JPN	8471.6070.00
CRT1-OD16	CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals	486.80	EC001599	CRT13003B	4547648237871	#		BF	BFI	CHN	8471.6070.00
CRT1-OD16-1	CompoNet IP20 word slave ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC, vidalı terminal	486.80	EC001599	CRT13004AM	4547648237888	#		BF	BFI	CHN	8471.6070.00
CRT1-R0S16	CompoNet output unit, 16 x relay outputs 2 A, screw terminals	844.00	EC001599	CRT13024E	4547648414869	#		BF	BFI	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CRT1-MD16-1	CompoNet I/O unit, 8 x 24 VDC inputs PNP & 8 x transistor outputs PNP 0.5 A, screw terminals	547.00	EC001599	CRT13073C	4547648571364	#		BF	BFI	JPN	8471.6070.00
CRT1-AD04	CompoNet IP20 slave ünitesi, 4 nokta analog giriş, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, 1:6000 çözünürlük, vidalı terminal	891.00	EC001596	CRT13005R	4547648237895			BF	BFI	CHN	8471.6070.00
CRT1-DA02	CompoNet IP20 word slave ünitesi, 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük, vidalı terminal	895.50	EC001596	CRT13006G	4547648237901			BF	BFI	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
GX-ID1621	EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable	592.50	EC001599	GX 5014F	4547648821681			BF	BFX	CHN	8471.6070.00
GX-ID1622	EtherCAT digital I/O unit, 16 x inputs, PNP, 3-wire	761.00	EC001599	GX 5021R	4547648821759			BF	BFX	CHN	8471.6070.00
GX-OD1621	EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable	592.50	EC001599	GX 5018R	4547648821728			BF	BFX	CHN	8471.6070.00
GX-MD1622	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire	761.00	EC001599	GX 5023E	4547648821773			BF	BFX	CHN	8471.6070.00
GX-AD0471	EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:8000 (full scale)	943.00	EC001596	GX 5028F	4547648821827			BF	BFX	CHN	8471.6070.00
XWT-ID16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC giriş, PNP (Max 1 adet DRT2-*D08(-1)/D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile kullanılır)	479.60	EC001599	XWT 7003D	4547648209342	#		BF	BFX	CHN	8471.6070.00
XWT-OD08-1	CRT1/DRT2/GX-series I/O expansion unit, 8 x 24 VDC outputs, 0.5 A, PNP (1 max per I/O terminal, specific models only)	375.60	EC001599	XWT 7006R	4547648209373			BF	BFX	CHN	8471.6070.00
XWT-OD16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC çıkış, 0.5 A, PNP (Max 1 adet DRT2-*D08(-1)/D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile birlikte kullanılır)	479.60	EC001599	XWT 7008E	4547648209397	#		BF	BFX	CHN	8471.6070.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
GX-JC03	3 portlu EtherCAT switch	306.40	EC000734	GX 5030H	4548583075375	#		BF	BFZ	CHN	8471.8000.00
GX-JC06	6 portlu EtherCAT switch	562.50	EC000734	GX 5031F	4548583075382	#		BF	BFZ	CHN	8471.8000.00
GX-JC06-H	6-port EtherCAT Junction module, 24 VDC power supply, with node switches	580.00	EC000734	GX 5032D	4548583132856	#		BF	BFZ	CHN	8471.8000.00
DCN1-1C	DeviceNet T-branch tap, 1 branch line, vidalı 3 konnektör, Yandan kablo girişi	135.20	EC002584	DCN10003A	4536853181130	#		BF	BFZ	JPN	8536.9010.00
DCN1-1NC	DeviceNet T-branch tap, 1 branch line, 3 paralel kelepçe konnektör, üstün kablo girişi	115.40	EC002584	DCN10015E	4536854895890			BF	BFZ	JPN	8536.9010.00
DCN1-3C	DeviceNet T-branch tap, 3 branch line, vidalı 5 konnektör, Yandan kablo girişi	205.50	EC002584	DCN10004M	4536853181147	#		BF	BFZ	JPN	8536.9010.00
DCN1-3NC	DeviceNet T-branch tap, 3 branch line, 5 paralel kelepçe konnektör, üstün kablo girişi	142.50	EC002584	DCN10016C	4536854895906			BF	BFZ	JPN	8536.9010.00
DCN2-1	DeviceNet IP67 T-branch konnektör (2x diş, 1x erkek M12)	64.55	EC002584	DCN20001M	4536854446139	#	10	BF	BFZ	JPN	8536.9010.00
DCN4-TB4	CompoNet vida terminal konnektör, M3	23.30	EC002584	DCN40004C	4547648206808	#	10	BF	BFZ	JPN	8503.0099.99
DRS1-T	CompoNet/DeviceNet terminal Blok	13.77	EC002584	DRT11006C	4536853181604	#		BF	BFZ	JPN	8473.3080.00
XW4G-05C4-TF-D	DeviceNet konnektör, paralel vidasız, konnektör yerleşimi ve kablolama aynı yönde	35.22	EC002584	XW4G0002C	4536854936760	#	25	BF	BFZ	DEU	8536.9010.00
<b>Panel içi TC E11</b>											
EJ1N-TC2A-QNHB	CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 2 bölge, Termokupl/Pt100/analogue giriş, 2 x 12 VDC gerilim çıkışı, 2 x 30 VDC, 0.1 A NPN çıkışı, ısıtma, soğutma, ısıtma/soğutma, heater burnout alarm, M3 vida terminali	650.00	EC001446	EJ1N1002C	4547648235310	#		BG	BGA	JPN	9032.1080.90
EJ1N-TC4A-QQ	CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, M3 vida terminali	759.50	EC001446	EJ1N1000G	4547648235297	#		BG	BGA	JPN	9032.1080.90
EJ1N-TC4B-QQ	CelciuX® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokupl/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, vidasız terminal	759.50	EC001446	EJ1N1001E	4547648235303	#		BG	BGA	JPN	9032.1080.90
EJ1C-EDUA-NFLK	CelciuX® Pano içi sıcaklık kontrolörü sonlandırma ünitesi, 24 VDC beslemeli, 1 x RS-485 (115.2kbps'ye kadar, CompoWay/F ya da MODBUS RTU), 1 x programlama kablosu girişi, M3 vida terminali	166.30	EC000599	EJ1C1000H	4547648235457	#		BG	BGA	JPN	9032.1080.90
EJ1C-EDUC-NFLK	CelciuX® In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks	149.40	EC000599	EJ1C1001F	4547648510844	#		BG	BGA	JPN	9032.1080.90
<b>Endüstriyel Röle LY</b>											
LY1 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC	6.50	EC001437	LY1 5013M	4536853605544		50	CC	CCA	IDN	8536.4900.99
LY2 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC	7.43	EC001437	LY2 5008H	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
LY2 100/110VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 100/110 VDC	8.04	EC001437	LY2 5019C	4536853611545		50	CC	CCA	IDN	8536.4900.99
LY2 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC	7.43	EC001437	LY2 5009F	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VAC	Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC	7.43	EC001437	LY2 5002R	4536853611378	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 12 VDC	7.43	EC001437	LY2 5014B	4536853611491	#	50	CC	CCA	IDN	8536.4900.99
LY2 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 220/240 VAC	8.04	EC001437	LY2 5012F	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VAC	7.43	EC001437	LY2 5003G	4536853611385	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VDC	7.43	EC001437	LY2 5015M	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
LY2-0 220/240VAC	Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC	8.04	EC001437	LY205009F	4536853615253		50	CC	CCA	IDN	8536.4900.99
LY2-D 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC	16.32	EC001437	LY2 1731E	4536853608477	#	10	CC	CCA	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LY2F 220/240VAC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC	8.74	EC001437	LY2 5031B	4536853611668	#	50	CC	CCA	IDN	8536.4900.99
LY2F 24VAC	Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC	8.07	EC001437	LY2 5024M	4536853611590	#	50	CC	CCA	IDN	8536.4900.99
LY2I4N 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 220/240 VAC	9.72	EC001437	LY2 5186F	4536853612702	#	50	CC	CCA	IDN	8536.4900.99
LY2I4N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	9.20	EC001437	LY2 5187D	4536853612719	#	50	CC	CCA	IDN	8536.4900.99
LY2I4N 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 24 VDC	9.20	EC001437	LY2 5191B	4536853612757	#	50	CC	CCA	IDN	8536.4900.99
LY2N 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC	8.93	EC001437	LY2 5155F	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
LY2N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC	13.84	EC001437	LY2 5158M	4536853612429	#	50	CC	CCA	IDN	8536.4900.99
LY2N 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC	25.52	EC001437	LY2 5154H	4536853612382	#	50	CC	CCA	IDN	8536.4900.99
LY2N 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC	12.27	EC001437	LY2 5161M	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
LY2N-D2 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor	19.95	EC001437	LY2 1852D	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
LY2ZN-D2 24VDC	Relay, plug-in, DPDT (bifurcated), 5 A, LED indicator, diode, 24 VDC	24.42	EC001437	LY2 2069C	4536853609153	#	10	CC	CCA	JPN	8536.4900.99
LY1N-D2 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC	17.91	EC001437	LY1 1543B	4536853604868	#	10	CC	CCA	JPN	8536.4900.99
LY3-0 24VDC	Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC	14.34	EC001437	LY305011A	4536853619183	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VDC	14.33	EC001437	LY4 5013A	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
LY4-D 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC	26.03	EC001437	LY4 1719C	4536853620141	#	10	CC	CCA	JPN	8536.4900.99
LY4N-D2 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC	29.12	EC001437	LY4 2035F	4536853620509	#	10	CC	CCA	JPN	8536.4900.99
LY4 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A100/110 VAC	14.33	EC001437	LY4 5006F	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
LY4 12VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 12 VDC	14.33	EC001437	LY4 5012C	4536853621124	#	20	CC	CCA	IDN	8536.4900.99
LY4 230VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 230 VAC	14.85	EC001437	LY4 5060C	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VAC	14.33	EC001437	LY4 5002F	4536853621025	#	20	CC	CCA	IDN	8536.4900.99
LY4 48VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 48 VDC	14.33	EC001437	LY4 5016F	4536853621162	#	20	CC	CCA	IDN	8536.4900.99
LY4I4N 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 24 VDC	15.85	EC001437	LY4 5103M	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
LY4N 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC	15.85	EC001437	LY4 5069G	4536853621098	#	20	CC	CCA	IDN	8536.4900.99
LY4N 200/220VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC	16.90	EC001437	LY4 5072G	4536853621728	#	20	CC	CCA	IDN	8536.4900.99
LY4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC	15.85	EC001437	LY4 5079D	4536853621797	#	20	CC	CCA	IDN	8536.4900.99
<b>Endüstriyel Röle MK-I/-S</b>											
MKS2P 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	16.13	EC001437	MKS8005M	4547648413046	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	12.78	EC001437	MKS8009C	4547648413084	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	14.09	EC001437	MKS8002F	4547648413015	#	20	CC	CCB	CHN	8536.4900.99
MKS2P 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	11.88	EC001437	MKS8013A	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 110 VAC	12.06	EC001437	MKS8405F	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 12 VDC	13.90	EC001437	MKS8412R	4547648413961	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 230VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 230 VAC	12.73	EC001437	MKS8409R	4547648413930	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 240VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	12.73	EC001437	MKS8410B	4547648413947	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 24 VAC	11.81	EC001437	MKS8402A	4547648413862	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 24 VDC	11.88	EC001437	MKS8413G	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	13.63	EC001437	MKS8490M	4547648440868	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	16.12	EC001437	MKS8497H	4547648440936	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.46	EC001437	MKS8494C	4547648440905	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	16.12	EC001437	MKS8487M	4547648440837	#	20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators,latchable test button, 24 VDC	13.43	EC001437	MKS8498F	4547648440943	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	13.68	EC001437	MKS8073E	4547648413725	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	14.75	EC001437	MKS8077H	4547648413763	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	13.53	EC001437	MKS8070M	4547648413695	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.94	EC001437	MKS8081F	4547648413800	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13.53	EC001437	MKS8447A	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 110 VAC	13.12	EC001437	MKS8473M	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 110 VDC	14.46	EC001437	MKS8484F	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 12 VDC	13.32	EC001437	MKS8480C	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	14.46	EC001437	MKS8476E	4547648414609	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 230VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 230 VAC	13.77	EC001437	MKS8477C	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 240VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13.53	EC001437	MKS8478A	4547648414623	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 24 VAC	13.25	EC001437	MKS8470F	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 24 VDC	13.20	EC001437	MKS8481A	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebiler test butonu, 48 VDC	14.51	EC001437	MKS8482M	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.28	EC001437	MKS8558C	4547648441544	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.67	EC001437	MKS8562A	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.12	EC001437	MKS8555R	4547648441513	#	20	CC	CCB	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MKS3PIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.04	EC001437	MKSN8566D	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppression	15.81	EC001437	MKSN8741A	4547648443371	#	20	CC	CCB	CHN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24VDC	25.24	EC001437	G7J 4003R	4547648393713	#	20	CC	CCC	CHN	8536.4900.99
G7J-3A1B-B 24VDC	Power relay, W-bracket mounting, 3PST-NO/SPST-NC, 25 A, 24VDC	26.86	EC001437	G7J 1019R	4536853475390	#	20	CC	CCC	JPN	8536.4900.99
G7J-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC	27.93	EC001437	G7J 1003B	4536853475239	#	20	CC	CCC	JPN	8536.4900.99
G7J-4A-B 24VDC	Power relay, 4PST-NO, screw terminal, 24VDC	32.20	EC001437	G7J 4002M	4547648393706	#	20	CC	CCC	CHN	8536.4900.99
G7J-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC	32.60	EC001437	G7J 1001F	4536853475215	#	20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	32.07	EC001437	G7J 1089M	4536853476090	#	20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC	31.44	EC001437	G7J 1094F	4536853476144	#	20	CC	CCC	JPN	8536.4900.99
G7Z-2A2B-02Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.,	69.10	EC001437	G7Z 0029M	4548583781191	#	10	CC	CCC	JPN	8536.4900.99
G7Z-2A2B-11Z-R 24VDC	Güç rölesi, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	69.10	EC001437	G7Z 0032M	4548583781221	#	10	CC	CCC	JPN	8536.4900.99
G7Z-2A2B-20Z-R 24VDC	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.,	69.10	EC001437	G7Z 0034F	4548583781245	#	10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-02Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.,	72.35	EC001437	G7Z 0036B	4548583781269	#	10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-11Z-R 24VDC	Güç rölesi, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	69.75	EC001437	G7Z 0039G	4548583781290	#	10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-20Z-R 12VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,	72.35	EC001437	G7Z 0040M	4548583781306	#	10	CC	CCC	JPN	8536.4900.99
G7Z-3A1B-20Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.,	69.75	EC001437	G7Z 0041R	4548583781313	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A 24VDC	Power relay, 40 A, 4PST-NO	89.95	EC001437	G7Z 0020F	4547648298964	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A-02Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.,	70.40	EC001437	G7Z 0043E	4548583781337	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A-11Z-R 24VDC	Güç rölesi, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC alarm çıkışı	70.40	EC001437	G7Z 5031R	4548583732117	#	10	CC	CCC	JPN	8536.4900.99
G7Z-4A-20Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.,	70.40	EC001437	G7Z 0046M	4548583781368	#	10	CC	CCC	JPN	8536.4900.99
P7TF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	14.69	EC001456	P7TF3001A	4536854793455	#	10	CC	CCC	CHN	8536.4900.99
<b>Endüstriyel Röle G2R-5</b>											
G2R-1-5 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 12 VDC	5.32	EC001437	G2RN8771M	4536854937149	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-5 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC	10.67	EC001437	G2RN8777M	4536854936463	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-5 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 240 VAC	9.59	EC001437	G2RN8778H	4536854936470	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-5 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC	6.36	EC001437	G2RN8774E	4536854936432	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-5 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, 24 VDC	5.19	EC001437	G2RN8772R	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-5D 24VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC	6.94	EC001437	G2RN8790G	4536854937187	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	11.16	EC001437	G2RN8784B	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 120 VAC	10.04	EC001437	G2RN8785M	4536854936524	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	8.05	EC001437	G2RN8780M	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	15.47	EC001437	G2RN8787G	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör & LED, 240 VAC	14.49	EC001437	G2RN8786R	4536854936555	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	10.20	EC001437	G2RN8783D	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör & LED, 24 VDC	8.05	EC001437	G2RN8781H	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 48 VDC	6.51	EC001437	G2RN8782F	4536854936494	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SND 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.20	EC001437	G2RN8793A	4536854937194	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, LED & diyet, 24 VDC	10.20	EC001437	G2RN8794M	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	10.14	EC001437	G2RN8795H	4536854936616	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SND-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, Au-plating	14.99	EC001437	G2RN8869E	4547648000505	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNDI 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, diyet, 12 VDC	11.60	EC001437	G2RN8806G	4536854936722	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNDI 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, diyet, 24 VDC	10.67	EC001437	G2RN8807E	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNDI-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech & LED indicators, coil suppressor, lockable test button, label facility	10.67	EC001437	G2RN8958F	4547648074704	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility, 110 AC	11.16	EC001437	G2RN8801F	4536854936678	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, test button, 120 VAC	11.16	EC001437	G2RN8802D	4536854936685	#	100	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	8.17	EC001437	G2RN8797D	4536854936630	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 230VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, 230 VAC	14.03	EC001437	G2RN8803B	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	10.20	EC001437	G2RN8800H	4536854936661	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlebilir test switchi, 24 VDC	8.17	EC001437	G2RN8798B	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-5 110VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC	9.19	EC001437	G2RN8814H	4536854936791	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-5 12VDC (S)	Röle, soketli, 8 pin, DPDT, 10 A, mekanik indikatör, 12 VDC	6.71	EC001437	G2RN8810E	4536854937217	#	100	CC	CCD	MYS	8536.4900.99

2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
10.67	EC001437	G2RN8816D	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
13.54	EC001437	G2RN8817B	4536854936821	#	100	CC	CCD	MYS	8536.4900.99
7.10	EC001437	G2RN8813M	4536854936784	#	10	CC	CCD	MYS	8536.4900.99
6.60	EC001437	G2RN8811C	4536854937224	#	10	CC	CCD	MYS	8536.4900.99
8.81	EC001437	G2RN8828H	4536854936937	#	100	CC	CCD	MYS	8536.4900.99
8.81	EC001437	G2RN8829F	4536854936951	#	100	CC	CCD	MYS	8536.4900.99
12.10	EC001437	G2RN8823G	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
15.97	EC001437	G2RN8939M	4547648001380	#	100	CC	CCD	MYS	8536.4900.99
15.47	EC001437	G2RN8824E	4536854936890	#	100	CC	CCD	MYS	8536.4900.99
8.68	EC001437	G2RN8819R	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
16.45	EC001437	G2RN8825C	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
15.47	EC001437	G2RN8826A	4536854936913	#	100	CC	CCD	MYS	8536.4900.99
14.03	EC001437	G2RN8822R	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
8.68	EC001437	G2RN8820B	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
12.74	EC001437	G2RN8944F	4547648001441	#	100	CC	CCD	MYS	8536.4900.99
8.68	EC001437	G2RN8821M	4536854936869	#	100	CC	CCD	MYS	8536.4900.99
24.64	EC001437	G2RN8878D	4547648000710	#	100	CC	CCD	MYS	8536.4900.99
14.99	EC001437	G2RN8879B	4547648000727	#	100	CC	CCD	MYS	8536.4900.99
11.60	EC001437	G2RN8832F	4536854936982	#	100	CC	CCD	MYS	8536.4900.99
12.10	EC001437	G2RN8833D	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
11.16	EC001437	G2RN8834B	4536854937002	#	100	CC	CCD	MYS	8536.4900.99
12.10	EC001437	G2RN8870R	4547648000635	#	10	CC	CCD	MYS	8536.4900.99
12.10	EC001437	G2RN8845H	4536854937118	#	100	CC	CCD	MYS	8536.4900.99
11.60	EC001437	G2RN8846F	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
12.27	EC001437	G2RN8847D	4536854937132	#	100	CC	CCD	MYS	8536.4900.99
15.97	EC001437	G2RN8959D	4547648074711	#	100	CC	CCD	MYS	8536.4900.99
12.59	EC001437	G2RN8840G	4536854937064	#	10	CC	CCD	MYS	8536.4900.99
12.71	EC001437	G2RN8841E	4536854937071	#	100	CC	CCD	MYS	8536.4900.99
12.53	EC001437	G2RN8858M	4547648000390	#	100	CC	CCD	MYS	8536.4900.99
9.19	EC001437	G2RN8836R	4536854937026	#	10	CC	CCD	MYS	8536.4900.99
18.89	EC001437	G2RN8842C	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
15.84	EC001437	G2RN8843A	4536854937095	#	100	CC	CCD	MYS	8536.4900.99
9.19	EC001437	G2RN8839G	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
9.19	EC001437	G2RN8837G	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
12.10	EC001437	G2RN8859H	4547648000406	#	10	CC	CCD	MYS	8536.4900.99
25.14	EC001437	G2RN8957H	4547648074698	#	100	CC	CCD	MYS	8536.4900.99
21.25	EC001437	G2RN8956M	4547648074681	#	100	CC	CCD	MYS	8536.4900.99
<b>Endüstriyel Röle MY-S</b>									
8.15	EC001437	MYS 2507B	4536854363320	#	10	CC	CCE	JPN	8536.4900.99
13.24	EC001437	MYS 2517M	4536854363429	#	10	CC	CCE	JPN	8536.4900.99
10.74	EC001437	MYS 4509M	4536854364013	#	10	CC	CCE	JPN	8536.4900.99
9.70	EC001437	MYS 4507C	4536854363993	#	10	CC	CCE	JPN	8536.4900.99
14.56	EC001437	MYS 4517M	4536854364009	#	10	CC	CCE	JPN	8536.4900.99
15.66	EC001437	MYS 4518R	4536854364105	#	10	CC	CCE	JPN	8536.4900.99
11.37	EC001437	MYS 4504R	4536854363962	#	10	CC	CCE	JPN	8536.4900.99
12.43	EC001437	MYS 4502B	4536854363948	#	10	CC	CCE	JPN	8536.4900.99
12.10	EC001437	MYS 4512M	4536854364044	#	10	CC	CCE	JPN	8536.4900.99
15.66	EC001437	MYS 4705M	4536854364174	#	10	CC	CCE	JPN	8536.4900.99
15.10	EC001437	MYS 4708D	4536854364204	#	10	CC	CCE	JPN	8536.4900.99
15.38	EC001437	MYS 4732G	4536854364440	#	10	CC	CCE	JPN	8536.4900.99
15.38	EC001437	MYS 4735A	4536854364471	#	10	CC	CCE	JPN	8536.4900.99
16.97	EC001437	MYS 4755F	4536854364679	#	10	CC	CCE	JPN	8536.4900.99
18.83	EC001437	MYS 4715G	4536854364273	#	10	CC	CCE	JPN	8536.4900.99
18.83	EC001437	MYS 4716E	4536854364280	#	10	CC	CCE	JPN	8536.4900.99
18.83	EC001437	MYS 4713M	4536854364259	#	10	CC	CCE	JPN	8536.4900.99
17.78	EC001437	MYS 4719M	4536854364310	#	10	CC	CCE	JPN	8536.4900.99
22.61	EC001437	MYS 4750E	4536854364624	#	10	CC	CCE	JPN	8536.4900.99
22.61	EC001437	MYS 4763G	4536854364754	#	10	CC	CCE	JPN	8536.4900.99
23.68	EC001437	MYS 4747E	4536854364594	#	10	CC	CCE	JPN	8536.4900.99



2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code		
MY4ZN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor label facility, 24 VDC	21.52	EC001437	MYS 4745R	4536854364570	#	10	CC	CCE	JPN	8536.4900.99
MY4ZN-D2 48VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 48 VDC (A2 '+')	22.61	EC001437	MYS 4746G	4536854364587	#	10	CC	CCE	JPN	8536.4900.99
<b>Endüstriyel Röle G2RV</b>											
G2RV-1-S-AP-G 21VDC	Yedek röle, giriş tip, SPDT, 50 mA, G2RV-SR***-AP 24VDC veya 24VAC/DC için	7.06	EC001437	G2RV9019C	4548583793736	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G 21VDC	Yedek röle, SPDT, 6 A, G2RV-SR*00 24DC veya 24 VAC/DC için	6.44	EC001437	G2RV9016R	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC11	Yedek röle, SPDT, 6 A, G2RV-SR*00 12 VDC için	6.44	EC001437	G2RV9015M	4548583793699	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC48	Yedek röle, SPDT, 6 A, G2RV-SR*00 48 VAC/DC, 100VAC, 110 VAC, 200VAC veya 230 VAC için	6.74	EC001437	G2RV9017G	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
G2RV-1-SI-G 21VDC	Yedek röle, kilitlebilir test switchli, SPDT, 6 A, G2RV-SR701/501 24VDC veya 24VAC/DC için	6.88	EC001437	G2RV9021E	4548583793750	#	25	CC	CCF	MYS	8536.4900.99
<b>Endüstriyel Röle G2RV-SR</b>											
G2RV-ST500 110VAC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 110 VAC	17.21	EC001437	G2RV8204B	4549734762533	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 12VDC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 12 VDC	16.53	EC001437	G2RV8207G	4549734762564	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 230VAC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 230 VAC	17.21	EC001437	G2RV8206R	4549734762557	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 24VAC/DC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC	14.49	EC001437	G2RV8201H	4549734762502	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 24VDC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC	16.53	EC001437	G2RV8208E	4549734762571	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500 48VAC/DC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 48 VAC/DC	18.02	EC001437	G2RV8202F	4549734762519	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 110VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 110 VAC	20.60	EC001437	G2RV8212C	4549734762618	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 12 VDC	16.42	EC001437	G2RV8215H	4549734762649	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC	20.60	EC001437	G2RV8214M	4549734762632	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC	18.04	EC001437	G2RV8209C	4549734762588	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC	16.42	EC001437	G2RV8216F	4549734762656	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST500-AP 48VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 48 VAC/DC	18.13	EC001437	G2RV8210G	4549734762595	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST501 24VAC/DC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC, Test switch	18.60	EC001437	G2RV8217B	4549734762663	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST501 24VDC	İnce röle & siyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC, Test switch	15.49	EC001437	G2RV8218B	4549734762670	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 110VAC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 110 VAC	16.69	EC001437	G2RV8222M	4549734762717	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 12VDC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 12 VDC	15.97	EC001437	G2RV8225E	4549734762748	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 230VAC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 230 VAC	16.69	EC001437	G2RV8224G	4549734762731	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 24VAC/DC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC	16.10	EC001437	G2RV8219M	4549734762687	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 24VDC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VDC	15.97	EC001437	G2RV8226C	4549734762755	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700 48VAC/DC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 48 VAC/DC	16.07	EC001437	G2RV8220D	4549734762694	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 110VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 110 VAC	20.34	EC001437	G2RV8230A	4549734762793	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC	16.18	EC001437	G2RV8233F	4549734762823	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC	20.34	EC001437	G2RV8232H	4549734762816	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC	18.95	EC001437	G2RV8227A	4549734762762	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC	16.18	EC001437	G2RV8234D	4549734762830	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST700-AP 48VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 48 VAC/DC	16.82	EC001437	G2RV8228M	4549734762779	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST701 24VAC/DC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC, test switch	14.98	EC001437	G2RV8235B	4549734762847	#	10	CC	CCG	MYS	8536.4900.99
G2RV-ST701 24VDC	İnce röle & siyah soket, 6 A, SPDT, vidalı terminal, 24 VDC, test switch	17.51	EC001437	G2RV8236M	4549734762854	#	10	CC	CCG	MYS	8536.4900.99
<b>Endüstriyel Röle MY-GS</b>											
MY2-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 110/120 VAC	6.88	EC001437	MY2 5712H	4550431041746	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC12	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 12 VAC	6.88	EC001437	MY2 5710A	4550431041722	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 220/240 VAC	7.25	EC001437	MY2 5703R	4550431041654	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC24	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 24 VAC	6.88	EC001437	MY2 5700D	4550431041623	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R AC48	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 48 VAC	6.88	EC001437	MY2 5711M	4550431041179	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 100/110 VDC	7.25	EC001437	MY2 5716M	4550431041784	#	2	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 12 VDC	6.88	EC001437	MY2 5714D	4550431041760	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 24 VDC	6.88	EC001437	MY2 5704G	4550431041661	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS-R DC48	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik indikator, 48 VDC	6.88	EC001437	MY2 5715B	4550431041777	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, Coil Surge Absorption, lockable push test button, 110/120 VAC	15.13	EC001437	MY2 5753E	4550431042156	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, Coil Surge Absorption, lockable push test button, 220/240 VAC	15.13	EC001437	MY2 5755A	4550431042170	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, Coil Surge Absorption, lockable push test button, 100/110 VDC	13.04	EC001437	MY2 5750M	4550431042125	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, Coil Surge Absorption, lockable push test button, 12 VDC	11.49	EC001437	MY2 5747M	4550431042095	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, Coil Surge Absorption, lockable push test button, 24 VDC	11.49	EC001437	MY2 5748R	4550431042101	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC110/120	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, lockable push test button, 110/120 VAC	8.22	EC001437	MY2 5744F	4550431042064	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC12	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, lockable push test button, 12 VAC	8.03	EC001437	MY2 5740C	4550431042026	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC220/240	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, lockable push test button, 220/240 VAC	9.24	EC001437	MY2 5746B	4550431042088	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R AC24	Relay, plug-in, 8-pin, DPDT, 10 A, mekanik & LED indicators, lockable push test button, 24 VAC	8.03	EC001437	MY2 5741A	4550431042033	#	10	CC	CCK	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY2IN-GS-R AC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 48 VAC	8.03	EC001437	MY2 5742M	4550431042040	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC100/110	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	9.24	EC001437	MY2 5738A	4550431042002	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC12	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 12 VDC	8.03	EC001437	MY2 5735G	4550431041975	#		CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC24	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 24 VDC	8.03	EC001437	MY2 5736E	4550431041982	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS-R DC48	Relay, plug-in, 8-pin, DPDT, 10 A, mechanical & LED indicators, lockable push test button, 48 VDC	8.22	EC001437	MY2 5737C	4550431041999	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VDC	8.42	EC001437	MY4 5712E	4550431042309	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R AC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC	8.07	EC001437	MY4 5710R	4550431042286	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	8.56	EC001437	MY4 5703F	4550431042217	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	8.07	EC001437	MY4 5700A	4550431042187	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R AC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VAC	8.07	EC001437	MY4 5711G	4550431042293	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R DC100/110	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VDC	8.86	EC001437	MY4 5716H	4550431042347	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	8.07	EC001437	MY4 5704D	4550431042224	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R DC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC	8.42	EC001437	MY4 5715M	4550431042330	#		CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 110/120 VAC	20.99	EC001437	MY4 5753B	4550431042712	#		CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 220/240 VAC	20.99	EC001437	MY4 5755R	4550431042736	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 24 VDC	14.20	EC001437	MY4 5748F	4550431042668	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC110/120	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	9.46	EC001437	MY4 5744C	4550431042620	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VAC	9.46	EC001437	MY4 5740M	4550431042583	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC220/240	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	10.47	EC001437	MY4 5746M	4550431042644	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	9.46	EC001437	MY4 5741R	4550431042590	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VAC	9.46	EC001437	MY4 5742G	4550431042606	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R AC100/110	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	10.47	EC001437	MY4 5738R	4550431042569	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	9.46	EC001437	MY4 5735D	4550431042538	#		CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC24	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	9.46	EC001437	MY4 5736B	4550431042545	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS-R DC48	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC	9.46	EC001437	MY4 5737M	4550431042552	#		CC	CCK	CHN	8536.4900.99
MY4-GS-R DC12	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VDC	8.07	EC001437	MY4 5714A	4550431042323	#	10	CC	CCK	CHN	8536.4900.99
<b>Diğer Endüstriyel Röleler</b>											
MY2Z 24VDC	Relay, plug-in, DPDT (bifurcated), 3 A, mechanical indicator, 24 VDC	13.50	EC001437	MY2 1247G	4536853659035		10	CC	CCX	JPN	8536.4900.99
MY2ZN 220/240VAC	Relay, plug-in, DPDT (bifurcated), 3 A, mech. & LED indicator, 220/240 VAC	16.77	EC001437	MY2 2341M	4536853661069		10	CC	CCX	JPN	8536.4900.99
MY2ZN 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, label facility, 24 VDC	16.56	EC001437	MY2 1282E	4536853659158		10	CC	CCX	JPN	8536.4900.99
MY2ZN-D2 24VDC	Relay, plug-in, 8-pin, DPDT, bifurcated contacts, 10A, mech & LED indicators, coil suppressor, label facility, 24 VDC	23.36	EC001437	MY2 2485H	4536853661243		10	CC	CCX	JPN	8536.4900.99
MY3 100/110VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 100/110 VAC	11.43	EC001437	MY3 1004D	4536853665692		10	CC	CCX	JPN	8536.4900.99
MY3 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 110/120 VAC	11.43	EC001437	MY3 1788M	4536853666408		10	CC	CCX	JPN	8536.4900.99
MY3 12VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 12 VDC	11.69	EC001437	MY3 1010R	4536853665722		10	CC	CCX	JPN	8536.4900.99
MY3 200/220VAC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech indicators, label facility, 200/220 VAC	11.95	EC001437	MY3 1007R	4536853665708		10	CC	CCX	JPN	8536.4900.99
MY3 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 220/240 VAC	11.95	EC001437	MY3 1789H	4536853666415	#	10	CC	CCX	JPN	8536.4900.99
MY3 24VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VAC	11.43	EC001437	MY3 1002H	4536853665678	#	10	CC	CCX	JPN	8536.4900.99
MY3 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech indicators, label facility, 24 VDC	11.43	EC001437	MY3 1011G	4536853665739	#	10	CC	CCX	JPN	8536.4900.99
MY3N 110/120VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 110/120 VAC	14.03	EC001437	MY3 1800B	4536853666453		6	CC	CCX	JPN	8536.4900.99
MY3N 220/240VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 220/240 VAC	15.08	EC001437	MY3 1801M	4536853666460		10	CC	CCX	JPN	8536.4900.99
MY3N 24VAC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 24 VAC	14.55	EC001437	MY3 1122R	4536853665876		10	CC	CCX	JPN	8536.4900.99
MY3N 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 24 VDC	14.55	EC001437	MY3 1129F	4536853665937	#	10	CC	CCX	JPN	8536.4900.99
MY3N 48VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, label facility, 48 VDC	14.55	EC001437	MY3 1130M	4536853665944		10	CC	CCX	JPN	8536.4900.99
MY3N-D2 12VDC	Relay, plug-in, 11-pin, 3PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	19.67	EC001437	MY3 1379E	4536853666095		10	CC	CCX	JPN	8536.4900.99
MY3N-D2 24VDC	Relay, plug-in, 11-pin, 3PDT, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	19.20	EC001437	MY3 1380R	4536853666101		10	CC	CCX	JPN	8536.4900.99
MY2K-02 24VDC	Latching relay, pcb pins, 14-pin, DPDT, 3A, LED indicator	29.55	EC001437	MYK 1202G	4536853654283	#	10	CC	CCX	JPN	8536.4900.99
MY4H 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	81.65	EC001437	MYH 1320C	4536853653965		10	CC	CCX	JPN	8536.4900.99
MY4H 24VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	63.65	EC001437	MYH 1005M	4536853653699		10	CC	CCX	JPN	8536.4900.99
MY4H 24VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	63.40	EC001437	MYH 1014M	4536853653736	#	10	CC	CCX	JPN	8536.4900.99
MY4ZH 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	97.15	EC001437	MYH 1036M	4536853653798		10	CC	CCX	JPN	8536.4900.99
MY4ZH 24VDC	Relay, plug-in, 14-pin, 4PDT, 3A, hermetically-sealed	91.05	EC001437	MYH 1042E	4536853653828		10	CC	CCX	JPN	8536.4900.99
MYQ4 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1A, plastic sealed model, 110/120 VAC	19.67	EC001437	MYQ 1408M	4536853655273	#	10	CC	CCX	JPN	8536.4900.99
MYQ4 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 1A, plastic sealed model, 220/240 VAC	19.20	EC001437	MYQ 1412R	4536853655280	#	10	CC	CCX	JPN	8536.4900.99
MYQ4 24VDC	Relay, plug-in, 14-pin, 4PDT, 1A, plastic sealed model, 24 VDC	18.65	EC001437	MYQ 1020D	4536853654887	#	10	CC	CCX	JPN	8536.4900.99
MYQ4N 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 110/120 VAC	23.36	EC001437	MYQ 1427G	4536853655365	#	10	CC	CCX	JPN	8536.4900.99
MYQ4N 220/240VAC	Relay	23.84	EC001437	MYQ 1428E	4536853655372	#	10	CC	CCX	JPN	8536.4900.99
MYQ4N 24VAC	Plastic sealed relay, plug-in, 14-pin, 4PDT, 1 A, with LED, 24 VAC	23.36	EC001437	MYQ 1426R	4536853655358		10	CC	CCX	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheat)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MYQ4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 24 VDC	23.36	EC001437	MYQ 1039E	4536853655020	#	10	CC	CCX	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
Y92B-N100	Heat sink for G3NA-220/420B SSR	46.56	EC002056	Y92B1001B	4536854247149	#	5	CC	CCZ	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-240/440B SSR	64.00	EC002056	Y92B1002M	4536854247156	#		CC	CCZ	JPN	8536.4900.99
Y92B-N50	Heat sink for G3NA-205/210B SSR	27.48	EC002056	Y92B1000D	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	6.74	EC002586	G78 1005D	4536853484668	#	50	CC	CCZ	JPN	8536.4900.99
G73Z-11Z-R	Auxiliary contact block, SPST-NO and SPST-NC, for use with G7Z relay	26.98	EC002586	G73Z5004M	4548583732131	#		CC	CCZ	JPN	8536.4900.99
G70V-SID16P	16'li G/Ç röle terminali, giriş tip, NPN (- common), Push-in Plus terminal, G2RV röleler üzerinde	222.20	EC002780	G70V1001E	4548583798168	#		CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	16'li G/Ç röle terminali, giriş tip, PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	222.20	EC002780	G70V1000G	4548583798151	#		CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1-C16	16'li G/Ç röle terminali, giriş tip, PNP (+ common), 16 nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	228.30	EC002780	G70V1009M	4549734144438	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P	16'li G/Ç röle terminali, çıkış tip, NPN (+ common), Push-in Plus terminal, G2RV röleler üzerinde	202.10	EC002780	G70V1003A	4548583798182	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	16'li G/Ç röle terminali, çıkış tip, PNP (- common), Push-in Plus terminal, G2RV röleler üzerinde	202.10	EC002780	G70V1002C	4548583798175	#		CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	16'li G/Ç röle terminali, çıkış tip, PNP (- common), 4'er nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	189.10	EC002780	G70V1011B	4549734144452	#		CC	CCZ	JPN	8536.4900.99
P2RV-4-100C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1m	114.40	EC000237	XW2Z0539F	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100IFC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1m	115.90	EC000237	XW2Z0547G	4548583493421	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100IMC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 1m	96.00	EC000237	XW2Z0543D	4548583493384	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2m	157.80	EC000237	XW2Z0543M	4548583493353	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200IFC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2m	157.80	EC000237	XW2Z0548E	4548583493438	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200IMC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 2m	131.50	EC000237	XW2Z0544B	4548583493391	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3m	118.80	EC000237	XW2Z0541H	4548583493360	#		CC	CCZ	JPN	8544.4290.90
P2RV-A100C	P2RV-O-F'ye bağlamak için tek taraflı 10 kutuplu IDC konnektörlü 1 m kablo	34.14	EC000237	XW2Z0551E	4548583493469	#		CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1m	51.05	EC000237	XW2Z0560D	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2m	34.14	EC000237	XW2Z0552C	4548583493476	#		CC	CCZ	JPN	8538.9099.99
<b>Düşük Gerilim Anahtarlama Elemanı J7MN Motor Koruma</b>											
J7MN-3P-1	Motor koruma salteri, switch tip, 3 kutup, 0.63-1 A	37.44	EC000074	J7MN9057E	4547648326957	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-10	Motor koruma salteri, switch tip, 3 kutup, 6-10 A	45.25	EC000074	J7MN9063M	4547648327015	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-13	Motor koruma salteri, switch tip, 3 kutup, 9-13 A	45.25	EC000074	J7MN9064H	4547648327022	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-17	Motor koruma salteri, switch tip, 3 kutup, 11-17 A	45.25	EC000074	J7MN9065F	4547648327039	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-1E6	Motor koruma salteri, switch tip, 3 kutup, 1-1.6 A	41.75	EC000074	J7MN9058C	4547648326964	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-22	Motor koruma salteri, switch tip, 3 kutup, 14-22 A	45.25	EC000074	J7MN9066D	4547648327046	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-26	Motor koruma salteri, switch tip, 3 kutup, 18-26 A	45.25	EC000074	J7MN9067B	4547648327053	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-2E5	Motor koruma salteri, switch tip, 3 kutup, 1.6-2.5 A	41.75	EC000074	J7MN9059A	4547648326971	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-32	Motor koruma salteri, switch tip, 3 kutup, 22-32 A	49.61	EC000074	J7MN9068M	4547648327060	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-4	Motor koruma salteri, switch tip, 3 kutup, 2.5-4 A	41.75	EC000074	J7MN9060E	4547648326988	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-6	Motor koruma salteri, switch tip, 3 kutup, 4-6 A	41.75	EC000074	J7MN9061C	4547648326995	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-8	Motor koruma salteri, switch tip, 3 kutup, 5-8 A	41.75	EC000074	J7MN9062A	4547648327008	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-E4	Motor koruma salteri, switch tip, 3 kutup, 0.25-0.4 A	37.44	EC000074	J7MN9055R	4547648326933	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-E63	Motor koruma salteri, switch tip, 3 kutup, 0.4 A-0.63 A	37.44	EC000074	J7MN9056G	4547648326940	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-1	Motor koruma salteri, döner switch tip, 3 kutup, 0.63-1 A	47.08	EC000074	J7MN9073G	4547648327114	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-10	Motor koruma salteri, döner switch tip, 3 kutup, 6-10 A	55.25	EC000074	J7MN9079F	4547648327176	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-13	Motor koruma salteri, döner switch tip, 3 kutup, 9-13 A	86.85	EC000074	J7MN9080M	4547648327183	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-17	Motor koruma salteri, döner switch tip, 3 kutup, 11-17 A	56.10	EC000074	J7MN9081H	4547648327190	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-1E6	Motor koruma salteri, döner switch tip, 3 kutup, 1-1.6 A	60.45	EC000074	J7MN9074E	4547648327121	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-22	Motor koruma salteri, döner switch tip, 3 kutup, 14-22 A	57.65	EC000074	J7MN9082F	4547648327206	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-26	Motor koruma salteri, döner switch tip, 3 kutup, 18-26 A	130.20	EC000074	J7MN9083D	4547648327213	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-2E5	Motor koruma salteri, döner switch tip, 3 kutup, 1.6-2.5 A	47.59	EC000074	J7MN9075C	4547648327138	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	71.75	EC000074	J7MN9084B	4547648327220	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-4	Motor koruma salteri, döner switch tip, 3 kutup, 2.5-4 A	54.00	EC000074	J7MN9076A	4547648327145	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-6	Motor koruma salteri, döner switch tip, 3 kutup, 4-6 A	50.20	EC000074	J7MN9077M	4547648327152	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-8	Motor koruma salteri, döner switch tip, 3 kutup, 5-8 A	50.20	EC000074	J7MN9078H	4547648327169	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-E25	Motor koruma salteri, döner switch tip, 3 kutup, 0.16-0.25 A	63.30	EC000074	J7MN9070B	4547648327084	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-E4	Motor koruma salteri, döner switch tip, 3 kutup, 0.25-0.4 A	63.30	EC000074	J7MN9071M	4547648327091	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-E63	Motor koruma salteri, döner switch tip, 3 kutup, 0.4-0.63 A	44.27	EC000074	J7MN9072R	4547648327107	#		CD	CDA	KOR	8536.4900.99

Item No	Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7MN-6R-32		Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	142.30	EC000074	J7MN9086R	4547648327244			CD	CDA	KOR	8536.4900.99
J7MN-6R-40		Motor koruma salteri, döner switch tip, 3 kutup, 28-40 A	225.60	EC000074	J7MN9087G	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50		Motor koruma salteri, döner switch tip, 3 kutup, 34-50 A	237.80	EC000074	J7MN9088E	4547648327268	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-63		Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	253.80	EC000074	J7MN9089C	4547648327275	#		CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7KN Kontaktör</b>												
J7KNA-AR-22 24D		Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 24 VDC	25.90	EC000196	J7KA9113D	4536854851469	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24VS		Contactör relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	29.41	EC000196	J7KA9117G	4536854851506	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D		Contactör relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC	22.11	EC000196	J7KA9121E	4536854851544	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24VS		Contactör relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	29.41	EC000196	J7KA9125H	4536854851582	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D		Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC	28.52	EC000196	J7KA9129M	4536854851629	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24VS		Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC, diyot koruma	29.41	EC000196	J7KA9133R	4536854851667	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 230		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	18.22	EC000066	J7KA9015D	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VAC	18.18	EC000066	J7KA9010C	4536854850431	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	26.01	EC000066	J7KA9028F	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24VS		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	28.91	EC000066	J7KA9032D	4536854850653	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01R 24		Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	38.59	EC000010	J7KA9186M	4547648525633	#		CD	CDB	AUT	8536.4900.99
J7KNA-09-01R 24VS		Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	63.70	EC000010	J7KA9189D	4547648525664	#		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	18.31	EC000066	J7KA9003M	4536854850363	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	18.22	EC000066	J7KA9005G	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	18.22	EC000066	J7KA9000F	4536854850332	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	26.01	EC000066	J7KA9020M	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24VS		Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	28.91	EC000066	J7KA9024C	4536854850578	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230		Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	23.28	EC000066	J7KA9041C	4536854850745	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	22.48	EC000066	J7KA9062F	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	32.05	EC000066	J7KA9075H	4536854851087	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24VS		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	34.93	EC000066	J7KA9079M	4536854851124	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	22.58	EC000066	J7KA9052R	4536854850851	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	22.48	EC000066	J7KA9047B	4536854850806	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D		Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	32.05	EC000066	J7KA9067G	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24VS		Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary with diode suppressor, 24 VDC	34.80	EC000066	J7KA9071E	4536854851049	#	10	CD	CDB	AUT	8536.4900.99
J7KN-10D-01 230		Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	21.38	EC000066	J7KN9656H	4548583135482	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24		Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	21.43	EC000066	J7KN9657F	4548583135499	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24D		Contactör, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	33.78	EC000066	J7KN9658D	4548583135505	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 230		Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	23.06	EC000066	J7KN9688F	4548583135802	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24		Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	23.32	EC000066	J7KN9689D	4548583135819	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	35.99	EC000066	J7KN9690H	4548583135826	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 230		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	34.35	EC000066	J7KN9720C	4548583136120	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24		Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	34.50	EC000066	J7KN9721A	4548583136137	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	44.31	EC000066	J7KN9722M	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230		Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	46.68	EC000066	J7KN9752A	4548583136441	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24		Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	46.83	EC000066	J7KN9753M	4548583136458	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	52.95	EC000066	J7KN9754H	4548583136465	#		CD	CDB	AUT	8536.4900.99
J7KNG-10-01 24D		Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	40.88	EC000066	J7KN9360G	4547648171069	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-01 24D		Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	43.26	EC000066	J7KN9368B	4547648171144	#		CD	CDB	AUT	8536.4900.99
J7KNG-18-01 24D		Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	44.27	EC000066	J7KN9376C	4547648171229	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-01 24D		Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	56.15	EC000066	J7KN9384D	4547648171304	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 110		Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	21.36	EC000066	J7KN9664R	4548583135567	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 230		Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	21.27	EC000066	J7KN9668A	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24		Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	21.36	EC000066	J7KN9669M	4548583135611	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	33.63	EC000066	J7KN9670C	4548583135628	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 110		Contactör, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	23.32	EC000066	J7KN9696G	4548583135888	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 230		Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	23.18	EC000066	J7KN9700R	4548583135925	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24		Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	23.21	EC000066	J7KN9701G	4548583135932	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	35.99	EC000066	J7KN9702E	4548583135949	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 110		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	34.35	EC000066	J7KN9728R	4548583136205	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 230		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	34.35	EC000066	J7KN9732G	4548583136243	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	34.35	EC000066	J7KN9733E	4548583136250	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24D		Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	44.31	EC000066	J7KN9734C	4548583136267	#		CD	CDB	AUT	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KN-22D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	46.68	EC000066	J7KN9764E	4548583136564	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24	Contactor, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	46.83	EC000066	J7KN9765C	4548583136571	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	52.95	EC000066	J7KN9766A	4548583136588	#		CD	CDB	AUT	8536.4900.99
J7KNG-10-10 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary	40.88	EC000066	J7KN9364M	4547648171106	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-10 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1M auxiliary	43.26	EC000066	J7KN9372M	4547648171182	#		CD	CDB	AUT	8536.4900.99
J7KNG-18-10 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1M auxiliary	51.75	EC000066	J7KN9380A	4547648171267	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, enerji tasarruflu (3 W)	66.35	EC000066	J7KN9388G	4547648171342	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-4 24D	DC solenoid motor contactor, 4-pole, 22A, 24 VDC	63.10	EC000066	J7KN9466B	4547648205979	#		CD	CDB	AUT	8536.4900.99
J7KN-24 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 230 VAC	48.31	EC000066	J7KN9109D	4536854852794	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 24 VDC	48.31	EC000066	J7KN9104C	4536854852749	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24D	Contactör, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC	47.14	EC000066	J7KN9112D	4536854852824	#		CD	CDB	AUT	8536.4900.99
J7KN-32 230	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 230 VAC	66.00	EC000066	J7KN9121C	4536854852916	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VAC	66.00	EC000066	J7KN9116G	4536854852862	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VDC	71.85	EC000066	J7KN9124H	4536854852947	#		CD	CDB	AUT	8536.4900.99
J7KN-40 230	Güç kontaktörü, motor kontaktör, 3 kutup, 18.5 kW, 40 A (AC3, 400 VAC), 230 VAC	79.90	EC000066	J7KN9133G	4536854853086	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24	Contactör, 3-pole, 40 A/18.5 kW AC-3 (80 A AC1), 24 VAC	80.50	EC000066	J7KN9128M	4536854852985	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 18.5 kW, 40 A (AC3, 400 VAC), 24 VDC	84.30	EC000066	J7KN9136A	4536854853067	#		CD	CDB	AUT	8536.4900.99
J7KNG-24 24D	Contactör, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	69.85	EC000066	J7KN9472G	4547648206044	#		CD	CDB	AUT	8536.4900.99
J7KNG-32 24D	Contactör, DC-operated (3VA), 3-pole, 32 A/15 kW AC3	99.55	EC000066	J7KN9478F	4547648206105	#		CD	CDB	AUT	8536.4900.99
J7KNG-40 24D	Contactör, DC-operated (3VA), 3-pole, 40 A/18.5 kW AC3	116.10	EC000066	J7KN9484M	4547648206167	#		CD	CDB	AUT	8536.4900.99
J7KN-50 230	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 230 VAC	101.20	EC000066	J7KN9145M	4536854853159	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 24 VDC	104.70	EC000066	J7KN9148E	4536854853180	#		CD	CDB	AUT	8536.4900.99
J7KN-62 230	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 230 VAC	144.80	EC000066	J7KN9157D	4536854853272	#		CD	CDB	AUT	8536.4900.99
J7KN-62 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 24 VDC	142.90	EC000066	J7KN9160D	4536854853302	#		CD	CDB	AUT	8536.4900.99
J7KN-74 230	Güç kontaktörü, motor kontaktör, 3 kutup, 37 kW, 74 A (AC3, 400 VAC), 230 VAC	166.70	EC000066	J7KN9169H	4536854853395	#		CD	CDB	AUT	8536.4900.99
J7KN-115 230	Güç kontaktörü, motor kontaktör, 3 kutup, 55 kW, 115 A (AC3, 400 VAC), 230 VAC	259.70	EC000066	J7KN9631B	4547648526005	#		CD	CDB	AUT	8536.4900.99
J7KN-550-22 230	Contactör 3-pole, 550A/300kW AC3 (760A AC1), 230VAC	1,798.00	EC000066	J7KN9509M	4547648233958	#		CD	CDB	ITA	8536.4900.99
J7KC-12-01 24VDC	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67.5 x 45 x 46 mm	42.71	EC000066	J7KC5030E	4549734536566	#	10	CD	CDB	JPN	8536.4900.99
J7KCA-22 110VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	35.54	EC000196	J7KC5412B	4549734536394	#		CD	CDB	JPN	8536.4900.99
J7KCA-22 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	35.54	EC000196	J7KC5424F	4549734536516	#		CD	CDB	JPN	8536.4900.99
J7KCA-22 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	47.59	EC000196	J7KC5445R	4549734536721	#	10	CD	CDB	JPN	8536.4900.99
J7KCA-22 48VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, HxWxD 67.5 x 45 x 46 mm	47.59	EC000196	J7KC5448C	4549734536752	#	10	CD	CDB	JPN	8536.4900.99
J7KCA-31 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67.5 x 45 x 46 mm	47.59	EC000196	J7KC5444M	4549734536714	#	10	CD	CDB	JPN	8536.4900.99
J7KCA-40 230VAC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, HxWxD 67.5 x 45 x 46 mm	35.54	EC000196	J7KC5422M	4549734536493	#		CD	CDB	JPN	8536.4900.99
J7KCA-40 24VDC	Contactör Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, HxWxD 67.5 x 45 x 46 mm	47.59	EC000196	J7KC5443B	4549734536707	#	10	CD	CDB	JPN	8536.4900.99
J7KNU-05-4 110	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 110 VAC	22.83	EC000066	J7KN9816A	4548583772373	#		CD	CDB	AUT	8536.4900.99
J7KNU-05-4 180	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 180 VAC	22.83	EC000066	J7KN9817M	4548583772380	#		CD	CDB	AUT	8536.4900.99
J7KNU-05-4 230	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 230 VAC	22.83	EC000066	J7KN9818H	4548583772397	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 24	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 24 VAC	22.83	EC000066	J7KN9819F	4548583772403	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 48 VAC	22.83	EC000066	J7KN9820M	4548583772410	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VAC	22.83	EC000196	J7KN9804H	4548583765252	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VDC	28.31	EC000196	J7KN9825M	4549734134095	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 180 VAC	22.83	EC000196	J7KN9805F	4548583765269	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 230 VAC	22.83	EC000196	J7KN9806D	4548583765276	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VAC	22.83	EC000196	J7KN9807B	4548583765283	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VDC	28.31	EC000196	J7KN9822F	4549734134064	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VAC	22.83	EC000196	J7KN9808M	4548583765290	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VDC	28.31	EC000196	J7KN9823D	4549734134071	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 60 VDC	28.31	EC000196	J7KN9824B	4549734134088	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 90 VAC	22.83	EC000196	J7KN9809R	4548583765306	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VAC	22.83	EC000196	J7KN9798M	4548583765191	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VDC	28.31	EC000196	J7KN9829C	4549734134132	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 180 VAC	22.83	EC000196	J7KN9799H	4548583765207	#		CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 230 VAC	22.83	EC000196	J7KN9800E	4548583765214	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VAC	22.83	EC000196	J7KN9801C	4548583765221	#	10	CD	CDB	AUT	8536.4900.99



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNU-AR-40 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VDC	28.31	EC000196	J7KN9826R	4549734134101		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VAC	22.83	EC000196	J7KN9802A	4548583765238			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VDC	28.31	EC000196	J7KN9827G	4549734134118			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 60 VDC	28.31	EC000196	J7KN9828E	4549734134125			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 90 VAC	22.83	EC000196	J7KN9803M	4548583765245			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VAC	20.56	EC000066	J7KN9786F	4548583765078			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VDC	25.58	EC000066	J7KN9833A	4549734134170			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 180 VAC	20.56	EC000066	J7KN9787D	4548583765085			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 230 VAC	20.56	EC000066	J7KN9788B	4548583765092		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VAC	20.56	EC000066	J7KN9789M	4548583765108		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VDC	25.58	EC000066	J7KN9830G	4549734134149	#	10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VAC	20.56	EC000066	J7KN9790D	4548583765115		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VDC	25.58	EC000066	J7KN9831E	4549734134156			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 60 VDC	25.58	EC000066	J7KN9832C	4549734134163		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 90 VAC	20.56	EC000066	J7KN9791B	4548583765122			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VAC		EC000010	J7KN9810B	4548583765313			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VDC	54.75	EC000010	J7KN9841B	4549734134255		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 180	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 180 VAC	68.55	EC000010	J7KN9811M	4548583765320			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 230	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 230 VAC	54.75	EC000010	J7KN9812R	4548583765337		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VAC	54.75	EC000010	J7KN9813G	4548583765344		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VDC	68.55	EC000010	J7KN9838B	4549734134224		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VAC	54.75	EC000010	J7KN9814E	4548583765351		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VDC	68.55	EC000010	J7KN9839M	4549734134231			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 60D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 60 VDC	68.55	EC000010	J7KN9840D	4549734134248			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 90	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2.2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 90 VAC		EC000010	J7KN9815C	4548583765368			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VAC	20.56	EC000066	J7KN9792M	4548583765139			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VDC	25.58	EC000066	J7KN9837D	4549734134217			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 180 VAC	20.56	EC000066	J7KN9793R	4548583765146			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 230 VAC	20.56	EC000066	J7KN9794G	4548583765153		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VAC	20.56	EC000066	J7KN9795E	4548583765160		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VDC	25.58	EC000066	J7KN9834M	4549734134187			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VAC	20.56	EC000066	J7KN9796C	4548583765177		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VDC	25.58	EC000066	J7KN9835H	4549734134194			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 60 VDC	25.58	EC000066	J7KN9836F	4549734134200		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 90 VAC	20.56	EC000066	J7KN9797A	4548583765184			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 90	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2.2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 90 VAC	22.83	EC000066	J7KN9821H	4548583772427			CD	CDB	AUT	8536.4900.99
J75KN-P-1039	Bağlantı adaptörü, J7KNU için 35 mm DIN raya uyumlu	2.02	EC002498	J75K9000A	4549734137188	#	10	CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlar Elemanı J7TK Termik Asırıyık</b>											
J7TKN-A-1E2	Termik röle, 3 kutup, 0.8-1.2 A, manuel reset, J7KNA ile uyumlu	29.75	EC000106	J7TK9071C	4547648205597	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-1E8	Termik röle, 3 kutup, 1.2-1.8 A, manuel reset, J7KNA ile uyumlu	28.15	EC000106	J7TK9072A	4547648205603	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel reset, J7KNA ile uyumlu	28.17	EC000106	J7TK9073M	4547648205610	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-4	Termik röle, 3 kutup, 2.7-4 A, manuel reset, J7KNA ile uyumlu	28.17	EC000106	J7TK9074H	4547648205627	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset	28.06	EC000106	J7TK9075F	4547648205634	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset	28.06	EC000106	J7TK9076D	4547648205641	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-E6	Termik röle, 3 kutup, 0.4-0.6 A, manuel reset, J7KNA ile uyumlu	29.46	EC000106	J7TK9069A	4547648205573	#		CD	CDC	AUT	8536.4900.99
J7TKN-A-E9	Termik röle, 3 kutup, 0.6-0.9 A, manuel reset, J7KNA ile uyumlu	29.46	EC000106	J7TK9070E	4547648205580	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-11	Termik röle, 3 kutup, 8-11 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	36.55	EC000106	J7TK9027F	4536854854606	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-14	Termik röle, 3 kutup, 10-14 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	36.55	EC000106	J7TK9028D	4536854854613	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-18	Termik röle, 3 kutup, 13-18 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	36.55	EC000106	J7TK9029B	4536854854620	#		CD	CDC	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7TKN-B-1E2	Termik röle, 3 kutup, 0.8-1.2 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9021G	4536854854545	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-24	Termik röle, 3 kutup, 17-24 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	36.55	EC000106	J7TK9030F	4536854854637	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9023C	4536854854569	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-32	Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset	57.00	EC000106	J7TK9031D	4536854854644	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-4	Termik röle, 3 kutup, 2.7-4 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9024A	4536854854576	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-6	Termik röle, 3 kutup, 4-6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9025M	4536854854583	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-9	Termik röle, 3 kutup, 6-9 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9026H	4536854854590	#		CD	CDC	AUT	8536.4900.99
J7TKN-B-E6	Termik röle, 3 kutup, 0.4-0.6 A, manuel ve otomatik reset, J7KN(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	31.00	EC000106	J7TK9019E	4536854854521	#		CD	CDC	AUT	8536.4900.99
J7TKN-C-42	Termik röle, 3 kutup, 28-42 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu	58.55	EC000106	J7TK9032B	4536854854651	#		CD	CDC	AUT	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlama Elemanları</b>											
J73KN-A-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA-AR ile uyumlu	5.49	EC002498	J73K9000D	4536854854736	#	10	CD	CDX	AUT	8536.4900.99
J73KN-A-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA-AR ile uyumlu	9.42	EC002498	J73K9002M	4536854854750	#	10	CD	CDX	AUT	8536.4900.99
J73KN-A-40	Yardımcı kontak, 4 NA, önden montaj, J7KNA-AR ile uyumlu	9.42	EC002498	J73K9003R	4536854854767	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-02	Yardımcı kontak, 2 NK, önden montaj, J7KNA ile uyumlu	5.48	EC002498	J73K9005E	4536854854781	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA ile uyumlu	5.29	EC002498	J73K9004G	4536854854774	#	10	CD	CDX	AUT	8536.4900.99
J73KN-AM-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA ile uyumlu	9.42	EC002498	J73K9006C	4536854854798	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01	Yardımcı kontak, 1 NK, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	2.82	EC002498	J73K9007A	4536854854804	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01A	Yardımcı kontak, 1 NK, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	6.62	EC002498	J73K9018G	4547648171366	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74 (EM & LM version)	7.48	EC002498	J73K9024A	4547648192057	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-10	Yardımcı kontak, 1 NA, 10 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	2.82	EC002498	J73K9008M	4536854854811	#	10	CD	CDX	AUT	8536.4900.99
J73KN-B-10A	Yardımcı kontak, 1 NA, 25 A (AC1, 690 VAC), önden montaj, J7KN(G)-10/-115 ile uyumlu	6.62	EC002498	J73K9019E	4547648171373	#	10	CD	CDX	AUT	8536.4900.99
J73KN-C-11S	Yardımcı kontak, 1 NA + 1 NK, yandan montaj, J7KN(G)-24/-115 ile uyumlu	8.08	EC002498	J73K9009H	4536854854828	#		CD	CDX	AUT	8536.4900.99
J74KN-B-ML	Mekanik kilit, 2 adet J7KN(G)-10(D)/-40 için	3.78	EC002498	J74K9004M	4536854854903	#		CD	CDX	AUT	8536.4900.99
J74KN-C2-RC230	RC koruma ünitesi, 110-230 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu	16.67	EC002498	J74K9039C	4548583137905	#	10	CD	CDX	CHN	8536.4900.99
J74KN-C2-RC24	RC koruma ünitesi, 12-48 VAC/DC, J7KN(G)-10(D)/-74 ile uyumlu	15.55	EC002498	J74K9040G	4548583137912	#	10	CD	CDX	CHN	8536.4900.99
J74KN-D-RC 24	RC koruma ünitesi, 12-48 VAC/DC, J7KNA(-AR) ile uyumlu	15.55	EC002498	J74K9018M	4547648044073	#	10	CD	CDX	CZE	8536.4900.99
J74TK-SM	Separate mounting sets for J7TKN-B	4.94	EC002498	J74T9000B	4536854855207	#		CD	CDX	AUT	8536.4900.99
J77MN-11F	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7MN*R/*P ile uyumlu	8.51	EC002498	J77M9000H	4547648327329	#	10	CD	CDX	KOR	8536.4900.99
J77MN-11S	Yardımcı kontak, 1 NA + 1 NK, yandan montaj, sol, J7MN*R/*P ile uyumlu	13.43	EC002498	J77M9004M	4547648327367	#	2	CD	CDX	KOR	8536.4900.99
J77MN-BTC-63-SE	Besleme barası girişi, 3 kutup, üstten montaj, IEC/EN 60950	8.33	EC002498	J77M9064D	4548583066519		4	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-SS	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 5 adet J7MN-3P/-3R için	11.66	EC002498	J77M9063F	4548583066502		10	CD	CDX	KOR	8536.4900.99
J77MN-VKA-3	Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J7MN-3P/-R ile J7KNA arasında, DIN ray montaj adaptörüne gerek yoktur	5.34	EC002498	J77M9029F	4547648327619	#		CD	CDX	AUT	8536.4900.99
<b>Soket PF</b>											
PF083A-E	Soket, DIN ray montajlı, 8 pinli, vida terminalli	3.83	EC001456	PF 2000A	4547648825917	#	50	CF	CFA	CHN	8536.4900.99
PF085A(N)	Socket, DIN rail/surface mounting, 8-pin, screw terminals	7.06	EC001456	PF 9001H	4536853723064	#		CF	CFA	JPN	8536.4900.99
PF113A-E	Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)	3.89	EC001456	PF 2002H	4547648825931	#	50	CF	CFA	CHN	8536.4900.99
PF083A-D	Soket, DIN ray montajlı, 8 pinli, vida terminalli	7.26	EC001456	AA056186E	4549734994392	#	10	CF	CFA	HUN	8536.6990.99
PF113A-D	Soket, DIN ray montajlı, 11 pinli, vida terminalli	6.66	EC001456	AA056187C	4549734994408	#	10	CF	CFA	HUN	8536.6990.99
PF113A-N	Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE).	9.30	EC001456	AA056188A	4549734994415	#	10	CF	CFA	HUN	8536.6990.99
<b>Soket PTF</b>											
PTF11A	Soket, DIN ray montajlı, 11 pinli, vida terminalli	10.35	EC001456	PT 1263B	4536853724580	#	10	CF	CFB	JPN	8536.4900.99
PTFZ-08-E	Soket, DIN ray montajlı, 8 pinli, vida terminalli	5.07	EC001456	PTFZ0001G	4549734715621	#	10	CF	CFB	CHN	8536.4900.99
PTFZ-14-E	Soket, DIN ray montajlı, 14 pinli, vida terminalli	9.00	EC001456	PTFZ0002E	4549734715638	#	10	CF	CFB	CHN	8536.4900.99
PTF-08-PU	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	10.76	EC001456	PT 8100F	4549734556002	#	10	CF	CFB	MYS	8536.4900.99
PTF-08-PU-L	Soket, DIN ray montajlı, 8 pinli, vida terminalli	9.96	EC001456	PT 8101D	4549734556019		10	CF	CFB	MYS	8536.4900.99
PTF-14-PU-L	Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals	13.44	EC001456	PT 8102B	4549734556026	#	10	CF	CFB	MYS	8536.4900.99
<b>Soket PY</b>											
PY08-02	Soket, back-connecting, 8-pin, PCB terminals	1.89	EC001456	PY 1276E	4536853725693	#	10	CF	CFC	JPN	8536.4900.99
PY14-02	Soket, 14 pinli, PCB terminal	2.44	EC001456	PY 1265M	4536853725617	#	10	CF	CFC	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PY08	Soket, 8 pinli, lehim terminal	1.89	EC001456	PY 1008H	4536853725259		10	CF	CFC	JPN	8536.4900.99
PY14	Soket, 14 pinli, lehim terminal	2.44	EC001456	PY 1020G	4536853725334		10	CF	CFC	JPN	8536.4900.99
<b>Soket PYE</b>											
PYF08A-N	Soket, DIN ray montajlı, 8 pinli, vida terminalli	5.34	EC001456	PY 6025E	4547648009232	#	50	CF	CFD	CHN	8536.4900.99
PYF11A	Soket, DIN rail/surface mounting, 11-pin, screw terminals	9.56	EC001456	PY 1263C	4536853725594	#	10	CF	CFD	JPN	8536.6990.99
PYF14A-N	Soket, DIN ray montajlı, 14 pinli, vida terminalli	5.93	EC001456	PY 6026C	4547648009256	#	50	CF	CFD	CHN	8536.4900.99
PYFZ-08-E	Soket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	5.60	EC001456	PYFZ0001H	4549734447713	#	50	CF	CFD	CHN	8536.6990.99
PYFZ-14-E	Soket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	8.19	EC001456	PYFZ0002F	4549734447720	#	50	CF	CFD	CHN	8536.6990.99
PYF-08-PU	MY2 için 8 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket	6.41	EC001456	PY 8100G	4549734218375	#	10	CF	CFD	MYS	8536.6990.99
PYF-08-PU-L	MY2 için 8 pinli, Push-in Plus terminalli, DIN ray/yüzey montaj soket	6.41	EC001456	PY 8102C	4549734218399	#	10	CF	CFD	MYS	8536.6990.99
PYF-14-PU	MY4 için 14 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket	6.56	EC001456	PY 8101E	4549734218382	#	10	CF	CFD	MYS	8536.6990.99
PYF-14-PU-L	MY4 için 14 pinli, Push-in Plus terminalli, DIN ray/yüzey montaj soket	6.56	EC001456	PY 8103A	4549734218405	#	10	CF	CFD	MYS	8536.6990.99
PYF14-ESN-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 2/2 seviyeli, vida terminalli (NO/NC kontak terminalleri, ortak uç ve bobin terminallerinden ayrılmıştır)	5.52	EC001456	AA056193H	4549734994460	#	10	CF	CFD	HUN	8536.6990.99
PYF14-ESS-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 1/3 seviyeli, vida terminalli (NO/NC kontak terminalleri, ortak uç ve bobin terminallerinden ayrılmıştır)	6.27	EC001456	AA056194F	4549734994477	#	10	CF	CFD	HUN	8536.6990.99
PYF08S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	5.42	EC001456	PY 6000M	4536854750762	#	10	CF	CFD	CHN	8536.6990.99
PYF14S	Soket, DIN ray montajlı, 14 pinli, vidasız terminal	6.50	EC001456	PY 6001H	4536854750786	#	10	CF	CFD	CHN	8536.6990.99
<b>Soket P2RF</b>											
P2RF-05-ESS	Soket, DIN ray montajlı, 5 pinli, vida terminalli	6.08	EC001456	P2R 9005M	4549734616140	#	10	CF	CFG	HUN	8536.6990.99
P2RF-08-ESS	Soket, DIN ray montajlı, 8 pinli, vida terminalli	5.68	EC001456	P2R 9006R	4549734616157	#	10	CF	CFG	HUN	8536.6990.99
P2RFZ-05-E	Soket, DIN rail/surface mounting, 5-pin, screw terminals	5.38	EC001456	P2R 7001G	4549734578530	#	50	CF	CFG	CHN	8536.6990.99
P2RFZ-08-E	Soket, DIN rail/surface mounting, 8-pin, screw terminals	8.57	EC001456	P2R 7002E	4549734578547	#	50	CF	CFG	CHN	8536.6990.99
P2RF-05-PU	G2R-1-S için 5 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket	6.14	EC001456	P2R 8100M	4549734218450	#	20	CF	CFG	MYS	8536.4900.99
P2RF-08-PU	G2R-2-S için 8 pinli, Push-in Plus terminalli, röle tutuculu, DIN ray/yüzey montaj soket	6.66	EC001456	P2R 8101R	4549734218467	#	20	CF	CFG	MYS	8536.4900.99
P2RF-05-S	Soket, DIN ray montajlı, 5 pinli, vidasız terminal	5.93	EC001456	P2R 6029A	4536854883453	#	10	CF	CFG	CHN	8536.4900.99
P2RF-08-S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	9.41	EC001456	P2R 6030E	4536854883460	#	10	CF	CFG	CHN	8536.4900.99
<b>Diğer Soketler</b>											
P2R-057P	Soket, back-connecting, 5-pin, PCB terminals	3.16	EC001456	P2R 6021F	4536854742507	#	10	CF	CFX	CHN	8536.4900.99
P2R-05P	Soket, 5 pinli, PCB terminal	2.23	EC001456	P2R 6028C	4536854742576	#	10	CF	CFX	CHN	8536.4900.99
P2R-087P	Soket, back-connecting, 8-pin, PCB terminals	3.92	EC001456	P2R 6011R	4536854742408	#	10	CF	CFX	CHN	8536.4900.99
P2R-08P	Soket, 8 pinli, PCB terminal	2.76	EC001456	P2R 6027E	4536854742569	#	10	CF	CFX	CHN	8536.4900.99
P2R-05A	Soket, back-connecting, 5-pin, solder terminals	2.97	EC001456	P2R 6000C	4536853726430	#	10	CF	CFX	CHN	8536.4900.99
PT08-0	Soket, back-connecting, 8-pin, PCB terminals	2.09	EC001456	PT 1015M	4536853724399	#	10	CF	CFX	JPN	8536.4900.99
PT14-0	Soket, back-connecting, 14-pin, PCB terminals	4.13	EC001456	PT 1022B	4536853724443	#	10	CF	CFX	JPN	8536.4900.99
11PFA	Soket, DIN rail/surface mounting, 11-pin, screw terminals	10.36	EC001456	PF 1234C	4536853722760	#	20	CF	CFX	JPN	8536.4900.99
14PFA	Soket, DIN rail/surface mounting, 14-pin, screw terminals	13.39	EC001456	PF 1235A	4536853722777	#	20	CF	CFX	JPN	8536.4900.99
8PFA	Soket, DIN rail/surface mounting, 8-pin, screw terminals	6.11	EC001456	PF 1232G	4536853722746	#	20	CF	CFX	JPN	8536.4900.99
8PFA1	Soket, DIN rail/surface mounting, 8-pin, screw terminals	6.44	EC001456	PF 1233E	4536853722753	#	20	CF	CFX	JPN	8536.4900.99
P2CF-08-E	Soket, DIN ray montajlı, 8 pinli, vida terminalli	10.20	EC001456	P2CF2109G	4536854821103	#	10	CF	CFX	JPN	8536.4900.99
P2CF-11-E	Soket, DIN ray montajlı, 11 pinli, vida terminalli	13.10	EC001456	P2CF2110M	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
P3G-08	Soket, back-connecting, 8-pin, screw terminals	10.96	EC001456	H2C 9102H	4536854821035	#	10	CF	CFX	JPN	8536.6990.99
P3GA-11	Soket, back-connecting, 11-pin, screw terminals	13.94	EC001456	H2C 9110R	4536854821141	#	10	CF	CFX	JPN	8536.6990.99
PLE08-0	Soket, back-connecting, 8-pin, PCB terminals	4.11	EC001456	PL 1004D	4536853723934	#	10	CF	CFX	JPN	8536.4900.99
PLE11-0	Soket, 11 pinli, PCB terminal	4.55	EC001456	PL 1200D	4536853724016	#	10	CF	CFX	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PL11	Socket, back-connecting, 11-pin, solder terminals	3.17	EC001456	PL 1006M	4536853723941		10	CF	CFX	JPN	8536.4900.99
PES-50	Relay socket for PCB relays, DIN rail mounting, 2 stages, 1 or 2 PDT, rise-up screw connection	7.79	EC001456	AA039987A	8020028273592		10	CF	CFX	ITA	8536.6990.99
<b>Özel Soketler</b>											
MS16MOLLE	Thermoplastic release lever for PES 35-50-50/3 socket, relay height 16 mm	0.58	EC002586	AA039981B	8020028144274		10	CF	CFY	ITA	8538.9099.99
MS25 MOLLE	Thermoplastic release lever for relay securing for PES 35-50-50/3 socket, relay height 25 mm	0.55	EC002586	AA039982M	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
PES-35	G2R-1 serisi PCB röleler için soket, DIN ray montajlı, 5 pinli, vidalı terminal	4.54	EC001456	AA039986C	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
PES50/3	G2R-2 serisi PCB röleler için soket, DIN ray montajlı, 6 pinli, vidalı terminal	5.44	EC001456	AA039988M	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
TYPE 22	Module with diode, protection against polarity inversion, 6/230 Vdc	2.25	EC002586	AA039992H	8020028142669	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42	Module with diode and Led, protection against polarity inversion plus signalling through Led, 6/24 Vdc	3.66	EC002586	AA039993F	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42B	Module with diode and Led, protection against polarity inversion plus signalling through Led, 24/60 Vdc	3.74	EC002586	AA039994D	8020028144021	#	20	CF	CFY	ITA	8538.9099.99
TYPE 52C	Module with "RC" group, without signalling, arc eliminator circuit, 110/230 Vac	4.62	EC002586	AA039995B	8020028144083	#	20	CF	CFY	ITA	8538.9099.99
TYPE 62C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 6/24 Vac/Vdc	5.85	EC002586	AA039997R	8020028144120	#	20	CF	CFY	ITA	8538.9099.99
TYPE 92C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 110/230 Vac/Vdc	5.80	EC002586	AA039998G	8020028144175	#	20	CF	CFY	ITA	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
P2DN-15.7-100S	Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch,10 pole (10 terminal) and 20pcs of caps. Color is blue.	27.42	EC002586	P2DN0202D	4549734578486	#		CF	CFZ	CHN	8536.6990.99
P2DN-6.8-100S	Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch,10 pole (20 terminal) and 20pcs of caps. Color is blue.	27.42	EC002586	P2DN0201F	4549734578479	#		CF	CFZ	CHN	8536.6990.99
P2DN-CP100	Box of 100 caps for P2DN short bar: insulation cap for the short bar cut, blue color	14.32	EC002586	P2DN0303R	4549734578516	#		CF	CFZ	CHN	8536.6990.99
P2RM-SB	Socket bridge (for use with P2RF_S)	34.18	EC002586	PYD 4101H	4536854894480	#	10	CF	CFZ	JPN	8536.4900.99
P2RM-SR	Socket bridge (for use with P2RF_S)	35.15	EC002586	PYD 4100M	4536854894473	#	10	CF	CFZ	JPN	8536.4900.99
PYDM-08SR	Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package	53.75	EC002586	PYD 4002M	4536854737145	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080R	PYF-PU için bobin köprü aparatı, 8 kutup, kırmızı, A1 terminali için uygun değil	7.82	EC002586	PYDN0004G	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080S	PYF-PU için bobin köprü aparatı, 8 kutup, mavi, A1 terminali için uygun değil	7.82	EC002586	PYDN0005E	4548583798311	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	PYF-PU için bobin köprü aparatı, 8 kutup, sarı, A1 terminali için uygun değil	7.82	EC002586	PYDN0006C	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080R	PYF-PU için bobin köprü aparatı, 8 kutup, kırmızı	9.07	EC002586	PYDN0001B	4548583798274	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080S	PYF-PU için bobin köprü aparatı, 8 kutup, mavi	9.07	EC002586	PYDN0002M	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080Y	PYF-PU için bobin köprü aparatı, 8 kutup, sarı	9.07	EC002586	PYDN0003R	4548583798298	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020R	G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, kırmızı	3.90	EC002586	PYDN0019E	4548583798458	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020S	G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, mavi	3.90	EC002586	PYDN0020R	4548583798465	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020Y	G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, sarı	3.90	EC002586	PYDN0021G	4548583798472	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030R	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, kırmızı	5.77	EC002586	PYDN0022E	4548583798489	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030S	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, mavi	5.77	EC002586	PYDN0023C	4548583798496	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030Y	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, sarı	5.77	EC002586	PYDN0024A	4548583798502	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040R	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, kırmızı	7.66	EC002586	PYDN0025M	4548583798519	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040S	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, mavi	7.66	EC002586	PYDN0026H	4548583798526	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040Y	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, sarı	7.66	EC002586	PYDN0027F	4548583798533	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100R	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, kırmızı	7.99	EC002586	PYDN0028D	4548583798540	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100S	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, mavi	7.99	EC002586	PYDN0029B	4548583798557	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100Y	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, sarı	7.99	EC002586	PYDN0030F	4548583798564	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200R	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, kırmızı	9.16	EC002586	PYDN0031D	4548583798571	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200S	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, mavi	9.16	EC002586	PYDN0032B	4548583798588	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200Y	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, sarı	9.16	EC002586	PYDN0033M	4548583798595	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.25T-200R	G2RV-ST/G3RV-ST için köprü aparatı, 20 kutup, kırmızı	9.16	EC002586	PYDN8201R	4549734762861	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-6.25T-200S	G2RV-ST/G3RV-ST için köprü aparatı, 20 kutup, mavi	9.16	EC002586	PYDN8202G	4549734762878	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-6.25T-200Y	G2RV-ST/G3RV-ST için köprü aparatı, 20 kutup, sarı	9.16	EC002586	PYDN8203E	4549734762885	#	10	CF	CFZ	MYS	8536.6990.99
PYDN-7.75-020R	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, kırmızı	5.07	EC002586	PYDN0007A	4548583798335	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020S	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, mavi	5.07	EC002586	PYDN0008M	4548583798342	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 2 kutup, sarı	5.07	EC002586	PYDN0009H	4548583798359	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030R	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, kırmızı	6.32	EC002586	PYDN0010A	4548583798366	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030S	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, mavi	6.32	EC002586	PYDN0011M	4548583798373	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 3 kutup, sarı	6.32	EC002586	PYDN0012H	4548583798380	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040R	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, kırmızı	7.82	EC002586	PYDN0013F	4548583798397	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040S	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, mavi	7.82	EC002586	PYDN0014D	4548583798403	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 4 kutup, sarı	7.82	EC002586	PYDN0015B	4548583798410	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200R	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, kırmızı	9.32	EC002586	PYDN0016M	4548583798427	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200S	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, mavi	9.32	EC002586	PYDN0017R	4548583798434	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200Y	PYF-PU/P2RF-PU için kontak köprü aparatı, 20 kutup, sarı	9.32	EC002586	PYDN0018G	4548583798441	#	10	CF	CFZ	JPN	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MG-CPM-04 41390N	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	233.60	EC001288	AA054725M	8016692764306			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41391	White modular sheet with 48 marker of size mm: 6x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 28 sheets, total markers 1344)	201.90	EC001288	AA054726R	8016692613079			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41392	White modular sheet with 80 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 25 sheets, total markers 2000)	257.50	EC001288	AA054727G	8016692769400			CF	CFZ	ITA	8538.9099.99
MG-CPM-05 41490	White modular sheet with 56 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1960)	272.50	EC001288	AA054728E	8016692482309			CF	CFZ	ITA	3403.1980.00
MG-CPM-07 41691	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total labels 1680)	233.60	EC001288	AA054729C	8016692570174			CF	CFZ	ITA	8538.9099.99
MG-CPM-07 41692	White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	257.50	EC001288	AA054730G	8016692887760			CF	CFZ	ITA	8538.9099.99
PYC-TR1	Labels for PYF14-ESN/ESS sockets. (1 pc = 1 bag including 10 labels)	2.37	EC002586	AA056192M	4549734994453	#		CF	CFZ	HUN	8538.9099.99
P2CM-ESS	P2RF-**-ESS soket için opsiyonel röle tutucu aparat (1 paket = 10 adet)	4.55	EC002586	P2R 9004B	4549734616133	#		CF	CFZ	HUN	8536.4900.99
P2CM-S	P2RF-S soketi için opsiyonel röle tutucu aparat	0.41	EC002586	PYC 6004C	4536854886522	#	50	CF	CFZ	CHN	8536.4900.99
PFC-A1	MKS serisi röle tuturma aparatı	1.20	EC002586	PFC 1066M	4536853723156	#	200	CF	CFZ	JPN	8536.4900.99
PFC-N8	Retaining clips for 61F-GP-N8 level controller & PF083A-E socket	2.87	EC002586	F03 1111B	4536853385149	#		CF	CFZ	JPN	8538.9099.99
PYC-0	Metal retaining clip (wire spring clip) for use with PYF14-ESN/ESS (for use with relays only).Sold in multiples of 10 per package, not available seperately	4.03	EC002586	AA056189M	4549734994422	#		CF	CFZ	HUN	8538.9099.99
PYC-35-B	Hold-down clip, plastic, for PYF14-ESS-B/-ES-B, sold in multiples of 10 per package	6.16	EC002586	AA056190C	4549734994439	#		CF	CFZ	HUN	8538.9099.99
PYC-A1	Retaining clips for LY/MY relay & PTF/PYF_E/N socket	0.53	EC002586	PYC 1328B	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
PYC-E1	Retaining clips for MY2IN(S) relay & PYF_E/N socket	0.64	EC002586	PYC 1331B	4536854382406	#	100	CF	CFZ	JPN	8536.4900.99
PYCM-08S	Clip and release lever for PYF08S socket	0.41	EC002586	PYC 6000M	4536854750793	#	200	CF	CFZ	CHN	8536.4900.99
PYCM-14S	Clip and release lever for PYF14S socket	0.57	EC002586	PYC 6001R	4536854750816	#	50	CF	CFZ	CHN	8536.4900.99
PYC-P	Retaining clip for LY/MY relay & PT/PY socket	0.33	EC002586	PYC 1000C	4536853726058	#	100	CF	CFZ	JPN	8536.4900.99
PYC-TR	Plastik etiket, P2RF-ESS soket için, 1 pakette 10 adet plastik etiket	3.45	EC002586	AA056191A	4549734994466	#	10	CF	CFZ	HUN	8538.9099.99
PF-P-M	End plate	2.70	EC002586	PF 1209B	4536853722715	#	100	CF	CFZ	JPN	8536.4900.99
PF-P-S	Spacer	1.60	EC002848	PF 1227M	4536853722722	#	10	CF	CFZ	JPN	8536.4900.99
PF-P-100N	DIN-rail mounting track, 35x7.3mm, 1m length	21.77	EC001285	PF 1205M	4536853722692	#	25	CF	CFZ	CHN	8536.4900.99
PF-P-100N2	DIN-rail mounting track, 35x16mm, 1m length	27.96	EC001285	PF 1228R	4536853722739	#		CF	CFZ	CHN	8536.4900.99
PF-P-50N	Din rail track, 500mm	15.72	EC001285	PF 1208D	4536853722708	#		CF	CFZ	CHN	8536.4900.99
R99-04 FOR G5F	Surface mounting W-bracket for G7J relay	1.12	EC002586	RELY2054D	4536853729486	#	100	CF	CFZ	JPN	8536.4900.99
R99-12 FOR G3NA	Mounting bracket for G3NA	19.86	EC002586	G3NA1050M	4536854912924	#	10	CF	CFZ	JPN	8536.4900.99
P2RVC-8ST-I-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	56.40	EC002780	P2RV5201A	4549734763424	#		CF	CFZ	JPN	8538.9099.99
P2RVC-8ST-I-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	56.40	EC002780	P2RV5202M	4549734763431	#		CF	CFZ	JPN	8538.9099.99
P2RVC-8ST-I-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	55.30	EC002780	P2RV5203H	4549734763448	#		CF	CFZ	JPN	8538.9099.99
P2RVC-8ST-O-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	57.50	EC002780	P2RV5204F	4549734763455	#		CF	CFZ	JPN	8538.9099.99
P2RVC-8ST-O-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	57.50	EC002780	P2RV5205D	4549734763462	#		CF	CFZ	JPN	8538.9099.99
P2RVC-8ST-O-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	56.90	EC002780	P2RV5206B	4549734763479	#		CF	CFZ	JPN	8538.9099.99
<b>Endüstriyel Switch Z15</b>											
Z-15G	Genel amaçlı basit switch, üstten basmalı, SPDT, 15 A, lehim terminali	9.43	EC000030	Z15G1324F	4548583364974	#	20	CG	CGA	IDN	8536.5015.90
Z-15G-B	Genel amaçlı basit switch, üstten basmalı, SPDT, 15 A, vida terminali	10.49	EC000030	Z15G1318A	4548583364912	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, lehim terminali	11.54	EC000030	Z15G1325D	4548583364981	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD55-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, sızdırmaz, vida terminali	15.69	EC000030	Z15G1326B	4548583364998	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, vida terminali	11.54	EC000030	Z15G1317C	4548583364905	#	20	CG	CGA	IDN	8536.5015.90
Z-15GK355-B	General purpose basic switch, plunger (high-operating point), SPDT, 15A, screw terminals	19.37	EC000030	Z15G0002M	4536854263316	#	20	CG	CGA	JPN	8536.5015.90
Z-15GK55	General purpose basic switch, plunger (mid-operating point), SPDT, 15A	16.22	EC000030	Z15G0034R	4536854263354	#	20	CG	CGA	JPN	8536.5015.90
Z-15GK55-B	Genel amaçlı basit switch, üstten basmalı (orta OP), SPDT, 15 A, sızdırmaz, vida terminali	16.73	EC000030	Z15G0035G	4536854263361	#	20	CG	CGA	JPN	8536.5015.90
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15A, screw terminals	13.00	EC000030	Z15G6009M	4536854266126	#		CG	CGA	JPN	8536.5015.90
Z-15GM22-B	General-purpose Basic Switch, 15A, reverse short hinge roller lever, screw terminal	13.42	EC000030	Z15G8027M	4536854268496	#	20	CG	CGA	JPN	8536.5015.90
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	11.55	EC000030	Z15G8015F	4536854268427	#	20	CG	CGA	JPN	8536.5015.90
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	11.54	EC000030	Z15G8003B	4536854268366	#	20	CG	CGA	JPN	8536.5015.90
Z-15GN155-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	23.59	EC000030	Z15G5001M	4536854266003	#	10	CG	CGA	JPN	8536.5015.90
Z-15GQ	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, lehim terminali	13.42	EC000030	Z15G1322M	4548583364950	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ21	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, lehim terminali	18.34	EC000030	Z15G4018R	4536854265174	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ21-B	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, vida terminali	18.34	EC000030	Z15G4054E	4536854265419	#	20	CG	CGA	JPN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15GQ22	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, lehim terminal	17.80	EC000030	Z15G1323H	4548583364967	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, screw terminals	25.63	EC000030	Z15G4268H	4536854265983	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ22A55-B5V	General-purpose Basic Switch, 15A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	34.49	EC000030	Z15G1103M	4536854264016	#		CG	CGA	JPN	8536.5015.90
Z-15GQ22-B	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, vida terminalli	18.34	EC000030	Z15G1316E	4548583364899	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	20.93	EC000030	Z15G4264E	4536854265945	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15A	17.80	EC000030	Z15G4058H	4536854265433	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ-B	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, vida terminalli	14.65	EC000030	Z15G1314R	4548583364875	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	16.00	EC000030	Z15G9572B	4536854269325	#	20	CG	CGA	JPN	8536.5015.90
Z-15GS-B	Genel amaçlı basit switch, ince tip üstten basmalı, SPDT, 15 , vida terminalli	12.57	EC000030	Z15G2001C	4536854264559	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, lehim terminal	9.97	EC000030	Z15G1320C	4548583364936	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, lehim terminal	10.49	EC000030	Z15G1321A	4548583364943	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15A	9.43	EC000030	Z15G7043F	4536854266553	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW22	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, lehim terminal	10.49	EC000030	Z15G1319M	4548583364929	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	14.65	EC000030	Z15G7099A	4536854266805	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals	14.16	EC000030	Z15G1327M	4548583365001	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2277	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, SPDT, 15 A, lehim terminal	13.63	EC000030	Z15G7149A	4536854266904	20	CG	CGA	JPN	8536.5015.90	
Z-15GW2277-B	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, (Düşük OF), SPDT, 15 A, vida terminalli	14.16	EC000030	Z15G1309B	4548583364820	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	31.36	EC000030	Z15G1092A	4536854263934	20	CG	CGA	JPN	8536.5015.90	
Z-15GW22-B	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, vida terminalli	10.49	EC000030	Z15G1301G	4548583364745	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW225	General purpose basic switch, short hinge steel roller lever, SPDT, 15A	10.50	EC000030	Z15G7095R	4536854266768	20	CG	CGA	JPN	8536.5015.90	
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	12.07	EC000030	Z15G7236F	4536854267130	20	CG	CGA	JPN	8536.5015.90	
Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	15.69	EC000030	Z15G7237D	4536854267147	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW2A55-B5V	General purpose basic switch, hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	24.07	EC000030	Z15G1090E	4536854263910	10	CG	CGA	JPN	8536.5015.90	
Z-15GW2-B	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, vida terminalli	10.49	EC000030	Z15G1302E	4548583364752	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	11.54	EC000030	Z15G1312B	4548583364851	10	CG	CGA	IDN	8536.5015.90	
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	9.97	EC000030	Z15G7417B	4536854267482	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW4A55-B	General purpose basic switch, long hinge lever, SPDT, 15A, drip proof, screw terminals	16.22	EC000030	Z15G7434B	4536854267581	20	CG	CGA	JPN	8536.5015.90	
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	9.97	EC000030	Z15G7418M	4536854267499	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals	10.49	EC000030	Z15G1328R	4548583365018	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	14.65	EC000030	Z15G7568C	4536854267826	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW-B	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, vida terminalli	9.97	EC000030	Z15G1303C	4548583364769	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	17.36	EC000030	Z15G1313M	4548583364868	#	20	CG	CGA	IDN	8536.5015.90
Z-15HJ555-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	27.37	EC000030	Z15H5001D	4536854270505	10	CG	CGA	JPN	8536.5015.90	
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	13.25	EC000030	Z15H7078C	4536854270871	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	13.11	EC000030	Z15H7079A	4536854270888	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	14.34	EC000030	Z15H7243C	4536854271298	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	14.16	EC000030	Z15H7244A	4536854271304	#	10	CG	CGA	JPN	8536.5015.90

**Endüstriyel Switch D4MC**

D4MC-1000	Kapalı switch, levye kol, SPDT, 10 A	19.97	EC000030	D4MC1001D	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-2000	Kapalı switch, makaralı levye kol, SPDT, 10 A	20.56	EC000030	D4MC9500A	4536853226510	#	10	CG	CGB	JPN	8536.5015.90
D4MC-2020	Kapalı switch, makaralı orta uzunlukta levye kol, SPDT, 10 A	19.49	EC000030	D4MC2001M	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	23.00	EC000030	D4MC3001E	4536853225933	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5000	Kapalı switch, panel montajlı üstten basmalı, SPDT, 10 A	25.46	EC000030	D4MC5001F	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Kapalı switch, panel montajlı makaralı üstten basmalı, SPDT, 10 A	28.15	EC000030	D4MC5020B	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Kapalı switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 10 A	28.42	EC000030	D4MC5039C	4536853226244	#	10	CG	CGB	JPN	8536.5015.90

**Endüstriyel Switch WL**

WL-1A100	WL series limit switch replacement roller lever	9.89	EC002594	WL 9100D	4536854171215	#		CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	12.61	EC002594	WL 9103R	4536854171246	#		CG	CGC	JPN	9032.9000.90
WL-2A122	Adjustable roller lever, R25 140 mm, stainless steel roller 17.5 mm dia.	45.83	EC002594	WL 9214M	4536854171918	#	10	CG	CGC	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch: adjustable rod lever	29.64	EC002594	WL 9104G	4536854171253	#		CG	CGC	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	20.98	EC001483	WL 9176D	4536854171765	20	CG	CGC	JPN	9032.9000.90	
WL-9H100-N	WL-N series limit switch replacement head with coil spring lever	27.92	EC001483	WL N 1220M	4548583547872	10	CG	CGC	JPN	9032.9000.90	
WL-9H300-N	Head set for WL N1-2	47.63	EC001483	WL N 1225M	4548583547926	#	5	CG	CGC	JPN	9032.9000.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	74.30	EC000030	WL 1013F	4536854160745	#		CG	CGC	JPN	8536.5015.90
WLD2-G	Limit switch, üstten basmalı, makaralı, DPDB, 10 A	66.15	EC000030	WL 4004C	4536854167027	#		CG	CGC	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Endüstriyel Switch ZC</b>											
ZC-D55	Enclosed basic switch, plunger, SPDT, 15A	35.43	EC000030	ZCS51000G	4536854251061	#	10	CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	53.70	EC000030	ZCS56000R	4536854252907	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q2155	Kapalı basit switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 15 A	42.14	EC000030	ZCS53000H	4536854251436	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q2255	Kapalı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A	42.61	EC000030	ZCS54000C	4536854252365	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q55	Kapalı basit switch, panel montajlı üstten basmalı, SPDT, 15 A	41.03	EC000030	ZCS52000B	4536854251276	#	10	CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A	32.68	EC000030	ZCS57101D	4536854253249	#	10	CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A	34.71	EC000030	ZCS57401C	4536854253416	#		CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	34.71	EC000030	ZCS57400E	4536854253409	#	10	CG	CGD	JPN	8536.5015.90
<b>Endüstriyel Switch ZE/ZV</b>											
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15A	94.60	EC000030	ZE 6002F	4536854255120	#		CG	CGE	JPN	8536.5015.90
ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	94.10	EC000030	ZE 6005M	4536854255151	#		CG	CGE	JPN	8536.5015.90
ZE-N-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	50.80	EC000030	ZE 5003R	4536854255038	#		CG	CGE	JPN	8536.5015.90
ZE-NA2-2G	Kapalı switch, makaralı kol, SPDT, 15 A	63.75	EC000030	ZE 7002A	4536854255229	#		CG	CGE	JPN	8536.5015.90
ZE-Q21-2G	Kapalı switch, zıt makaralı üstten basmalı, SPDT, 15 A	55.30	EC000030	ZE 2002D	4536854254840	#		CG	CGE	JPN	8536.5015.90
ZE-Q22-2G	Kapalı switch, makaralı üstten basmalı, SPDT, 15 A	54.80	EC000030	ZE 9519R	4536854255496	#		CG	CGE	JPN	8536.5015.90
ZE-Q-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	49.91	EC000030	ZE 1002R	4536854254789	#		CG	CGE	JPN	8536.5015.90
ZE-QA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	55.80	EC000030	ZE 3002M	4536854254932	#		CG	CGE	JPN	8536.5015.90
ZV2-N-2G	Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15A	60.20	EC000030	ZV2 9545E	4536854260773	#		CG	CGE	JPN	8536.5015.90
<b>Endüstriyel Switch D4C</b>											
D4C-1201	Kompak kapalı limit switch, üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	61.10	EC000030	D4CN1201B	4536853210052	#		CG	CGF	JPN	8536.5015.90
D4C-1202	Kompak kapalı limit switch, makaralı üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF yağa dayanıklı kablolu	60.75	EC000030	D4CN1202M	4536853210069	#		CG	CGF	JPN	8536.5015.90
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	65.10	EC000030	D4CN1203R	4536853210076	#		CG	CGF	JPN	8536.5015.90
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	78.40	EC000030	D4CN1220R	4536853210113	#		CG	CGF	JPN	8536.5015.90
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	80.75	EC000030	D4CN1224A	4536853210151	#		CG	CGF	JPN	8536.5015.90
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	75.05	EC000030	D4CN1231D	4536853210182	#		CG	CGF	JPN	8536.5015.90
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	78.40	EC000030	D4CN1232B	4536853210199	#		CG	CGF	JPN	8536.5015.90
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	76.65	EC000030	D4CN1233M	4536853210205	#		CG	CGF	JPN	8536.5015.90
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	77.50	EC000030	D4CN1250M	4536853210243	#		CG	CGF	JPN	8536.5015.90
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	90.05	EC000030	D4CN1332R	4536853210342	#		CG	CGF	JPN	8536.5015.90
D4C-1502	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF cable	74.75	EC000030	D4CN1502M	4536853210588	#		CG	CGF	JPN	8536.5015.90
D4C-1G01 5M	Compact enclosed limit switch	122.00	EC000030	D4CN0236M	4547648734493	#		CG	CGF	JPN	8536.5015.90
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	67.50	EC000030	D4CN3202A	4536853212865	#		CG	CGF	JPN	8536.5015.90
D4C-4232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCTF oil-resistant cable	78.40	EC000030	D4CN4232R	4536853214043	#		CG	CGF	JPN	8536.5015.90
D4C-4233	Compact enclosed limit switch	71.00	EC000030	D4CN4233G	4536853214050	#		CG	CGF	JPN	8536.5015.90
D4C-4302	Compact enclosed limit switch, roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable	87.55	EC000030	D4CN4302C	4536853214142	#		CG	CGF	JPN	8536.5015.90
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable	88.60	EC000030	D4CN4332E	4536853214203	#		CG	CGF	JPN	8536.5015.90
D4C-6303	Compact enclosed limit switch	94.65	EC000030	D4CN6303B	4536853215545	#		CG	CGF	JPN	8536.5015.90
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	80.40	EC000030	D4CC3002M	4536853208417	#		CG	CGF	JPN	8536.5015.90
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	89.00	EC000030	D4CC3024M	4536853208448	#		CG	CGF	JPN	8536.5015.90
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	91.40	EC000030	D4CC4002E	4536853208561	#		CG	CGF	JPN	8536.5015.90
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	94.00	EC000030	D4CC4032G	4536853208622	#		CG	CGF	JPN	8536.5015.90
<b>Endüstriyel Switch HL</b>											
HL-5000G	Limit switch, makaralı kol, Topraklama terminalli	52.20	EC000030	HL5 5418G	4548583439153	#		CG	CGH	CHN	8536.5015.90
HL-5030G	Limit switch, ayarlanabilir makaralı kol, Topraklama terminalli	53.70	EC000030	HL5 5420R	4548583439177	#		CG	CGH	CHN	8536.5015.90
HL-5050G	Limit switch, ayarlanabilir çubuk kol, Topraklama terminalli	53.35	EC000030	HL5 5422E	4548583439191	#		CG	CGH	CHN	8536.5015.90
HL-5100G	Limit switch, korumalı üstten basmalı, Topraklama terminalli	59.15	EC000030	HL5 5424A	4548583439214	#		CG	CGH	CHN	8536.5015.90
HL-5200G	Limit switch, korumalı makaralı üstten basmalı, Topraklama terminalli	62.25	EC000030	HL5 5426H	4548583439238	#		CG	CGH	CHN	8536.5015.90
HL-5300G	Limit switch, bobin yaylı, Topraklama terminalli	62.20	EC000030	HL5 5428D	4548583439252	#		CG	CGH	CHN	8536.5015.90
<b>Endüstriyel Switch SHL</b>											
SHL-D55	Subminiature enclosed switch, plunger actuator	37.94	EC000030	SHLN2100A	4536853780425	#	10	CG	CGI	JPN	8536.5015.90
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	46.79	EC000030	SHLN0100M	4536853779016	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155	Enclosed switch, panel mount across roller plunger, SPDT,10A	42.40	EC000030	SHLN2300D	4536853780821	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155-01	Enclosed switch, panel mount across roller plunger, SPDT,10A micro voltage	44.72	EC000030	SHLN0300C	4536853779450	#		CG	CGI	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT,10A	43.50	EC000030	SHLN2400M	4536853781002	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT,10A micro voltage	44.30	EC000030	SHLN4000M	4536853779627	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q55	Subminiature enclosed switch, panel mount plunger	38.68	EC000030	SHLN2200H	4536853780623	#	5	CG	CGI	JPN	8536.5015.90
SHL-Q55-01	Subminiature enclosed switch, panel mount plunger, micro load	40.61	EC000030	SHLN2000G	4536853779184	#	10	CG	CGI	JPN	8536.5015.90
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	39.23	EC000030	SHLN3001R	4536853781637	#	10	CG	CGI	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	39.27	EC000030	SHLN3003E	4536853781651	#	10	CG	CGI	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	37.40	EC000030	SHLN2800F	4536853781408	#	10	CG	CGI	JPN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
A22NZ-2BL-NBA	Selector A22NZ Ø22, 2 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON LEFT, COLOR BLACK	6.27	EC000222	A2270414R	4548583715608	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-O1AA	Selector A22NZ Ø22, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position ALL	13.51	EC000222	A2270613C	4548583717596	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-O1BA	Selector A22NZ Ø22, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position LEFT	20.31	EC000222	A2270614A	4548583717602	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NBA	Selector A22NZ Ø22, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK	6.27	EC000222	A2270402E	4548583715486	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NRA	Selector A22NZ Ø22, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED	6.28	EC000222	A2270397E	4548583715431	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-O1BA	Selector A22NZ Ø22, Key type S, 2 position, bezel brushed metal, MANUAL, RELEASE position LEFT	17.42	EC000222	A2270618D	4548583717640	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ Ø22, 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.80	EC000222	A2270426B	4548583715721	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ Ø22, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR BLACK	6.52	EC000222	A2270510B	4548583716568	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-NBA	Selector A22NZ Ø22, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR BLACK	6.52	EC000222	A2270474B	4548583716209	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3MM-NBA	Selector A22NZ Ø22, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.51	EC000222	A2270522F	4548583716681	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NAA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque BLUE,	4.52	EC000221	A2270041M	4548583711877	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NGA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN,	4.52	EC000221	A2270038M	4548583711846	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NRA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED,	4.52	EC000221	A2270037B	4548583711839	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NWA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE,	4.52	EC000221	A2270040B	4548583711860	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NYA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW,	4.52	EC000221	A2270039R	4548583711853	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK,	5.01	EC000221	A2270060G	4548583712065	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN,	4.52	EC000221	A2270056R	4548583712027	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED,	4.52	EC000221	A2270055M	4548583712010	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NAA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	5.01	EC000221	A2270005D	4548583711518	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NBA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK,	5.01	EC000221	A2270006B	4548583711525	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NGA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN,	5.01	EC000221	A2270002M	4548583711488	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NRA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED,	5.22	EC000221	A2270001A	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NWA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE,	5.22	EC000221	A2270004F	4548583711501	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NYA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW,	5.02	EC000221	A2270003H	4548583711495	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NAA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	5.15	EC000221	A2270077A	4548583712232	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NWA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE,	5.15	EC000221	A2270076C	4548583712225	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TGA	Selector A22NZ Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	6.29	EC000222	A2270404A	4548583715509	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TRA	Selector A22NZ Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	6.29	EC000222	A2270403C	4548583715493	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TWA	Selector A22NZ Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE	6.29	EC000222	A2270406H	4548583715523	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TYA	Selector A22NZ Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW	4.51	EC000222	A2270405M	4548583715516	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ Ø22, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR GREEN	4.80	EC000222	A2270428R	4548583715745	#	4	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TYA	Selector A22NZ Ø22, 2 position, Lighted, bezel brushed metal, MANUAL, COLOR YELLOW	5.73	EC000222	A2270429G	4548583715752	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-TYA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR YELLOW	6.52	EC000222	A2270513G	4548583716599	#	4	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TGA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	7.10	EC000222	A2270476R	4548583716223	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TRA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	7.10	EC000222	A2270475M	4548583716216	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TYA	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW	7.10	EC000222	A2270477G	4548583716230	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TAA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	4.52	EC000221	A2270047M	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TGA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	4.52	EC000221	A2270044E	4548583711907	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TRA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.52	EC000221	A2270043G	4548583711891	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TWA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	4.57	EC000221	A2270046A	4548583711921	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TYA	Pushbutton A22NZ Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	4.57	EC000221	A2270045C	4548583711914	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TRA	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.35	EC000221	A2270061E	4548583712072	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TAA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	3.17	EC000221	A2270011R	4548583711570	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TGA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	3.17	EC000221	A2270008R	4548583711549	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TRA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	3.17	EC000221	A2270007M	4548583711532	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TWA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	3.17	EC000221	A2270010M	4548583711563	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TYA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	3.17	EC000221	A2270009G	4548583711556	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TAA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	5.17	EC000221	A2270083F	4548583712294	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TGA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	5.17	EC000221	A2270080A	4548583712263	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TRA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	5.17	EC000221	A2270079H	4548583712256	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TYA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	5.17	EC000221	A2270081M	4548583712270	#	10	CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NS-2BM-NRA-G100-NN	Selector A22NS Ø22, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO	14.95	EC001029	A2230001C	4548583658059			CG	CGK	TWN	8536.5015.90
A22NS-3BB-NBA-G101-NN	Selector A22NS Ø22, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR BLACK, 2NO	14.76	EC001029	A2230785R	4548583665897		10	CG	CGK	TWN	8536.5015.90
A22-01	Contact block, SPST-NC, general-purpose load	4.83	EC000041	A22 0050H	4536854356452	#	50	CG	CGK	JPN	8536.5015.90
A22-01S	Contact block, SPST-NC, microload	17.58	EC000041	A22 0105R	4536854452475			CG	CGK	JPN	8536.5015.90
A22-02	Contact block, DPST-NC, general-purpose load	13.66	EC000041	A22 0107E	4536854453397	#	30	CG	CGK	JPN	8536.5015.90
A22-10	Contact block, SPST-NO, general-purpose load	4.83	EC000041	A22 0051F	4536854356469	#	50	CG	CGK	JPN	8536.5015.90
A22-20	Contact block, DPST-NO, general-purpose load	13.66	EC000041	A22 0108C	4536854453403		30	CG	CGK	JPN	8536.5015.90
A22NZ-L-AC	Pushbutton accessory A22NZ, Blue LED Lamp 24 VAC/DC	4.47	EC002498	A2270678H	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-AE	Pushbutton accessory A22NZ, Blue LED Lamp 200/220/230 VAC	4.47	EC002498	A2270690G	4548583718364		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GB	Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC	5.54	EC002498	A2270670B	4548583718166			CG	CGK	TWN	8536.5015.90
A22NZ-L-GC	Pushbutton accessory A22NZ, Green LED Lamp 24 VAC/DC	4.47	EC002498	A2270676A	4548583718227	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GE	Pushbutton accessory A22NZ, Green LED Lamp 200/220/230 VAC	5.05	EC002498	A2270688E	4548583718340		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-OC	Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC	4.47	EC002498	A2270680M	4548583718265		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-OE	Pushbutton accessory A22NZ, Orange LED Lamp 200/220/230 VAC	4.47	EC002498	A2270692C	4548583718388		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-RC	Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC	4.47	EC002498	A2270675C	4548583718210	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-RE	Pushbutton accessory A22NZ, Red LED Lamp 200/220/230 VAC	4.68	EC002498	A2270687G	4548583718333		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WA	Pushbutton accessory A22NZ, White LED Lamp 6 VDC	4.68	EC002498	A2270667B	4548583718135			CG	CGK	TWN	8536.5015.90
A22NZ-L-WC	Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC	4.89	EC002498	A2270679F	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WE	Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC	5.04	EC002498	A2270691E	4548583718371		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-YC	Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC	4.47	EC002498	A2270677M	4548583718234	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-YE	Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC	4.68	EC002498	A2270689C	4548583718357		50	CG	CGK	TWN	8536.5015.90
A22NZ-S-G1A	Pushbutton A22NZ, Contact Block SPST-NO (blue)	3.56	EC000041	A2270655R	4548583718012	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-G1B	Pushbutton A22NZ, Contact Block SPST-NC (orange)	3.56	EC000041	A2270656G	4548583718029	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1A	A22N Kontak blokları, SPST-NO, push-in terminali	6.78	EC000041	A2275001R	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1B	A22N Kontak blokları, SPST-NC, push-in terminali	6.78	EC000041	A2275002G	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2A	A22N Kontak blokları, DPST-NO, push-in terminali	13.17	EC000041	A2275003E	4548583920927	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2B	A22N kontak blokları, DPST-NC, push-in terminali	13.03	EC000041	A2275004C	4548583920934		20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2C	A22N Kontak blokları, SPST-NO + SPST-NC, push-in terminali	17.46	EC000041	A2275005A	4548583920941		20	CG	CGK	TWN	8536.5015.90
A22NZ-T-B	Pushbutton accessory A22NZ, Lighting Unit 12 VAC/VDC	4.08	EC000204	A2270658C	4548583718043			CG	CGK	TWN	8536.5015.90
A22NZ-T-C	Pushbutton accessory A22NZ, Lighting Unit 24 VAC/VDC	3.45	EC000204	A2270659A	4548583718050	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-CP	A22N Aydınlatma Ünitesi, 24 VAC / DC, push-in terminali	6.56	EC000204	A2275008F	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-E	Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC	4.08	EC000204	A2270661C	4548583718074	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-EP	A22N Aydınlatma Ünitesi, 200/220/230/240 VAC, push-in terminali	11.85	EC000204	A2275010H	4548583920996		20	CG	CGK	TWN	8536.5015.90
A22-TN	Lamp socket, direct lighting	2.84	EC000204	A22 0087G	4536854408274	#	50	CG	CGK	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
A16L-AG	Pushbutton, illuminated, square, IP40, green	4.06	EC001072	A16 2026B	4536853010096		10	CG	CGL	JPN	8536.5015.90
A16L-JG	Pushbutton, illuminated, rectangular, IP40, green	3.94	EC001072	A16 2032G	4536853010157		10	CG	CGL	JPN	8536.5015.90
A16L-JGY	Pushbutton, illuminated, rectangular, IP40, green for LED only	3.94	EC001072	A16 2033E	4536853010164		10	CG	CGL	JPN	8536.5015.90
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red	3.94	EC001072	A16 2034C	4536853010171	#	10	CG	CGL	JPN	8536.5015.90
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white	3.94	EC001072	A16 2035A	4536853010188	#	10	CG	CGL	JPN	8536.5015.90
A16L-TW	Pushbutton, illuminated, round, IP40, white	4.06	EC001072	A16 2041F	4536853010249	#	10	CG	CGL	JPN	8536.5015.90
A165L-JA	Pushbutton, illuminated, rectangular, IP65, blue	5.30	EC001072	A16 2013M	4536853009960	#	10	CG	CGL	JPN	8536.5015.90
A165L-JB	Pushbutton, illuminated, rectangular, IP65, black	5.20	EC001072	A16 2005M	4536853009885		10	CG	CGL	JPN	8536.5015.90
A165L-JG	Pushbutton, illuminated, rectangular, IP65, green	5.30	EC001072	A16 2014R	4536853009977	#	10	CG	CGL	JPN	8536.5015.90
A165L-JGY	Pushbutton, illuminated, rectangular, IP65, green for LED only	4.04	EC001072	A16 2015G	4536853009984	#	10	CG	CGL	JPN	8536.5015.90
A165L-JR	Pushbutton, illuminated, rectangular, IP65, red	5.30	EC001072	A16 2016E	4536853009991	#	10	CG	CGL	JPN	8536.5015.90
A165L-JW	Pushbutton, illuminated, rectangular, IP65, white	5.30	EC001072	A16 2017C	4536853010003	#	10	CG	CGL	JPN	8536.5015.90
A165L-JY	Pushbutton, illuminated, rectangular, IP65, yellow	5.30	EC001072	A16 2018A	4536853010010	#	10	CG	CGL	JPN	8536.5015.90
A165L-TGY	Pushbutton, illuminated, round, IP65, green for LED only	4.54	EC001072	A16 2021A	4536853010041		10	CG	CGL	JPN	8536.5015.90
A165L-TY	Pushbutton, illuminated, round, IP65, yellow	5.20	EC001072	A16 2024F	4536853010072	#	10	CG	CGL	JPN	8536.5015.90
A16-CAM	IP40 case for pushbutton unit, square, momentary or indicator	4.26	EC000221	A16 1002M	4536853009731	#	5	CG	CGL	JPN	8536.5015.90
A16-CJA	IP40 case for pushbutton unit, rectangular, latching	5.34	EC000221	A16 1003H	4536853009748	#	50	CG	CGL	JPN	8536.5015.90
A16-CJM	IP40 case for pushbutton unit, rectangular, momentary or indicator	4.26	EC000221	A16 1004F	4536853009755	#	50	CG	CGL	JPN	8536.5015.90
A16-CTA	IP40 case for pushbutton unit, round, latching	5.34	EC000221	A16 1005D	4536853009762		50	CG	CGL	JPN	8536.5015.90
A16-CTM	IP40 case for pushbutton unit, round, momentary or indicator	4.26	EC000221	A16 1006B	4536853009779	#	50	CG	CGL	JPN	8536.5015.90
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator	5.41	EC000221	A16 1008R	4536853009793	#	50	CG	CGL	JPN	8536.5015.90
A165-CJA	IP65 case for pushbutton unit, rectangular, latching	7.49	EC000221	A16 1009G	4536853009809	#	50	CG	CGL	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator	6.00	EC000221	A16 1010M	4536853009816	#	50	CG	CGL	JPN	8536.5015.90
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator	5.41	EC000221	A16 1012G	4536853009830	#	50	CG	CGL	JPN	8536.5015.90
A16-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230VAC), solder terminal	7.60	EC000041	A16 3001B	4536853010263	#	50	CG	CGL	JPN	8536.5015.90
A16-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	11.94	EC000041	A16 3002M	4536853010270	#	50	CG	CGL	JPN	8536.5015.90
A165S-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65	23.25	EC000222	A16S2002D	4536854345654		30	CG	CGL	JPN	8536.5015.90
A165S-A3M	Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65	23.25	EC000222	A16S2005R	4536854345685			CG	CGL	JPN	8536.5015.90
A165S-J2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65	22.69	EC000222	A16S2008C	4536854345715		10	CG	CGL	JPN	8536.5015.90
A165S-J3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65	23.25	EC000222	A16S2011C	4536854345746		30	CG	CGL	JPN	8536.5015.90
A165S-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65	24.87	EC000222	A16S2014H	4536854345777	#	30	CG	CGL	JPN	8536.5015.90
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only	46.80	EC000222	A16K2021M	4536854345081		30	CG	CGL	JPN	8536.5015.90
A16S-2N-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	7.57	EC000041	A16S3003H	4536854346385		50	CG	CGL	JPN	8536.5015.90
A16S-2N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	13.00	EC002498	A16S3005D	4536854346408	#	50	CG	CGL	JPN	8536.5015.90
A16S-2N-2L	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal	11.94	EC000041	A16S3006B	4536854346415			CG	CGL	JPN	8536.5015.90
A16S-2N-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB terminal	57.65	EC000041	A16S3014C	4536854375330			CG	CGL	JPN	8536.5015.90
A16S-3N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, solder terminal	9.83	EC002498	A16S3009G	4536854346446		50	CG	CGL	JPN	8536.5015.90
A165S-A2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	27.55	EC001029	A16S7007B	4536854346521		5	CG	CGL	JPN	8536.5015.90
A165S-J2M-2	Knob-type selector switch, 16mm mounting, non illuminated, rectangular, 2 position, manual reset, DPDT	28.07	EC001029	A16S7012R	4536854346576	#	5	CG	CGL	JPN	8536.5015.90
A165S-T2M-1	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal	23.65	EC001029	A16S7016A	4536854346613			CG	CGL	JPN	8536.5015.90
A165S-T2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	27.55	EC001029	A16S7017M	4536854346620		5	CG	CGL	JPN	8536.5015.90
A16-12DY	LED, 12 VDC, yellow	5.39	EC002498	A16 0005R	4536853009618		100	CG	CGL	JPN	8536.5015.90
A16-24DG	LED, 24 VDC, green	8.45	EC002498	A16 0007E	4536853009632	#	100	CG	CGL	JPN	8536.5015.90
A16-24DR	LED, 24 VDC, red	7.77	EC002498	A16 0008C	4536853009649	#	100	CG	CGL	JPN	8536.5015.90
A16-24DSG	LED, 24 VDC, green, superbright	8.23	EC002498	A16 0025C	4536854589089	#		CG	CGL	JPN	8536.5015.90
A16-24DSR	LED, 24 VDC, red, superbright	8.23	EC002498	A16 0026A	4536854589096	#	18	CG	CGL	JPN	8536.5015.90
A16-24DSW	LED, 24 VDC, white, superbright	7.08	EC002498	A16 0027M	4536854589102	#	30	CG	CGL	JPN	8536.5015.90
A16-24DSY	LED, 24 VDC, yellow, superbright	8.23	EC002498	A16 0028H	4536854589119	#	20	CG	CGL	JPN	8536.5015.90
A16-24DW	LED, 24 VDC, white	9.53	EC002498	A16 0009A	4536853009656	#	100	CG	CGL	JPN	8536.5015.90
A16-24DY	LED, 24 VDC, yellow	8.23	EC002498	A16 0010E	4536853009663		100	CG	CGL	JPN	8536.5015.90
A165K-KEY	Spare key for A165K switches	7.73	EC002024	A16K0001E	4536854480225			CG	CGL	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	26.86	EC000030	DZ 8002C	4536853181994	#	20	CG	CGX	JPN	8536.5015.90
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	26.86	EC000030	DZ 8008B	4536853182052	#	20	CG	CGX	JPN	8536.5015.90
TZ-1GV	High temperature basic switch, hinge lever, 1 A	251.70	EC000030	TZ 4000H	4536854126833	#	20	CG	CGX	JPN	8536.5015.90
TZ-1GV22	High temperature basic switch, short hinge roller lever, 1 A	272.90	EC000030	TZ 5002M	4536854126857		20	CG	CGX	JPN	8536.5015.90
X-10GM-B	Basic switch, general purpose, reverse hinge lever, 10A, screw terminals	22.50	EC000030	X10G8002A	4536854245558		20	CG	CGX	JPN	8536.5015.90
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10A, screw terminals	16.64	EC000030	X10G7035B	4536854245084	#	20	CG	CGX	JPN	8536.5015.90
X-10GW-B	Basic switch, general purpose, hinge lever, 10A, screw terminals	15.42	EC000030	X10G7002F	4536854244926	#	20	CG	CGX	JPN	8536.5015.90
Z-10FM22Y-B	General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals	28.07	EC000030	Z10F8011M	4536854262173			CG	CGX	JPN	8536.5015.90
AP-B	Screw Terminal Use (Phenol Resin) for Z15 switch	0.65	EC002594	AP 2000F	4536853004736	#	20	CG	CGX	JPN	8536.5015.90
AP-Z	Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch	4.02	EC002594	AP 8000R	4536853004880	#	20	CG	CGX	JPN	8536.5015.90
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	151.50	EC000030	D4AN1101R	4536853200633	#		CG	CGX	JPN	8536.5015.90
D4A-2501N	Limit switch, four-pole, double-break, without indicator, top roller plunger	240.90	EC000030	D4AN2501M	4536853201401			CG	CGX	JPN	8536.5015.90
D4A-3101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	165.30	EC000030	D4AN3101M	4536853201777			CG	CGX	JPN	8536.5015.90
D4A-4501N	Limit switch, four-pole, double-break, without indicator, top lever, standard	245.30	EC000030	D4AN4501M	4536853202279			CG	CGX	JPN	8536.5015.90
D4A-4918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	274.90	EC000030	D4AN4918M	4536853202460			CG	CGX	JPN	8536.5015.90
D4A-5101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	148.50	EC000030	D4AN7101A	4536853202576			CG	CGX	JPN	8536.5015.90
D4A-A00	Replacement lever, roller lever type	29.95	EC002594	D4A 5001A	4536853198121	#		CG	CGX	JPN	8536.5015.90
D4A-C00	Replacement lever, adjustable roller lever type	34.32	EC002594	D4A 5200F	4536853198268			CG	CGX	JPN	8536.5015.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger	55.25	EC000030	D4EN0002M	4536853222949	#	10	CG	CGX	JPN	8536.5015.90
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	60.35	EC000030	D4EN0003H	4536853222956	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger	55.25	EC000030	D4EN0006B	4536853222987	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger	65.05	EC000030	D4EN0007M	4536853222994	#	10	CG	CGX	JPN	8536.5015.90
D4E-1C10N	Limit switch, slim sealed, connector type, general purpose, plunger	61.95	EC000030	D4EN0010M	4536853223021	#	10	CG	CGX	JPN	8536.5015.90
D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger	49.32	EC000030	D4EN0011R	4536853223038	#	10	CG	CGX	JPN	8536.5015.90
D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	92.95	EC000030	D4EN0100M	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger	97.05	EC000030	D4EN1018A	4536853223830	#	10	CG	CGX	JPN	8536.5015.90
D4E-1E10N	Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger	112.50	EC000030	D4EN1054H	4536853224073	#	10	CG	CGX	JPN	8536.5015.90
D4E-1E20N	Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger	100.10	EC000030	D4EN1051C	4536853224042	#	10	CG	CGX	JPN	8536.5015.90
D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever	60.90	EC000030	D4EN0015A	4536853223076	#	10	CG	CGX	JPN	8536.5015.90
D4E-2A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	68.25	EC000030	D4EN0023B	4536853223151	#	10	CG	CGX	JPN	8536.5015.90
D4ER-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant	74.60	EC000030	D4ER0001M	4548583868571	#	2	CG	CGX	JPN	8536.5015.90
D4ER-1L21N	Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant	91.10	EC000030	D4ER0025G	4548583868816	#	2	CG	CGX	JPN	8536.5015.90
D5A-1100	Limit switch	153.50	EC000030	D5A 1100F	4536853227272	#		CG	CGX	JPN	8536.5015.90
D5A-3200	Limit switch	179.80	EC000030	D5A 3200C	4536853227364	#		CG	CGX	JPN	8536.5015.90
D5A-3300	High-precision switch	193.90	EC000030	D5A 3300M	4536853227425	#		CG	CGX	JPN	8536.5015.90
D5B-1013	Limit switch	81.40	EC000030	D5B 1013E	4536853227692	#		CG	CGX	JPN	8536.5015.90
D5B-1023	Limit switch	94.70	EC000030	D5B 1023B	4536853227722	#		CG	CGX	JPN	8536.5015.90
D5B-1511	Tactile Limit switch, M10 body, short spring wobble stick actuator, 1m prewired	80.40	EC000030	D5B 1511M	4536853227746	#		CG	CGX	JPN	8536.5015.90
D5B-1513	Limit switch	81.00	EC000030	D5B 1513G	4536853227753	#		CG	CGX	JPN	8536.5015.90
D5B-1515	Tactile Limit switch, M10 body, short spring wobble stick actuator, 5m prewired	87.90	EC000030	D5B 1515C	4536853227760	#		CG	CGX	JPN	8536.5015.90
D5B-1533	Tactile Limit switch, M10 body, long spring wobble stick actuator, 3m prewired	81.40	EC000030	D5B 1533A	4536853227784	#		CG	CGX	JPN	8536.5015.90
D5B-5011	Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired	74.60	EC000030	D5B 5011M	4536853227807	#		CG	CGX	JPN	8536.5015.90
D5B-5013	Tactile Limit switch, M5 body, hemispheric actuator, 3m prewired	80.40	EC000030	D5B 5013G	4536853227814	#		CG	CGX	JPN	8536.5015.90
D5B-8013	Limit switch	93.20	EC000030	D5B 8013C	4536853227913	#		CG	CGX	JPN	8536.5015.90
D5B-8513	Limit switch	95.25	EC000030	D5B 8513E	4536853227982	#		CG	CGX	JPN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
M2B1-B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply	36.29	EC001026	M2B19180A	4536853684693	#	10	CG	CGY	JPN	8536.5015.90
M2B1-BH24D	Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply	60.45	EC001026	M2B19194A	4536853684822	#	10	CG	CGY	JPN	8536.5015.90
M16-0	Solder terminal socket for use with M16 range of indicators	1.53	EC002498	M16 3001D	4536854350689	#	80	CG	CGY	JPN	8536.5015.90
M22N-BC-TGA-GC	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	16.14	EC000272	A2260113G	4548583711198	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GC-P	M22N Gösterge, Plastik yassı yüzeyli, Yeşil, Yeşil, 24 V, push-in terminali	19.66	EC000272	A2265113D	4549734088077	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	20.42	EC000272	A2260115C	4548583711211	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE-P	M22N Indikator, Plastik flat etched, Green, Green, 220/230/240 V AC, push-in terminal	22.19	EC000272	A2265115M	4549734088091	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TOA-OC	Indicator M22N flat etched, cap color orange, LED orange, LED voltage 24 VDC	16.14	EC000272	A2260138B	4548583711440	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TOA-OC	Indicator M22N flat etched, cap color orange, LED orange, LED voltage 200-240 VAC	20.42	EC000272	A2260140D	4548583711464	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	18.18	EC000272	A2260108M	4548583711143	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC-P	M22N Göstergesi, Plastik yassı kazanmış, Kırmızı, Kırmızı, 24 V, push-in terminali	19.66	EC000272	A2265108H	4549734088022	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	15.46	EC000272	A2260110B	4548583711167	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE-P	M22N Indikator, Plastik flat etched, Red, Red, 220/230/240 V AC, push-in terminal	21.55	EC000272	A2265110M	4549734088046	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC	Indicator M22N flat etched, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	16.14	EC000272	A2260123D	4548583711297	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC-P	M22N Göstergesi, Plastik yassı fırınlanmış, Beyaz, Beyaz, 24 V, push-in terminali	19.66	EC000272	A2265123A	4549734088176	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WE-P	M22N Gösterge, Plastik yassı fırınlanmış, Beyaz, Beyaz, 220/230/240 V AC, push-in terminal	22.28	EC000272	A2265125H	4549734088190	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	16.14	EC000272	A2260118H	4548583711242	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC-P	M22N Indikator, Plastik flat etched, Yellow, Yellow, 24 V, push-in terminal	20.16	EC000272	A2265118E	4549734088121	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YD	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC	15.46	EC000272	A2260119F	4548583711259	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	15.46	EC000272	A2260120M	4548583711266	#	10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE-P	M22N Indikator, Plastik flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal	21.55	EC000272	A2265120G	4549734088145	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	16.33	EC000272	A2260008D	4548583710146	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC-P	M22N Gösterge, Plastik düz, Yeşil, Yeşil, 24 V, push-in terminali	19.66	EC000272	A2265008A	4549734087025	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GD	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC	18.92	EC000272	A2260009B	4548583710153	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	20.42	EC000272	A2260010F	4548583710160	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE-P	M22N Indikator, Plastik flat, Green, Green, 220/230/240 V AC, push-in terminal	22.19	EC000272	A2265010C	4549734087049	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	17.73	EC000272	A2260003C	4548583710092	#	5	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC-P	M22N Göstergesi, Plastik düz, Kırmızı, Kırmızı, 24 V, push-in terminali	19.66	EC000272	A2265003M	4549734086974	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RE	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	15.42	EC000272	A2260005M	4548583710115	#		CG	CGY	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TRA-RE-P	M22N Indicator, Plastic flat, Red, Red, 220/230/240 V AC, push-in terminal	21.55	EC000272	A2265005G	4549734086998		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	16.41	EC000272	A2260018A	4548583710245	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC-P	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 24 V, giriş terminali	19.66	EC000272	A2265018R	4549734087124	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WE	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 200-240 VAC	15.42	EC000272	A2260020R	4548583710269		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WE-P	M22N Göstergesi, Plastik düz, Beyaz, Beyaz, 220/230/240 V AC, push-in terminali	22.28	EC000272	A2265020M	4549734087148		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YP	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	16.33	EC000272	A2260013M	4548583710191	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YP-P	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	13.96	EC000272	A2265013H	4549734087070		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	15.42	EC000272	A2260015G	4548583710214		2	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE-P	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	21.55	EC000272	A2265015D	4549734087094		10	CG	CGY	TWN	8536.5015.90
A3CI-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	13.40	EC001028	A3C7001D	4536853046682		10	CG	CGY	JPN	8536.5015.90
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	15.81	EC001028	A3CT7001C	4536853048006	#	10	CG	CGY	JPN	8536.5015.90
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, alternate	13.83	EC001028	A3CT7002A	4536853048013	#	10	CG	CGY	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
APB-PG	Terminal cover for Z15 switch, plasti	3.06	EC002594	AA09076E	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
A16Z-3004	Tightening tool	11.32	EC002498	A16 6114G	4536854540950			CG	CGZ	JPN	8536.5015.90
A16Z-5070	Yellow E-stop name plate	4.83	EC000624	A16 6115E	4536854540981	#	10	CG	CGZ	JPN	8536.5015.90
A16Z-5080	Switch and lamp extractor	4.83	EC002024	A16 9002C	4536854381386		20	CG	CGZ	JPN	8536.5015.90
A2Z-3200	Mounting latch, momentary models	1.79	EC002498	A22 0052D	4536854356476	#	10	CG	CGZ	JPN	8536.5015.90
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	21.52	EC002032	A2270693A	4548583718395			CG	CGZ	TWN	8536.5015.90
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	4.25	EC002032	A2270694M	4548583718401		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	4.25	EC002040	A2270695H	4548583718418			CG	CGZ	TWN	8536.5015.90
A22NZ-A-401	Pushbutton accessory A22NZ Ø22, plastic Hole Plug	5.18	EC002023	A2270696F	4548583718425			CG	CGZ	TWN	8536.5015.90
A22NZ-A-50103	Pushbutton accessory A22NZ Ø22, Small Legend Plate Frame	4.25	EC001032	A2270700H	4548583718463	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-50501	Pushbutton accessory A22NZ Ø22, Lock Ring	4.25	EC002024	A2270702D	4548583718487		50	CG	CGZ	TWN	8536.5015.90
A22NZ-A-51103	Pushbutton accessory A22NZ Ø22, Large Legend Plate Frame	4.25	EC001032	A2270701F	4548583718470	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-B01Y	Pushbutton accessory A22NZ Ø22, Control Box	11.52	EC002000	A2270699M	4548583718456	#		CG	CGZ	TWN	8536.5015.90
A22NZ-A-B101	Pushbutton accessory A22NZ 22 dia. 1 hole control box, also for double-contact push-in plus terminal	15.65	EC002000	A2270979E	4549734695770			CG	CGZ	TWN	8536.5015.90
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	4.41	EC002024	A2270704M	4548583718500		20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	3.62	EC002024	A2270662A	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-02	E-Stop, İtme Montajı mandalı,	6.15	EC002498	A2275021C	4549734144896	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-K-01	Pushbutton accessory A22NZ, Key	12.98	EC002024	A2270703B	4548583718494		20	CG	CGZ	TWN	8536.5015.90
A22Z-3466-1	Legend plate, emergency stop, 60mm dia, round, yellow	6.51	EC000624	A22 0053B	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
A22Z-3905	Tightening wrench	18.73	EC002032	A22 0058C	4536854356537		20	CG	CGZ	JPN	8536.5015.90
A22Z-B101	Control box enclosure, one hole	32.24	EC002000	A22 0060E	4536854375415	#		CG	CGZ	JPN	8536.5015.90
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop	35.48	EC002000	A22 0061C	4536854375422	#		CG	CGZ	JPN	8536.5015.90
A22Z-B102	Control box enclosure, two holes	33.77	EC002000	A22 0062A	4536854375439	#		CG	CGZ	JPN	8536.5015.90
A22Z-B103	Control box enclosure, three holes	41.00	EC002000	A22 0063M	4536854375446	#		CG	CGZ	JPN	8536.5015.90
<b>Solid State Röle G3N</b>											
G3NA-2058-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 5 A, 264 VAC max	35.73	EC002055	G3NA7103H	4549734591126		10	CI	CIC	CHN	8536.4900.99
G3NA-2058-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 5 A, maks. 264 VAC	25.89	EC002055	G3NA7016C	4548583569638	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2108-UTU 100-240VAC	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage	35.17	EC002055	G3NA7104F	4549734591133	#		CI	CIC	CHN	8536.4900.99
G3NA-2108-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 264 VAC	29.53	EC002055	G3NA7019H	4536854807954	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2208-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 20 A, 264 VAC max	41.94	EC002055	G3NA7105D	4549734591140	#		CI	CIC	CHN	8536.4900.99
G3NA-2208-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 20 A, maks. 264 VAC	37.91	EC002055	G3NA7022H	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2258-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 264 VAC max	40.94	EC002055	G3NA7106B	4549734591157	#		CI	CIC	CHN	8536.4900.99
G3NA-2258-UTU 5-24VDC	Solid-state röle, yüzey montajlı, tek faz, 25 A, maks. 264 VAC	34.02	EC002055	G3NA7622F	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2408-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 40 A, 264 VAC max	76.90	EC002055	G3NA7107M	4549734591164	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2408-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 40 A, maks. 264 VAC	69.20	EC002055	G3NA7028G	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2508-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	82.75	EC002055	G3NA7109G	4549734591188			CI	CIC	CHN	8536.4900.99
G3NA-2508-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	78.85	EC002055	G3NA7108R	4549734591171	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2758-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max	92.35	EC002055	G3NA7111R	4549734591201			CI	CIC	CHN	8536.4900.99
G3NA-2758-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 264 VAC	84.80	EC002055	G3NA7110M	4549734591195	#	10	CI	CIC	CHN	8536.4900.99
G3NA-2908-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 264 VAC	90.15	EC002055	G3NA7112G	4549734591218	#	10	CI	CIC	CHN	8536.4900.99
G3NA-4108-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 528 VAC max	77.10	EC002055	G3NA7115A	4549734591249		10	CI	CIC	CHN	8536.4900.99
G3NA-4108-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 528 VAC	69.85	EC002055	G3NA7114C	4549734591232	#	10	CI	CIC	CHN	8536.4900.99
G3NA-4258-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 528 VAC max	87.45	EC002055	G3NA7118F	4549734591270	#	10	CI	CIC	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3NA-425B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 528 VAC	75.55	EC002055	G3NA7064C	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
G3NA-440B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 200 to 480 VAC	85.55	EC002055	G3NA7119D	4549734591287	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 528 VAC max	95.40	EC002055	G3NA7121F	4549734591300	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 528 VAC	99.35	EC002055	G3NA7068F	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
G3NA-475B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 528 VAC	102.10	EC002055	G3NA7122D	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
G3NA-490B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 528 VAC	122.60	EC002055	G3NA7124M	4549734591331	#	10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 220 VDC max	64.50	EC002055	G3NA7127E	4549734591362	#	10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 220 VDC	59.50	EC002055	G3NA7126G	4549734591355	#	10	CI	CIC	CHN	8536.4900.99
G3NE-210T-US 12VDC	SSR (hızlı bağlantı), 1 ph, w / o soğutucu, 10 A (100 - 240 VAC), sıfır çapraz, 12 VDC	40.99	EC002055	G3NE1140H	4547648016223	#	10	CI	CIC	JPN	8536.4900.99
G3NE-220T-US 24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	28.51	EC002055	G3NE1100F	4536854921360	#	10	CI	CIC	JPN	8536.4900.99
G3PH-5075B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 75 A, 180-480 VAC	772.50	EC002055	G3PH1004F	4548583055605	#	10	CI	CIC	JPN	8536.4900.99
G3PH-5150B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 150 A, 180-480 VAC	1,160.00	EC002055	G3PH1005D	4548583055612	#	10	CI	CIC	JPN	8536.4900.99
<b>Solid State Röle G3PA</b>											
G3PA-240B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 40 A, maks. 264 VAC	110.50	EC002055	G3PA4002D	4536854864407	#	10	CI	CID	CHN	8536.4900.99
G3PA-260B-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 60 A, maks. 264 VAC	159.80	EC002055	G3PA4003B	4536854864414	#	10	CI	CID	CHN	8536.4900.99
G3PA-420B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 20 A, maks. 440 VAC	109.30	EC002055	G3PA4004M	4536854864568	#	10	CI	CID	CHN	8536.4900.99
G3PA-420B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	141.30	EC002055	G3PA1061C	4536854487217	#	10	CI	CID	JPN	8536.4900.99
G3PA-430B-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 30 A, maks. 440 VAC	178.10	EC002055	G3PA4005R	4536854864575	#	10	CI	CID	CHN	8536.4900.99
G3PA-430B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	238.50	EC002055	G3PA1063M	4536854515484	#	10	CI	CID	JPN	8536.4900.99
G3PA-450B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max	316.80	EC002055	G3PA1062A	4536854515477	#	10	CI	CID	JPN	8536.4900.99
<b>Solid State Röle G3PW</b>											
G3PW-A220EC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vidasız terminalli, RS-485 haberleşme	574.00	EC002055	G3PW1006C	4547648600422	#	10	CI	CIE	JPN	8536.4900.99
G3PW-A220EU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vida terminalli	490.60	EC002055	G3PW1003R	4547648600361	#	10	CI	CIE	JPN	8536.4900.99
<b>Solid State Röle G3PB</b>											
G3PE-215B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 264 VAC	57.70	EC002055	G3PE4001D	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 15A, 264VAC max	208.50	EC002055	G3PE2037D	4548583409958	#	10	CI	CIG	JPN	8536.4900.99
G3PE-215BL 12-24VDC	Solid-state relay, 1 phase, 15A 100-240Vac, with heat sink, DIN rail mount, non zero cross switching function	76.20	EC002055	G3PE4003G	4547648524933	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B 12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 264 VAC	66.15	EC002055	G3PE4002B	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 25A, 264VAC max	171.10	EC002055	G3PE2018H	4548583409767	#	10	CI	CIG	JPN	8536.4900.99
G3PE-225B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 264VAC max	225.40	EC002055	G3PE2022F	4548583409804	#	10	CI	CIG	JPN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 25A, 264VAC max	265.60	EC002055	G3PE2038B	4548583409965	#	10	CI	CIG	JPN	8536.4900.99
G3PE-225BL 12-24VDC	Solid-state relay, 1 phase, 25A 100-240Vac, with heat sink, DIN rail mount, non zero cross switching function	63.45	EC002055	G3PE4006E	4547648524940	#	10	CI	CIG	CHN	8536.4900.99
G3PE-235B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 264 VAC	77.25	EC002055	G3PE2003M	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 264 VAC	96.75	EC002055	G3PE2004H	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245BL 12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 264 VAC max	187.70	EC002055	G3PE2008M	4548583409668	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 15 A, maks. 528 VAC	93.40	EC002055	G3PE2009R	4548583409675	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15A, 528VAC max	187.40	EC002055	G3PE2041B	4548583409996	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 15A, 528VAC max	232.40	EC002055	G3PE2029C	4548583409873	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 15 A, maks. 528 VAC	224.80	EC002055	G3PE2045E	4548583410039	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 25 A, maks. 528 VAC	98.80	EC002055	G3PE2010B	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	200.50	EC002055	G3PE2042M	4548583410008	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 528VAC max	276.50	EC002055	G3PE2030G	4548583409880	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 25 A, maks. 528 VAC	276.50	EC002055	G3PE2046C	4548583410046	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 35 A, maks. 528 VAC	112.00	EC002055	G3PE2011M	4548583409699	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 528VAC max	332.20	EC002055	G3PE2031E	4548583409897	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 35 A, maks. 528 VAC	332.20	EC002055	G3PE2047A	4548583410053	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B 12-24VDC	Solid state röle, tek faz, DIN-ray montajlı, 45 A, maks. 528 VAC	114.10	EC002055	G3PE2012R	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	271.20	EC002055	G3PE2044G	4548583410022	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 45A, 528VAC max	314.90	EC002055	G3PE2032C	4548583409903	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-3H 12-24VDC	Solid-State relay, 3-pole 45A, 528VAC max	251.40	EC002055	G3PE2064A	4548583410220	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-3N 12-24VDC	Solid state röle, 3 faz, DIN-ray montajlı, 45 A, maks. 528 VAC	361.20	EC002055	G3PE2048M	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
<b>Solid State Röle G3R</b>											
G3RV-202S 24VDC	Yedek, AC tip, solid state röle, 2 A, 24 VDC	26.84	EC002055	G3RV1002C	4547648741071	#	10	CI	CIH	JPN	8536.4900.99
G3RV-D03SL 24VDC	Yedek, DC tip, solid state röle, 3 A, 24 VDC	23.73	EC002055	G3RV1008B	4547648741132	#	20	CI	CIH	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3R-IAZR15N-UTU 100-240VAC	Solid state relay	30.89	EC002055	G3R 1124H	4536854686887	#	20	CI	CIH	JPN	8536.4900.99
G3R-IDZR15N-1-UTU 12-24VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12-24 VDC	34.15	EC002055	G3R 1128M	4536854686917			CI	CIH	JPN	8536.4900.99
G3R-IDZR15N-UTU 12-24VDC	Solid state relay (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	27.97	EC002055	G3R 1126D	4536853418625	#	20	CI	CIH	JPN	8536.4900.99
G3R-IDZR15N-UTU 5VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	26.00	EC002055	G3R 1125F	4536854686894		12	CI	CIH	JPN	8536.4900.99
G3R-OA2025LN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	26.95	EC002055	G3R 1129R	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
G3R-OA2025ZN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	26.95	EC002055	G3R 1130B	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
G3R-OD2015N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	31.59	EC002055	G3R 1132R	4536853418663	#	10	CI	CIH	JPN	8536.4900.99
G3R-ODX025N-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	30.60	EC002055	G3R 1131M	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
<b>Solid State Röle G3RV-SR</b>											
G3RV-ST500-D-H 24VAC/DC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms release time 21 ms, AC/DC output MOSFET, 3 A, Push-in plus terminals, 24 VAC/DC	49.26	EC002055	G3RV5251F	4549734763400			CI	CIK	JPN	8536.4900.99
G3RV-ST500-D-H 24VDC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms release time 0.4 ms, DC output MOSFET, 3 A, Push-in plus terminals, 24 DC	48.56	EC002055	G3RV5249D	4549734763387			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 12VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 12 VDC	45.44	EC002055	G3RV5247H	4549734763363			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D-H 24VAC/DC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms release time 21 ms, AC/DC output MOSFET, 3 A, Screw terminals, 24 VAC/DC	49.97	EC002055	G3RV5252D	4549734763417			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D-H 24VDC	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms release time 0.4 ms, DC output MOSFET, 3 A, Screw terminals, 24 DC	47.29	EC002055	G3RV5250H	4549734763394		10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 110VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 110 VAC	52.65	EC002055	G3RV5204D	4549734762939			CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 12VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	46.14	EC002055	G3RV5207R	4549734762960			CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 230VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	53.40	EC002055	G3RV5206M	4549734762953	#		CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 24VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	45.49	EC002055	G3RV5201M	4549734762908	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 24VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	45.49	EC002055	G3RV5208G	4549734762977	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-A 48VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	46.65	EC002055	G3RV5202H	4549734762915			CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 110VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 110V AC, Non Zero-cross	55.55	EC002055	G3RV5212E	4549734763011			CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 12VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 12V DC, Non Zero-cross	49.19	EC002055	G3RV5215M	4549734763042			CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 230V AC, Non Zero-cross	55.85	EC002055	G3RV5214A	4549734763035			CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	45.97	EC002055	G3RV5209E	4549734762984			CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V DC, Non Zero-cross	48.60	EC002055	G3RV5216H	4549734763059		10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-AL 48VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 48V AC/DC, Non Zero-cross	49.76	EC002055	G3RV5210R	4549734762991			CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 110VAC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 110 VAC	58.70	EC002055	G3RV5220F	4549734763097			CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 12VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	45.88	EC002055	G3RV5223M	4549734763127			CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 230VAC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	58.70	EC002055	G3RV5222B	4549734763110			CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 24VAC/DC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	47.41	EC002055	G3RV5217F	4549734763066		10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 24VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	44.72	EC002055	G3RV5224R	4549734763134	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST500-D 48VAC/DC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, Push-in Plus terminal, 48 VAC/DC	47.41	EC002055	G3RV5218D	4549734763073			CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 110VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 110 VAC	51.40	EC002055	G3RV5228A	4549734763172			CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 12VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 12 VDC	46.14	EC002055	G3RV5231A	4549734763202			CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 230VAC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	52.40	EC002055	G3RV5230C	4549734763196	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 24VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	45.36	EC002055	G3RV5225G	4549734763141	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 24VDC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	44.15	EC002055	G3RV5232M	4549734763219	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-A 48VAC/DC	İnce solid state röle & sıyah soket, 100-240 VAC'de 2 A, AC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 48 VAC/DC	46.62	EC002055	G3RV5226E	4549734763158			CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 110VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 110V AC, Non Zero-cross	54.20	EC002055	G3RV5236B	4549734763257			CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 12VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 12V DC, Non Zero-cross	47.30	EC002055	G3RV5239G	4549734763288			CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 230V AC, Non Zero-cross	54.20	EC002055	G3RV5238R	4549734763271			CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	45.90	EC002055	G3RV5233H	4549734763226			CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	46.72	EC002055	G3RV5240M	4549734763295	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-AL 48VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 48V AC/DC, Non Zero-cross	49.47	EC002055	G3RV5234F	4549734763233			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 110VAC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 110 VAC	51.45	EC002055	G3RV5244C	4549734763332			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 230VAC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 230 VAC	51.45	EC002055	G3RV5246M	4549734763356			CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 24VAC/DC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	45.99	EC002055	G3RV5241R	4549734763301	#		CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 24VDC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 24 VDC	43.63	EC002055	G3RV5248F	4549734763370	#	10	CI	CIK	JPN	8536.4900.99
G3RV-ST700-D 48VAC/DC	İnce solid state röle & sıyah soket, 5-24 VDC'de 3 A, DC yük için, sıfır geçiş fonksiyonu, vidalı terminal, 48 VAC/DC	46.85	EC002055	G3RV5242G	4549734763318			CI	CIK	JPN	8536.4900.99
<b>Solid State Röle G3PJ</b>											
G3PJ-215B DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	57.05	EC002055	G3PJ2001E	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-215B-PU DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	64.35	EC002055	G3PJ2101A	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-225B DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	70.70	EC002055	G3PJ2002C	4548583783348	#	10	CI	CIL	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3PJ-225B-PU DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	77.45	EC002055	G3PJ2102M	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-515B DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	88.45	EC002055	G3PJ2011B	4548583783355	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-515B-PU DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	95.80	EC002055	G3PJ2111R	4548583783393	#		CI	CIL	JPN	8536.4900.99
G3PJ-525B DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	102.60	EC002055	G3PJ2011M	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-525B-PU DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	109.00	EC002055	G3PJ2112G	4548583783409	#	10	CI	CIL	JPN	8536.4900.99
<b>Diğer Solid State Röleler</b>											
G3H-2035N-VD 5-24VDC	Solid state relay, 200VAC, 3A, plug-in, LED indicator	42.51	EC002055	G3H 1045M	4536854920172	#	10	CI	CIX	JPN	8536.4900.99
<b>Solid State Röleler için Aksesuarlar</b>											
G32A-A40-VD 5-24VDC	Yedek kartuş G3PA-240B 5-24 VDC için, sadece 'VD' kodu olanlarla uyumludur.	83.60	EC002055	G32 5005A	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Yedek kartuş G3PA-420B-VD 12-24 VDC ile uyumludur.	124.10	EC002055	G32 5011F	4536854866784	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A430-VD 12-24VDC	Yedek kartuş G3PA-430B-VD 12-24 VDC ile uyumludur.	146.70	EC002055	G32 5012D	4536854866791	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A60-VD 5-24VDC	Yedek kartuş G3PA-260B 5-24 VDC için, sadece 'VD' kodu olanlarla uyumludur.	136.90	EC002055	G32 5006M	4536854866739	#		CI	CIZ	CHN	8536.4900.99
G32A-EA 100-240VAC	Cycle controller for use with SSR's	140.90	EC002586	G32 1022M	4536853420246	#		CI	CIZ	JPN	8536.4900.99
<b>Vidalı Terminal Bloğu</b>											
XW5G-S10-1.1-1	Topraklama klemensi, 10 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	4.04	EC000901	XWST0012F	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S2.5-1.1-1	Topraklama klemensi, 2.5 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.16	EC000901	XWST0003G	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S35-1.1-1	Topraklama klemensi, 35 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	8.62	EC000901	XWST0018E	4548583794382	#	20	CL	CLA	DEU	8536.9010.00
XW5G-S4.0-1.1-1	Topraklama klemensi, 4.0 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.26	EC000901	XWST0006A	4548583794269	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S6.0-1.1-1	Topraklama klemensi, 6.0 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	3.13	EC000901	XWST0009F	4548583794290	#	100	CL	CLA	DEU	8536.9010.00
XWST-S10-1.1-1	Geçiş klemensi, 10 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.64	EC000897	XWST0010M	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
XWST-S10-1.1-1BL	Geçiş klemensi, 10 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	1.64	EC000897	XWST0011H	4548583794313	#	50	CL	CLA	DEU	8536.9010.00
XWST-S16-1.1-1	Geçiş klemensi, 16 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	2.16	EC000897	XWST0013D	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
XWST-S16-1.1-1BL	Geçiş klemensi, 16 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	2.16	EC000897	XWST0014B	4548583794344	#	50	CL	CLA	DEU	8536.9010.00
XWST-S2.5-1.1-1	Geçiş klemensi, 2.5 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.58	EC000897	XWST0001M	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
XWST-S2.5-1.1-1BL	Geçiş klemensi, 2.5 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	0.58	EC000897	XWST0002R	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
XWST-S35-1.1-1	Geçiş klemensi, 35 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	4.65	EC000897	XWST0016R	4548583794368	#	20	CL	CLA	DEU	8536.9010.00
XWST-S35-1.1-1BL	Geçiş klemensi, 35 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	4.65	EC000897	XWST0017G	4548583794375	#	20	CL	CLA	DEU	8536.9010.00
XWST-S4.0-1.1-1	Geçiş klemensi, 4.0 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.79	EC000897	XWST0004E	4548583794245	#	100	CL	CLA	DEU	8536.9010.00
XWST-S4.0-1.1-1BL	Geçiş klemensi, 4.0 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	0.79	EC000897	XWST0005C	4548583794252	#	100	CL	CLA	DEU	8536.9010.00
XWST-S6.0-1.1-1	Geçiş klemensi, 6.0 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.08	EC000897	XWST0007M	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
XWST-S6.0-1.1-1BL	Geçiş klemensi, 6.0 mm <sup>2</sup> , mavi, vidalı, 1 giriş-1 çıkış	1.08	EC000897	XWST0008H	4548583794283	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S4.0-2.2-1	Topraklama klemensi, 4.0 mm <sup>2</sup> , sarı-yeşil, vidalı, 2 giriş-2 çıkış	4.71	EC000901	XWST0029M	4548583794498	#	100	CL	CLA	DEU	8536.9010.00
XWST-S2.5-1.1-2	Geçiş klemensi, 2.5 mm <sup>2</sup> , siyah, koyu gri, 2 katlı	2.18	EC000897	XWST0033R	4548583794535	#	100	CL	CLA	CHN	8536.9010.00
XWST-S4.0-1.1-2	Geçiş klemensi, 4.0 mm <sup>2</sup> , siyah, vidalı, 2 katlı	2.40	EC000897	XWST0035E	4548583794559	#	100	CL	CLA	DEU	8536.9010.00
XWST-S4.0-2.2-1	Geçiş klemensi, 4.0 mm <sup>2</sup> , koyu gri, vidalı, 2 giriş-2 çıkış	1.93	EC000897	XWST0027D	4548583794474	#	100	CL	CLA	DEU	8536.9010.00
XWST-S4.0-2.2-1BL	Geçiş klemensi, 4.0 mm <sup>2</sup> , mavi, vidalı, 2 giriş-2 çıkış	1.93	EC000897	XWST0028B	4548583794481	#	100	CL	CLA	DEU	8536.9010.00
XWST-S4.0-FU5	Sigortalı (5x20, 5x25, 5x30), 4.0 mm <sup>2</sup> , koyu gri, vidalı	4.45	EC000899	XWST0030D	4548583794504	#	50	CL	CLA	DEU	8536.9010.00
XWST-S4.0-FU6	Sigortalı (6.3x32), 4.0 mm <sup>2</sup> , koyu gri, vidalı	5.71	EC000899	XWST0031B	4548583794511	#	50	CL	CLA	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
XW5G-P1.5-1.1-1	Topraklama klemensi, 1.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	1.67	EC000901	XWST0114R	4548583796324	#	5	CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1.1-2	Topraklama klemensi, 1.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 2 katlı	3.20	EC000901	XWST0115G	4548583796331	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1.2-1	Topraklama klemensi, 1.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 1 giriş-2 çıkış	2.01	EC000901	XWST0116E	4548583796348	#		CL	CLB	CHN	8536.9010.00
XW5G-P1.5-2.2-1	Topraklama klemensi, 1.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 2 giriş-2 çıkış	2.11	EC000901	XWST0117C	4548583796355	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P2.5-1.1-1	Topraklama klemensi, 2.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	1.84	EC000901	XWST0118A	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P4.0-1.1-1	Topraklama klemensi, 4.0 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 1 giriş-1 çıkış	1.92	EC000901	XWST0119M	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-1.1-1	Geçiş klemensi, 1.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.69	EC000897	XWST0102E	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-1.1-1BL	Geçiş klemensi, 1.5 mm <sup>2</sup> , mavi, Push-in Plus, 1 giriş-1 çıkış	0.69	EC000897	XWST0108D	4548583796263	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-1.1-2	Geçiş klemensi, 1.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 2 katlı	1.50	EC000897	XWST0103C	4548583796218	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-1.1-2BL	Geçiş klemensi, 1.5 mm <sup>2</sup> , mavi, Push-in Plus, 2 katlı	1.50	EC000897	XWST0109B	4548583796270	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-1.2-1	Geçiş klemensi, 1.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 1 giriş-2 çıkış	0.99	EC000897	XWST0104A	4548583796225	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-2.2-1	Geçiş klemensi, 1.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 2 giriş-2 çıkış	1.06	EC000897	XWST0105M	4548583796232	#	50	CL	CLB	CHN	8536.9010.00
XWST-P1.5-2.2-1BL	Geçiş klemensi, 1.5 mm <sup>2</sup> , mavi, Push-in Plus, 2 giriş-2 çıkış	1.06	EC000897	XWST0111D	4548583796294	#	50	CL	CLB	CHN	8536.9010.00
XWST-P2.5-1.1-1	Geçiş klemensi, 2.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.78	EC000897	XWST0106H	4548583796249	#	50	CL	CLB	CHN	8536.9010.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW5T-P2.5-1.1-1BL	Geçiş klemensi, 2.5 mm <sup>2</sup> , mavi, Push-in Plus, 1 giriş-1 çıkış	0.79	EC000897	XW5T0112B	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1.1-1	Geçiş klemensi, 4.0 mm <sup>2</sup> , koyu gri, Push-in Plus, 1 giriş-1 çıkış	0.84	EC000897	XW5T0107F	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1.1-1BL	Geçiş klemensi, 4.0 mm <sup>2</sup> , mavi, Push-in Plus, 1 giriş-1 çıkış	0.84	EC000897	XW5T0113M	4548583796317	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P2.5-2.2-1	Topraklama klemensi, 2.5 mm <sup>2</sup> , sarı-yeşil, Push-in Plus, 2 giriş-2 çıkış	1.96	EC000901	XW5T0194G	4549734137898	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1.1-2	Geçiş klemensi, 2.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 2 katlı	2.59	EC000897	XW5T0180G	4549734137751	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1.2-1	Geçiş klemensi, 2.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 1 giriş-2 çıkış	1.28	EC000897	XW5T0181E	4549734137768	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2.2-1	Geçiş klemensi, 2.5 mm <sup>2</sup> , koyu gri, Push-in Plus, 2 giriş-2 çıkış	1.51	EC000897	XW5T0182C	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2.2-1BL	Geçiş klemensi, 2.5 mm <sup>2</sup> , mavi, Push-in Plus, 2 giriş-2 çıkış	1.51	EC000897	XW5T0185H	4549734137805	#	50	CL	CLB	CHN	8536.9010.00
XW6T-COM1.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm <sup>2</sup> , 12 pins, blue short bar	7.31	EC000897	XW6T0005G	4549734509190	#		CL	CLB	JPN	8536.9010.00
<b>Vidalı Terminal Bloğu Aksesuar</b>											
XW5S-S2.5-10	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.63	EC000489	XW5T0042H	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XW5S-S2.5-3	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 3 bacaklı, sarı	0.82	EC000489	XW5T0039H	4548583794597	#	10	CL	CLC	DEU	8536.9010.00
XW5S-S4.0-10	Köprü aparatı, 4.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.83	EC000489	XW5T0047R	4548583794672	#	20	CL	CLC	DEU	8536.9010.00
XW5S-S6.0-2	Köprü aparatı, 6.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.89	EC000489	XW5T0048G	4548583794689	#	10	CL	CLC	DEU	8536.9010.00
XW5Z-S2.5PT	Ayrırcı, 2.5 mm <sup>2</sup> , 4.0 mm <sup>2</sup> , 6.0 mm <sup>2</sup> ve 10 mm <sup>2</sup> , vidalı klemens ile uyumlu	0.54	EC000886	XW5T0065G	4548583794856	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S16	Kapak, 16 mm <sup>2</sup> , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.74	EC000886	XW5T0060F	4548583794801	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5	Kapak, 2.5 mm <sup>2</sup> , 4.0 mm <sup>2</sup> , 6.0 mm <sup>2</sup> ve 10 mm <sup>2</sup> , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.42	EC000886	XW5T0059B	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5N	Kapak, 2.5 mm <sup>2</sup> , 2 katlı, vidalı klemens ile uyumlu	0.74	EC000886	XW5T0064R	4548583794849	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1.1-2	Kapak, 4.0 mm <sup>2</sup> , 2 katlı, vidalı klemens ile uyumlu	0.58	EC000886	XW5T0063M	4548583794832	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1.2-1	Kapak, 4.0 mm <sup>2</sup> , 1 giriş-2 çıkış, vidalı klemens ile uyumlu	0.54	EC000886	XW5T0061D	4548583794818	#	10	CL	CLC	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu Aksesuar</b>											
XW5S-P1.5-10BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi	4.21	EC000489	XW5T0139D	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.21	EC000489	XW5T0124F	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.21	EC000489	XW5T0154H	4548583796720	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi	0.77	EC000489	XW5T0135A	4548583796539	#	5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.77	EC000489	XW5T0120C	4548583796386	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.77	EC000489	XW5T0150E	4548583796683	#	5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, mavi	0.96	EC000489	XW5T0136M	4548583796546	#	5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	0.96	EC000489	XW5T0121A	4548583796393	#	3	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi	1.77	EC000489	XW5T0138F	4548583796560	#	5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.77	EC000489	XW5T0123H	4548583796416	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, mavi	4.21	EC000489	XW5T0144M	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.21	EC000489	XW5T0129G	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10YL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.21	EC000489	XW5T0159R	4548583796775	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi	0.87	EC000489	XW5T0140H	4548583796584	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.87	EC000489	XW5T0125D	4548583796430	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2YL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.87	EC000489	XW5T0155F	4548583796737	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, mavi	1.14	EC000489	XW5T0141F	4548583796591	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, mavi	1.35	EC000489	XW5T0142D	4548583796607	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.35	EC000489	XW5T0127M	4548583796454	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi	1.57	EC000489	XW5T0143B	4548583796614	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.57	EC000489	XW5T0128R	4548583796461	#		CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10YL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.36	EC000489	XW5T0164E	4548583796829	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-2BL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavi	1.02	EC000489	XW5T0145R	4548583796638	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5BL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavi	2.04	EC000489	XW5T0148C	4548583796669	#	50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5RD	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	2.04	EC000489	XW5T0133E	4548583796515	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-1	Kapak, 1.5 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.33	EC000886	XW5T0165C	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-2	Kapak, 1.5 mm <sup>2</sup> , iki katlı, Push-in Plus klemens ile uyumlu	0.34	EC000886	XW5T0166A	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.2-1	Kapak, 1.5 mm <sup>2</sup> , 1 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.33	EC000886	XW5T0167M	4548583796850	#	3	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-2.2-1	Kapak, 1.5 mm <sup>2</sup> , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.33	EC000886	XW5T0168H	4548583796867	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.1-1	Kapak, 2.5 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.34	EC000886	XW5T0169F	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.1-2	Kapak, 2.5 mm <sup>2</sup> , iki katlı, Push-in Plus klemens ile uyumlu	0.64	EC000886	XW5T0198M	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.2-1	Kapak, 2.5 mm <sup>2</sup> , 1 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.64	EC000886	XW5T0199H	4549734137942	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-2.2-1	Kapak, 2.5 mm <sup>2</sup> , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.65	EC000886	XW5T0200E	4549734137959	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-1.1-1	Kapak, 4.0 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.34	EC000886	XW5T0170M	4548583796881	#	50	CL	CLD	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW52-EP12	Durdurucu, 6 mm	4.11	EC000886	XW5T0171H	4548583796898	#	3	CL	CLD	CHN	8536.9010.00
XW52-EP6	Durdurucu, 12 mm	0.64	EC000886	XW5T0172F	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
XW52-P2.5LB1	Yazılmamış plastik etiket, 2.5 mm² Push-in Plus klemens ile uyumlu, 72 adet, önden takılır	32.40	EC000761	XW5T0175M	4548583796935	#	5	CL	CLD	POL	8536.9010.00
<b>Sayıcı H7EC/R/T</b>											
H7EC-N	Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 30cps/1kcps, gerilimsiz giriş, gri kasa	91.50	EC002300	H7E 8000H	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
H7EC-N-B	Toplam sayaç, 1 / 32DIN (48 x 24 mm), kendi kendine çalışan, LCD, 8 basamaklı, 30cps / 1kcps, no-V girişi, siyah kutu	91.50	EC002300	H7E 8001F	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NFV	Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 20cps, VAC/DC giriş, gri kasa	133.00	EC002300	H7E 8006G	4548583755697	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NFV-B	Toplam sayaç, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 8 basamaklı, 20cps, VAC / DC girişi, siyah kutu	149.80	EC002300	H7E 8007E	4548583755703	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV	Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	94.65	EC002300	H7E 8002D	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-B	Toplam sayıcı, 1 / 32DIN (48 x 24 mm), kendi kendine çalışan, LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	96.25	EC002300	H7E 8003B	4548583755666	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-BH	Toplam sayaç, 1 / 32DIN (48 x 24 mm), kendinden güç, arka aydınlatmalı LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	101.40	EC002300	H7E 8005R	4548583755680	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-H	Toplam Sayıcı, DIN 48x24 mm, dahilli pilli, arka ışıklı LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	101.90	EC002300	H7E 8004M	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N	Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, gerilimsiz giriş, gri kasa	94.30	EC001641	H7E 8020B	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1	Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, gerilimsiz giriş, gri kasa	110.90	EC001641	H7E 8022R	4548583755857	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, black case	98.00	EC001641	H7E 8023G	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N-B	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 haneli, 999999.9h / 3999d23.9h, no-V giriş, siyah kutu	98.00	EC001641	H7E 8021M	4548583755840	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV	Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VAC/DC giriş, gri kasa	145.90	EC001641	H7E 8032F	4548583755956	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV1	Zaman Sayıcı, DIN 48x24 mm, dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VAC/DC giriş, gri kasa	143.10	EC001641	H7E 8034B	4548583755970	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NFV-B	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VAC / DC girişi, siyah kutu	136.80	EC001641	H7E 8033D	4548583755963	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	97.65	EC001641	H7E 8024E	4548583755871	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV1	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VDC giriş, gri kasa	118.50	EC001641	H7E 8028H	4548583755918	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV-B	Zaman sayacı, 1 / 32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VDC girişi, siyah kutu	102.60	EC001641	H7E 8025C	4548583755888	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV-H	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahilli pilli, arka ışıklı LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	103.90	EC001641	H7E 8026A	4548583755895	#	10	DA	DAA	IDN	9029.1000.90
<b>Sayıcı H8PS</b>											
H8PS-16BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	1,155.00	EC002301	H8PS1018G	4547648042628	#		DA	DAB	JPN	9029.1000.90
H8PS-16BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	1,150.00	EC002301	H8PS1017R	4547648042611	#		DA	DAB	JPN	9029.1000.90
H8PS-32BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1,578.00	EC002301	H8PS1026H	4547648042703	#		DA	DAB	JPN	9029.1000.90
H8PS-32BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1,578.00	EC002301	H8PS1025M	4547648042697	#		DA	DAB	JPN	9029.1000.90
H8PS-8B	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x NPN outputs (requires E6CP/E6F encoder)	669.50	EC002301	H8PS1006C	4536853532451	#		DA	DAB	JPN	9029.1000.90
H8PS-8BFP	Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	687.50	EC002301	H8PS1009H	4536853532482	#		DA	DAB	JPN	9029.1000.90
H8PS-8BP	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	675.00	EC002301	H8PS1008M	4536853532475	#		DA	DAB	JPN	9029.1000.90
<b>Sayıcı H7CC</b>											
H7CC-A	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7009B	4549734670043	#		DA	DAE	CHN	9029.1000.90
H7CC-A11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7002E	4549734670005	#		DA	DAE	CHN	9029.1000.90
H7CC-A11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7004A	4549734670029	#		DA	DAE	CHN	9029.1000.90
H7CC-A11S	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7003C	4549734670012	#		DA	DAE	CHN	9029.1000.90
H7CC-A11SD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7005M	4549734670036	#		DA	DAE	CHN	9029.1000.90
H7CC-A8	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	320.00	EC002300	H7CC7060B	4549734670180	#		DA	DAE	CHN	9029.1000.90
H7CC-A8D	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	320.00	EC002300	H7CC7061M	4549734670197	#		DA	DAE	CHN	9029.1000.90
H7CC-AD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7011D	4549734670067	#		DA	DAE	CHN	9029.1000.90
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7010F	4549734670050	#		DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	313.10	EC002300	H7CC7012B	4549734670074	#		DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7024F	4549734670128	#		DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7025D	4549734670135	#		DA	DAE	CHN	9029.1000.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7017C	4549734670081	#		DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7019M	4549734670104	#		DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7018A	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	354.70	EC002300	H7CC7020C	4549734670111	#		DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	354.70	EC002294	H7CC7049A	4549734670142			DA	DAE	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	354.70	EC002294	H7CC7050E	4549734670159			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	354.70	EC002294	H7CC7055F	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	354.70	EC002294	H7CC7056D	4549734670173			DA	DAE	CHN	9029.1000.90
<b>Diğer Sayıcılar</b>											
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	697.00	EC002300	H7BX0001C	4547648453615	#		DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	697.00	EC002300	H7BX0003M	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	746.00	EC002300	H7BX0002A	4547648453622	#		DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	746.00	EC002300	H7BX0004H	4547648453646			DA	DAX	CHN	9029.1000.90
<b>Sayıçılar için Aksesuarlar</b>											
Y92F-35	Flush panel mounting adapter for H7E	6.61	EC002295	Y92F2013M	4536854819872	#	10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm	5.30	EC002295	H7E 9001A	4536853531324	#	10	DA	DAZ	JPN	8536.4900.99
Y92F-91	DIN rail mounting base for H8PS rotary positioner	36.00	EC002295	H8PS9002D	4536853532529	#		DA	DAZ	JPN	8544.4999.00
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	106.20	EC002295	H8PS9003B	4547648043861	#		DA	DAZ	JPN	8544.4999.00
<b>İzleme Ürünü 61E</b>											
61F-LS-CP08-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 100-240 VAC	100.60	EC001447	61FC0019R	4549734726214	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-ARB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 24 VAC	100.60	EC001447	61FC0018M	4549734726207	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-NRA	Floatless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	88.75	EC001447	61FC0003B	4549734697125	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SRA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 100-240 VAC	100.60	EC001447	61FC0005R	4549734697149	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP08-SRB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC	100.60	EC001447	61FC0006G	4549734697156	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 11 pins, relay output, 100-240 VAC	124.30	EC001447	61FC0017B	4549734726191	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BRC	Floatless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	163.40	EC001447	61FC0008C	4549734697170	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-BTC	Floatless level switch, plug-in, DC power supply type, 11 pins, transistor output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	163.40	EC001447	61FC0007E	4549734697163	#		DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NE	Floatless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	147.90	EC001447	61FC0016D	4549734697255			DB	DBA	JPN	9032.1080.90
61F-LS-CP11-NRA	Floatless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	112.50	EC001447	61FC0002D	4549734697118	#	10	DB	DBA	JPN	9032.1080.90
61F-LS-CP11-SRA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 11 pins, relay output, 100-240 VAC	124.30	EC001447	61FC0004M	4549734697132			DB	DBA	JPN	9032.1080.90
61F-WL-CP08-NRA	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	112.50	EC001447	61FC0010E	4549734697194			DB	DBA	JPN	9032.1080.90
61F-WL-CP11-NRA	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	124.30	EC001447	61FC0009A	4549734697187			DB	DBA	JPN	9032.1080.90
<b>İzleme Ürünü K7L</b>											
K7L-AT50	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, bej kasa	315.70	EC001447	K7L 1001G	4536854465079	#		DB	DBB	JPN	9031.9000.00
K7L-AT50B	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, siyah kasa	351.20	EC001447	K7L 3000M	4548583792883			DB	DBB	JPN	9031.9000.00
K7L-AT50D	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, sensör arıza tespiti, bej kasa	381.20	EC001447	K7L 1002E	4536854616099	#		DB	DBB	JPN	9031.9000.00
K7L-AT50DPB	Liquid Leakage Sensor Amplifiers with Disconnection Detection function, miniature, black, requires P2RF-08-PU socket, PNP connecting output	461.80	EC001447	K7L 3005M	4549734145039			DB	DBB	JPN	9031.9000.00
K7L-UB	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolama, siyah kasa	366.10	EC001447	K7L 3002F	4548583792890			DB	DBB	JPN	9031.9000.00
K7L-UD	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolama, sensör arıza tespiti, bej kasa	468.50	EC001447	K7L 2002M	4547648292610	#		DB	DBB	JPN	9031.9000.00
K7L-UDP	Liquid Leakage Sensor Amplifiers for Long-distance Wiring, ultra-miniature with disconnection detection function, requires P2RFZ-08-E socket, PNP connecting output	468.50	EC001447	K7L 2004G	4549734145022			DB	DBB	JPN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
K8AK-AS1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC	43.13	EC001440	K8AK0001A	4548583402225	#		DB	DBK	CHN	9031.9000.00
K8AK-AS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC	45.01	EC001440	K8AK0002M	4548583402232	#		DB	DBK	CHN	9031.9000.00
K8AK-AS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 100-240 VAC	46.88	EC001440	K8AK0003H	4548583402249	#		DB	DBK	CHN	9031.9000.00
K8AK-AS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 24VAC/DC	48.73	EC001440	K8AK0004F	4548583402256	#		DB	DBK	CHN	9031.9000.00
K8AK-AS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC	51.75	EC001440	K8AK0005D	4548583402263			DB	DBK	CHN	9031.9000.00
K8AK-AS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC	51.75	EC001440	K8AK0006G	4548583402270			DB	DBK	CHN	9031.9000.00
K8AK-AW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 2 SPDT, 100-240 VAC	39.39	EC001440	K8AK0009G	4548583402300			DB	DBK	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8AK-VS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC	37.47	EC001438	K8AK0013E	4548583402348	#		DB	DBK	CHN	9031.9000.00
K8AK-VS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC	37.47	EC001438	K8AK0014C	4548583402355	#		DB	DBK	CHN	9031.9000.00
K8AK-VS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC	39.39	EC001438	K8AK0015A	4548583402362	#		DB	DBK	CHN	9031.9000.00
K8AK-VS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC	39.39	EC001438	K8AK0016M	4548583402379	#		DB	DBK	CHN	9031.9000.00
K8AK-VW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 100-240 VAC	37.60	EC001438	K8AK0017H	4548583402386	#		DB	DBK	CHN	9031.9000.00
K8AK-VW2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 24VAC/DC	37.47	EC001438	K8AK0018F	4548583402393	#		DB	DBK	CHN	9031.9000.00
K8AK-VW3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 100-240 VAC	39.39	EC001438	K8AK0019D	4548583402409	#		DB	DBK	CHN	9031.9000.00
K8AK-VW3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 24VAC/DC	39.39	EC001438	K8AK0020H	4548583402416	#		DB	DBK	CHN	9031.9000.00
K8AK-PA1	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 1 SPDT	35.20	EC001441	K8AK0022D	4548583402430	#		DB	DBK	CHN	9031.9000.00
K8AK-PA2	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 1 SPDT	36.01	EC001441	K8AK0023B	4548583402447	#		DB	DBK	CHN	9031.9000.00
K8AK-PH1	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 DPDT	29.15	EC001441	K8AK0021F	4548583402423	#		DB	DBK	CHN	9031.9000.00
K8AK-PM1	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 115 - 240V AC, 2 SPDT	40.88	EC001441	K8AK0024M	4548583402454	#		DB	DBK	CHN	9031.9000.00
K8AK-PM2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 220 - 480V AC, 2 SPDT	47.12	EC001441	K8AK0025R	4548583402461	#		DB	DBK	CHN	9031.9000.00
K8AK-PW1	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 115 - 240 VAC, 2 SPDT	31.88	EC001441	K8AK0026G	4548583402478	#		DB	DBK	CHN	9031.9000.00
K8AK-PW2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 220 - 480 V AC, 2 SPDT	46.63	EC001441	K8AK0027E	4548583402485	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 100-240VAC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC	30.14	EC001447	K8AK0028C	4548583402492	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC	30.72	EC001447	K8AK0029A	4548583402508	#		DB	DBK	CHN	9031.9000.00
K8AK-PT1 100-240VAC	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	43.74	EC001446	K8AK0037B	4548583506657	#		DB	DBK	CHN	9031.9000.00
K8AK-TH11S 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC	68.30	EC001446	K8AK0030E	4548583402515	#		DB	DBK	CHN	9031.9000.00
K8AK-TH11S 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC	68.30	EC001446	K8AK0031C	4548583402522	#		DB	DBK	CHN	9031.9000.00
K8AK-TH12S 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC	68.30	EC001446	K8AK0032A	4548583402539	#		DB	DBK	CHN	9031.9000.00
K8AK-TH12S 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC	68.30	EC001446	K8AK0033M	4548583402546	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 100-240VAC	İzleme rölesi 22.5mm genişlik, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	26.80	EC001446	K8AK0035F	4548583506633	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, 3 faz, motor sıcaklık koruması, termistör girişi, 24 VAC/VDC, 1 SPDT	26.74	EC001446	K8AK0036D	4548583506640	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8DS</b>											
K8DS-PA2	İzleme rölesi 17.5mm genişlik, 3 faz, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	29.82	EC001441	K8DS0007A	4548583481589	#		DB	DBS	CHN	9031.9000.00
K8DS-PH1	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT	26.49	EC001441	K8DS0001B	4548583402552	#		DB	DBS	CHN	9031.9000.00
K8DS-PM1	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT	30.39	EC001441	K8DS0004G	4548583481558	#		DB	DBS	CHN	9031.9000.00
K8DS-PM2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT	36.04	EC001441	K8DS0005E	4548583481565	#		DB	DBS	CHN	9031.9000.00
K8DS-PU2	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	36.04	EC001441	K8DS0003R	4548583481541	#		DB	DBS	CHN	9031.9000.00
K8DS-PZ2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	49.46	EC001441	K8DS0009H	4548583508286	#		DB	DBS	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
K8DT-AS1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	51.05	EC001440	K8DT0001G	4548583773455	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	51.05	EC001440	K8DT0007F	4548583773516	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	51.05	EC001440	K8DT0004A	4548583773486	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	51.05	EC001440	K8DT0010F	4548583773547	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	52.85	EC001440	K8DT0002E	4548583773462	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	52.85	EC001440	K8DT0008D	4548583773523	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	52.85	EC001440	K8DT0005M	4548583773493	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	52.85	EC001440	K8DT0011D	4548583773554	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	54.65	EC001440	K8DT0003C	4548583773479	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	54.65	EC001440	K8DT0009B	4548583773530	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	54.65	EC001440	K8DT0006H	4548583773509	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	54.65	EC001440	K8DT0012B	4548583773561	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	54.65	EC001440	K8DT0013M	4548583773578	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	54.65	EC001440	K8DT0019M	4548583773639	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	54.65	EC001440	K8DT0016E	4548583773608	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	54.65	EC001440	K8DT0022M	4548583773660	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	56.50	EC001440	K8DT0014R	4548583773585	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	56.50	EC001440	K8DT0020C	4548583773646	#		DB	DBT	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-AW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	56.50	EC001440	K8DT0017C	4548583773615			DB	DBT	CHN	9031.9000.00
K8DT-AW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	56.50	EC001440	K8DT0023H	4548583773677			DB	DBT	CHN	9031.9000.00
K8DT-AW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	58.30	EC001440	K8DT0015G	4548583773592			DB	DBT	CHN	9031.9000.00
K8DT-AW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	58.30	EC001440	K8DT0021A	4548583773653			DB	DBT	CHN	9031.9000.00
K8DT-AW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	58.30	EC001440	K8DT0018A	4548583773622			DB	DBT	CHN	9031.9000.00
K8DT-AW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	58.30	EC001440	K8DT0024F	4548583773684			DB	DBT	CHN	9031.9000.00
K8DT-VS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.15	EC001438	K8DT0025D	4548583773691			DB	DBT	CHN	9031.9000.00
K8DT-VS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.15	EC001438	K8DT0029G	4548583773738			DB	DBT	CHN	9031.9000.00
K8DT-VS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	49.15	EC001438	K8DT0027M	4548583773714			DB	DBT	CHN	9031.9000.00
K8DT-VS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	49.15	EC001438	K8DT0031R	4548583773752			DB	DBT	CHN	9031.9000.00
K8DT-VS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	51.05	EC001438	K8DT0026B	4548583773707			DB	DBT	CHN	9031.9000.00
K8DT-VS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	51.05	EC001438	K8DT0030M	4548583773745			DB	DBT	CHN	9031.9000.00
K8DT-VS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	51.05	EC001438	K8DT0028R	4548583773721			DB	DBT	CHN	9031.9000.00
K8DT-VS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	51.05	EC001438	K8DT0032G	4548583773769			DB	DBT	CHN	9031.9000.00
K8DT-VW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	52.85	EC001438	K8DT0033E	4548583773776			DB	DBT	CHN	9031.9000.00
K8DT-VW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	52.85	EC001438	K8DT0037H	4548583773813			DB	DBT	CHN	9031.9000.00
K8DT-VW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	52.85	EC001438	K8DT0035A	4548583773790			DB	DBT	CHN	9031.9000.00
K8DT-VW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	52.85	EC001438	K8DT0039D	4548583773837			DB	DBT	CHN	9031.9000.00
K8DT-VW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	54.65	EC001438	K8DT0034C	4548583773783			DB	DBT	CHN	9031.9000.00
K8DT-VW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	54.65	EC001438	K8DT0038F	4548583773820	#		DB	DBT	CHN	9031.9000.00
K8DT-VW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	54.65	EC001438	K8DT0036M	4548583773806			DB	DBT	CHN	9031.9000.00
K8DT-VW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	54.65	EC001438	K8DT0040H	4548583773844			DB	DBT	CHN	9031.9000.00
K8DT-PH1CN	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT, Push-in Plus terminal	36.43	EC001441	K8DT0041F	4548583773851	#		DB	DBT	CHN	9031.9000.00
K8DT-PH1TN	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 transistör, Push-in Plus terminal	36.43	EC001441	K8DT0042D	4548583773868			DB	DBT	CHN	9031.9000.00
K8DT-PM1CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	47.37	EC001441	K8DT0043B	4548583773875			DB	DBT	CHN	9031.9000.00
K8DT-PM1TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	47.82	EC001441	K8DT0045R	4548583773899			DB	DBT	CHN	9031.9000.00
K8DT-PM2CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT, Push-in Plus terminal	47.37	EC001441	K8DT0044M	4548583773882	#		DB	DBT	CHN	9031.9000.00
K8DT-PM2TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 transistör, Push-in Plus terminal	47.82	EC001441	K8DT0046G	4548583773905			DB	DBT	CHN	9031.9000.00
K8DT-PZ1CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	44.12	EC001441	K8DT0047E	4548583773912			DB	DBT	CHN	9031.9000.00
K8DT-PZ1TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	44.12	EC001441	K8DT0049A	4548583773936			DB	DBT	CHN	9031.9000.00
K8DT-PZ2CN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT, Push-in Plus terminal	51.55	EC001441	K8DT0048C	4548583773929			DB	DBT	CHN	9031.9000.00
K8DT-PZ2TN	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 transistör, Push-in Plus terminal	51.05	EC001441	K8DT0050E	4548583773943			DB	DBT	CHN	9031.9000.00
K8DT-LS1CA	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC, Push-in Plus terminal	47.37	EC001447	K8DT0051C	4548583773950	#		DB	DBT	CHN	9031.9000.00
K8DT-LS1CD	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC, Push-in Plus terminal	47.37	EC001447	K8DT0053M	4548583773974	#		DB	DBT	CHN	9031.9000.00
K8DT-LS1TA	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 100-240 VAC, Push-in Plus terminal	47.82	EC001447	K8DT0052A	4548583773967			DB	DBT	CHN	9031.9000.00
K8DT-LS1TD	İzleme rölesi 17.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 24VAC/DC, Push-in Plus terminal	47.37	EC001447	K8DT0054H	4548583773981	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1CA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	65.65	EC001446	K8DT0055F	4548583773998	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1CD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	65.65	EC001446	K8DT0059R	4548583774032	#		DB	DBT	CHN	9031.9000.00
K8DT-TH1TA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	65.65	EC001446	K8DT0057B	4548583774018			DB	DBT	CHN	9031.9000.00
K8DT-TH1TD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	65.65	EC001446	K8DT0061M	4548583774056			DB	DBT	CHN	9031.9000.00
K8DT-TH2CA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	65.65	EC001446	K8DT0056D	4548583774001			DB	DBT	CHN	9031.9000.00
K8DT-TH2CD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	65.65	EC001446	K8DT0060B	4548583774049			DB	DBT	CHN	9031.9000.00
K8DT-TH2TA	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	65.65	EC001446	K8DT0058M	4548583774025			DB	DBT	CHN	9031.9000.00
K8DT-TH2TD	İzleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	65.65	EC001446	K8DT0062R	4548583774063			DB	DBT	CHN	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b><u>Diğer İzleme Ürünleri</u></b>											
F03-16PE 10M	Floatless level controller accessory	312.60	EC002586	F03 1169D	4549734593687				DB	DBX	JPN 9032.1080.90
F03-16PE 25M	Electrode band, stainless steel with polyethylene cover	960.00	EC002586	F03 1172D	4549734593717				DB	DBX	JPN 9032.1080.90
F03-16PE 5M	Sensing band sticker, polyethylene, greater durability and condensation resistance.	183.60	EC002586	F03 1168F	4549734593670				DB	DBX	JPN 9032.1080.90
F03-16PS	Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material		EC002586	F03 1131G	4547648088015	#			DB	DBX	JPN 9032.1080.90
		111.20									
F03-16PS-F	Point Sensor, electrodes have fluoroplastic coating to resist chemicals.	149.90	EC002586	F03 1132E	4547648088022				DB	DBX	JPN 9032.1080.90
F03-16SFC-5M	Liquid Leakage Sensing Band (with color indication), 5m length, Greater flexibility and enables visual confirmation when the inner color appears	297.30	EC002586	F03 1146E	4547648143882	#			DB	DBX	JPN 9032.1080.90
<b><u>İzleme Ürünleri için Aksesuarlar</u></b>											
K8AC-CT200L	K8AK-A*3 için 200 A akım transformatörü	79.00	EC002048	K8AC0016D	4547648140492	#			DB	DBZ	JPN 9031.9000.00
F03-26PES	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (adhesive tape).	53.95	EC002586	F03 1099M	4536854718342	#	10		DB	DBZ	JPN 9032.1080.90
BF-1	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance	33.52	EC002586	BF 1001H	4536853143343	#			DB	DBZ	JPN 9032.1080.90
BF-3	Electrode holder, 3 way, standard type (150°C)	68.75	EC002586	BF 1002F	4536853143350	#			DB	DBZ	JPN 9032.1080.90
BS-1	Electrode holder, 1-pole electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	63.80	EC002586	BS 1001E	4536853143695	#	10		DB	DBZ	JPN 9032.1080.90
F03-01 SUS201	Sıvı seviye elektrodu, paslanmaz çelik, SUS201, 1 m, 6 mm çap, ek yapılabılır, kesilebilir	11.94	EC002586	F03 1004C	4536853384531	#	100		DB	DBZ	JPN 9032.1080.90
F03-01 SUS316	Sıvı seviye elektrodu, paslanmaz çelik, SUS316, 1 m, 6 mm çap, ek yapılabılır, kesilebilir	23.80	EC002586	F03 1006M	4536853384548	#	25		DB	DBZ	JPN 9032.1080.90
F03-02 SUS201	Electrode connecting nut	2.99	EC002586	F03 1010H	4536853384586	#			DB	DBZ	JPN 8538.9099.99
F03-02 SUS316	Electrode lock nut, with 1 number of parts in an set	4.98	EC002586	F03 1011F	4536853384593	#	15		DB	DBZ	JPN 8538.9099.99
F03-03 SUS304	Electrode lock nut	0.66	EC002586	F03 1015R	4536853384630	#	5		DB	DBZ	JPN 8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.54	EC002586	F03 1016G	4536853384647	#	20		DB	DBZ	JPN 8538.9099.99
F03-11	Floatless level controller accessory	37.01	EC002586	F03 1027B	4536853384739	#			DB	DBZ	JPN 8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	19.96	EC002586	F03 1028M	4536853384746	#			DB	DBZ	JPN 8538.9099.99
F03-14 1P	Electrode separator, 1electrode, ceramic, 250°C max, 15g	2.64	EC002586	F03 1030B	4536853384760	#	10		DB	DBZ	JPN 8538.9099.99
F03-14 3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	3.73	EC002586	F03 1031M	4536853384777	#	10		DB	DBZ	JPN 8538.9099.99
F03-14 5P	Electrode separator, 5 way	4.97	EC002586	F03 1101E	4536853385132	#	10		DB	DBZ	JPN 8538.9099.99
F03-20	Terminal block, liquid leakage sensor	146.80	EC002586	F03 1071M	4536854479267	#			DB	DBZ	JPN 9032.1080.90
F03-20T	Floatless level controller accessory	62.15	EC002586	F03 1097C	4536854616129	#			DB	DBZ	JPN 9032.1080.90
F03-31	Floatless level controller accessory	16.20	EC002586	F03 1041H	4536853384876	#	10		DB	DBZ	JPN 8538.9099.99
F03-60 SUS316	Liquid leakage detector accessory	31.85	EC002586	F03 1036A	4536853384821	#	25		DB	DBZ	JPN 9032.1080.90
PS-31 SUS304 1000MM	Sıvı seviye röleleri için elektrot, 1 m uzunluk, istenilen uzunlukta kesilebilir	45.08	EC002586	PS 1005D	4536853724153	#	20		DB	DBZ	JPN 9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	41.05	EC002586	PS 1006B	4536853724160	#			DB	DBZ	JPN 9032.1080.90
PS-35	3'lü elektrot tutucusu	35.12	EC002586	PS 2001G	4547648047791	#			DB	DBZ	CHN 9032.1080.90
PS-45	Electrode holder, 4 way	41.05	EC002586	PS 2003C	4547648047814	#			DB	DBZ	CHN 9032.1080.90
PS-55	Electrode holder, 5 way	45.94	EC002586	PS 2005M	4547648047838	#			DB	DBZ	CHN 9032.1080.90
<b><u>Panel İndikatörleri K3MA</u></b>											
K3MA-F-A2 100-240VAC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 100-240 VAC	349.90	EC002301	K3MA3103F	4547648238793	#			DC	DCA	CHN 9031.9000.00
K3MA-F-A2 24VAC/DC	Frekans/Oran metre, DIN 96x48 mm, pulse giriş, 2NO röle çıkış, 24 VAC/DC	346.10	EC002301	K3MA3104D	4547648238809	#			DC	DCA	CHN 9031.9000.00
K3MA-J 100-240VAC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	330.50	EC002301	K3MA1101R	4547648238694	#			DC	DCA	CHN 9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	302.10	EC002301	K3MA1102G	4547648238700	#			DC	DCA	CHN 9031.9000.00
K3MA-J-A2 100-240VAC	Proses metre, DIN 96x48 mm, DC gerilim/ akım giriş, 2NO röle çıkış, 100-240 VAC	333.20	EC002301	K3MA1103E	4547648238717	#			DC	DCA	CHN 9031.9000.00
K3MA-J-A2 24VAC/DC	Proses metre, DIN 96x48 mm, DC gerilim/ akım giriş, 2NO röle çıkış, 24 VAC/DC	317.80	EC002301	K3MA1104C	4547648238724	#			DC	DCA	CHN 9031.9000.00
K3MA-L-C 100-240VAC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD giriş, 1C/O röle çıkış, 100-240 VAC	333.00	EC002301	K3MA2103M	4547648238755	#			DC	DCA	CHN 9031.9000.00
K3MA-L-C 24VAC/DC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD giriş, 1C/O röle çıkış, 24 VAC/DC	317.80	EC002301	K3MA2104R	4547648238762	#			DC	DCA	CHN 9031.9000.00
<b><u>Panel İndikatörleri K3GN</u></b>											
K3GN-NDC 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN giriş, 2x röle çıkışı	357.40	EC002301	K3GN1101H	4547648238328	#			DC	DCC	CHN 9031.9000.00
K3GN-PDC 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP giriş, 2x röle çıkışı	358.10	EC002301	K3GN1103D	4547648238342	#			DC	DCC	CHN 9031.9000.00
K3GN-PDT2 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP giriş, 3x PNP transistör çıkışı	321.50	EC002301	K3GN1104B	4547648238359	#			DC	DCC	CHN 9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Panel İndikatörleri K3HB</b>											
K3HB-CNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Yukarı/Aşağı saymak için pulse, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kollektör, 100-240 VAC	568.50	EC002301	K3HB7001D	4547648109864			DC	DCD	JPN	9031.9000.00
K3HB-CPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/VDC supply	572.50	EC002301	K3HB7022G	4547648140348	#		DC	DCD	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi , PT100,K, J, T, E, L, U, N, R, S, B, W, 100-240 VAC	759.50	EC002301	K3HB4001H	4547648022651			DC	DCD	JPN	9031.9000.00
K3HB-HTA 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi, PT100,K, J, T, E, L, U, N, R, S, B, W, 24 VAC/VDC	752.50	EC002301	K3HB4002F	4547648022668			DC	DCD	JPN	9031.9000.00
K3HB-RNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kollektör, 100-240 VAC	568.50	EC002301	K3HB5001C	4547648109789			DC	DCD	JPN	9031.9000.00
K3HB-RPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 24 VAC/VDC	555.50	EC002301	K3HB5004H	4547648109819	#		DC	DCD	JPN	9031.9000.00
K3HB-SSD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5v, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 100-240VAC, saniyede 2000 sinyal yakalama özelliği	1,124.00	EC002301	K3HB1001A	4547648008495			DC	DCD	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5v, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 24 VAC/DC, saniyede 2000 sinyal yakalama özelliği	1,076.00	EC002301	K3HB1002M	4547648008501			DC	DCD	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 100-240 VAC	564.50	EC002301	K3HB3001B	4547648022477	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 24 VAC/DC	564.50	EC002301	K3HB3002M	4547648022484	#		DC	DCD	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi ±199.99mA ve 4.000 - 20.000mA, 100-240 VAC	551.00	EC002301	K3HB2003C	4547648021777	#		DC	DCD	JPN	9031.9000.00
K3HB-XAD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi ±199.99mA ve 4.000 - 20.000mA, 24 VAC/VDC	582.00	EC002301	K3HB2004A	4547648021784	#		DC	DCD	JPN	9031.9000.00
K3HB-XVA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC gerilim girişi, 0.0 - 400.0 V - 0.0000 - 1.999 V, 100-240 VAC	639.00	EC002301	K3HB2005M	4547648021791			DC	DCD	JPN	9031.9000.00
K3HB-XVD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi ±199.99V ve 1.0000 - 5.0000V, 100-240 VAC	568.50	EC002301	K3HB2001G	4547648021753	#		DC	DCD	JPN	9031.9000.00
K3HB-XVD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi ±199.99V ve 1.0000 - 5.0000V, 24 VAC/VDC	572.50	EC002301	K3HB2002E	4547648021760			DC	DCD	JPN	9031.9000.00
<b>Diğer Panel İndikatörleri</b>											
K33-A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 12 VDC 80mA sensör güç kaynağı,	67.35	EC002295	K33 1002B	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 10 VDC 100mA sensör güç kaynağı,	69.15	EC002295	K33 1004R	4547648022842	#		DC	DCX	JPN	9031.9000.00
K33-CPA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 12 VDC 80mA sensör güç kaynağı	80.50	EC002295	K33 1001D	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 10 VDC 100mA sensör güç kaynağı	83.90	EC002295	K33 1003M	4547648022835	#		DC	DCX	JPN	9031.9000.00
K33-FLK3A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	144.90	EC002295	K33 1011A	4547648022910	#		DC	DCX	JPN	9031.9000.00
K33-FLK3B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	171.00	EC002295	K33 1012M	4547648022927	#		DC	DCX	JPN	9031.9000.00
K33-L1A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	273.00	EC002295	K33 1005G	4547648022859	#		DC	DCX	JPN	9031.9000.00
K33-L1B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC (0)4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	308.40	EC002295	K33 1006E	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-L2A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	273.00	EC002295	K33 1007C	4547648022873	#		DC	DCX	JPN	9031.9000.00
K33-L2B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Lineer DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	321.50	EC002295	K33 1008A	4547648022880	#		DC	DCX	JPN	9031.9000.00
K34-C1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 2 röle çıkışı (H/L) SPDT	97.05	EC002295	K34 1001H	4536854927195	#		DC	DCX	JPN	9031.9000.00
K34-C2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 4 röle çıkışı (HH/H/L/LL) SPNO	122.70	EC002295	K34 1002F	4536854927201	#		DC	DCX	JPN	9031.9000.00
K34-T1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 5 NPN açık kollektör çıkışı (HH/H/PASS/L/LL)	113.10	EC002295	K34 1003D	4536854927218	#		DC	DCX	JPN	9031.9000.00
K34-T2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 5 PNP açık kollektör çıkışı (HH/H/PASS/L/LL)	111.60	EC002295	K34 1004B	4536854927225	#		DC	DCX	JPN	9031.9000.00
K35-1	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, NPN açık kollektör, event girişi, 5 noktali, M3 terminal bloğu	86.65	EC002295	K35 1001A	4536854927232	#		DC	DCX	JPN	9031.9000.00
K35-3	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, PNP açık kollektör, event girişi, 5 noktali M3 terminal bloğu	105.50	EC002295	K35 1003H	4536854927249	#		DC	DCX	JPN	9031.9000.00
K32-49HC	Hard cover for use with 96x48mm panel meter	8.81	EC002295	K32 1001M	4536853597092	#		DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	30.21	EC002295	K32 2028H	4536853597153	#		DC	DCX	JPN	9031.9000.00
<b>Güç Kaynağı 58VS</b>											
S8VS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	133.60	EC002540	S8VS0156M	4547648711555	#		DD	DDH	CHN	8504.4083.90
S8VS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	133.60	EC002540	S8VS0157H	4547648711562	#		DD	DDH	CHN	8504.4083.90
S8VS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	133.60	EC002540	S8VS0158F	4547648711579	#		DD	DDH	CHN	8504.4083.90
S8VS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	168.70	EC002540	S8VS0159D	4547648711586	#		DD	DDH	CHN	8504.4083.90
S8VS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	170.00	EC002540	S8VS0160H	4547648711593	#		DD	DDH	CHN	8504.4083.90
S8VS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	170.00	EC002540	S8VS0161F	4547648711609	#		DD	DDH	CHN	8504.4083.90
S8VS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	233.00	EC002540	S8VS0068G	4547648419352	#		DD	DDH	CHN	8504.4083.90
S8VS-06024A	Güç kaynağı, 60 W, 100-240 VAC girişi, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	315.50	EC002540	S8VS0118G	4547648639927	#		DD	DDH	CHN	8504.4083.90
S8VS-06024B	Güç kaynağı, 60 W, 100-240 VAC girişi, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	253.40	EC002540	S8VS0120R	4547648639941	#		DD	DDH	CHN	8504.4083.90
S8VS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	304.50	EC002540	S8VS0069E	4547648419369	#		DD	DDH	CHN	8504.4083.90
S8VS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	358.60	EC002540	S8VS0130F	4547648640046	#		DD	DDH	CHN	8504.4083.90
S8VS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	365.50	EC002540	S8VS0070R	4547648419376	#		DD	DDH	CHN	8504.4083.90
S8VS-12024A	Güç kaynağı, 120 W, 100-240 VAC girişi, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	457.40	EC002540	S8VS0122E	4547648639965	#		DD	DDH	CHN	8504.4083.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8VS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	371.20	EC002540	S8VS0132B	4547648640060	#		DD	DDH	CHN	8504.4083.90
S8VS-12024B	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	421.40	EC002540	S8VS0123C	4547648639972	#		DD	DDH	CHN	8504.4083.90
S8VS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	412.00	EC002540	S8VS0133M	4547648640077	#		DD	DDH	CHN	8504.4083.90
S8VS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	510.00	EC002540	S8VS0071G	4547648419383	#		DD	DDH	CHN	8504.4083.90
S8VS-18024A	Güç kaynağı, 180 W, 100-240 VAC giriş, 24 VDC, 7.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	602.00	EC002540	S8VS0126H	4547648640008	#		DD	DDH	CHN	8504.4083.90
S8VS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	647.00	EC002540	S8VS0134R	4547648640084	#		DD	DDH	CHN	8504.4083.90
S8VS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	453.20	EC002540	S8VS1139E	4548583020221	#		DD	DDH	CHN	8504.4083.90
S8VS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	635.00	EC002540	S8VS0072E	4547648419390	#		DD	DDH	CHN	8504.4083.90
S8VS-24024A	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	771.50	EC002540	S8VS0124A	4547648639989	#		DD	DDH	CHN	8504.4083.90
S8VS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function with settable alarm point	742.00	EC002540	S8VS0128D	4547648640022	#		DD	DDH	CHN	8504.4083.90
S8VS-24024B	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10.0 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	638.00	EC002540	S8VS0125M	4547648639996	#		DD	DDH	CHN	8504.4083.90
S8VS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	647.00	EC002540	S8VS0129B	4547648640039	#		DD	DDH	CHN	8504.4083.90
S8VS-48024	Power supply, 480 W, 100-240 VAC input, 24 VDC, 20 A output, DIN rail mounting, basic model	855.50	EC002540	S8VS0169A	4547648711685	#		DD	DDH	CHN	8504.4083.90
S8VS-48024A	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	786.50	EC002540	S8VS0167E	4547648711661	#		DD	DDH	CHN	8504.4083.90
S8AS-24006	Power supply, 240W, 24VDC, 6 branch output	2,064.00	EC002540	S8AS0007M	4547648711289	#		DD	DDH	CHN	8504.4083.90
S8AS-24006N	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, no communication function, not changeable parameter setting	1,830.00	EC002540	S8AS0008R	4547648711296	#		DD	DDH	CHN	8504.4083.90
S8AS-48008	Power supply, 480W, 24VDC, 8 branch output	2,464.00	EC002540	S8AS0010M	4547648711319	#		DD	DDH	CHN	8504.4083.90
S8AS-48008N	Power supply 480W, 24VDC, 100 to 240 input voltage, 20A current, 8 branch outputs, no communication function, not changeable parameter setting	2,464.00	EC002540	S8AS0011R	4547648711326	#		DD	DDH	CHN	8504.4083.90
<b>Güç Kaynağı S8VK-G</b>											
S8VK-G01505	Kitap tipi güç kaynağı, PRO, 15 W, 5VDC, 3 A, DIN ray montaj	37.36	EC002540	S8VK1000C	4548583357648	#		DD	DDL	CHN	8504.4083.90
S8VK-G01512	Kitap tipi güç kaynağı, PRO, 15 W, 12 VDC, 1.2A, DIN ray montaj	36.33	EC002540	S8VK1001A	4548583357655	#		DD	DDL	CHN	8504.4083.90
S8VK-G01524	Kitap tipi güç kaynağı, PRO, 15 W, 24VDC, 0.65 A, DIN ray montaj	37.42	EC002540	S8VK1002M	4548583357662	#		DD	DDL	CHN	8504.4083.90
S8VK-G03005	Kitap tipi güç kaynağı, PRO, 30 W, 5VDC, 5 A, DIN ray montaj	46.42	EC002540	S8VK1003H	4548583357679	#		DD	DDL	CHN	8504.4083.90
S8VK-G03012	Kitap tipi güç kaynağı, PRO, 30 W, 12 VDC, 2.5 A, DIN ray montaj	44.79	EC002540	S8VK1004F	4548583357686	#		DD	DDL	CHN	8504.4083.90
S8VK-G03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3A, DIN ray montaj	44.79	EC002540	S8VK1005D	4548583357693	#		DD	DDL	CHN	8504.4083.90
S8VK-G06012	Kitap tipi güç kaynağı, PRO, 60 W, 12 VDC, 4.5 A, DIN ray montaj	52.20	EC002540	S8VK1006B	4548583357709	#		DD	DDL	CHN	8504.4083.90
S8VK-G06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj	52.20	EC002540	S8VK1007M	4548583357716	#		DD	DDL	CHN	8504.4083.90
S8VK-G12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj	79.25	EC002540	S8VK1008R	4548583357723	#		DD	DDL	CHN	8504.4083.90
S8VK-G24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj	132.70	EC002540	S8VK1009G	4548583357730	#		DD	DDL	CHN	8504.4083.90
S8VK-G24048	Kitap tipi güç kaynağı, PRO, 240 W, 48VDC, 5 A, DIN ray montaj	132.70	EC002540	S8VK1010M	4548583357747	#		DD	DDL	CHN	8504.4083.90
S8VK-G48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj	184.40	EC002540	S8VK1011R	4548583357754	#		DD	DDL	CHN	8504.4083.90
S8VK-G48048	Kitap tipi güç kaynağı, PRO, 480 W, 48VDC, 10 A, DIN ray montaj	184.40	EC002540	S8VK1012G	4548583357761	#		DD	DDL	CHN	8504.4083.90
S8VK-G48048-400	Coated version, Book type power supply, Pro, Single-phase, 480 W, 48VDC, 10A, DIN rail mounting	192.10	EC002540	S8VK1212M	4548583721227	#		DD	DDL	CHN	8504.4083.90
<b>Güç Kaynağı S8VK-C</b>											
S8VK-C06024	Kitap tipi güç kaynağı, LITE, 60 W, 24VDC, 2.5 A, DIN ray montaj	33.53	EC002540	S8VK2000R	4548583357907	#		DD	DDM	CHN	8504.4083.90
S8VK-C12024	Kitap tipi güç kaynağı, LITE, 120 W, 24VDC, 5 A, DIN ray montaj	48.50	EC002540	S8VK2001G	4548583357914	#		DD	DDM	CHN	8504.4083.90
S8VK-C24024	Kitap tipi güç kaynağı, LITE, 240 W, 24VDC, 10 A, DIN ray montaj	87.00	EC002540	S8VK2002E	4548583357921	#	2	DD	DDM	CHN	8504.4083.90
S8VK-C48024	Kitap tipi güç kaynağı, LITE, 480 W, 24VDC, 20A, DIN ray montaj	152.80	EC002540	S8VK2003C	4548583357938	#		DD	DDM	CHN	8504.4083.90
<b>Güç Kaynağı S8VK-S</b>											
S8VK-S03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	47.98	EC002540	S8VK5004H	4549734134620	#		DD	DDN	CHN	8504.4083.90
S8VK-S06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	56.25	EC002540	S8VK5000E	4548583761117	#		DD	DDN	CHN	8504.4083.90
S8VK-S12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	81.20	EC002540	S8VK5001C	4548583761124	#		DD	DDN	CHN	8504.4083.90
S8VK-S24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	157.80	EC002540	S8VK5002A	4548583761131	#		DD	DDN	CHN	8504.4083.90
S8VK-S48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	240.90	EC002540	S8VK5003M	4548583761148	#		DD	DDN	CHN	8504.4083.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Güç Kaynağı SBVK accessory</b>											
S82Y-VK10F	Front-mounting bracket for SBVK (120, 240 and 480 W models)	12.37	EC002498	S82Y3000M	4548583415911	#	100	DD	DDO	JPN	8504.4083.90
S82Y-VK90F	Front-mounting bracket for SBVK-T (480 W and 960 W models)	34.57	EC002498	S82Y3007H	4549734674379	#		DD	DDO	CHN	8504.4083.90
S8VK-R10	Yedekleme ünitesi, PRO PLUS (giriş 5-30VDC, çıkış 10 A)	51.00	EC002498	S8VK4000M	4548583425613	#		DD	DDO	CHN	8504.4083.90
S8VK-R20	Yedekleme ünitesi, PRO PLUS (giriş 10-60VDC, çıkış 20 A)	76.80	EC002498	S8VK4001H	4548583425620	#		DD	DDO	CHN	8504.4083.90
S8V-NF5206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	44.44	EC002025	S8V 0001G	4549734172707	#		DD	DDO	VNM	8529.9097.00
<b>Güç Kaynağı SBFS</b>											
S8FS-C01505J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 5 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	14.69	EC002540	S8FS0048F	4548583751286	#		DD	DDP	CHN	8504.4083.90
S8FS-C01512J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj seçeneği	14.69	EC002540	S8FS0049D	4548583751293	#		DD	DDP	CHN	8504.4083.90
S8FS-C01524J	Güç kaynağı, LITE, 15 W, 100-240 VAC giriş, 24 VDC, 0.7 A çıkış, DIN ray montaj seçeneği	14.69	EC002540	S8FS0051F	4548583751316	#		DD	DDP	CHN	8504.4083.90
S8FS-C02512J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 12 VDC, 2.1 A çıkış, yüzey montaj seçeneği	16.75	EC002540	S8FS0006M	4548583741522	#		DD	DDP	CHN	8504.4083.90
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, yüzey montaj seçeneği	16.75	EC002540	S8FS0008G	4548583741546	#		DD	DDP	CHN	8504.4083.90
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriş, 24 VDC, 1.1 A çıkış, DIN ray montaj seçeneği	16.75	EC002540	S8FS0056G	4548583751361	#		DD	DDP	CHN	8504.4083.90
S8FS-C03512J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 12 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	18.02	EC002540	S8FS0059A	4548583751392	#		DD	DDP	CHN	8504.4083.90
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, yüzey montaj seçeneği	18.02	EC002540	S8FS0012E	4548583741584	#		DD	DDP	CHN	8504.4083.90
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj seçeneği	18.02	EC002540	S8FS0061C	4548583751415	#		DD	DDP	CHN	8504.4083.90
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, yüzey montaj seçeneği	20.10	EC002540	S8FS0014A	4548583741607	#		DD	DDP	CHN	8504.4083.90
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 12 VDC, 4.2 A çıkış, DIN ray montaj seçeneği	20.10	EC002540	S8FS0064H	4548583751446	#		DD	DDP	CHN	8504.4083.90
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj seçeneği	20.10	EC002540	S8FS0016H	4548583741621	#		DD	DDP	CHN	8504.4083.90
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj seçeneği	20.10	EC002540	S8FS0066D	4548583751460	#		DD	DDP	CHN	8504.4083.90
S8FS-C07512J	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 12 VDC, 6.2 A çıkış, yüzey montaj seçeneği	25.13	EC002540	S8FS0019B	4548583741652	#		DD	DDP	CHN	8504.4083.90
S8FS-C07524J	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 24 VDC, 3.2 A çıkış, yüzey montaj seçeneği	23.03	EC002540	S8FS0021D	4548583741676	#		DD	DDP	CHN	8504.4085.90
S8FS-C07524J	Güç kaynağı, LITE, 75 W, 100-240 VAC giriş, 24 VDC, 3.2 A çıkış, DIN ray montaj seçeneği	23.03	EC002540	S8FS0071M	4548583751514	#		DD	DDP	CHN	8504.4083.90
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, yüzey montaj seçeneği	27.19	EC002540	S8FS0024R	4548583741706	#		DD	DDP	CHN	8504.4083.90
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj seçeneği	27.19	EC002540	S8FS0076E	4548583751545	#		DD	DDP	CHN	8504.4083.90
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj seçeneği	27.19	EC002540	S8FS0026E	4548583741720	#		DD	DDP	CHN	8504.4083.90
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj seçeneği	27.19	EC002540	S8FS0076A	4548583751569	#		DD	DDP	CHN	8504.4083.90
S8FS-C15012J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 12.5 A çıkış, yüzey montaj seçeneği	31.38	EC002540	S8FS0030C	4548583741768	#		DD	DDP	CHN	8504.4083.90
S8FS-C15012J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 12.5 A çıkış, DIN ray montaj seçeneği	31.38	EC002540	S8FS0081H	4548583751613	#		DD	DDP	CHN	8504.4083.90
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj seçeneği	31.38	EC002540	S8FS0032M	4548583741782	#		DD	DDP	CHN	8504.4083.90
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj seçeneği	31.38	EC002540	S8FS0083D	4548583751637	#		DD	DDP	CHN	8504.4083.90
S8FS-C20012J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 17.0 A çıkış, yüzey montaj seçeneği	45.99	EC002540	S8FS0036B	4548583741829	#		DD	DDP	CHN	8504.4083.90
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, yüzey montaj seçeneği	45.99	EC002540	S8FS0037M	4548583741836	#		DD	DDP	CHN	8504.4083.90
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 8.8 A çıkış, DIN ray montaj seçeneği	45.99	EC002540	S8FS0088E	4548583751682	#		DD	DDP	CHN	8504.4083.90
S8FS-C35012J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 12 VDC, 29.0 A çıkış, yüzey montaj seçeneği	67.05	EC002540	S8FS0041R	4548583741874	#		DD	DDP	CHN	8504.4083.90
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, yüzey montaj seçeneği	67.05	EC002540	S8FS0042G	4548583741881	#		DD	DDP	CHN	8504.4083.90
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 24 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	67.05	EC002540	S8FS0093A	4548583751736	#		DD	DDP	CHN	8504.4083.90
S8FS-C35048J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, yüzey montaj seçeneği	67.05	EC002540	S8FS0044C	4548583741904	#		DD	DDP	CHN	8504.4083.90
S8FS-C35048J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, DIN ray montaj seçeneği	67.05	EC002540	S8FS0095H	4548583751750	#		DD	DDP	CHN	8504.4083.90
S8FS-G01505CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 5 VDC, 3 A çıkış, DIN ray montaj	52.00	EC002540	S8FS2001M	4549734104333	#		DD	DDP	CHN	8504.4083.90
S8FS-G01512CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj	52.00	EC002540	S8FS2003G	4549734104357	#		DD	DDP	CHN	8504.4083.90
S8FS-G01524CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 24 VDC, 0.65 A çıkış, DIN ray montaj	52.00	EC002540	S8FS2007M	4549734104395	#		DD	DDP	CHN	8504.4083.90
S8FS-G03005CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 5 VDC, 6 A çıkış, DIN ray montaj	63.80	EC002540	S8FS2011H	4549734104432	#		DD	DDP	CHN	8504.4083.90
S8FS-G03012CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 12 VDC, 3 A çıkış, DIN ray montaj	63.80	EC002540	S8FS2013D	4549734104456	#		DD	DDP	CHN	8504.4083.90
S8FS-G03015CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 15 VDC, 2.4 A çıkış, DIN ray montaj	63.80	EC002540	S8FS2015M	4549734104470	#		DD	DDP	CHN	8504.4083.90
S8FS-G03024CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj	63.80	EC002540	S8FS2017G	4549734104494	#		DD	DDP	CHN	8504.4083.90
S8FS-G05005CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 5 VDC, 8 A çıkış, DIN ray montaj	80.50	EC002540	S8FS2021E	4549734104531	#		DD	DDP	CHN	8504.4083.90
S8FS-G05012CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 12 VDC, 4.3 A çıkış, DIN ray montaj	80.50	EC002540	S8FS2023A	4549734104555	#		DD	DDP	CHN	8504.4083.90
S8FS-G05015CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 15 VDC, 3.5 A çıkış, DIN ray montaj	80.50	EC002540	S8FS2025H	4549734104579	#		DD	DDP	CHN	8504.4083.90
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj	75.55	EC002540	S8FS2026F	4549734104586	#		DD	DDP	CHN	8504.4083.90
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj	80.50	EC002540	S8FS2027D	4549734104593	#		DD	DDP	CHN	8504.4083.90
S8FS-G10012CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj	105.80	EC002540	S8FS2033R	4549734104654	#		DD	DDP	CHN	8504.4083.90
S8FS-G10024C-500	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting, without EAC certification	100.70	EC002540	S8FS4036D	4549734761895	#		DD	DDP	JPN	8504.4083.90
S8FS-G10024CD-500	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mounting, without EAC certification	105.80	EC002540	S8FS4037H	4549734761901	#		DD	DDP	JPN	8504.4083.90
S8FS-G15012CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 12 VDC, 13 A çıkış, DIN ray montaj	130.70	EC002540	S8FS2047R	4549734104791	#		DD	DDP	CHN	8504.4083.90
S8FS-G15024C-500	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting, without EAC certification	125.90	EC002540	S8FS4050M	4549734761918	#		DD	DDP	JPN	8504.4083.90
S8FS-G15024CD-500	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mounting, without EAC certification	130.70	EC002540	S8FS4051H	4549734761925	#		DD	DDP	JPN	8504.4083.90
S8FS-G30012CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 12 VDC, 25 A çıkış, DIN ray montaj	240.20	EC002540	S8FS2061D	4549734104937	#		DD	DDP	CHN	8504.4083.90
S8FS-G30024C-500	Power supply, 300 W, 100 to 240 VAC input, 24 VDC 14 A output, without EAC certification	235.20	EC002540	S8FS4064M	4549734761932	#		DD	DDP	JPN	8504.4083.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-G30024CD-500	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail mounting, without EAC certification	240.20	EC002540	S8FS4065H	4549734761949	#		DD	DDP	JPN	8504.4083.90
S8FS-G60012CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 12 VDC, 50 A çıkış, DIN ray montaj	382.90	EC002540	S8FS2073H	4549734105057	#		DD	DDP	CHN	8504.4083.90
S8FS-G60024C-500	Power supply, 600 W, 100 to 240 VAC input, 24 VDC 27 A output, without EAC certification	377.40	EC002540	S8FS4080A	4549734761956	#		DD	DDP	JPN	8504.4083.90
S8FS-G60024CD-500	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting, without EAC certification	382.90	EC002540	S8FS4081M	4549734761963	#		DD	DDP	JPN	8504.4083.90
S8FS-G60048CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 48 VDC, 13 A çıkış, DIN ray montaj	382.90	EC002540	S8FS2089D	4549734105217	#		DD	DDP	CHN	8504.4083.90
<b>Güç Kaynağı S8VK-T</b>											
S8VK-T12024	Kitap tipi güç kaynağı, PRO, 3 faz, 120 W, 24VDC, 5 A, DIN ray montaj	97.10	EC002540	S8VK3000D	4548583357983	#		DD	DDQ	CHN	8504.4083.90
S8VK-T12024-400	Coated version, Book type power supply, Pro, Three-phase, 120 W, 24VDC, 5A, DIN rail mounting	111.90	EC002540	S8VK3200G	4548583721234	#		DD	DDQ	CHN	8504.4083.90
S8VK-T24024	Kitap tipi güç kaynağı, PRO, 3 faz, 240 W, 24VDC, 10 A, DIN ray montaj	145.90	EC002540	S8VK3001B	4548583357990	#		DD	DDQ	CHN	8504.4083.90
S8VK-T24024-400	Coated version, Book type power supply, Pro, Three-phase, 240 W, 24VDC, 10A, DIN rail mounting	144.50	EC002540	S8VK3201E	4548583564589	#		DD	DDQ	CHN	8504.4083.90
S8VK-T48024	Kitap tipi güç kaynağı, PRO, 3 faz, 480 W, 24VDC, 20A, DIN ray montaj	269.50	EC002540	S8VK3002M	4548583358003	#		DD	DDQ	CHN	8504.4083.90
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24VDC, 20A, DIN rail mounting	307.40	EC002540	S8VK3202C	4548583564596	#		DD	DDQ	CHN	8504.4083.90
S8VK-T96024	Kitap tipi güç kaynağı, PRO, 3 faz, 960 W, 24VDC, 40A, DIN ray montaj	363.00	EC002540	S8VK3003R	4548583358010	#		DD	DDQ	CHN	8504.4083.90
S8VK-T96024-400	Coated version, Book type power supply, Pro, Three-phase, 960 W, 24VDC, 40A, DIN rail mounting	404.00	EC002540	S8VK3203A	4548583564602	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA20224-SPI	Single-phase power supply, 2000 W, 24 VDC, 85 A, DIN rail mounting	1,025.00	EC002540	S8VK7005G	4549734785723	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA20248-SPI	Single-phase power supply, 2000 W, 48 VDC, 45 A, DIN rail mounting	1,025.00	EC002540	S8VK7007C	4549734785747	#		DD	DDQ	CHN	8504.4083.90
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	413.10	EC002540	S8VK7002B	4549734449090	#	3	DD	DDQ	CHN	8504.4083.90
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	620.50	EC002540	S8VK7003M	4549734449106	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	255.30	EC002540	S8VK7051M	4549734674799	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	255.30	EC002540	S8VK7054E	4549734674829	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	362.60	EC002540	S8VK7052R	4549734674805	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	362.60	EC002540	S8VK7055C	4549734674836	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	524.00	EC002540	S8VK7053G	4549734674812	#		DD	DDQ	CHN	8504.4083.90
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	524.00	EC002540	S8VK7056A	4549734674843	#		DD	DDQ	CHN	8504.4083.90
<b>Güç Kaynağı S8VK-X</b>											
S8VK-X03005-EIP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	161.60	EC002540	S8VK6004C	4549734172752	#		DD	DDR	CHN	8504.4083.90
S8VK-X06012-EIP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	169.10	EC002540	S8VK6005A	4549734172769	#		DD	DDR	CHN	8504.4083.90
S8VK-X09024A-EIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	228.90	EC002540	S8VK6000M	4549734172714	#		DD	DDR	CHN	8504.4083.90
S8VK-X12024A-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	251.60	EC002540	S8VK6001R	4549734172721	#		DD	DDR	CHN	8504.4083.90
S8VK-X12024-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	213.60	EC002540	S8VK6008F	4549734172790	#		DD	DDR	CHN	8504.4083.90
S8VK-X24024A-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	361.80	EC002540	S8VK6002G	4549734172738	#		DD	DDR	CHN	8504.4083.90
S8VK-X24024-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	324.10	EC002540	S8VK6009D	4549734172806	#		DD	DDR	CHN	8504.4083.90
S8VK-X48024A-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	476.30	EC002540	S8VK6003E	4549734172745	#		DD	DDR	CHN	8504.4083.90
S8VK-X48024-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	438.40	EC002540	S8VK6010H	4549734172813	#		DD	DDR	CHN	8504.4083.90
<b>S8V Elektronik Sigortalar</b>											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	188.10	EC002498	S8V 1003R	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	213.70	EC002498	S8V 1004G	4549734494113	#		DD	DDT	DEU	8536.2010.90
S8V-CP0824	Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC	322.50	EC002498	S8V 1005E	4549734494120	#		DD	DDT	DEU	8536.2010.90
<b>Diğer Güç Kaynağı</b>											
S8JX-P30024CD	Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)	703.50	EC002540	S8JX1050H	4548583103719	#		DD	DDX	CHN	8504.4083.90
S8JX-P30024N	Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output	502.50	EC002540	S8JX1048F	4548583103696	#		DD	DDX	CHN	8504.4083.90
S8JX-P60024N	Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output	805.00	EC002540	S8JX1051F	4548583103726	#		DD	DDX	CHN	8504.4083.90
S8T-DCBU-02	DC backup block for S8TS PSU of 500 ms at an output current of 2.5A	265.70	EC002498	S8T 0006M	4547648711401	#		DD	DDX	CHN	8504.4083.90
S8M-CP04	Çoklu devre koruyucu, maks. giriş akımı 17 A, 4 x 4.0 A her çıkış için, kollara ayırmak için ideal, 24 VDC	399.10	EC002498	S8M 0007B	4547648711371	#		DD	DDX	CHN	8504.4083.90
S8M-CP04-RS	Çoklu devre koruyucu, maks. giriş akımı 16 A, 4 x 3.8 A her çıkış için (UL class 2 uyumlu), RS-232C haberleşme, kollara ayırmak için ideal, 24 VDC	574.00	EC002498	S8M 0006D	4547648711364	#		DD	DDX	CHN	8504.4083.90
<b>Güç Kaynağı için Aksesuarlar</b>											
S82Y-FSC015DIN	Mounting bracket, DIN-rail, 15W	4.03	EC002498	S82Y0024A	4548583758049	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC050DIN	Mounting bracket, DIN-rail, 35W, 50W	4.03	EC002498	S82Y0026H	4548583758063	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC150DIN	Mounting bracket, DIN-rail, 75W, 100W, 150W	4.03	EC002498	S82Y0027F	4548583758070	#		DD	DDZ	CHN	8504.9090.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S82Y-FSC350DIN	Mounting bracket, DIN-rail, 75W, 200W, 350W	4.03	EC002498	S82Y0028D	4548583758087	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C7	Terminal Cover for upper terminal, 100W, 150W	1.35	EC002498	S82Y0037C	4548583758179	#		DD	DDZ	CHN	8504.9090.00
<b>Sıcaklık &amp; Proses E5C2</b>											
E5C2-R20J 100-240VAC 0-200	Basic Temp. Controller,1/16 DIN, 48x48mm,Dial knob,On-Off Control,J-Thermocouple,0-200deg.,100-240V AC	143.90	EC001446	E5C26021C	4548583418264	#		DF	DFD	CHN	9032.1080.90
E5C2-R20J 100-240VAC 0-400	Basic Temp. Controller,1/16 DIN, 48x48mm,Dial knob,On-Off Control,J-Thermocouple,0-400deg.,100-240V AC	116.90	EC001446	E5C26023M	4548583418288	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-1200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K-Thermocouple,0-1200deg.,100-240V AC	130.30	EC001446	E5C26008F	4548583418134	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K-Thermocouple,0-200deg.,100-240V AC	143.60	EC001446	E5C26002G	4548583418073	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-400	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K-Thermocouple,0-400deg.,100-240V AC	145.50	EC001446	E5C26004C	4548583418097	#		DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-600	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,K-Thermocouple,0-600deg.,100-240V AC	145.50	EC001446	E5C26005A	4548583418103	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-100	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,Pt100,0-100deg.,100-240V AC	145.80	EC001446	E5C26019A	4548583418240	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,Pt100,0-200deg.,100-240V AC	150.70	EC001446	E5C26027B	4548583418325	#		DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-300	Temp. controller, LITE, 1/16 DIN, 48x48mm,Dial knob,On-Off Control,Pt100,0-300deg.,100-240V AC	145.50	EC001446	E5C26028M	4548583418332	#		DF	DFD	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses Termo Sensör</b>											
E52-ELP4-50-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 4, 50, AISI 316, pre-wired with open cable ends 2m	40.23	EC002081	AA038019D	4547648954815	#		DF	DFL	ITA	8544.4993.90
E52-ELP5-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m	31.67	EC002081	AA038099B	4547648955591	#		DF	DFL	ITA	8544.4993.90
E52-ELP6-100-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100, SUS 304, pre-wired with open cable ends 2m	38.63	EC002081	AA038020H	4547648954822	#		DF	DFL	ITA	8544.4993.90
E52-ELP6-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 6, 50mm, 304SS, pre-wired with cable end shoes 2m	38.63	EC002081	AA038100M	4547648955607	#		DF	DFL	ITA	8544.4993.90
E52-ELT16-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J, dia 6, 100mm, 304SS, pre-wired with cable end shoes 2m	24.03	EC002081	AA038009G	4547648954716	#		DF	DFL	ITA	8544.4993.90
E52-ELTK6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, K, dia 6, 100mm, 304SS, pre-wired with cable end shoes 2m	26.38	EC002081	AA038017H	4547648954792	#		DF	DFL	ITA	8544.4993.90
E52-EP3-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	112.60	EC002081	AA037939M	4547648954013	#		DF	DFL	ITA	8544.4993.90
E52-EP6-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m	46.30	EC002081	AA037947A	4547648954099	#	5	DF	DFL	ITA	8544.4993.90
E52-EP6-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 250mm, AISI 316, pre-wired with open cable ends 2m	105.20	EC002081	AA037952H	4547648954143	#		DF	DFL	ITA	8544.4993.90
E52-EP6-35-2-BG1/4G-B	Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	69.95	EC002081	AA037949H	4547648954112	#	10	DF	DFL	ITA	8544.4993.90
E52-ETJ51-B	Temperature sensor, Pro Plus, Surface temp, Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends	28.04	EC002081	AA037945E	4547648954075	#		DF	DFL	ITA	8544.4993.90
E52-ETK3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	55.85	EC002081	AA038013E	4547648954754	#		DF	DFL	ITA	8544.4993.90
E52-P15AY D=3.2 NETU 8M	Temp. sensor,Smooth tube, Pt100, -200-450 deg., dia. 3.2, 150mm, SUS 316, pre-wired,heat resistive cable, 8m	470.60	EC002081	E52P8008F	4548583101272	#		DF	DFL	JPN	9032.1080.90
E52-P20C-N D=8	Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg., dia. 3.2mm, 200mm, SUS 304	280.60	EC002081	E52P8008D	4548583324510	#		DF	DFL	JPN	9032.1080.90
E51B 10-70C	Kızılötesi sıcaklık sensörü, 10 - 70°C	474.40	EC002081	E51B1000A	4547648047654	#		DF	DFL	JPN	9032.1080.90
E51B 115-165C	Infrared Thermosensor 115 to 165°C	483.60	EC002081	E51B1002H	4547648047678	#		DF	DFL	JPN	9032.1080.90
E51B 140-260C	Kızılötesi sıcaklık sensörü, 140 - 260°C	487.50	EC002081	E51B1003F	4547648047685	#		DF	DFL	JPN	9032.1080.90
E51B 60-120C	Kızılötesi sıcaklık sensörü, 60 - 120°C	478.80	EC002081	E51B1001M	4547648047661	#		DF	DFL	JPN	9032.1080.90
E51C-A40	Kızılötesi sıcaklık sensörü, M18, 0 - 400°C	922.50	EC002081	E51C1000F	4547648644242	#		DF	DFL	JPN	9032.1080.90
E51-LP10-N	Infrared thermosensor, -50-500 °C, 8/100 mm dia. field, 12-24 VDC, 4-20 mA output, no laser pointer	1,084.00	EC002081	E51 1024M	4549734162005	#		DF	DFL	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses E5CS-V</b>											
E5CB-Q1P 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	172.40	EC001446	E5CB0006G	4548583012882	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1PD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	172.40	EC001446	E5CB0008C	4548583012905	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1TC 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	172.40	EC001446	E5CB0005R	4548583012875	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1TCD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	172.40	EC001446	E5CB0007E	4548583012899	#		DF	DFM	CHN	9032.1080.90
E5CB-R1P 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	172.40	EC001446	E5CB0002D	4548583012844	#		DF	DFM	CHN	9032.1080.90
E5CB-R1PD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	172.40	EC001446	E5CB0004M	4548583012868	#		DF	DFM	CHN	9032.1080.90
E5CB-R1TC 100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	172.40	EC001446	E5CB0001F	4548583012820	#		DF	DFM	CHN	9032.1080.90
E5CB-R1TCD 24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	172.40	EC001446	E5CB0003B	4548583012851	#		DF	DFM	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5AN-H</b>											
E5AN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,Terminal cov.,100-240V AC	615.00	EC001446	E5AN7200E	4547648451826	#		DF	DFN	CHN	9032.1080.90
E5AN-HAA2HBMd-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,Terminal cov.,24V AC/DC	632.00	EC001446	E5AN7208M	4547648451901	#		DF	DFN	CHN	9032.1080.90
E5AN-HAA2HBBFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,HT Burnout SSR Fail./3Phs.,Event I/P & Transf. OUT,option unit,Terminal cov.,100-240V AC	644.50	EC001446	E5AN7202A	4547648451840	#		DF	DFN	CHN	9032.1080.90
E5AN-HPRR2BM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,Terminal cov.,100-240V AC	665.50	EC001446	E5AN7206D	4547648451888	#		DF	DFN	CHN	9032.1080.90
E5AN-HTAA2HBM-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/4DIN (96 x 96mm), universal input (TC, RTD, Linear), heater alarm, event inputs, remote setpoint, 100-240 VAC	744.00	EC001446	E5AN1300R	4547648844451	#		DF	DFN	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Sicaklik &amp; Proses ESEN-H</b>											
ESEN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,100-240V AC	671.50	EC001446	E5EN7200M	4547648453248	#		DF	DFO	CHN	9032.1080.90
ESEN-HAA2HBM-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,24V AC/DC	688.00	EC001446	E5EN7208E	4547648453509	#		DF	DFO	CHN	9032.1080.90
ESEN-HAA2HHBFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,HT Burnout SSR Fail./3Phs.,Event I/P & Transf. OUT,option unit,100-240V AC	747.50	EC001446	E5EN7202F	4547648453448	#		DF	DFO	CHN	9032.1080.90
ESEN-HPRR2BFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,Event I/P & Transf. OUT,option unit,100-240V AC	756.00	EC001446	E5EN7207G	4547648453493	#		DF	DFO	CHN	9032.1080.90
ESEN-HPRR2BM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,100-240V AC	728.50	EC001446	E5EN7206R	4547648453486	#		DF	DFO	CHN	9032.1080.90
ESEN-HPRR2BMD-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,24V AC/DC	747.00	EC001446	E5EN7214M	4547648453561	#		DF	DFO	CHN	9032.1080.90
<b>Sicaklik &amp; Proses ESCN-H</b>											
ESCN-HC2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Current OUT,2 x Aux OUT,option unit,100-240V AC	483.70	EC001446	E5CN7202R	4547648452724	#		DF	DFP	CHN	9032.1080.90
ESCN-HC2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Current OUT,2 x Aux OUT,option unit,24V AC/DC	523.00	EC001446	E5CN7206A	4547648452762	#		DF	DFP	CHN	9032.1080.90
ESCN-HQ2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Pulsed voltage OUT,2 x Aux OUT,option unit,100-240V AC	420.50	EC001446	E5CN7201M	4547648452717	#		DF	DFP	CHN	9032.1080.90
ESCN-HQ2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Pulsed voltage OUT,2 x Aux OUT,option unit,24V AC/DC	420.50	EC001446	E5CN7205C	4547648452755	#		DF	DFP	CHN	9032.1080.90
ESCN-HR2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Relay Out,2 x Aux OUT,option unit,100-240V AC	420.90	EC001446	E5CN7200B	4547648452700	#		DF	DFP	CHN	9032.1080.90
ESCN-HR2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Relay Out,2 x Aux OUT,option unit,24V AC/DC	422.80	EC001446	E5CN7204E	4547648452748	#		DF	DFP	CHN	9032.1080.90
ESCN-HTR2M-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), relay output, 100-240 VAC	456.80	EC001446	E5CN1300F	4548583000513	#		DF	DFP	CHN	9032.1080.90
ESCN-HV2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Linear Voltg. OUT,2 x Aux OUT,option unit,100-240V AC	523.00	EC001446	E5CN7203G	4547648452731	#		DF	DFP	CHN	9032.1080.90
ESCN-HV2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Linear Voltg. OUT,2 x Aux OUT,option unit,24V AC/DC	523.00	EC001446	E5CN7207M	4547648452779	#		DF	DFP	CHN	9032.1080.90
<b>Sicaklik &amp; Proses E5_C</b>											
E5DC-CX0ASM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı,alarm çıkışı yok,RS-485 haberleşme,100-240 VAC	211.00	EC001446	E5DC1018D	4548583422247	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2ASM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı,2 alarm çıkışı,100-240 VAC	198.20	EC001446	E5DC1016H	4548583422223	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2ASM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı,2 alarm çıkışı,RS-485 haberleşme,100-240 VAC	230.00	EC001446	E5DC1020F	4548583422261	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı,2 alarm çıkışı,24 VAC/DC	198.20	EC001446	E5DC1017F	4548583422230	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı,2 alarm çıkışı,RS-485 haberleşme,24 VAC/DC	230.00	EC001446	E5DC1021D	4548583422278	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX0ASM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı,alarm çıkışı yok,RS-485 haberleşme,100-240 VAC	140.60	EC001446	E5DC1012E	4548583422186	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX0DSM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı,alarm çıkışı yok,RS-485 haberleşme,24 VAC/DC	140.60	EC001446	E5DC1013C	4548583422193	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok,100-240 VAC	128.80	EC001446	E5DC1008G	4548583422148	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-002	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,RS-485 haberleşme,ısıtıcı yanma SSR arıza,100-240 VAC	179.10	EC001446	E5DC1010R	4548583422162	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x 12 VDC gerilim çıkışı, alarm çıkışı yok,24 VAC/DC	128.80	EC001446	E5DC1009E	4548583422155	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-002	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,RS-485 haberleşme,ısıtıcı yanma SSR arıza,24 VAC/DC	179.10	EC001446	E5DC1011G	4548583422179	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-017	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,1 event girişi, ısıtıcı yanma SSR arıza,24 VAC/DC	157.00	EC001446	E5DC1015M	4548583422216	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0ASM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x röle çıkışı,alarm çıkışı yok,RS-485 haberleşme,100-240 VAC	140.60	EC001446	E5DC1004D	4548583422100	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0DSM-015	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm, 1 x röle çıkışı,alarm çıkışı yok,RS-485 haberleşme,24 VAC/DC	140.60	EC001446	E5DC1005B	4548583422117	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x röle çıkışı,2 alarm çıkışı,100-240 VAC	128.80	EC001446	E5DC1000A	4548583422063	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-002	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli,22,5mm,1 x röle çıkışı,2 alarm çıkışı,RS-485 haberleşme,ısıtıcı yanma SSR arıza,100-240 VAC	179.10	EC001446	E5DC1002H	4548583422087	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-000	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x röle çıkışı,2 alarm çıkışı,24 VAC/DC	128.80	EC001446	E5DC1001M	4548583422070	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-002	Sicaklik kontrolörü, PRO, DIN ray montaji için soketli, 22,5mm,1 x röle çıkışı,2 alarm çıkışı,RS-485 haberleşme,ısıtıcı yanma SSR arıza,24 VAC/DC	179.10	EC001446	E5DC1003F	4548583422094	#		DF	DFQ	CHN	9032.1080.90
Y92F-53	Mounting adapter for E5DC	6.34	EC002586	E53 6032M	4548583434516	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX0DBM-015	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	228.20	EC001446	E5DC1059A	4549734493990	#		DF	DFQ	CHN	9032.1080.90
E5CC-CX3ASM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,100-240 VAC	261.60	EC001446	E5CC3536A	4549734266758	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-004	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,RS-485,100-240 VAC	377.70	EC001446	E5CC3544B	4549734266833	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-006	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,100-240 VAC	356.90	EC001446	E5CC3540M	4549734266796	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,24 VAC/DC	261.60	EC001446	E5CC3537M	4549734266765	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-004	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,RS-485,24 VAC/DC	332.70	EC001446	E5CC3545M	4549734266840	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	297.60	EC001446	E5CC3539F	4549734266789	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-006	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,24 VAC/DC	356.90	EC001446	E5CC3541H	4549734266802	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-007	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 0-20/4-20mA akım çıkışı,3 alarm çıkışı,2 event girişi,uzaaktan set deęeri,24 VAC/DC	335.60	EC001446	E5CC3543D	4549734266826	#		DF	DFQ	IDN	9032.1020.90
E5CC-QQ3ASM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),2 x 12 VDC gerilim çıkışı,3 alarm çıkışı,100-240 VAC	192.50	EC001446	E5CC3524H	4549734266635	#		DF	DFQ	IDN	9032.1020.90
E5CC-QQ3DSM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),2 x 12 VDC gerilim çıkışı,3 alarm çıkışı,24 VAC/DC	192.50	EC001446	E5CC3525F	4549734266642	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX2ASM-000	Temp. Contr.,1/16 DIN (48x48mm),1 x 12VDC pulse OUT,2 AUX,No cov.,100-240VAC	173.40	EC001446	E5CC4036E	4549734267335	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3ASM-000	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,100-240 VAC	178.50	EC001446	E5CC3512D	4549734266512	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3ASM-001	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,100-240 VAC	214.10	EC001446	E5CC3514M	4549734266536	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3ASM-003	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,RS-485 haberleşme, 3 faz ısıtıcı alarmı,100-240 VAC	261.60	EC001446	E5CC3516G	4549734266550	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3ASM-005	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,4 event girişi,100-240 VAC	214.10	EC001446	E5CC3518C	4549734266574	#		DF	DFQ	IDN	9032.1020.90

Item No	Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CC-QX3A5M-007		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,uzaktan set değeri,100-240 VAC	250.30	EC001446	E5CC3522A	4549734266611			DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-000		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,24 VAC/DC	178.50	EC001446	E5CC3513B	4549734266529	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-001		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,24 VAC/DC	214.10	EC001446	E5CC3515R	4549734266543	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-003		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,RS-485 haberleşme,3 faz ısıtıcı alarmı,24 VAC/DC	267.10	EC001446	E5CC3517E	4549734266567	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-005		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	214.10	EC001446	E5CC3519A	4549734266581	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-007		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,3 alarm çıkışı,2 event girişi,uzaktan set değeri,24 VAC/DC	250.30	EC001446	E5CC3523M	4549734266628	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX2A5M-000		Temp. Contr.,1/16 DIN (48x48mm),1 x Rel. OUT,2 AUX,No cov.,100-240VAC	150.30	EC001446	E5CC4002M	4549734266994	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-000		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,100-240 VAC	178.50	EC001446	E5CC3500M	4549734266390	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-001		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,100-240 VAC	214.10	EC001446	E5CC3502G	4549734266413	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-003		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,RS-485 haberleşme,3 faz ısıtıcı alarmı,100-240 VAC	261.60	EC001446	E5CC3504C	4549734266437	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-005		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,4 event girişi,100-240 VAC	214.10	EC001446	E5CC3506M	4549734266451	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-006		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,100-240 VAC	250.30	EC001446	E5CC3508F	4549734266475	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-000		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,24 VAC/DC	178.50	EC001446	E5CC3501R	4549734266406	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-001		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,24 VAC/DC	214.10	EC001446	E5CC3503E	4549734266420	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-003		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,RS-485 haberleşme,3 faz ısıtıcı alarmı,24 VAC/DC	267.10	EC001446	E5CC3505A	4549734266444	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-005		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,4 event girişi,24 VAC/DC	214.10	EC001446	E5CC3507H	4549734266468	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-006		Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,3 alarm çıkışı,2 event girişi,transfer çıkışı,24 VAC/DC	250.30	EC001446	E5CC3509D	4549734266482	#		DF	DFQ	IDN	9032.1020.90
E5AC-CX4A5M-000		Sıcaklık kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı; 1 x 0-20/4-20mA akım çıkışı;100-240 VAC	391.60	EC001446	E5AC3040M	4548583350236	#		DF	DFQ	CHN	9032.1080.90
E5AC-CX4A5M-004		Sıcaklık kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı; 1 x 0-20/4-20mA akım çıkışı;2 event girişi;RS-485 haberleşme;100-240 VAC	471.50	EC001446	E5AC3042G	4548583350250	#		DF	DFQ	CHN	9032.1080.90
E5AC-CX4D5M-000		Sıcaklık kontrolörü; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı; 1 x 0-20/4-20mA akım çıkışı;24 VAC/DC	391.10	EC001446	E5AC3041R	4548583350243	#		DF	DFQ	CHN	9032.1080.90
E5AC-PRA45M-000		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı;2 röle çıkışı; oransal vana kontrolü;100/240 VAC	459.00	EC001446	E5AC3060E	4548583350434	#		DF	DFQ	CHN	9032.1080.90
E5AC-QX4A5M-000		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm);1x12 gerilim çıkışı;t/c & Pt100 & analog giriş;4 alarm çıkışı;100-240 VAC	282.10	EC001446	E5AC3008G	4548583349919	#		DF	DFQ	CHN	9032.1080.90
E5AC-RRA45M-000		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı;2 röle çıkışı;100-240 VAC	304.30	EC001446	E5AC3016H	4548583349995	#		DF	DFQ	CHN	9032.1080.90
E5AC-RXA45M-000		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı; röle çıkışı;100-240 VAC	293.70	EC001446	E5AC3000A	4548583349834	#		DF	DFQ	CHN	9032.1080.90
E5AC-RXA45M-009		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı;1 röle çıkışı,2 event girişi,RS-485 haberleşme, 3 faz ısıtıcı alarmı,100-240 VAC	394.20	EC001446	E5AC3002H	4548583349858	#		DF	DFQ	CHN	9032.1080.90
E5AC-RXA45M-010		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı;1 röle çıkışı,4 event girişi,ısıtıcı yanma SSR arıza,100-240 VAC	346.10	EC001446	E5AC3004D	4548583349872	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4D5M-000		Sıcaklık kontrolörü, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog giriş;4 alarm çıkışı;1 röle çıkışı,24 VAC/DC	293.70	EC001446	E5AC3001M	4548583349841	#		DF	DFQ	CHN	9032.1080.90
E5EC-CC4A5M-014		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2x0-20/4-20mA akım çıkışı,4 alarm çıkışı,4 event girişi,RS-485 haberleşme, uzaktan set değeri,100-240 VAC	580.50	EC001446	E5EC3058H	4548583092082	#		DF	DFQ	CHN	9032.1080.90
E5EC-CQ4D5M-011		Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 6, SSR fail.det./1-PH, Transf. OUT, 24 VAC/DC	394.20	EC001446	E5EC3073A	4548583367180	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,100-240 VAC	342.20	EC001446	E5EC3040E	4548583091900	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-004		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	419.40	EC001446	E5EC3042A	4548583091924	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4D5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1x0-20/4-20mA akım çıkışı,4 alarm çıkışı,24VAC/DC	342.20	EC001446	E5EC3041C	4548583091917	#		DF	DFQ	CHN	9032.1080.90
E5EC-PRA45M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,100-240 VAC	423.10	EC001446	E5EC3060M	4548583351073	#		DF	DFQ	CHN	9032.1080.90
E5EC-PRA45M-004		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,2 event girişi,RS-485 haberleşme,100-240 VAC	475.70	EC001446	E5EC3061H	4548583351080	#		DF	DFQ	CHN	9032.1080.90
E5EC-PRA45M-014		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı (oransal vana kontrolü için),4 alarm çıkışı,4 event girişi, RS-485 haberleşme, uzaktan set değeri,100-240 VAC	604.50	EC001446	E5EC3062F	4548583351097	#		DF	DFQ	CHN	9032.1080.90
E5EC-QQ4A5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x 12 VDC gerilim çıkışı,4 alarm çıkışı,100-240 VAC	259.40	EC001446	E5EC3024C	4548583091740	#		DF	DFQ	CHN	9032.1080.90
E5EC-QRA45M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	259.40	EC001446	E5EC3032D	4548583091825	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,100-240 VAC	238.10	EC001446	E5EC3008A	4548583091580	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-009		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,3 faz ısıtıcı alarmı, 100-240 VAC	296.70	EC001446	E5EC3010C	4548583091603	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-010		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,4 event girişi, ısıtıcı yanma SSR arıza,100-240 VAC	296.50	EC001446	E5EC3012M	4548583091627	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4D5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,24 VAC/DC	238.10	EC001446	E5EC3009M	4548583091597	#		DF	DFQ	CHN	9032.1080.90
E5EC-RRA45M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),2 x röle çıkışı,4 alarm çıkışı,100-240 VAC	259.40	EC001446	E5EC3016B	4548583091665	#		DF	DFQ	CHN	9032.1080.90
E5EC-RXA45M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,100-240 VAC	250.30	EC001446	E5EC3000F	4548583091504	#		DF	DFQ	CHN	9032.1080.90
E5EC-RXA45M-010		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,4 event girişi, ısıtıcı yanma SSR arıza,100-240 VAC	299.50	EC001446	E5EC3004R	4548583091542	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-000		Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x röle çıkışı,4 alarm çıkışı,24 VAC/DC	250.30	EC001446	E5EC3001D	4548583091511	#		DF	DFQ	CHN	9032.1080.90
E5GC-CX1A5M-000		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1x0/4-20mA curr. OUT,100-240 VAC	283.70	EC001446	E5GC1070C	4548583505469	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A6M-000		Temp. controller PRO,1/32 DIN (24x48mm),screw terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	233.00	EC001446	E5GC1036C	4548583505124	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A6M-015		Temp. controller PRO,1/32 DIN (24x48mm),screw terminals,1 AUX,1 x 12 VDC pulse OUT,RS-485,100-240 VAC	288.40	EC001446	E5GC1044D	4548583505209	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A5M-000		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,100-240 VAC	238.50	EC001446	E5GC1038M	4548583505148	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A5M-015		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,RS-485,100-240 VAC	304.80	EC001446	E5GC1046M	4548583505223	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1A5M-024		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,2x EVT. I/P,100-240 VAC	247.50	EC001446	E5GC1062B	4548583505384	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX1DCM-000		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x 12 VDC pulse OUT,24V AC/DC	238.50	EC001446	E5GC1039H	4548583505155	#		DF	DFQ	CHN	9032.1080.90
E5GC-QX2ACM-000		Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	259.00	EC001446	E5GC1042H	4548583505186	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5GC-QX2DCM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,2 AUX,1 x 12 VDC pulse OUT,24V AC/DC	259.00	EC001446	E5GC1043F	4548583505193			DF	DFQ	CHN	9032.1080.90
E5GC-RX1A6M-000	Temp. controller PRO,1/32 DIN (24x48mm),screw terminals,1 AUX,1 x relay OUT,100-240 VAC	237.70	EC001446	E5GC1004E	4548583504806			DF	DFQ	CHN	9032.1080.90
E5GC-RX1ACM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,100-240 VAC	226.90	EC001446	E5GC1006A	4548583504820	#		DF	DFQ	CHN	9032.1080.90
E5GC-RX1D6M-000	Temp. controller PRO,1/32 DIN (24x48mm),screw terminals,1 AUX,1 x relay OUT,24V AC/DC	223.90	EC001446	E5GC1005C	4548583504813			DF	DFQ	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals,1 AUX,1 x relay OUT,24V AC/DC	219.60	EC001446	E5GC1007M	4548583504837	#		DF	DFQ	CHN	9032.1080.90
E5CC-CX2AUM-000	Temp. controller, PRO,1/16 DIN (48x48mm),Plugin-type,2 AUX,1x0/4-20mA curr. OUT,100-240 VAC	379.00	EC001446	E5CC1180B	4548583466739			DF	DFQ	CHN	9032.1080.90
E5CC-QX2AUM-000	Temp. controller, PRO,1/16 DIN (48x48mm),Plugin-type,2 AUX,1 x 12 VDC pulse OUT,100-240 VAC	174.90	EC001446	E5CC1174H	4548583466678	#		DF	DFQ	CHN	9032.1080.90
E5CC-RW2AUM-000	Temp. controller, PRO,1/16 DIN (48x48mm),Plugin-type,2 AUX,SPDT Rel.,100-240 VAC	151.30	EC001446	E5CC1168C	4548583466616	#		DF	DFQ	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO,1/16 DIN (48x48mm),Plugin-type,2 AUX,SPDT Rel.,24V AC/DC	160.50	EC001446	E5CC1169A	4548583466623	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	185.20	EC001446	E5CC1192F	4548583762343	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,100-240 VAC, Push-in Plus terminal	219.10	EC001446	E5CC1194B	4548583762367			DF	DFQ	CHN	9032.1080.90
E5CC-QX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	185.20	EC001446	E5CC1193D	4548583762350	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2DBM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x 12 VDC gerilim çıkışı,2 alarm çıkışı,2 event girişi,RS-485 haberleşme,24 VAC/DC, Push-in Plus terminal	254.80	EC001446	E5CC1199C	4548583762411	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,100-240 VAC, Push-in Plus terminal	185.20	EC001446	E5CC1182R	4548583762244	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm),1 x röle çıkışı,2 alarm çıkışı,24 VAC/DC, Push-in Plus terminal	185.20	EC001446	E5CC1183G	4548583762251	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4ABM-008	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 x 12 VDC gerilim çıkışı,4 alarm çıkışı,2 event girişi,RS-485 haberleşme,ısıtıcı yanma SSR arıza,100-240 VAC, Push-in Plus terminal	210.10	EC001446	E5EC1216D	4548583762749			DF	DFQ	CHN	9032.1080.90
E5EC-RX4ABM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm),1 röle çıkışı,4 alarm çıkışı,100-240 VAC, Push-in Plus terminal	256.00	EC001446	E5EC1198B	4548583762565	#		DF	DFQ	CHN	9032.1080.90
E5AC-TQR4A5M-008	Temp. controller, PRO, 1/4 DIN (96x96mm),PRO, gr.,4 AUX,1 x 12 VDC pulse/1 x Rel. OUT,2x EVT. I/P,Ht. Burnout SSR fail.,RS-485,100-240 VAC	379.00	EC001446	E5AC5534R	4548583471016			DF	DFQ	CHN	9032.1080.90
E5AC-TQR4D5M-008	Temp. controller, PRO, 1/4 DIN (96x96mm),PRO, gr.,4 AUX,1 x 12 VDC pulse/1 x Rel. OUT,2x EVT. I/P,Ht. Burnout SSR fail.,RS-485,24V AC/DC	379.00	EC001446	E5AC5535G	4548583471023			DF	DFQ	CHN	9032.1080.90
E5AC-TQX4A5M-008	Programlanabilir sıcaklık kontrolörü, PRO, 1/4 DIN (96x96mm),4 alarm çıkışı,1 x 12 VDC gerilim çıkışı,2 event girişi,ısıtıcı yanma SSR arıza,RS-485,100-240 VAC	369.20	EC001446	E5AC5510A	4548583470774	#		DF	DFQ	CHN	9032.1080.90
E5CC-TQX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO,1/16 DIN (48x48mm),3 alarm çıkışı,1 x 12 VDC gerilim çıkışı,100-240 VAC	218.00	EC001446	E5CC5510R	4548583473010			DF	DFQ	CHN	9032.1080.90
E5CC-TQX3A5M-003	Programlanabilir sıcaklık kontrolörü, PRO,1/16 DIN (48x48mm),3 alarm çıkışı,1 x 12 VDC gerilim çıkışı,3 faz ısıtıcı alarmı,RS-485 haberleşme,100-240 VAC	270.40	EC001446	E5CC5514A	4548583473058			DF	DFQ	CHN	9032.1080.90
E5CC-TRX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO,1/16 DIN (48x48mm),3 alarm çıkışı,1 x röle çıkışı,100-240 VAC	218.00	EC001446	E5CC5500A	4548583472914			DF	DFQ	CHN	9032.1080.90
E5EC-TCQ4A5M-004	Temp. controller, PRO, 1/8 DIN (96x48mm),Progr.,4 AUX,1x0/4-20mA curr./1 x 12 VDC pulse OUT,100-240 VAC	287.80	EC001446	E5EC5562R	4548583475595			DF	DFQ	CHN	9032.1080.90
E5EC-TPR4A5M-004	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), Progr., 1 x Valve OUT + Pot, 4 AUX, 2x EVT. I/P, RS-485, 100 to 240 VAC	288.80	EC001446	E5EC5557B	4548583475540			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_D</b>											
E5CD-QX2A6M-000	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm röle çıkışı, 100-240 VAC	208.80	EC001446	E5CD1006A	4549734126267	#		DF	DFR	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
E53-C3	Output unit for E5A/E J/K, linear 4-20mA, 600 Ohm, 12-bit	105.70	EC002586	E53 5007C	4536853362560			DF	DFZ	JPN	9032.1080.90
E53-C3N	Output unit for E5A/EN-H, 4-20 mA linear output	94.60	EC002586	E53 5015D	4547648476881	#		DF	DFZ	JPN	9032.1080.90
E53-Q	Output unit for E5A/E J/K/X, 40mA 12VDC, NPN	34.36	EC002586	E53 5003M	4536853362522			DF	DFZ	JPN	9032.1080.90
E53-Q4	Output unit for E5A/E J/K, 20mA, 24VDC, PNP	30.34	EC002586	E53 5006E	4536853362553	#		DF	DFZ	JPN	9032.1080.90
E53-R	Output unit for E5A/E J/K/X, SPST-NO, 5A relay	14.19	EC002586	E53 5001D	4536853362508	#		DF	DFZ	JPN	9032.1080.90
E53-RN	Output unit for E5A/EN-H, relay output	14.84	EC002586	E53 5019G	4547648488488	#		DF	DFZ	JPN	9032.1080.90
E53-V34N	Output unit for E5A/EN-H, 0-10 V linear output	94.90	EC002586	E53 5017M	4547648476904	#		DF	DFZ	JPN	9032.1080.90
E53-CNBN2	ESCN-H option board- Event inputs, **only compatible with new ESCN-H models**	39.95	EC002586	E53 8252H	4547648463478	#		DF	DFZ	CHN	9032.1080.90
E53-CN01N2	ESCN-H option board- RS-232C communications, **only compatible with new ESCN-H models**	84.45	EC002586	E53 8270F	4547648463607			DF	DFZ	CHN	9032.1080.90
E53-CN03N2	ESCN-H option board- RS-485 communications, **only compatible with new ESCN-H models**	84.15	EC002586	E53 8253F	4547648463485	#		DF	DFZ	CHN	9032.1080.90
E53-EN03	Communication unit for E5AK/EK/AN/EN, RS-485	119.60	EC002586	E53 8110F	4547648142410	#		DF	DFZ	JPN	9032.1080.90
E53-COV17	Terminal cover	7.50	EC002586	E53 8051G	4547648476072			DF	DFZ	CHN	8536.4900.99
E53-CNBFN2	ESCN-H plug-in option card, event input & transfer output	204.20	EC002586	E53 8268D	4547648463584	#		DF	DFZ	CHN	9032.1080.90
E53-CNQB2	ESCN-H option board- event inputs and control output option (voltage pulse), **only compatible with new ESCN-H models**	70.70	EC002586	E53 8263C	4547648463553			DF	DFZ	CHN	9032.1080.90
EST2-2C-MV4	CX-Thermo yazılımı ile programlama (E5_C, E5_D, E5_N (version 5 & 6), E5Z ve Celciux (EJ1))	182.50	EC000809	EST21004A	4547648504447	#		DF	DFZ	JPN	9032.1080.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E54-CT1	5.8 mm iç çaplı akım transformatörü	39.11	EC002048	E54 9002H	4536853363079	#		DF	DFZ	JPN	9032.1080.90
E54-CT3	12.0 mm iç çaplı akım transformatörü	70.05	EC002048	E54 9003F	4536853363086	#		DF	DFZ	JPN	9032.1080.90
E53-COV19	E5CB Terminal cover	17.62	EC002586	E53 8056H	4547648841894	#		DF	DFZ	CHN	3926.9097.90
E58-CIFQ1	E5_N ve CelciusX (E1) için USB programlama kablosu	463.70	EC000310	E58 1002R	4547648103459	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2	E5CB, E5_C, E5_D için USB programlama kablosu	410.10	EC000310	E58 1003G	4548583020627	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2-E	Kolay ön yüzey USB kablo aparatı (E5CB, E5CC, E5CC ile kullanılamaz)	136.50	EC000310	E58 1004E	4548583097667	#		DF	DFZ	CHN	9032.9000.90
Y92F-45	Panel adaptor, 48x48 device into 67x67 hole	49.59	EC002586	Y92F2009A	4536854618567	#		DF	DFZ	JPN	9032.1080.90
Y92F-52	DIN mounting adapter for E5CC	21.01	EC002586	E53 6026E	4548583318373	#		DF	DFZ	CHN	9032.1080.90
<b>Zaman Rölesi H3CR</b>											
H3CR-A 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	71.95	EC001439	H3CR8090D	4548583553262	#		DG	DGB	IDN	8536.4900.99
H3CR-A AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	71.95	EC001439	H3CR8091B	4548583553279	#		DG	DGB	IDN	8536.4900.99
H3CR-A-301 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	70.35	EC001439	H3CR8102A	4548583553361	#		DG	DGB	IDN	8536.4900.99
H3CR-A-301 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	70.35	EC001439	H3CR8103M	4548583553378	#		DG	DGB	IDN	8536.4900.99
H3CR-A8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	70.35	EC001439	H3CR8095E	4548583553316	#		DG	DGB	IDN	8536.4900.99
H3CR-A8 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	70.35	EC001439	H3CR8096C	4548583553323	#		DG	DGB	IDN	8536.4900.99
H3CR-A8-301 100-240VAC/DC100DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	70.35	EC001439	H3CR8104H	4548583553385	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	87.75	EC001439	H3CR8097A	4548583553330	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 24-48VAC/DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	91.55	EC001439	H3CR8098M	4548583553347	#		DG	DGB	IDN	8536.4900.99
H3CR-A8S AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, transistor output, 5 A	74.15	EC001439	H3CR8099H	4548583553354	#		DG	DGB	IDN	8536.4900.99
H3CR-AP 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm),voltage input, multifunction, 0.05s-300h, DPDT, 5 A	85.15	EC001439	H3CR8092M	4548583553286	#		DG	DGB	IDN	8536.4900.99
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm),voltage input, multifunction, 0.05s-300h, DPDT, 5 A	74.70	EC001439	H3CR8093R	4548583553293	#		DG	DGB	IDN	8536.4900.99
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm),voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	68.20	EC001439	H3CR8094G	4548583553309	#		DG	DGB	IDN	8536.4900.99
H3CR-F 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	114.80	EC001439	H3CR8011D	4548583552845	#		DG	DGB	IDN	8536.4900.99
H3CR-F AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	113.50	EC001439	H3CR8012B	4548583552852	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 100-240VAC/100-125VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	112.30	EC001439	H3CR8003C	4548583552807	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 24-48VAC/12-48VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (ikiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	112.30	EC001439	H3CR8004A	4548583552814	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	111.80	EC001439	H3CR8007F	4548583552821	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	78.45	EC001439	H3CR8008D	4548583552838	#		DG	DGB	IDN	8536.4900.99
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	114.80	EC001439	H3CR8015G	4548583552869	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL 100-120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 100-120 VAC	121.30	EC001439	H3CR8021A	4548583552906	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	115.30	EC001439	H3CR8022M	4548583552913	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	125.40	EC001439	H3CR8027M	4548583552968	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	107.70	EC001439	H3CR8032G	4548583553019	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	105.80	EC001439	H3CR8028R	4548583552975	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	109.40	EC001439	H3CR8029C	4548583552982	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	103.70	EC001439	H3CR8034C	4548583553033	#		DG	DGB	IDN	8536.4900.99
<b>Zaman Rölesi H3DK</b>											
H3DK-F 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, çift zamanlı (ikiz), flicker on & off-delay, 0.1 sn-12 saat, SPDT, 5 A, 24-240 VAC/DC	79.40	EC001439	H3DK6006R	4548583745001	#		DG	DGD	IDN	9107.0000.90
H3DK-G 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, yıldız-üçgen, 1-120 sn, DPDT, 5 A, 24-240 VAC/DC	79.40	EC001439	H3DK6007G	4548583745018	#		DG	DGD	IDN	9107.0000.90
H3DK-GE 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	79.40	EC001439	H3DK0021M	4548583002418	#		DG	DGD	CHN	9107.0000.90
H3DK-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	79.40	EC001439	H3DK6008E	4548583745025	#		DG	DGD	IDN	9107.0000.90
H3DK-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	79.40	EC001439	H3DK6009G	4548583745032	#		DG	DGD	IDN	9107.0000.90
H3DK-HCS 100-120VAC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	79.40	EC001439	H3DK6011E	4548583745056	#		DG	DGD	IDN	9107.0000.90
H3DK-HDL AC200-240V	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	79.40	EC001439	H3DK6012C	4548583745063	#		DG	DGD	IDN	9107.0000.90
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	79.40	EC001439	H3DK6013A	4548583745070	#		DG	DGD	IDN	9107.0000.90
H3DK-M1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 1 çıkış rölesi, 24 - 240 VAC/DC	57.45	EC001439	H3DK6001H	4548583744967	#		DG	DGD	IDN	9107.0000.90
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	57.45	EC001439	H3DK6014M	4548583745087	#		DG	DGD	IDN	9107.0000.90
H3DK-M2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 2 çıkış rölesi, 24 - 240 VAC/DC	57.45	EC001439	H3DK6002F	4548583744974	#		DG	DGD	IDN	9107.0000.90
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	60.70	EC001439	H3DK6015H	4548583745094	#		DG	DGD	IDN	9107.0000.90
H3DK-S1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 1 çıkış röle, 24 - 240 VAC/DC	39.80	EC001439	H3DK6003D	4548583744981	#		DG	DGD	IDN	9107.0000.90
H3DK-S2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 2 çıkış röle, 24 - 240 VAC/DC	46.08	EC001439	H3DK6004B	4548583744998	#		DG	DGD	IDN	9107.0000.90
<b>Zaman Rölesi H3DS</b>											
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available, A single operating mode, screw terminal type	51.10	EC001439	H3DS8009D	4548583753006	#		DG	DGE	IDN	8536.4900.99
H3DS-ALC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal, tek çalışma modu	48.96	EC001439	H3DS8003E	4548583752948	#		DG	DGE	IDN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3DS-FL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	82.90	EC001439	H3DS8000M	4548583752917	#		DG	DGE	IDN	9107.0000.90
H3DS-FLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	92.75	EC001439	H3DS8006M	4548583752979			DG	DGE	IDN	9107.0000.90
H3DS-GL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1 -120 s, DPST-NO, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	82.90	EC001439	H3DS8002G	4548583752931	#		DG	DGE	IDN	8536.4900.99
H3DS-ML AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 lablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması, vidasız terminal	63.15	EC001439	H3DS8011F	4548583753020	#		DG	DGE	IDN	8536.4900.99
H3DS-MLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, multifonksiyonlu, 0.1 s-120 h, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	58.45	EC001439	H3DS8005A	4548583752962	#		DG	DGE	IDN	8536.4900.99
H3DS-SL AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 kablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	58.05	EC001439	H3DS8010H	4548583753013	#		DG	DGE	IDN	8536.4900.99
H3DS-XL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 saat, SCR çıkışlı 0.7 A, 2 kablolu in-line yük bağlantısı, kilitlenebilir ayar mekanizması	43.83	EC001439	H3DS8001R	4548583752924	#		DG	DGE	IDN	8536.4900.99
<b>Zaman Rölesi H3Y</b>											
H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	69.75	EC001439	H3Y 6003M	4548583753068			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	71.05	EC001439	H3Y 6010B	4548583753136			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	63.90	EC001439	H3Y 6004H	4548583753075		10	DG	DGG	IDN	8536.4900.99
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	55.10	EC001439	H3Y 1038E	4547648114226	#		DG	DGG	CHN	8536.4900.99
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	57.15	EC001439	H3Y 6055B	4548583753587	#	10	DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	79.25	EC001439	H3Y 6056M	4548583753594			DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	89.40	EC001439	H3Y 6178H	4548583754812	#	10	DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	61.85	EC001439	H3Y 6179F	4548583754829	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bej kasa	60.30	EC001439	H3YN8001G	4548583755307	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bej kasa	61.65	EC001439	H3YN8000R	4548583755291	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bej kasa	58.10	EC001439	H3YN8002E	4548583755314	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 12 VDC, bej kasa	56.50	EC001439	H3YN8007F	4548583755369	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bej kasa	56.25	EC001439	H3YN8006H	4548583755352	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC48	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 48 VDC, bej kasa	66.85	EC001439	H3YN8005M	4548583755345	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 100-120 VAC, bej kasa	65.35	EC001439	H3YN8009B	4548583755383	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bej kasa	72.85	EC001439	H3YN8008D	4548583755376	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bej kasa	74.15	EC001439	H3YN8010F	4548583755390	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bej kasa	65.35	EC001439	H3YN8014R	4548583755437	#	10	DG	DGG	IDN	8536.4900.99
H3YN-21-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	74.20	EC001439	H3YN1109M	4548583780934			DG	DGG	CHN	8536.4900.99
H3YN-2-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	74.20	EC001439	H3YN1101E	4548583780859	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2-B AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bobin tarafı üstte, siyah kasa	68.55	EC001439	H3YN1102C	4548583780866	#		DG	DGG	CHN	8536.4900.99
H3YN-2-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bobin tarafı üstte, siyah kasa	66.25	EC001439	H3YN1104M	4548583780880	#	10	DG	DGG	CHN	8536.4900.99
H3YN-4 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 100-120 VAC, bej kasa	65.95	EC001439	H3YN8017C	4548583755468	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bej kasa	67.45	EC001439	H3YN8016E	4548583755451	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VAC, bej kasa	63.80	EC001439	H3YN8018A	4548583755475	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bej kasa	62.00	EC001439	H3YN8022M	4548583755512	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 100-120 VAC, bej kasa	65.95	EC001439	H3YN8025D	4548583755543	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 200-230 VAC, bej kasa	72.65	EC001439	H3YN8024F	4548583755536	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 dk-10 saat, 4PDT, 3 A, 24 VAC, bej kasa	75.25	EC001439	H3YN8026B	4548583755550		10	DG	DGG	IDN	8536.4900.99
H3YN-4-B AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bobin tarafı üstte, siyah kasa	79.70	EC001439	H3YN1117A	4548583781016			DG	DGG	CHN	8536.4900.99
H3YN-4-B DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0.1 s-10 dk, 4PDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	71.35	EC001439	H3YN1120A	4548583781047	#		DG	DGG	CHN	8536.4900.99
<b>Zaman Rölesi H5CX</b>											
H5CC-A	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 100 to 240 VAC supply	274.70	EC001439	H5CC0001B	4549734781503	#		DG	DGH	CHN	8536.4900.99
H5CC-A11	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 100 to 240 VAC supply	274.70	EC001439	H5CC0005E	4549734781541	#		DG	DGH	CHN	8536.4900.99
H5CC-A11D	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 12 to 48 VDC/24 VAC supply	274.70	EC001439	H5CC0006C	4549734781558	#		DG	DGH	CHN	8536.4900.99
H5CC-A11F	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 24 to 240 VDC/24 to 240 VAC supply	274.70	EC001439	H5CC0009H	4549734781589	#		DG	DGH	CHN	8536.4900.99
H5CC-A11SD	Timer, plug-in, 11-pin, DIN 48x48 mm, standard type, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output (SPST), 12 to 48 VDC/24 VAC supply	274.70	EC001439	H5CC0008M	4549734781572			DG	DGH	CHN	8536.4900.99
H5CC-AD	Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT), 12 to 48 VDC/24 VAC supply	274.70	EC001439	H5CC0002M	4549734781510	#		DG	DGH	CHN	8536.4900.99

Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H5CC-AS Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output(SPST), 100 to 240 VAC supply	274.70	EC001439	H5CC0003R	4549734781527	#		DG	DGH	CHN	8536.4900.99
H5CC-ASD Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), transistor output(SPST), 12 to 48 VDC/24 VAC supply	274.70	EC001439	H5CC0004G	4549734781534	#		DG	DGH	CHN	8536.4900.99
H5CC-AU Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), external power supply, Contact output (SPDT) + transistor output (SPST), 100 to 240 VAC supply	274.70	EC001439	H5CC0018G	4549734781671	#		DG	DGH	CHN	8536.4900.99
H5CC-AUD Timer, DIN 48x48 mm, standard type, screw terminals, No-voltage (NPN) input/voltage (PNP) input (switchable), external power supply, Contact output (SPDT) + transistor output (SPST), 12 to 48 VDC/24 VAC supply	274.70	EC001439	H5CC0019E	4549734781688	#		DG	DGH	CHN	8536.4900.99
H5CC-L8 Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No-voltage (NPN) input/voltage (PNP) input (switchable), Contact output (time-limit SPDT) , 100 to 240 VAC supply	237.70	EC001439	H5CC0010A	4549734781596	#		DG	DGH	CHN	8536.4900.99
H5CC-L8D Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No-voltage input, Contact output (time-limit SPDT) , 12 to 48 VDC/24 VAC supply	237.70	EC001439	H5CC0011M	4549734781602	#		DG	DGH	CHN	8536.4900.99
H5CC-L8E Timer, plug-in, 8-pin, DIN 48x48 mm, economy type, No inputs, Contact output (time-limit SPDT + instantaneous SPDT) , 100 to 240 VAC supply	237.70	EC001439	H5CC0014D	4549734781633	#		DG	DGH	CHN	8536.4900.99
H5CX-A11D-N Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	264.90	EC001439	H5CX6014E	4548583745247	#		DG	DGH	IDN	8536.4900.99
H5CX-A11-N Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	264.90	EC001439	H5CX6012R	4548583745223	#		DG	DGH	IDN	8536.4900.99
H5CX-A11SD-N Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30 VDC NPN transistor output, 12-24 VDC/24 VAC supply	265.20	EC001439	H5CX6015C	4548583745254	#		DG	DGH	IDN	8536.4900.99
H5CX-AD-N Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 12-24 VDC/24 VAC	231.60	EC001439	H5CX6006D	4548583745162	#		DG	DGH	IDN	8536.4900.99
H5CX-A-N Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 100-240 VAC	278.80	EC001439	H5CX6004H	4548583745148	#		DG	DGH	IDN	8536.4900.99
H5CX-ASD-N Zaman rölesi, DIN48x48mm, IP66, 4 haneli, çoklu zaman aralığı 0.01s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 12-24VDC	231.60	EC001439	H5CX6007B	4548583745179	#		DG	DGH	IDN	8536.4900.99
H5CX-L8D-N Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	223.00	EC001439	H5CX6010B	4548583745209	#		DG	DGH	IDN	8536.4900.99
H5CX-L8E-N Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	293.30	EC001439	H5CX6038B	4548583745278	#		DG	DGH	IDN	8536.5080.90
H5CX-L8-N Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	231.00	EC001439	H5CX6008M	4548583745186	#		DG	DGH	IDN	8536.4900.99
<b>Zaman Rölesi H3DT</b>										
H3DT-A1 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	54.00	EC001439	H3DT0005B	4548583773356	#		DG	DGT	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	56.85	EC001439	H3DT0006M	4548583773363	#		DG	DGT	CHN	9107.0000.90
H3DT-F 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Çift (kiz) zamanlı, Flaşör AÇIK/KAPALI başlangıç, 1-120 s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	84.50	EC001439	H3DT0007R	4548583773370	#		DG	DGT	CHN	9107.0000.90
H3DT-G 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Yıldız-Üçgen, 1 s-120 s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	84.50	EC001439	H3DT0008G	4548583773387	#		DG	DGT	CHN	9107.0000.90
H3DT-HBL 24-48VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	80.05	EC001439	H3DT0012E	4548583773424	#		DG	DGT	CHN	9107.0000.90
H3DT-HBS 24-48VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0.1 s-12 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	80.05	EC001439	H3DT0009E	4548583773394	#		DG	DGT	CHN	9107.0000.90
H3DT-HDL 200-240VAC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	80.05	EC001439	H3DT0014A	4548583773448	#		DG	DGT	CHN	9107.0000.90
H3DT-HDS 200-240VAC Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0.1 s-12 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	80.05	EC001439	H3DT0011G	4548583773417	#		DG	DGT	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	64.50	EC001439	H3DT0004D	4548583773349	#		DG	DGT	CHN	9107.0000.90
H3DT-L2 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	67.15	EC001439	H3DT0003F	4548583773332	#		DG	DGT	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	64.40	EC001439	H3DT0002H	4548583773325	#		DG	DGT	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0.1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	66.95	EC001439	H3DT0001M	4548583773318	#		DG	DGT	CHN	9107.0000.90
<b>Diğer Zaman Röleleri</b>										
H3RN-1 12VDC Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 12 VDC, bej kasa	61.30	EC001439	H3RN1001B	4536853509699	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VAC Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VAC, bej kasa	64.25	EC001439	H3RN1003R	4536853509712	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VDC Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bej kasa	61.70	EC001439	H3RN1002M	4536853509705	#	10	DG	DGX	JPN	8536.4900.99
H3RN-11 24VDC Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 dk-10 sa, SPDT, 3 A, 24 VDC, bej kasa	61.65	EC001439	H3RN1005E	4536853509736	#	10	DG	DGX	JPN	8536.4900.99
H3RN-1-B 24VDC Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0.1 s-10 dk, SPDT, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	71.05	EC001439	H3RN1202C	4548583782952	#	10	DG	DGX	JPN	8536.4900.99
H3RN-2 24VDC Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT-NO, 3 A, 24 VDC, bej kasa	68.70	EC001439	H3RN1008M	4536853509767	#	10	DG	DGX	JPN	8536.4900.99
H3RN-21 12VDC Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 dk-10 sa, DPDT-NO, 3 A, 12 VDC, bej kasa	70.05	EC001439	H3RN1010A	4536853509781	#		DG	DGX	JPN	8536.4900.99
H5F-B Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified.)	285.10	EC002305	H5F 4002M	4547648354080	#		DG	DGX	CHN	8536.4900.99
H5F-KB Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified.)	349.70	EC002305	H5F 4007M	4547648354134	#		DG	DGX	CHN	8536.4900.99
H5S-WB2 Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC	635.00	EC002305	H5S 4003C	4547648356350	#		DG	DGX	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Zaman Röleleri için Aksesuarlar</b>											
Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)	6.69	EC002586	H5C 9001H	4536853523268	#	10	DG	DGZ	JPN	3926.9097.90
Y92A-48B	Protective cover for DIN 48x48 mm device, hard plastic	6.28	EC002586	H2C 9007B	4536853494049	#		DG	DGZ	JPN	3926.9097.90
Y92A-48D	Protective cover for DIN48x48mm device, soft plastic	6.64	EC002586	Y92A2001C	4536854247040	#		DG	DGZ	JPN	3926.9097.90
Y92A-48F1	Protective cover for H5/7CR timer/counter, soft plastic	17.77	EC002586	Y92A2005F	4536854247088	#	10	DG	DGZ	JPN	3926.9097.90
Y92A-48G	Protective cover for DIN48x48mm device	3.81	EC002586	Y92A2010B	4536854506420	#		DG	DGZ	JPN	8536.4900.99
Y92A-48N	Watertight cover for DIN 48x48 mm device, IP66, plastic	70.65	EC002586	E53 8502M	4536853362935	#		DG	DGZ	JPN	9032.1080.90
Y92A-49N	Watertight cover for DIN48x96mm device, IP66, plastic	90.50	EC002586	E53 8503R	4536853362942	#		DG	DGZ	JPN	9032.1080.90
Y92A-72N	Watertight cover for DIN72x72mm device, IP66, plastic	96.80	EC002586	E53 8504G	4536853362959	#		DG	DGZ	JPN	9032.1080.90
Y92A-96N	Watertight cover for DIN 96x96 mm device, IP66, plastic	113.20	EC002586	E53 8505E	4536853362966	#		DG	DGZ	JPN	9032.1080.90
Y92F-30	Flush panel mounting adapter for DIN 48x48 mm device	5.30	EC002586	Y92F3008R	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
Y92H-3	Clips for H3Y(N) timer & PYF socket	1.25	EC002586	H3Y 9007R	4536853521516	#		DG	DGZ	JPN	3926.9097.90
Y92P-48GL	Panel cover for H3CR-A* timer, light grey	6.28	EC002586	H3CR9003R	4536853499099	#	10	DG	DGZ	JPN	3926.9097.90
Y92S-29	Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter	5.68	EC002586	Y92S7016C	4536854248313	#	25	DG	DGZ	JPN	8536.4900.99
Y92S-38	Adjustment and locking tool for H3DS	15.59	EC002586	H3DS9003M	4536854577819	#		DG	DGZ	CHN	3926.9097.90
<b>Güç İzleme</b>											
KM50-E1-FLK	Power monitor, on-panel 48x96mm with LED display, single phase / 2-wire,three-phase / 3-wire, Compoway/F and Modbus	238.60	EC001506	KM501002H	4547648822220	#		DQ	DQA	JPN	9031.9000.00
KM50-OPT-ED1	Mounting form for KM50 E-version (DIN rail mounting type)	84.25	EC002498	KM501004D	4548583998056	#		DQ	DQA	JPN	9031.9000.00
KM-N2-FLK	Çoklu devre, kompakt, DIN ray montajlı, pano içi, sebeke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal	255.20	EC001506	KMN20001C	4548583795624	#		DQ	DQA	CHN	9031.9000.00
KM20-CTF-100A	Maks. 14.5 mm çaplı kablolar için saha montaj, 100 A akım trafosu	44.69	EC002048	KM203005B	4547648706247	#		DQ	DQA	JPN	9031.9000.00
KM20-CTF-50A	Maks. 9.5 mm çaplı kablolar için saha montaj, 50 A akım trafosu	30.51	EC002048	KM203004D	4547648706223	#		DQ	DQA	JPN	9031.9000.00
KM-NCT-E100A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	120.40	EC002048	KMN 1001M	4549734440967	#		DQ	DQA	JPN	9031.9000.00
<b>Kesintiz Güç Kaynağı S8BA</b>											
S8BA-24D24D120LF	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 5 A, 120 W, min. 6 dk. - maks. 29 dk. besleme süresi	1,066.00	EC000382	BU 1264B	4547648846608	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D240LF	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 10 A, 240 W, min. 6 dk. - maks. 58 dk. besleme süresi	1,207.00	EC000382	BU 1265M	4547648846615	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D360LF	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 15 A, 360 W, min. 6 dk. - maks. 87 dk. besleme süresi	1,488.00	EC000382	BU 1266R	4547648846622	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D480LF	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 20 A, 480 W, min. 6 dk. - maks. 119 dk. besleme süresi	1,734.00	EC000382	BU 1267G	4547648846639	#		DU	DUA	JPN	8504.4083.90
S8BA-24D24D480SBF	UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W	370.90	EC000382	BU 1672R	4548583941724	#		DU	DUA	CHN	8504.4083.90
S8BA-24D24D960SBF	UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W	527.50	EC000382	BU 1674E	4548583941731	#		DU	DUA	CHN	8504.4083.90
S8BA-S480L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3.9 Ah	738.50	EC000382	BU 1673G	4548583941748	#		DU	DUA	CHN	8507.6000.90
S8BA-S960L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7.8 Ah	1,141.00	EC000382	BU 1675C	4548583941755	#		DU	DUA	CHN	8507.6000.90
<b>Kesintiz Güç Kaynağı BU</b>											
BU1002SWG	UPS, Kule tipi, AC-AC, 1000 VA, 700 W	2,119.00	EC000382	BU 1601M	4547648849623	#		DU	DUB	TWN	8504.4085.90
<b>Kesintiz Güç Kaynağı Aksesuar</b>											
S8BW-C02	RJ45 - açık uç alarm kablosu	76.00	EC002850	BU 1270G	4547648846660	#		DU	DUW	JPN	8544.4290.90
S8BA-B120L	S8BA için yedek akü paketi	639.00	EC002850	BU 1268E	4547648846646	#		DU	DUW	JPN	8506.5090.90
BP100XSG	BU1002SWG için yedek pil paketi	531.50	EC002850	BU 1605B	4547648849760	#		DU	DUW	TWN	8506.5090.90
BP150XSG	BU3002SWG için yedek pil paketi	497.30	EC002850	BU 1606M	4547648849777	#		DU	DUW	TWN	8506.5090.90
BUB2002RW	BU2002RWLG için yedek akü paketi	1,794.00	EC002850	BU 1064M	4547648845397	#		DU	DUW	JPN	8506.5090.90
BUB3002RW	BU3002RWLG ve BU5002RWL için yedek akü paketi	2,178.00	EC002850	BU 1065H	4547648845403	#		DU	DUW	JPN	8506.5090.90
<b>Inverter M1</b>											
3G3M1-A2004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	371.70	EC001857	3G3M9447M	4549734764414	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2007	M1 AC Drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	489.50	EC001857	3G3M9448H	4549734764421	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	506.00	EC001857	3G3M9449F	4549734764438	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	544.00	EC001857	3G3M9450M	4549734764445	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2037	M1 AC Drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	628.00	EC001857	3G3M9451H	4549734764452	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,493.00	EC001857	3G3M9452F	4549734764469	#		EA	EAA	JPN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3M1-A2075	M1 AC Drive, 7.5/11 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,733.00	EC001857	3G3M9453D	4549734764476	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2110	M1 AC Drive, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,477.00	EC001857	3G3M9454B	4549734764483	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2150	M1 AC Drive, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	3,202.00	EC001857	3G3M9455M	4549734764490	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4004	M1 AC Drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	770.00	EC001857	3G3M9433M	4549734764278	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	863.50	EC001857	3G3M9434H	4549734764285	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 4.8/5.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	969.50	EC001857	3G3M9435F	4549734764292	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4022	M1 AC Drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,085.00	EC001857	3G3M9436D	4549734764308	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4030	M1 AC Drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,122.00	EC001857	3G3M9437B	4549734764315	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4040	M1 AC Drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,355.00	EC001857	3G3M9438M	4549734764322	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4055	M1 AC Drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,740.00	EC001857	3G3M9439R	4549734764339	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4075	M1 AC Drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,971.00	EC001857	3G3M9440B	4549734764346	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4110	M1 AC Drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,180.00	EC001857	3G3M9441M	4549734764353	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4150	M1 AC Drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	2,840.00	EC001857	3G3M9442R	4549734764360	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4185	M1 AC Drive, 18.5/22 kW (HD/ND), 39/45 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	4,128.00	EC001857	3G3M9443G	4549734764377	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4220	M1 AC Drive, 22/30 kW (HD/ND), 45/60 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	4,902.00	EC001857	3G3M9444E	4549734764384	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB002	M1 AC Drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	446.90	EC001857	3G3M9427E	4549734764216	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB004	M1 AC Drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	463.30	EC001857	3G3M9428C	4549734764223	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB007	M1 AC Drive, 0.7/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	552.00	EC001857	3G3M9429A	4549734764230	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB015	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	653.00	EC001857	3G3M9430E	4549734764247	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB022	M1 AC Drive, 2.2/2.7 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	761.00	EC001857	3G3M9431C	4549734764254	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB037	M1 AC Drive, 3.7 kW (HD), 17.5 A (HD), 200 VAC, 1~ input, OLV/CLV control, STO (wired), max. output freq. 590 Hz	1,185.00	EC001857	3G3M9432A	4549734764261	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2002-ECT	M1 AC Drive, 0.2/0.4 kW (HD/ND), 1.6/2.0 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	840.50	EC001857	3G3M9477A	4549734764711	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2015-ECT	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	996.50	EC001857	3G3M9480A	4549734764742	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2022-ECT	M1 AC Drive, 2.2/3.0 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,035.00	EC001857	3G3M9481M	4549734764759	#		EA	EAA	JPN	8504.4095.90
3G3M1-A2037-ECT	M1 AC Drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,119.00	EC001857	3G3M9482H	4549734764766	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4004-ECT	M1 AC Drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,261.00	EC001857	3G3M9464M	4549734764582	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4007-ECT	M1 AC Drive, 0.7/1.1 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,354.00	EC001857	3G3M9465H	4549734764599	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4015-ECT	M1 AC Drive, 1.5/2.2 kW (HD/ND), 4.8/5.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,460.00	EC001857	3G3M9466F	4549734764605	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4022-ECT	M1 AC Drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,576.00	EC001857	3G3M9467D	4549734764612	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4030-ECT	M1 AC Drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,613.00	EC001857	3G3M9468B	4549734764629	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4040-ECT	M1 AC Drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,846.00	EC001857	3G3M9469M	4549734764636	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4055-ECT	M1 AC Drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	2,231.00	EC001857	3G3M9470D	4549734764643	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4075-ECT	M1 AC Drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz	2,462.00	EC001857	3G3M9471B	4549734764650	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4110-ECT	M1 AC Drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz	2,671.00	EC001857	3G3M9472M	4549734764667	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4150-ECT	M1 AC Drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz	3,330.00	EC001857	3G3M9473R	4549734764674	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4185-ECT	M1 AC Drive, 18.5/22 kW (HD/ND), 39/45 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz	4,619.00	EC001857	3G3M9474G	4549734764681	#		EA	EAA	JPN	8504.4095.90
3G3M1-A4220-ECT	M1 AC Drive, 22/30 kW (HD/ND), 45/60 A (HD/ND), 400 VAC, 3~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz	5,395.00	EC001857	3G3M9475E	4549734764698	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB002-ECT	M1 AC Drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	937.50	EC001857	3G3M9458E	4549734764520	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB004-ECT	M1 AC Drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	954.00	EC001857	3G3M9459C	4549734764537	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB007-ECT	M1 AC Drive, 0.7/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,043.00	EC001857	3G3M9460G	4549734764544	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB015-ECT	M1 AC Drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,144.00	EC001857	3G3M9461E	4549734764551	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB022-ECT	M1 AC Drive, 2.2/2.7 kW (HD/ND), 11/12 A (HD/ND), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590 Hz.	1,252.00	EC001857	3G3M9462C	4549734764568	#		EA	EAA	JPN	8504.4095.90
3G3M1-AB037-ECT	M1 AC Drive, 3.7kW (HD), 17.5 A (HD), 200 VAC, 1~ input, OLV/CLV control, EtherCAT, STO (FSoE + wired), max. output freq. 590Hz EtherCAT version.	1,676.00	EC001857	3G3M9463A	4549734764575	#		EA	EAA	JPN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Inverter Q2V</b>											
Q2V-A2001-AAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	606.00	EC001857	AA022888M	4549734972130			EA	EAF	GBR	8504.4095.90
Q2V-A2002-AAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	611.00	EC001857	AA022889R	4549734972147	#		EA	EAF	GBR	8504.4095.90
Q2V-A2004-AAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	887.00	EC001857	AA022940B	4549734972154			EA	EAF	GBR	8504.4095.90
Q2V-A2006-AAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,028.00	EC001857	AA022947M	4549734972161			EA	EAF	GBR	8504.4095.90
Q2V-A2010-AAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,246.00	EC001857	AA022961E	4549734972178			EA	EAF	GBR	8504.4095.90
Q2V-A2012-AAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,392.00	EC001857	AA022962C	4549734972185			EA	EAF	GBR	8504.4095.90
Q2V-A2021-AAA	Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,519.00	EC001857	AA022963A	4549734972192			EA	EAF	GBR	8504.4095.90
Q2V-A2030-AAA	Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,828.00	EC001857	AA022964M	4549734972208			EA	EAF	GBR	8504.4095.90
Q2V-A2042-AAA	Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,844.00	EC001857	AA022965H	4549734972215			EA	EAF	GBR	8504.4095.90
Q2V-A2056-AAA	Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	3,531.00	EC001857	AA022976C	4549734972222			EA	EAF	GBR	8504.4095.90
Q2V-A2070-AAA	Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	4,549.00	EC001857	AA022977A	4549734972239			EA	EAF	GBR	8504.4095.90
Q2V-A2082-AAA	Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	6,720.00	EC001857	AA022978M	4549734971928	#		EA	EAF	GBR	8504.4095.90
Q2V-A4001-AAA	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz	975.00	EC001857	AA022742F	4549734971935	#		EA	EAF	GBR	8504.4095.90
Q2V-A4002-AAA	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,088.00	EC001857	AA022743D	4549734971942	#		EA	EAF	GBR	8504.4095.90
Q2V-A4004-AAA	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,230.00	EC001857	AA022744B	4549734971959	#		EA	EAF	GBR	8504.4095.90
Q2V-A4005-AAA	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,372.00	EC001857	AA022745M	4549734971966	#		EA	EAF	GBR	8504.4095.90
Q2V-A4007-AAA	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,535.00	EC001857	AA022746E	4549734971973	#		EA	EAF	GBR	8504.4095.90
Q2V-A4009-AAA	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,711.00	EC001857	AA022748E	4549734971980	#		EA	EAF	GBR	8504.4095.90
Q2V-A4012-AAA	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,917.00	EC001857	AA022749C	4549734971997	#		EA	EAF	GBR	8504.4095.90
Q2V-A4018-AAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,464.00	EC001857	AA022764G	4549734972000	#		EA	EAF	GBR	8504.4095.90
Q2V-A4023-AAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,791.00	EC001857	AA022772H	4549734972017	#		EA	EAF	GBR	8504.4095.90
Q2V-A4031-AAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	3,147.00	EC001857	AA022776M	4549734972024	#		EA	EAF	GBR	8504.4095.90
Q2V-A4038-AAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	4,027.00	EC001857	AA022796E	4549734972031	#		EA	EAF	GBR	8504.4095.90
Q2V-A4044-AAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	5,325.00	EC001857	AA022802C	4549734972048	#		EA	EAF	GBR	8504.4095.90
Q2V-A4060-AAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	6,325.00	EC001857	AA022816C	4549734972055	#		EA	EAF	GBR	8504.4095.90
Q2V-AB001-AAA	Inverter Q2V, 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz	680.50	EC001857	AA022817A	4549734972062	#		EA	EAF	GBR	8504.4095.90
Q2V-AB002-AAA	Inverter Q2V, 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz	695.00	EC001857	AA022818M	4549734972079	#		EA	EAF	GBR	8504.4095.90
Q2V-AB004-AAA	Inverter Q2V, 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz	729.00	EC001857	AA022833C	4549734972086	#		EA	EAF	GBR	8504.4095.90
Q2V-AB006-AAA	Inverter Q2V, 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz	865.50	EC001857	AA022840F	4549734972093	#		EA	EAF	GBR	8504.4095.90
Q2V-AB010-AAA	Inverter Q2V, 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz	1,017.00	EC001857	AA022850C	4549734972109	#		EA	EAF	GBR	8504.4095.90
Q2V-AB012-AAA	Inverter Q2V, 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz	1,187.00	EC001857	AA022868F	4549734972116	#		EA	EAF	GBR	8504.4095.90
Q2V-AB018-BAA	Inverter Q2V, 1x200V, HD: 17.6 A / 4.0 kW, without EMC filter, max. output freq. 590Hz	1,350.00	EC001857	AA022887B	4549734972123	#		EA	EAF	GBR	8504.4095.90
Q2V-A2001-BAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter, max. output freq. 590Hz	534.50	EC001857	AA058320F	4549734794619			EA	EAF	GBR	8504.4095.90
Q2V-A2002-BAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter, max. output freq. 590Hz	539.50	EC001857	AA058321D	4549734794602			EA	EAF	GBR	8504.4095.90
Q2V-A2004-BAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, without integrated EMC filter, max. output freq. 590Hz	782.00	EC001857	AA058322B	4549734794596	#		EA	EAF	GBR	8504.4095.90
Q2V-A2006-BAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, without integrated EMC filter, max. output freq. 590Hz	907.00	EC001857	AA058323M	4549734794589			EA	EAF	GBR	8504.4095.90
Q2V-A2010-BAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, without integrated EMC filter, max. output freq. 590Hz	1,099.00	EC001857	AA058324R	4549734794572			EA	EAF	GBR	8504.4095.90
Q2V-A2012-BAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, without integrated EMC filter, max. output freq. 590Hz	1,229.00	EC001857	AA058325G	4549734794565			EA	EAF	GBR	8504.4095.90
Q2V-A2021-BAA	Inverter Q2V 200V, ND: 21 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EMC filter, max. output freq. 590Hz	1,339.00	EC001857	AA058326E	4549734794558			EA	EAF	GBR	8504.4095.90
Q2V-A2030-BAA	Inverter Q2V 200V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, without integrated EMC filter, max. output freq. 590Hz	2,494.00	EC001857	AA058327C	4549734794541			EA	EAF	GBR	8504.4095.90
Q2V-A2042-BAA	Inverter Q2V 200V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, without integrated EMC filter, max. output freq. 590Hz	2,510.00	EC001857	AA058328A	4549734794534			EA	EAF	GBR	8504.4095.90
Q2V-A2056-BAA	Inverter Q2V 200V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, without integrated EMC filter, max. output freq. 590Hz	3,117.00	EC001857	AA058329M	4549734794527			EA	EAF	GBR	8504.4095.90
Q2V-A2070-BAA	Inverter Q2V 200V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, without integrated EMC filter, max. output freq. 590Hz	4,013.00	EC001857	AA058330C	4549734794510			EA	EAF	GBR	8504.4095.90
Q2V-A2082-BAA	Inverter Q2V 200V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, without integrated EMC filter, max. output freq. 590Hz	5,925.00	EC001857	AA058331A	4549734794503			EA	EAF	GBR	8504.4095.90
Q2V-A4001-BAA	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter, max. output freq. 590Hz	859.00	EC001857	AA058301M	4549734794800	#		EA	EAF	GBR	8504.4095.90
Q2V-A4002-BAA	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	959.50	EC001857	AA058302H	4549734794794	#		EA	EAF	GBR	8504.4095.90
Q2V-A4004-BAA	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter, max. output freq. 590Hz	1,084.00	EC001857	AA058303F	4549734794787	#		EA	EAF	GBR	8504.4095.90
Q2V-A4005-BAA	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	1,211.00	EC001857	AA058304D	4549734794770	#		EA	EAF	GBR	8504.4095.90
Q2V-A4007-BAA	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	1,354.00	EC001857	AA058305B	4549734794763	#		EA	EAF	GBR	8504.4095.90
Q2V-A4009-BAA	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1,509.00	EC001857	AA058306M	4549734794756	#		EA	EAF	GBR	8504.4095.90
Q2V-A4012-BAA	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1,690.00	EC001857	AA058307R	4549734794749	#		EA	EAF	GBR	8504.4095.90
Q2V-A4018-BAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter, max. output freq. 590Hz	2,174.00	EC001857	AA058308G	4549734794732	#		EA	EAF	GBR	8504.4095.90
Q2V-A4023-BAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter, max. output freq. 590Hz	2,463.00	EC001857	AA058309E	4549734794725	#		EA	EAF	GBR	8504.4095.90
Q2V-A4031-BAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter, max. output freq. 590Hz	2,777.00	EC001857	AA058310R	4549734794718	#		EA	EAF	GBR	8504.4095.90
Q2V-A4038-BAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter, max. output freq. 590Hz	3,552.00	EC001857	AA058311G	4549734794711	#		EA	EAF	GBR	8504.4095.90
Q2V-A4044-BAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter, max. output freq. 590Hz	4,697.00	EC001857	AA058312E	4549734794695	#		EA	EAF	GBR	8504.4095.90
Q2V-A4060-BAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter, max. output freq. 590Hz	5,580.00	EC001857	AA058313C	4549734794688	#		EA	EAF	GBR	8504.4095.90
Q2V-AB001-BAA	Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter, max. output freq. 590Hz	600.00	EC001857	AA058314A	4549734794671	#		EA	EAF	GBR	8504.4095.90
Q2V-AB002-BAA	Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter, max. output freq. 590Hz	614.00	EC001857	AA058315M	4549734794664	#		EA	EAF	GBR	8504.4095.90
Q2V-AB004-BAA	Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	643.00	EC001857	AA058316H	4549734794657	#		EA	EAF	GBR	8504.4095.90



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Q2V-AB006-BAA	Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter, max. output freq. 590Hz	763.50	EC001857	AA058317F	4549734794640	#		EA	EAF	GBR	8504.4095.90
Q2V-AB010-BAA	Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	897.50	EC001857	AA058318D	4549734794633	#		EA	EAF	GBR	8504.4095.90
Q2V-AB012-BAA	Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	1,046.00	EC001857	AA058319B	4549734794626	#		EA	EAF	GBR	8504.4095.90
<b>Inverter V1000</b>											
JVOP-180	LCD operatör paneli	231.30	EC002025	AA023599B	4547648851626	#		EA	EAG	JPN	8471.6070.00
SI-485/J	RS-422/485 haberleşme kartı, CIMR-J1000 inverter	112.80	EC002025	AA026049M	4547648860802	#		EA	EAG	JPN	8517.6200.00
JVOP-181	USB dönüştürücü ünitesi, kopyalama ve yedekleme fonksiyonu ile birlikte	426.20	EC002025	AA023170R	4536853913854	#		EA	EAG	JPN	8471.6070.00
<b>Inverter J1000</b>											
JVOP-182	LED operatör paneli	110.80	EC002025	AA026159D	4547648861502	#		EA	EAH	JPN	8471.6070.00
<b>Inverter Q2A</b>											
Q2A-A2004-AAA	Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,227.00	EC001857	AA054054M	4549734959230			EA	EAJ	GBR	8504.4095.90
Q2A-A2006-AAA	Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,463.00	EC001857	AA054052C	4549734959216			EA	EAJ	GBR	8504.4095.90
Q2A-A2010-AAA	Inverter Q2A, 200 V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz	1,541.00	EC001857	AA054063R	4549734959322			EA	EAJ	GBR	8504.4095.90
Q2A-A2012-AAA	Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz	2,256.00	EC001857	AA054064G	4549734959339			EA	EAJ	GBR	8504.4095.90
Q2A-A2021-AAA	Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz	2,362.00	EC001857	AA054065E	4549734959346			EA	EAJ	GBR	8504.4095.90
Q2A-A2030-AAA	Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,480.00	EC001857	AA054066G	4549734959353			EA	EAJ	GBR	8504.4095.90
Q2A-A2042-AAA	Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,990.00	EC001857	AA054067A	4549734959360			EA	EAJ	GBR	8504.4095.90
Q2A-A2056-AAA	Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz	3,546.00	EC001857	AA054068M	4549734959377			EA	EAJ	GBR	8504.4095.90
Q2A-A2070-AAA	Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz	5,620.00	EC001857	AA054069H	4549734959384			EA	EAJ	GBR	8504.4095.90
Q2A-A2082-AAA	Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz	6,925.00	EC001857	AA054070A	4549734959391			EA	EAJ	GBR	8504.4095.90
Q2A-A2110-AAA	Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz	6,845.00	EC001857	AA054071M	4549734959407			EA	EAJ	GBR	8504.4095.90
Q2A-A2138-AAA	Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz	11,560.00	EC001857	AA054072H	4549734959414			EA	EAJ	GBR	8504.4095.90
Q2A-A2169-AAA	Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz	13,250.00	EC001857	AA054073F	4549734959421			EA	EAJ	GBR	8504.4095.90
Q2A-A2211-AAA	Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz	14,690.00	EC001857	AA054074D	4549734959438			EA	EAJ	GBR	8504.4095.90
Q2A-A2257-AAA	Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz	15,610.00	EC001857	AA054075B	4549734959445			EA	EAJ	GBR	8504.4095.90
Q2A-A2313-AAA	Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz	28,170.00	EC001857	AA054076M	4549734959452			EA	EAJ	GBR	8504.4095.90
Q2A-A2360-AAA	Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz	31,740.00	EC001857	AA054061B	4549734959308			EA	EAJ	GBR	8504.4095.90
Q2A-A2415-AAA	Inverter Q2A, 200 V, ND: 415 A / 110 kW, IP20, max. output freq. 590 Hz	36,410.00	EC001857	AA054062M	4549734959315			EA	EAJ	GBR	8504.4095.90
Q2A-A4002-AAA	Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,201.00	EC001857	AA052435H	4549734944120	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4004-AAA	Inverter Q2A, 400 V, ND: 4.1 A / 1.50 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,347.00	EC001857	AA052444G	4549734944212	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4005-AAA	Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz	1,501.00	EC001857	AA052446C	4549734944236	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4007-AAA	Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz	1,667.00	EC001857	AA052441B	4549734944182	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4009-AAA	Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz	1,831.00	EC001857	AA052430G	4549734944076	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4012-AAA	Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz	1,964.00	EC001857	AA052436F	4549734944137	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4018-AAA	Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,419.00	EC001857	AA052429C	4549734944069	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4023-AAA	Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,876.00	EC001857	AA052437D	4549734944144	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4031-AAA	Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz	3,422.00	EC001857	AA052438B	4549734944151	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4038-AAA	Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz	4,404.00	EC001857	AA052439M	4549734944168	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4044-AAA	Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz	5,185.00	EC001857	AA052440D	4549734944175	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4060-AAA	Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz	6,150.00	EC001857	AA052433A	4549734944106	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4075-AAA	Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz	7,045.00	EC001857	AA052431E	4549734944083	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4089-AAA	Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz	8,665.00	EC001857	AA052434M	4549734944113	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4103-AAA	Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz	9,240.00	EC001857	AA052428E	4549734944052	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4140-AAA	Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz	10,890.00	EC001857	AA052445E	4549734944229	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4168-AAA	Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz	13,150.00	EC001857	AA052442M	4549734944199	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4208-AAA	Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz	16,130.00	EC001857	AA052443R	4549734944205	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4250-AAA	Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz	17,080.00	EC001857	AA052427G	4549734944045	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4296-AAA	Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz	21,320.00	EC001857	AA052432C	4549734944090	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4371-AAA	Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz	30,700.00	EC001857	AA052833G	4549734947848	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4389-AAA	Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz	46,320.00	EC001857	AA052834E	4549734947855	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4453-AAA	Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz	51,400.00	EC001857	AA052835C	4549734947862	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4568-AAA	Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz	57,200.00	EC001857	AA052836A	4549734947879	#		EA	EAJ	GBR	8504.4095.90
Q2A-A4675-AAA	Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz	61,050.00	EC001857	AA052837M	4549734947886	#		EA	EAJ	GBR	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Inverters MX2</b>											
3G3MX2-A2001-EV2	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 3~ input, sensorless vector	357.20	EC001857	AA063208H	4549734842747			EA	EAP	CHN	8504.4095.90
3G3MX2-A2002-EV2	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3~ input, sensorless vector	357.20	EC001857	AA063209F	4549734842730	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2004-EV2	MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	378.70	EC001857	AA063210M	4549734842723	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2007-EV2	MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	505.00	EC001857	AA063211H	4549734842716	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2015-EV2	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	489.80	EC001857	AA063212F	4549734842709	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2022-EV2	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.00 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	554.50	EC001857	AA063213D	4549734842693	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2037-EV2	MX inverter sürücü, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	640.00	EC001857	AA063214B	4549734842686	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2055-EV2	MX inverter sürücü, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	1,523.00	EC001857	AA063215M	4549734842679	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2075-EV2	MX inverter sürücü, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	1,766.00	EC001857	AA063216R	4549734842662	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2110-EV2	MX inverter sürücü, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	2,525.00	EC001857	AA063217G	4549734842655	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A2150-EV2	MX inverter sürücü, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	3,263.00	EC001857	AA063218E	4549734842648	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4004-EV2	MX inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~, sensorless vector	785.50	EC001857	AA063219C	4549734842631	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4007-EV2	MX inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, sensorless vector	880.00	EC001857	AA063220G	4549734842624	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4015-EV2	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~, sensorless vector	988.00	EC001857	AA063221E	4549734842617	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4022-EV2	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector	1,107.00	EC001857	AA063222C	4549734842600	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4030-EV2	MX inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector	1,144.00	EC001857	AA063223A	4549734842594	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4040-EV2	MX inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~, sensorless vector	1,382.00	EC001857	AA063224M	4549734842587	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4055-EV2	MX inverter sürücü, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~, sensorless vector	1,775.00	EC001857	AA063225H	4549734842570	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4075-EV2	MX inverter sürücü, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~, sensorless vector	2,009.00	EC001857	AA063226F	4549734842563	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4110-EV2	MX inverter sürücü, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~, sensorless vector	2,224.00	EC001857	AA063227D	4549734842556	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A4150-EV2	MX inverter sürücü, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~, sensorless vector	2,894.00	EC001857	AA063228B	4549734842549	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8001-EV2	MX inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	441.70	EC001857	AA063229M	4549734842532	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8002-EV2	MX inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	455.20	EC001857	AA063230D	4549734842525	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8004-EV2	MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	472.00	EC001857	AA063231B	4549734842518	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8007-EV2	MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	563.00	EC001857	AA063232M	4549734842501	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8015-EV2	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	666.00	EC001857	AA063233R	4549734842495	#		EA	EAP	CHN	8504.4095.90
3G3MX2-A8022-EV2	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	775.50	EC001857	AA063234G	4549734842488	#		EA	EAP	CHN	8504.4095.90
<b>Invertörler RX / RX2</b>											
3G3RX2-A2004	Inverter RX2, 200 V, VLD: 4,4 A / 0,75 kW, LD: 3,7 A / 0,75 kW, ND: 3,2 A / 0,4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,493.00	EC001857	3G3R9201A	4549734281386			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2007	Inverter RX2, 200 V, VLD: 8,0 A / 1,5 kW, LD: 6,3 A / 1,5 kW, ND: 5,0 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,552.00	EC001857	3G3R9202M	4549734281393			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2015	Inverter RX2, 200 V, VLD: 10,4 A / 2,2 kW, LD: 9,4 A / 2,2 kW, ND: 8,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,687.00	EC001857	3G3R9203H	4549734281409			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2022	Inverter RX2, 200 V, VLD: 15,6 A / 3,7 kW, LD: 12 A / 3,7 kW, ND: 11 A / 2,2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,769.00	EC001857	3G3R9204F	4549734281416			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2037	Inverter RX2, 200 V, VLD: 22,8 A / 5,5 kW, LD: 19,6 A / 5,5 kW, ND: 17,5 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,784.00	EC001857	3G3R9205D	4549734281423			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2055	Inverter RX2, 200 V, VLD: 33 A / 7,5 kW, LD: 30 A / 7,5 kW, ND: 25 A / 5,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,109.00	EC001857	3G3R9206B	4549734281430			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2075	Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,409.00	EC001857	3G3R9207M	4549734281447			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2110	Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,802.00	EC001857	3G3R9208R	4549734281454			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2150	Inverter RX2, 200 V, VLD: 80 A / 18,5 kW, LD: 73 A / 18,5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,614.00	EC001857	3G3R9209G	4549734281461			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2185	Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,537.00	EC001857	3G3R9210M	4549734281478			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2220	Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	5,395.00	EC001857	3G3R9211R	4549734281485			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2300	Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,865.00	EC001857	3G3R9212G	4549734281492			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2370	Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8,285.00	EC001857	3G3R9213E	4549734281508			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2450	Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	9,575.00	EC001857	3G3R9214C	4549734281515			EA	EAQ	JPN	8504.4095.90
3G3RX2-A2550	Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	11,970.00	EC001857	3G3R9215A	4549734281522			EA	EAQ	JPN	8504.4095.90
3G3RX2-A4007	Inverter RX2, 400 V, VLD: 4,1 A / 1,5 kW, LD: 3,1 A / 1,5 kW, ND: 2,5 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,530.00	EC001857	3G3R9216M	4549734281539	#		EA	EAQ	JPN	8504.4095.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3RX2-A4015	Inverter RX2, 400 V, VLD: 5,4 A / 2,2 kW, LD: 4,8 A / 2,2 kW, ND: 4,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,691.00	EC001857	3G3R9217H	4549734281546	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4022	Inverter RX2, 400 V, VLD: 8,3 A / 3,7 kW, LD: 6,7 A / 3,7 kW, ND: 5,5 A / 2,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,788.00	EC001857	3G3R9218F	4549734281553	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4037	Inverter RX2, 400 V, VLD: 12,6 A / 5,5 kW, LD: 11,1 A / 5,5 kW, ND: 9,2 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,943.00	EC001857	3G3R9219D	4549734281560	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4055	Inverter RX2, 400 V, VLD: 17,5 A / 7,5 kW, LD: 16 A / 7,5 kW, ND: 14,8 A / 5,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,322.00	EC001857	3G3R9220H	4549734281577	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4075	Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,792.00	EC001857	3G3R9221F	4549734281584	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4110	Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,168.00	EC001857	3G3R9222D	4549734281591	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4150	Inverter RX2, 400 V, VLD: 40 A / 18,5 kW, LD: 37 A / 18,5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,875.00	EC001857	3G3R9223B	4549734281607	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4185	Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,467.00	EC001857	3G3R9224M	4549734281614	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4220	Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	5,205.00	EC001857	3G3R9225R	4549734281621	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4300	Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,700.00	EC001857	3G3R9226G	4549734281638	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4370	Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7,620.00	EC001857	3G3R9227E	4549734281645	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4450	Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8,760.00	EC001857	3G3R9228C	4549734281652	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-A4550	Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	9,685.00	EC001857	3G3R9229A	4549734281669	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B411K	Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	16,830.00	EC001857	3G3R9232A	4549734281690	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B413K	Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	21,570.00	EC001857	3G3R9233M	4549734281706	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B4750	Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	12,680.00	EC001857	3G3R9230E	4549734281676	#		EA	EAQ	JPN	8504.4095.90
3G3RX2-B4900	Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	15,480.00	EC001857	3G3R9231C	4549734281683	#		EA	EAQ	JPN	8504.4095.90
<b>Inverter SX</b>											
SX-A6030-EVA4	SX inverter IP20, 30 kW, 3~690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	12,180.00	EC001857	AA055535M	4549734988209	#		EA	EAT	SWE	8504.4095.90
<b>Inverterler için Aksesuarlar</b>											
AX-CUSBM002-E	Mini USB'den USB'ye bağlantı kablosu	58.55	EC001681	AA029521R	4547648872188	#		EA	EAZ	ITA	8503.0099.99
3G3AX-OP01	LED operatör paneli, kablo uzunluğu max. 3m olabilir	109.50	EC002025	3G3A0116H	4547648489751	#		EA	EAZ	JPN	8523.8090.00
3G3AX-OP05	5 satır LCD dijital operatör paneli, kopyalama fonksiyonlu	463.30	EC002025	3G3A9038A	4548583096110	#		EA	EAZ	JPN	8523.8090.00
3G3AX-MX2-CRT-E	CompoNet option card	223.90	EC002025	3G3A9020R	4547648767910	#		EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-DRT-E	DeviceNet opsiyon kartı	223.60	EC002025	3G3A9019E	4547648767903	#		EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-ECT	MX2 EtherCAT opsiyon kartı	544.00	EC002025	3G3A0121D	4547648834803	#		EA	EAZ	JPN	8517.6200.00
3G3AX-MX2-EIP-A	MX2 Ethernet/IP opsiyon kartı	557.50	EC002025	AA034728F	4547648910057	#		EA	EAZ	SWE	8517.6200.00
3G3AX-MX2-PRT-E	MX2 opsiyon kartı, Profibus	329.50	EC002025	3G3A9018G	4547648767897	#		EA	EAZ	NLD	8517.6200.00
3G3AX-RX2-ECT	RX2 Series EtherCAT option board	726.50	EC002025	3G3A0127C	4549734714921	#		EA	EAZ	JPN	8517.6200.00
3G3AX-RX2-PG01	RX2 PG speed controller option board	269.10	EC002025	3G3A0128A	4549734739078	#		EA	EAZ	CHN	8504.4095.90
3G3AX-RX-ECT	RX serisi EtherCAT opsiyon kartı	749.50	EC002025	3G3A0123M	4548583344297	#		EA	EAZ	JPN	8517.6200.00
PG-B3	A1000 Open collector PG, A, B, Z pulse, fmax 50 kHz	206.90	EC002025	AA026958G	4547648863605	#		EA	EAZ	JPN	8523.8090.00
PG-F3	Endat PG interface for A1000 and Q2A inverters. For speed feedback input by connection a motor encoder type: EnDat 2.1/01, EnDat 2.2/01, EnDat 2.2/22 (HEIDENHAIN)	449.40	EC002025	AA029643F	4547648872522	#		EA	EAZ	JPN	8471.6070.00
PG-X3	A1000 PG Linedriver, A, B, Z differential (RS422) girişi, fmax 300 kHz	206.90	EC002025	AA026546H	4547648862806	#		EA	EAZ	JPN	8523.8090.00
PS-V10S	24 VDC control board power supply for 5.5-15 kW	334.30	EC002025	AA023419H	4547648850049	#		EA	EAZ	JPN	8471.6070.00
SI-232/I	RS-232C comms interface for use with LED operator JVOP-182	124.50	EC002025	AA025212R	4547648856799	#		EA	EAZ	JPN	8517.6200.00
SI-232/JC	RS-232C haberleşme kartı, CIMR-J1000 inverter	117.50	EC002025	AA025213G	4547648856805	#		EA	EAZ	JPN	8517.6200.00
SI-EN3	EtherNet/IP option board for A1000 inverter	480.50	EC002025	AA031315B	4547648882859	#		EA	EAZ	USA	8517.6200.00
SI-EN3/V	EtherNet/IP option board for V1000 inverter	686.50	EC002025	AA027081M	4547648864237	#		EA	EAZ	USA	8517.6200.00
SI-EN3D	Dual Port EtherNet IP option board for A1000, Q2A and Q2V inverters.	417.30	EC002025	AA042521M	4547648997201	#		EA	EAZ	USA	8517.6200.00
SI-EN3DV	EtherNet/IP option board for V1000 inverter (dual)	572.50	EC002025	AA042522H	4547648997218	#		EA	EAZ	USA	8517.6200.00
SI-EP3	A1000 option card - PROFINET	998.00	EC002025	AA037515H	4547648949842	#		EA	EAZ	DEU	8517.6200.00
SI-EP3/V	V1000 option card - PROFINET	797.50	EC002025	AA037516F	4547648949859	#		EA	EAZ	DEU	8517.6200.00
SI-ES3	EtherCAT option board for A1000, Q2A and Q2V inverters.	456.30	EC002025	AA053183D	4549734951203	#		EA	EAZ	GBR	8517.6200.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SI-ES3/Q2V	Q2V EtherCAT option board with JOHB-Q2V option card enclosure mounted from factory.	746.00	EC002025	AA056464C	4549734996938	#		EA	EAZ	SWE	8517.6200.00
SI-ES3/V	Ethercat option board for V1000	907.00	EC002025	AA044120G	4549734980753	#		EA	EAZ	GBR	8517.6200.00
SI-N3	DeviceNet opsiyon kartı for A1000 inverter	307.50	EC002025	AA028171D	4547648864978	#		EA	EAZ	JPN	8517.6200.00
SI-N3/V	DeviceNet opsiyon kartı, V1000 inverter	297.00	EC002025	AA023557G	4547648850384	#		EA	EAZ	JPN	8517.6200.00
SI-P3	Profibus opsiyon kartı, A1000 inverter	536.50	EC002025	AA028097A	4547648864831	#		EA	EAZ	JPN	8517.6200.00
SI-P3/V	Profibus opsiyon kartı, V1000 inverter	478.70	EC002025	AA023418M	4547648850032	#		EA	EAZ	JPN	8517.6200.00
SI-S3	CAN open option board for A1000 inverter	346.50	EC002025	AA028098M	4547648864848	#		EA	EAZ	JPN	8517.6200.00
SI-S3/V	CANopen opsiyon kartı, V1000 inverter	363.50	EC002025	AA023417A	4547648850025	#		EA	EAZ	JPN	8517.6200.00
AX-BCR4017068-TE	Frenleme ünitesi 400 V, sürekli 17 A/13 KVA, anlık 68 A/51 KVA, 11 ohm min	1,130.00	EC002025	AA029959A	4547648873963	#		EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TE	Frenleme ünitesi 400 V, sürekli 35 A/26 KVA, anlık 90 A/67 KVA, 8.5 ohm min	1,978.00	EC002025	AA029960E	4547648873970	#		EA	EAZ	DEU	8533.2900.00
AX-BCR4090240-TE	Frenleme ünitesi 400V, sürekli 90A/67KVA, anlık 240A/180KVA, 3.2 ohm min	3,784.00	EC002025	AA030510R	4547648877442	#		EA	EAZ	DEU	8533.2900.00
A1000-REJOK15100-IE	Braking Resistor for J1000, 100 Ohms	43.73	EC002025	AA025805D	4547648859806	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15200-IE	Braking Resistor for J1000, 200 Ohms	57.75	EC002025	AA025804F	4547648859813	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15300-IE	Frenleme direnci, J1000, 300 Ohms	31.56	EC002025	AA025803H	4547648859820	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15400-IE	Frenleme direnci J1000, 400 Ohms	32.75	EC002025	AA025802M	4547648859837	#	10	EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-IE	Braking Resistor, 30 ohm	48.66	EC002025	AA023614M	4547648851268	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-IE	Frenleme direnci, 100 ohm	53.65	EC002025	AA023217R	4536853913878	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-IE	Frenleme direnci, 75 ohm	56.85	EC002025	AA023218G	4536853913885	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-IE	Frenleme direnci, 50 ohm	78.50	EC002025	AA023219E	4536853913892	#		EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-IE	Braking Resistor, 40 ohm	130.70	EC002025	AA023220R	4536853913908	#		EA	EAZ	ITA	9032.8900.90
A1000-REV04K0032-IE	Braking Resistor, 32 ohm	664.00	EC002025	AA023607G	4547648851305	#		EA	EAZ	ITA	9032.8900.90
AX-REM00K1100-IE	Braking resistor, 100 W, 100 ohm nominal	32.92	EC002025	AA063420M	4549734844758	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K1200-IE	Frenleme direnci, 200 ohm, 110 W nominal	32.88	EC002025	AA029935D	4547648873727	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-IE	Frenleme direnci, 400 ohm, 190 W nominal	36.82	EC002025	AA029934F	4547648873710	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2050-IE	Braking resistor, 200 W, 50 ohm nominal	45.74	EC002025	AA063432C	4549734844635	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-IE	Braking resistor, 70 ohm, 200 W nominal	38.54	EC002025	AA029936B	4547648873734	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2100-IE	Braking resistor, 200 W, 100 ohm nominal	45.74	EC002025	AA063440D	4549734844550	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-IE	Frenleme direnci, 120 ohm, 200 W nominal	46.95	EC002025	AA029941R	4547648873789	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K2150-IE	Braking resistor, 200 W, 150 ohm nominal	45.74	EC002025	AA063434M	4549734844611	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-IE	Braking resistor, 200 ohm, 200 W nominal	46.95	EC002025	AA029939G	4547648873765	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K3160-IE	Braking resistor, 300 W, 160 ohm nominal	49.42	EC002025	AA063423D	4549734844727	#	10	EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-IE	Frenleme direnci, 35 ohm, 400 W nominal	51.15	EC002025	AA029938R	4547648873758	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4050-IE	Braking resistor, 400 W, 50 ohm nominal	50.65	EC002025	AA063433A	4549734844628	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-IE	Frenleme direnci, 70 ohm, 400 W nominal	56.70	EC002025	AA029937M	4547648873741	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4130-IE	Braking resistor, 400 W, 130 ohm nominal	50.65	EC002025	AA063424B	4549734844710	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K4200-IE	Braking resistor, 400 W, 200 ohm nominal	50.65	EC002025	AA063442M	4549734844536	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-IE	Frenleme direnci, 120 ohm, 500 W nominal	59.90	EC002025	AA029940M	4547648873772	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-IE	Frenleme direnci, 35 ohm, 600 W nominal	92.55	EC002025	AA029947H	4547648873840	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6050-IE	Braking resistor, 600 W, 50 ohm nominal	87.95	EC002025	AA063441B	4549734844543	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6080-IE	Braking resistor, 600 W, 80 ohm nominal	87.95	EC002025	AA063425M	4549734844703	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-IE	Frenleme direnci, 100 ohm, 600 W nominal	74.20	EC002025	AA029942G	4547648873796	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K6150-IE	Braking resistor, 600 W, 150 ohm nominal	97.80	EC002025	AA063443R	4549734844529	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-IE	Braking resistor, 20 ohm, 900 W nominal	162.20	EC002025	AA029948F	4547648873857	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9040-IE	Braking resistor, 900 W, 40 ohm nominal	146.70	EC002025	AA063427G	4549734844680	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9060-IE	Braking resistor, 900 W, 60 ohm nominal	146.70	EC002025	AA063426R	4549734844697	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-IE	Frenleme direnci, 70 ohm, 900 W nominal	162.20	EC002025	AA029943E	4547648873802	#		EA	EAZ	ITA	8533.2900.00
AX-REM00K9100-IE	Braking resistor, 900 W, 100 ohm nominal	152.90	EC002025	AA063444G	4549734844512	#		EA	EAZ	ITA	8533.2900.00
AX-REM01K3070-IE	Braking resistor, 1300 W, 70 ohm nominal	222.60	EC002025	AA063445E	4549734844505	#		EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-IE	Frenleme direnci, 70 ohm, 1900 W nominal	379.40	EC002025	AA029944C	4547648873819	#		EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-IE	Frenleme direnci, 70 ohm, 2100 W nominal	589.00	EC002025	AA029945A	4547648873826	#		EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-IE	Frenleme direnci, 35 ohm, 3500 W nominal	710.50	EC002025	AA029946M	4547648873833	#		EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-IE	Frenleme direnci, 20ohm, 19kW	820.50	EC002025	AA029954M	4547648873918	#		EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-IE	Frenleme direnci, 20ohm, 19kW	690.50	EC002025	AA029953B	4547648873901	#		EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-IE	Frenleme direnci, 12 ohm, (38 kW ton 30sec, Duty 10%)/(5500 W ton 300sec, Duty 25%..50%)	1,036.00	EC002025	AA029955R	4547648873925	#		EA	EAZ	ITA	8533.2900.00
ERF-150WJ101	Frenleme direnci, 100 Ohm, 200 VAC sürücü (1.5kW) (3G3IV-PERF150WJ101 ile eşdeğer)	45.69	EC002025	AA994200D	4536853834982	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ201	Frenleme direnci, 200 Ohm, 200VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ201 ile eşdeğer)	59.05	EC002025	AA994201B	4536853834999	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ301	Frenleme direnci, 300 Ohm, 400 VAC sürücü (2.2kW) (3G3IV-PERF150WJ301 ile eşdeğer)	45.69	EC002025	AA994202M	4536853835002	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ401	Frenleme direnci, 400 Ohm, 400VAC sürücü (1.5kW) (3G3IV-PERF150WJ401 ile eşdeğer)	45.69	EC002025	AA994203R	4536853835019	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ620	Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150WJ620)	45.65	EC002025	AA994204G	4536853835026	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ700	Frenleme direnci, 70 Ohm, 200 VAC sürücü (2.2kW) (3G3IV-PERF150WJ700 ile eşdeğer)	52.80	EC002025	AA994205E	4536853835033	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ751	Frenleme direnci, 750 Ohm, 400VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ751 ile eşdeğer)	45.69	EC002025	AA994206C	4536853835040	#		EA	EAZ	JPN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
INV-BR15040-Type A	Resistor, aluminum, 1000 Watt, 40 Ohm	160.20	EC002025	AA008202R	4549734983808	#		EA	EAZ	ITA	8504.4083.90
A1000-FIA3024-SE	A1000 ayak izi RFI filtresi, 24 A, 3-200 VAC: 2A0004 - 2A0021, 3 ~ 400 VAC: 4A0002 - 4A0023	136.80	EC002025	AA051198A	4549734932608	#		EA	EAZ	THA	8529.9097.00
A1000-FIA3044-SE	A1000 ayak izi RFI filtresi, 44 A, 3 ~ 400 VAC: 4A0031 - 4A0038	277.50	EC002025	AA051196E	4549734932585	#		EA	EAZ	THA	8529.9097.00
A1000-FIA3052-SE	A1000 ayak izi RFI filtresi, 52 A, 3 ~ 400 VAC: 4A0044	342.50	EC002025	AA051197C	4549734932592	#		EA	EAZ	THA	8529.9097.00
AX-FIC1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	34.49	EC002025	AA057918G	4549734790918	#		EA	EAZ	THA	8529.9097.00
AX-FIC1010-SE-LL	Accessory inverter A1000 EMC filter	76.55	EC002025	AA057922E	4549734790956	#		EA	EAZ	THA	8529.9097.00
AX-FIC1014-SE	M1 Series RFI filter 14 A, 200 VAC, single phase.	62.50	EC002025	AA063086G	4549734841153	#		EA	EAZ	THA	8529.9097.00
AX-FIC1014-SE-LL	Low Leakage M1 Series RFI filter 14 A, 200 VAC, single phase.	85.40	EC002025	AA063090E	4549734841160	#		EA	EAZ	THA	8529.9097.00
AX-FIC1020-SE	J1000/V1000 footprint RFI filtre, 13.8 A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	50.20	EC002025	AA057919E	4549734790925	#		EA	EAZ	THA	8529.9097.00
AX-FIC1020-SE-LL	Accessory inverter A1000 EMC filter	57.55	EC002025	AA057923C	4549734790963	#		EA	EAZ	THA	8529.9097.00
AX-FIC1021-SE	M1 Series RFI filter 21 A, 200 VAC, single phase.	72.55	EC002025	AA063087E	4549734841177	#		EA	EAZ	THA	8529.9097.00
AX-FIC1026-SE	M1 Series RFI filter 26 A, 200 VAC, single phase.	81.50	EC002025	AA063088C	4549734841191	#		EA	EAZ	THA	8529.9097.00
AX-FIC1030-SE	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	65.30	EC002025	AA057920R	4549734790932	#		EA	EAZ	THA	8529.9097.00
AX-FIC1030-SE-LL	Accessory inverter A1000 EMC filter	74.50	EC002025	AA057924A	4549734790970	#		EA	EAZ	THA	8529.9097.00
AX-FIC1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	98.20	EC002025	AA057921G	4549734790949	#		EA	EAZ	THA	8529.9097.00
AX-FIC1040-SE-LL	Accessory inverter A1000 EMC filter	104.00	EC002025	AA057925M	4549734790987	#		EA	EAZ	THA	8529.9097.00
AX-FIC1045-SE	M1 Series RFI filter 45 A, 200 VAC, single phase.	143.00	EC002025	AA063089A	4549734841214	#		EA	EAZ	THA	8529.9097.00
AX-FIC4004-SE	M1 RFI filter 5 A, 400 VAC, three phase.	67.55	EC002025	AA063094H	4549734841238	#		EA	EAZ	THA	8529.9097.00
AX-FIC4004-SE-LL	Low Leakage M1 RFI filter 5 A, 400 VAC, three phase.	75.95	EC002025	AA063100F	4549734841245	#		EA	EAZ	THA	8529.9097.00
AX-FIC4005-SE	J1000/V1000 footprint RFI filtre, 4.3 A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	76.85	EC002025	AA057926H	4549734790994	#		EA	EAZ	THA	8529.9097.00
AX-FIC4005-SE-LL	Accessory inverter A1000 EMC filter	76.20	EC002025	AA057932B	4549734791052	#		EA	EAZ	THA	8529.9097.00
AX-FIC4010-SE	J1000/V1000 footprint RFI filtre, 9.4 A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	90.95	EC002025	AA057927F	4549734791007	#		EA	EAZ	THA	8529.9097.00
AX-FIC4010-SE-LL	Accessory inverter A1000 EMC filter	95.90	EC002025	AA057933M	4549734791069	#		EA	EAZ	THA	8529.9097.00
AX-FIC4011-SE	M1 RFI filter 11 A, 400 VAC, three phase.	98.25	EC002025	AA063095F	4549734841252	#		EA	EAZ	THA	8529.9097.00
AX-FIC4011-SE-LL	Low Leakage M1 RFI filter 11 A, 400 VAC, three phase.	109.50	EC002025	AA063101D	4549734841269	#		EA	EAZ	THA	8529.9097.00
AX-FIC4015-SE	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	107.60	EC002025	AA057928D	4549734791014	#		EA	EAZ	THA	8529.9097.00
AX-FIC4015-SE-LL	Accessory inverter A1000 EMC filter	119.60	EC002025	AA057934R	4549734791076	#		EA	EAZ	THA	8529.9097.00
AX-FIC4017-SE	M1 RFI filter 17 A, 400 VAC, three phase.	113.90	EC002025	AA063096D	4549734841276	#		EA	EAZ	THA	8529.9097.00
AX-FIC4017-SE-LL	Low Leakage M1 RFI filter 17 A, 400 VAC, three phase.	118.40	EC002025	AA063102B	4549734841283	#		EA	EAZ	THA	8529.9097.00
AX-FIC4030-SE	Accessory inverter A1000 EMC filtre	121.10	EC002025	AA057929B	4549734791021	#		EA	EAZ	THA	8529.9097.00
AX-FIC4030-SE-LL	Accessory inverter A1000 EMC filter	140.40	EC002025	AA057935G	4549734791083	#		EA	EAZ	THA	8529.9097.00
AX-FIC4044-SE	M1 RFI filter 44 A, 400 VAC, three phase.	240.00	EC002025	AA063097B	4549734841290	#		EA	EAZ	THA	8529.9097.00
AX-FIC4044-SE-LL	Low Leakage M1 RFI filter 44 A, 400 VAC, three phase.	260.10	EC002025	AA063103M	4549734841306	#		EA	EAZ	THA	8529.9097.00
AX-FIC4050-SE	Accessory inverter A1000 EMC filtre	207.70	EC002025	AA057930F	4549734791038	#		EA	EAZ	THA	8529.9097.00
AX-FIC4050-SE-LL	Accessory inverter A1000 EMC filter	296.30	EC002025	AA057936E	4549734791090	#		EA	EAZ	THA	8529.9097.00
AX-FIC4061-SE	M1 RFI filter 61 A, 400 VAC, three phase.	435.20	EC002025	AA063098M	4549734841313	#		EA	EAZ	THA	8529.9097.00
AX-FIC4080-SE	Common footprint RFI filter for Compact series (Q2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives.	759.50	EC002025	AA057931D	4549734791045	#		EA	EAZ	HUN	8529.9097.00
AX-FIC4095-SE	M1 RFI filter 95 A, 400 VAC, three phase.	770.50	EC002025	AA063099R	4549734841337	#		EA	EAZ	THA	8529.9097.00
AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	61.25	EC002025	AA040192B	4547648975469	#		EA	EAZ	THA	8529.9097.00
AX-FIM1024-SE-V1	MX footprint RFI filtre, 24A, 200VAC, tek faz, 1.5 ila 2.2KW modeli	58.00	EC002025	AA034296R	4547648905992	#		EA	EAZ	THA	8529.9097.00
AX-FIR4011-SE	RX2 footprint RFI filter, 11 A, 3~ 400 VAC, for 0.75-3.7 kW models	127.00	EC002025	AA029711D	4549734976091	#		EA	EAZ	THA	8529.9097.00
AX-FIR4030-SE	RX2 foot print RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	197.40	EC002025	AA029730M	4549734976107	#		EA	EAZ	THA	8529.9097.00
AX-FIR4058-SE	RX2 foot print RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models	311.70	EC002025	AA029731R	4549734976114	#		EA	EAZ	THA	8529.9097.00
AX-FIR4073-SE	RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	445.40	EC002025	AA058220M	4549734793728	#		EA	EAZ	CHN	8529.9097.00
AX-FIR4146-SE	RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	705.50	EC002025	AA058218H	4549734793704	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4010-SE	Q2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	257.70	EC002025	AA052977E	4549734949200	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4020-SE	Q2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models	305.90	EC002025	AA052986D	4549734949293	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4035-SE	Q2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	358.90	EC002025	AA052985F	4549734949286	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4050-SE	Q2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models	568.50	EC002025	AA052984H	4549734949279	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4080-SE	Q2A Book end style RFI filter, 80 A, 3~ 400 VAC, for Q2A-A4044/Q2A-A4060/Q2A-A4075/Q2A-A2042/Q2A-A2056/Q2A-A2070/Q2V-A4044/Q2V-A4060 models.	759.50	EC002025	AA058216A	4549734793681	#		EA	EAZ	THA	8529.9097.00
Q2-FIA4100-SE	Q2A/Q2V Book end style RFI filter, 100 A, 3~ 400 VAC, for Q2A-A4089/Q2A-A2082/Q2V-A2082 models	949.50	EC002025	AA058212R	4549734793643	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4170-SE	Q2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	1,400.00	EC002025	AA058213G	4549734793650	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4410-SE	Q2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1,523.00	EC002025	AA058214E	4549734793667	#		EA	EAZ	CHN	8529.9097.00
Q2-FIA4600-SE	Q2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,666.00	EC002025	AA058215C	4549734793674	#		EA	EAZ	CHN	8529.9097.00
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	13.07	EC002025	AA054225R	4549734960939	#		EA	EAZ	CHN	8529.9097.00
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	16.21	EC002025	AA054226G	4549734960946	#		EA	EAZ	CHN	8529.9097.00
AX-FER5045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	67.80	EC002025	AA054227E	4549734960953	#		EA	EAZ	CHN	8529.9097.00
AX-FER5255-PE	Ferrite choke, 52mm diameter, for 45kW inverters and above	80.60	EC002025	AA054228C	4549734960960	#		EA	EAZ	CHN	8529.9097.00
AX-RAI00740335-DE	AC giriş reaktör, MX2/ RX serisi, 33.5A, 0.74mH, 11 ve 15kW boyutlarında, 400VAC, 3 faz	555.50	EC002025	AA029426C	4547648871525	#		EA	EAZ	ESP	8529.9097.00
AX-RAI07700050-DE	AC giriş reaktör, MX2/ RX serisi, 5A, 7.7mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz	289.10	EC002025	AA029424G	4547648871501	#		EA	EAZ	ESP	8529.9097.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-RAO01650400-DE	AC output reactor, 40 A, 1.65 mH, for 18.5 kW, 400 VAC, 3 phase	1,511.00	EC002025	AA033073A	4547648894913			EA	EAZ	ESP	8529.9097.00
AX-RAO02000320-DE	AC output reactor, 32 A, 2 mH, for 15 kW, 400 VAC, 3 phase	791.00	EC002025	AA029472G	4547648871969			EA	EAZ	ESP	8529.9097.00
AX-RAO02500220-DE	AC çıkış reaktör, MX2/ RX serisi, 22A, 2.5mH, 11kW üç faz, 400VAC	720.50	EC002025	AA029473E	4547648871976			EA	EAZ	ESP	8529.9097.00
AX-RAO03600160-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC	531.00	EC002025	AA029475A	4547648871990			EA	EAZ	ESP	8529.9097.00
AX-RAO07300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400 VAC, 3 phase	561.50	EC002025	AA029478F	4547648872027	#		EA	EAZ	ESP	8529.9097.00
AX-RAO16300038-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 3.8A, 16.3mH, 0.4, 0.7 ve 1.5kW üç faz, 400VAC	291.80	EC002025	AA029482D	4547648872065	#		EA	EAZ	ESP	8529.9097.00
3G3AX-CA/OP300-EE	3 metre operatör panel kablosu	6.00	EC002025	AA029933H	4547648873703	#		EA	EAZ	ITA	8503.0099.99
3G3AX-PCACN2	RJ45 TO USB converter/ connection cable	480.80	EC002025	3G3A0120F	4547648623186	#		EA	EAZ	JPN	9032.8900.90
A1000-CAVPC232-EE	Bağlantı kablosu, RS-232C, 3G3JV/MV(V7)/E7/F7/V1000 ila PC, (equivalent ila 3G3IV-PCN329-E) 3m	21.42	EC001681	AA023746D	4547648850759	#		EA	EAZ	ITA	8544.4290.90
900-192-933-001	Door mounting kit for keypad JVOP-KPLxxxxxx, screw mounting	63.40	EC002025	AA054187B	4549734960557	#		EA	EAZ	JPN	8471.6070.00
JOHB-Q2V	Q2V option card enclosure	42.64	EC002025	AA043861C	4549734980562	#		EA	EAZ	CHN	8517.6200.00
JVOP-KPBCHO4AAZ	Blank cover kit for Q2V	42.64	EC002025	AA055081B	4549734983976	#		EA	EAZ	JPN	8528.5291.00
JVOP-KPLCA04AEZ	Q2 LCD Keypad (w/o Bluetooth)	277.30	EC002025	AA052861B	4549734981323	#		EA	EAZ	JPN	8528.5291.00
JVOP-KPLCC04ABZ	Q2 LCD Keypad (with Bluetooth)	883.00	EC002025	AA055624A	4549734989046	#		EA	EAZ	GBR	8528.5291.00
ZPSA-GA50V5-1	Heatsink External Mounting Kit Q2V 2030~2042, 4018~4023	143.20	EC002025	AA044352H	4549734980715	#		EA	EAZ	JPN	8531.9000.00
CX-DRIVE 2.9	CX-Drive configuration software for inverters and servos	85.35	EC000809	AA039604M	4547648970013	#		EA	EAZ	NLD	8523.8090.00
<b>Servo G Serisi</b>											
R88D-GT01H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 100 W	2,183.00	EC002572	R8DG1000C	4547648475266	#		EB	EBK	CHN	8504.4095.90
R88D-GT02H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 200 W	2,323.00	EC002572	R8DG1001A	4547648475273	#		EB	EBK	CHN	8504.4095.90
R88D-GT04H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 400 W	2,183.00	EC002572	R8DG1002M	4547648475280	#		EB	EBK	CHN	8504.4095.90
R88D-GT08H	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 800 W	2,495.00	EC002572	R8DG1003H	4547648475297	#		EB	EBK	CHN	8504.4095.90
R88D-GT15H	G-serisi servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW	3,557.00	EC002572	R8DG9100C	4547648475310	#		EB	EBK	CHN	8504.4095.90
R88D-GN01H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 100 W	2,293.00	EC002572	R8DG0037G	4547648493284	#		EB	EBK	CHN	8504.4095.90
R88D-GN02H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 200 W	2,353.00	EC002572	R8DG0038E	4547648493291	#		EB	EBK	CHN	8504.4095.90
R88D-GN04H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 400 W	2,387.00	EC002572	R8DG0039C	4547648493307	#		EB	EBK	CHN	8504.4095.90
R88D-GN08H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 750 W	2,931.00	EC002572	R8DG0040G	4547648493314	#		EB	EBK	CHN	8504.4095.90
R88D-GN10H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1 kW	4,100.00	EC002572	R8DG9096A	4547648493321	#		EB	EBK	CHN	8504.4095.90
R88D-GN15H-ML2	G-serisi servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW	4,422.00	EC002572	R8DG9097M	4547648493338	#		EB	EBK	CHN	8504.4095.90
R88M-G05030H-B52	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	849.50	EC001851	R8MG0375R	4547648493635	#		EB	EBK	CHN	8501.5100.90
R88M-G05030H-S2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	576.00	EC001851	R8MG0370H	4547648493437	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, frenli	971.50	EC001851	R8MG0376G	4547648493642	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	628.00	EC001851	R8MG0371F	4547648493444	#		EB	EBK	CHN	8501.5100.90
R88M-G10030H-S2-D	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	714.50	EC001851	R8MG9994B	4548583414815	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, frenli	1,150.00	EC001851	R8MG0377E	4547648493659	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-B52-D	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli, silindirik konnektör	1,158.00	EC001851	R8MG8022B	4548583415195	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm	777.00	EC001851	R8MG0372D	4547648493451	#		EB	EBK	CHN	8501.5100.90
R88M-G20030H-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, yuvarlak konnektör	920.50	EC001851	R8MG9998E	4548583414853	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-B52	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, frenli	1,244.00	EC001851	R8MG0378C	4547648493666	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-B52-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector	1,386.00	EC001851	R8MG8003F	4548583414587	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	840.50	EC001851	R8MG0373B	4547648493468	#		EB	EBK	CHN	8501.5100.90
R88M-G40030H-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, yuvarlak konnektör	1,003.00	EC001851	R8MG8002H	4548583414570	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-B52	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	1,589.00	EC001851	R8MG0379A	4547648493673	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-B52-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli, yuvarlak konnektör	1,735.00	EC001851	R8MG8007R	4548583414624	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-S2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,156.00	EC001851	R8MG0374M	4547648493475	#		EB	EBK	CHN	8501.5100.90
R88M-G75030H-S2-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, yuvarlak konnektör	1,294.00	EC001851	R8MG8006M	4548583414617	#		EB	EBK	CHN	8501.5100.90
R88M-GP10030H-S2	G-serisi/SmartStep 2 AC servo motor (küçük tipi), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	789.50	EC001851	R8MG0380E	4547648496131	#		EB	EBK	CHN	8501.5100.90
R88M-GP40030H-B52	G-serisi Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake	1,668.00	EC001851	R8MG0385F	4547648496278	#		EB	EBK	CHN	8501.5100.90
R88M-GP40030H-S2	G-serisi/SmartStep 2 AC servo motor (küçük tipi), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	978.50	EC001851	R8MG0382A	4547648496155	#		EB	EBK	CHN	8501.5100.90
R88M-G05030T-B52	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,268.00	EC001851	R8MG9976D	4547648494335	#		EB	EBK	CHN	8501.5100.90
R88M-G05030T-S2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,508.00	EC001851	R8MG0388M	4547648493895	#		EB	EBK	CHN	8501.5100.90
R88M-G10030T-B52	G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	2,111.00	EC001851	R8MG0406B	4547648494342	#		EB	EBK	CHN	8501.5100.90
R88M-G10030T-S2	G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,270.00	EC001851	R8MG0386D	4547648493901	#		EB	EBK	CHN	8501.5100.90
R88M-G1K030T-B52	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake	3,444.00	EC001851	R8MG9827M	4547648494380	#		EB	EBK	CHN	8501.5220.89
R88M-G1K030T-S2	G-serisi AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	2,567.00	EC001851	R8MG0389R	4547648493949	#		EB	EBK	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-G1K520T-S2	G series servo motor 1.5kW 2000RPM 230V, abs encoder	3,042.00	EC001851	R8MG9974H	4547648495226			EB	EBK	CHN	8501.5220.89
R88M-G1K530T-B52	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake	3,756.00	EC001851	R8MG9828H	4547648494397			EB	EBK	CHN	8501.5220.89
R88M-G1K530T-S2	G-serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	2,927.00	EC001851	R8MG9821M	4547648493956			EB	EBK	CHN	8501.5220.89
R88M-G20030T-B52	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli	2,290.00	EC001851	R8MG0410M	4547648494359			EB	EBK	CHN	8501.5100.90
R88M-G20030T-S2	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,682.00	EC001851	R8MG0390B	4547648493918			EB	EBK	CHN	8501.5100.90
R88M-G40030T-B52	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli	2,528.00	EC001851	R8MG0411R	4547648494366			EB	EBK	CHN	8501.5100.90
R88M-G40030T-B52-D	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector	2,730.00	EC001851	R8MG8005B	4548583414600			EB	EBK	CHN	8501.5100.90
R88M-G40030T-S2	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,859.00	EC001851	R8MG0392R	4547648493925	#		EB	EBK	CHN	8501.5100.90
R88M-G75030T-B52	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,963.00	EC001851	R8MG0412G	4547648494373			EB	EBK	CHN	8501.5100.90
R88M-G75030T-S2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	2,217.00	EC001851	R8MG0393G	4547648493932			EB	EBK	CHN	8501.5100.90
R88A-RR50020S	Servo aksesuarı, direnç 500 W, 20 ohm	400.50	EC002615	R8AG0219M	4547648560306	#		EB	EBK	JPN	8533.2900.00
<b>Servo G5 Serisi</b>											
R88A-CPG001S	Genel amaçlı servo kontrol kablosu, 1m	207.20	EC000237	R8AG0203D	4547648493116	#		EB	EBL	CHN	8544.4290.90
XW22-100I-B24	Genel amaçlı servo terminal bloğu kablosu, 1m	306.80	EC000237	XW220267B	4547648520881	#		EB	EBL	JPN	8501.4020.80
XW22-100I-B25	Servo kontrol kablosu (CS1W/C11W/C200HW-NxC13 için), 1m	206.70	EC000237	XW220269R	4547648520904			EB	EBL	JPN	8501.4020.80
XW22-100I-B31	Servo kontrol kablosu for C11M-CPU21/22/23, 1m	206.70	EC000237	XW220281H	4547648521031	#		EB	EBL	JPN	8501.4020.80
XW22-100I-B34	G5 serisi, terminal bloğu kablosu, CN1 konnektör, use with XW2B-20G_ terminal bloğus, 1m	173.00	EC000237	XW220382B	4547648737951	#		EB	EBL	JPN	8536.9010.00
XW22-200I-B31	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	225.20	EC000237	XW220282F	4547648521048			EB	EBL	JPN	8501.4020.80
XW22-200I-B34	G5 serisi, terminal bloğu kablosu, CN1 konnektörü için,XW2B-20G_ terminal bloğu ile birlikte kullanın, 2m	185.50	EC000237	XW220383M	4547648737968			EB	EBL	JPN	8536.9010.00
R88D-KT01H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 100 W	1,489.00	EC002572	R8DK0024B	4547648651370	#		EB	EBL	CHN	8504.4095.90
R88D-KT02H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 200 W	1,751.00	EC002572	R8DK0025M	4547648651387	#		EB	EBL	CHN	8504.4095.90
R88D-KT04H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 400 W	1,862.00	EC002572	R8DK0026R	4547648651394	#		EB	EBL	CHN	8504.4095.90
R88D-KT06F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 600 W	2,086.00	EC002572	R8DK0033A	4547648651462	#		EB	EBL	CHN	8504.4095.90
R88D-KT08H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 750 W	2,117.00	EC002572	R8DK0027G	4547648651400	#		EB	EBL	CHN	8504.4095.90
R88D-KT10F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.0 kW	2,218.00	EC002572	R8DK0034M	4547648651479	#		EB	EBL	CHN	8504.4095.90
R88D-KT10H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.0 kW	2,548.00	EC002572	R8DK0028E	4547648651417			EB	EBL	CHN	8504.4095.90
R88D-KT150F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 15.0 kW	9,845.00	EC002572	R8DK9113B	4548583016262			EB	EBL	CHN	8504.4095.90
R88D-KT15F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.5 kW	2,226.00	EC002572	R8DK0035H	4547648651486	#		EB	EBL	CHN	8504.4095.90
R88D-KT15H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.5 kW	2,926.00	EC002572	R8DK0029C	4547648651424	#		EB	EBL	CHN	8504.4095.90
R88D-KT20F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 2.0 kW	2,534.00	EC002572	R8DK0036F	4547648651493	#		EB	EBL	CHN	8504.4095.90
R88D-KT30F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 3.0 kW	2,743.00	EC002572	R8DK0037D	4547648651509	#		EB	EBL	CHN	8504.4095.90
R88D-KT50F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 5.0 kW	3,955.00	EC002572	R8DK0038B	4547648651516	#		EB	EBL	CHN	8504.4095.90
R88D-KT75F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 7.5 kW	7,275.00	EC002572	R8DK9112D	4548583016255			EB	EBL	CHN	8504.4095.90
R88D-KN01H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 100 W	2,206.00	EC002572	R8DK0064A	4547648651561			EB	EBL	CHN	8504.4095.90
R88D-KN02H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 200 W	2,496.00	EC002572	R8DK0065M	4547648651578	#		EB	EBL	CHN	8504.4095.90
R88D-KN04H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 400 W	2,613.00	EC002572	R8DK0066H	4547648651585	#		EB	EBL	CHN	8504.4095.90
R88D-KN06F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 600 W	2,860.00	EC002572	R8DK0073M	4547648651653			EB	EBL	CHN	8504.4095.90
R88D-KN08H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 750 W	2,868.00	EC002572	R8DK0067F	4547648651592	#		EB	EBL	CHN	8504.4095.90
R88D-KN10F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.0 kW	2,998.00	EC002572	R8DK0074R	4547648651660			EB	EBL	CHN	8504.4095.90
R88D-KN10H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.0 kW	3,426.00	EC002572	R8DK0068D	4547648651608			EB	EBL	CHN	8504.4095.90
R88D-KN15F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.5 kW	3,009.00	EC002572	R8DK0075G	4547648651677	#		EB	EBL	CHN	8504.4095.90
R88D-KN15H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.5 kW	3,791.00	EC002572	R8DK0069B	4547648651615	#		EB	EBL	CHN	8504.4095.90
R88D-KN20F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 2.0 kW	3,356.00	EC002572	R8DK0076E	4547648651684			EB	EBL	CHN	8504.4095.90
R88D-KN30F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 3.0 kW	3,571.00	EC002572	R8DK0077C	4547648651691			EB	EBL	CHN	8504.4095.90
R88D-KN50F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 5.0 kW	4,917.00	EC002572	R8DK0078A	4547648651707			EB	EBL	CHN	8504.4095.90
R88D-KN01H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 100 W, 1~ 200 VAC	2,031.00	EC002572	R8DK9140M	4548583021310	#		EB	EBL	CHN	8504.4095.90
R88D-KN02H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 200 W, 1~ 200 VAC	2,391.00	EC002572	R8DK9141H	4548583021327	#		EB	EBL	CHN	8504.4095.90
R88D-KN04H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 400 W, 1~ 200 VAC	2,505.00	EC002572	R8DK9142F	4548583021334	#		EB	EBL	CHN	8504.4095.90
R88D-KN06F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 600 W, 3~ 400 VAC	2,758.00	EC002572	R8DK9151E	4548583021426	#		EB	EBL	CHN	8504.4095.90
R88D-KN08H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 750 W, 1~ 200 VAC	2,754.00	EC002572	R8DK9143D	4548583021341	#		EB	EBL	CHN	8504.4095.90
R88D-KN10F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 3~ 400 VAC	2,875.00	EC002572	R8DK9152C	4548583021433	#		EB	EBL	CHN	8504.4095.90
R88D-KN10H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 1~ 200 VAC	3,291.00	EC002572	R8DK9144B	4548583021358			EB	EBL	CHN	8504.4095.90
R88D-KN150F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 15 kW, 3~ 400 VAC	11,290.00	EC002572	R8DK9158B	4548583021495			EB	EBL	CHN	8504.4095.90
R88D-KN15F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 3~ 400 VAC	2,932.00	EC002572	R8DK9153A	4548583021440	#		EB	EBL	CHN	8504.4095.90
R88D-KN15H-ECT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 1~ 200 VAC	3,412.00	EC002572	R8DK9145M	4548583021365	#		EB	EBL	CHN	8504.4095.90
R88D-KN20F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 2 kW, 3~ 400 VAC	3,156.00	EC002572	R8DK9154M	4548583021457	#		EB	EBL	CHN	8504.4095.90
R88D-KN30F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 3 kW, 3~ 400 VAC	3,357.00	EC002572	R8DK9155H	4548583021464	#		EB	EBL	CHN	8504.4095.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-KN50F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 5 kW, 3~ 400 VAC	4,468.00	EC002572	R8DK9156F	4548583021471	#		EB	EBL	CHN	8504.4095.90
R88D-KN75F-ECT	G5 serisi servo sürücü, EtherCAT tipi, 7.5 kW, 3~ 400 VAC	7,080.00	EC002572	R8DK9157D	4548583021488	#		EB	EBL	CHN	8504.4095.90
R88M-K05030H-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	1,341.00	EC001851	R8MK0768R	4547648653176			EB	EBL	CHN	8501.5100.90
R88M-K05030H-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	843.50	EC001851	R8MK0747F	4547648652964			EB	EBL	CHN	8501.5100.90
R88M-K05030T-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,723.00	EC001851	R8MK0936C	4547648654852			EB	EBL	CHN	8501.5100.90
R88M-K05030T-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,246.00	EC001851	R8MK0915M	4547648654647			EB	EBL	CHN	8501.5100.90
R88M-K10030H-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, frenli	1,386.00	EC001851	R8MK0769G	4547648653183	#		EB	EBL	CHN	8501.5100.90
R88M-K10030H-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental	878.00	EC001851	R8MK0748D	4547648652971	#		EB	EBL	CHN	8501.5100.90
R88M-K10030T-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,764.00	EC001851	R8MK0937A	4547648654869	#		EB	EBL	CHN	8501.5100.90
R88M-K10030T-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,289.00	EC001851	R8MK0916R	4547648654654	#		EB	EBL	CHN	8501.5100.90
R88M-K11K015C-B052	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute, frenli ve yağ sızdırmazlığı	9,110.00	EC001851	R8MK8999E	4548583017191			EB	EBL	CHN	8501.5230.90
R88M-K11K015C-S2	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute	8,660.00	EC001851	R8MK8939A	4548583016590			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-B052	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute, frenli ve yağ sızdırmazlığı	10,670.00	EC001851	R8MK7000C	4548583017207			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-S2	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute	9,845.00	EC001851	R8MK8940E	4548583016606			EB	EBL	CHN	8501.5230.90
R88M-K1K020C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,315.00	EC001851	R8MK1186D	4547648657358			EB	EBL	CHN	8501.5220.89
R88M-K1K020C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute	1,538.00	EC001851	R8MK1172D	4547648657211			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,880.00	EC001851	R8MK1074D	4547648656238	#		EB	EBL	CHN	8501.5220.89
R88M-K1K020F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,256.00	EC001851	R8MK1060D	4547648656092	#		EB	EBL	CHN	8501.5220.89
R88M-K1K020H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,604.00	EC001851	R8MK1066C	4547648656153			EB	EBL	CHN	8501.5220.89
R88M-K1K020H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental	1,196.00	EC001851	R8MK1052C	4547648656016			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,011.00	EC001851	R8MK1178C	4547648657273			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute	1,585.00	EC001851	R8MK1164C	4547648657136			EB	EBL	CHN	8501.5220.89
R88M-K1K030C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,725.00	EC001851	R8MK0948G	4547648654975	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute	2,153.00	EC001851	R8MK0927D	4547648654760	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,306.00	EC001851	R8MK0780H	4547648653299	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental	1,774.00	EC001851	R8MK0759M	4547648653084	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,409.00	EC001851	R8MK0773E	4547648653220			EB	EBL	CHN	8501.5220.89
R88M-K1K030H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental	1,703.00	EC001851	R8MK0752B	4547648653015	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,801.00	EC001851	R8MK0941M	4547648654906	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	2,205.00	EC001851	R8MK0920G	4547648654692			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,414.00	EC001851	R8MK1187B	4547648657365			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute	1,800.00	EC001851	R8MK1173B	4547648657228			EB	EBL	CHN	8501.5220.89
R88M-K1K520F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,979.00	EC001851	R8MK1075B	4547648656245	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,423.00	EC001851	R8MK1061B	4547648656108	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,892.00	EC001851	R8MK1067A	4547648656160			EB	EBL	CHN	8501.5220.89
R88M-K1K520H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental	1,434.00	EC001851	R8MK1053A	4547648656023	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,254.00	EC001851	R8MK1179A	4547648657280			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute	1,810.00	EC001851	R8MK1165A	4547648657143			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	3,053.00	EC001851	R8MK0949E	4547648654982	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute	2,383.00	EC001851	R8MK0928B	4547648654777	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,661.00	EC001851	R8MK0781F	4547648653305	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental	2,075.00	EC001851	R8MK0760C	4547648653091	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,675.00	EC001851	R8MK0774C	4547648653237			EB	EBL	CHN	8501.5220.89
R88M-K1K530H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental	2,055.00	EC001851	R8MK0753M	4547648653022	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	3,037.00	EC001851	R8MK0942H	4547648654913			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	2,432.00	EC001851	R8MK0921E	4547648654708			EB	EBL	CHN	8501.5220.89
R88M-K20030H-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli	1,526.00	EC001851	R8MK0770M	4547648653190	#		EB	EBL	CHN	8501.5100.90
R88M-K20030H-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental	1,023.00	EC001851	R8MK0749B	4547648652988	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli	1,910.00	EC001851	R8MK0938M	4547648654876	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,390.00	EC001851	R8MK0917G	4547648654661	#		EB	EBL	CHN	8501.5100.90
R88M-K2K010C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute, frenli	3,580.00	EC001851	R8MK1302F	4547648658515			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental, frenli	3,239.00	EC001851	R8MK1254B	4547648658034			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental	2,537.00	EC001851	R8MK1248H	4547648657976			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute, frenli	2,706.00	EC001851	R8MK1188M	4547648657312			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	2,107.00	EC001851	R8MK1174M	4547648657235			EB	EBL	CHN	8501.5220.89
R88M-K2K020F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental, frenli	2,330.00	EC001851	R8MK1076M	4547648656252	#		EB	EBL	CHN	8501.5220.89
R88M-K2K020F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental	1,649.00	EC001851	R8MK1062M	4547648656115	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute, frenli	3,369.00	EC001851	R8MK0950R	4547648654999	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute	2,707.00	EC001851	R8MK0929M	4547648654784	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental, frenli	3,010.00	EC001851	R8MK0782D	4547648653102	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental	2,297.00	EC001851	R8MK0761A	4547648653107	#		EB	EBL	CHN	8501.5220.89
R88M-K3K010C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute, frenli	4,358.00	EC001851	R8MK1303D	4547648658522			EB	EBL	CHN	8501.5220.89

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
R88M-K3K010C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute	3,673.00	EC001851	R8MK1297F	4547648658461			EB	EBL	CHN	8501.5220.89	
R88M-K3K010F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental, frenli	4,038.00	EC001851	R8MK1255M	4547648658041			EB	EBL	CHN	8501.5220.89	
R88M-K3K010F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental	3,337.00	EC001851	R8MK1249F	4547648657983			EB	EBL	CHN	8501.5220.89	
R88M-K3K020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	3,135.00	EC001851	R8MK1189R	4547648657389			EB	EBL	CHN	8501.5220.89	
R88M-K3K020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	2,574.00	EC001851	R8MK1175R	4547648657242			EB	EBL	CHN	8501.5220.89	
R88M-K3K020F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental frenli	2,749.00	EC001851	R8MK1077R	4547648656269			#	EB	EBL	CHN	8501.5220.89
R88M-K3K020F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,061.00	EC001851	R8MK1063R	4547648656122			#	EB	EBL	CHN	8501.5220.89
R88M-K3K030C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute, frenli	4,075.00	EC001851	R8MK0951G	4547648655002			#	EB	EBL	CHN	8501.5220.89
R88M-K3K030C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute	3,087.00	EC001851	R8MK0930D	4547648654791			#	EB	EBL	CHN	8501.5220.89
R88M-K3K030F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental, frenli	3,691.00	EC001851	R8MK0783B	4547648653329			#	EB	EBL	CHN	8501.5220.89
R88M-K3K030F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental	2,683.00	EC001851	R8MK0762M	4547648653114			#	EB	EBL	CHN	8501.5220.89
R88M-K40020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	1,910.00	EC001851	R8MK1184H	4547648657334			EB	EBL	CHN	8501.5100.90	
R88M-K40020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	1,394.00	EC001851	R8MK1170H	4547648657198			EB	EBL	CHN	8501.5100.90	
R88M-K40020F-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental, frenli	1,506.00	EC001851	R8MK1072H	4547648656214			#	EB	EBL	CHN	8501.5100.90
R88M-K40020F-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental	1,009.00	EC001851	R8MK1058B	4547648656078			#	EB	EBL	CHN	8501.5100.90
R88M-K40030H-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,739.00	EC001851	R8MK0771R	4547648653206			#	EB	EBL	CHN	8501.5100.90
R88M-K40030H-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,158.00	EC001851	R8MK0750F	4547648652995			#	EB	EBL	CHN	8501.5100.90
R88M-K40030T-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli	2,104.00	EC001851	R8MK0939H	4547648654883			#	EB	EBL	CHN	8501.5100.90
R88M-K40030T-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,535.00	EC001851	R8MK0918E	4547648654678			#	EB	EBL	CHN	8501.5100.90
R88M-K4K020C-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute, frenli	3,635.00	EC001851	R8MK1190B	4547648657396			EB	EBL	CHN	8501.5220.89	
R88M-K4K020C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute	3,196.00	EC001851	R8MK1176G	4547648657259			EB	EBL	CHN	8501.5220.89	
R88M-K4K020F-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental, frenli	3,264.00	EC001851	R8MK1078G	4547648656276			EB	EBL	CHN	8501.5220.89	
R88M-K4K020F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,612.00	EC001851	R8MK1064G	4547648656139			#	EB	EBL	CHN	8501.5220.89
R88M-K4K030C-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute, frenli	5,035.00	EC001851	R8MK0952E	4547648655019			EB	EBL	CHN	8501.5220.89	
R88M-K4K030C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute	4,024.00	EC001851	R8MK0931B	4547648654807			EB	EBL	CHN	8501.5220.89	
R88M-K4K030F-B52	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental, frenli	4,597.00	EC001851	R8MK0784M	4547648653336			EB	EBL	CHN	8501.5220.89	
R88M-K4K030F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental	3,545.00	EC001851	R8MK0763H	4547648653121			#	EB	EBL	CHN	8501.5220.89
R88M-K4K510C-B052	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute, frenli	5,025.00	EC001851	R8MK8996M	4548583017160			EB	EBL	CHN	8501.5220.89	
R88M-K4K510C-S2	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute	5,070.00	EC001851	R8MK8996G	4548583016569			EB	EBL	CHN	8501.5220.89	
R88M-K5K020C-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	4,032.00	EC001851	R8MK1191M	4547648657402			#	EB	EBL	CHN	8501.5220.89
R88M-K5K020C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,562.00	EC001851	R8MK1177E	4547648657266			#	EB	EBL	CHN	8501.5220.89
R88M-K5K020F-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,488.00	EC001851	R8MK1079E	4547648656283			#	EB	EBL	CHN	8501.5220.89
R88M-K5K020F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,749.00	EC001851	R8MK1065E	4547648656146			#	EB	EBL	CHN	8501.5220.89
R88M-K5K030C-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute, frenli	6,610.00	EC001851	R8MK0953C	4547648655026			EB	EBL	CHN	8501.5220.89	
R88M-K5K030C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute	5,580.00	EC001851	R8MK0932M	4547648654814			EB	EBL	CHN	8501.5220.89	
R88M-K5K030F-B52	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental, frenli	6,085.00	EC001851	R8MK0785R	4547648653343			#	EB	EBL	CHN	8501.5220.89
R88M-K5K030F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental	5,105.00	EC001851	R8MK0764F	4547648653138			#	EB	EBL	CHN	8501.5220.89
R88M-K60020C-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute, frenli	1,949.00	EC001851	R8MK1185F	4547648657341			EB	EBL	CHN	8501.5100.90	
R88M-K60020C-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute	1,414.00	EC001851	R8MK1171F	4547648657204			EB	EBL	CHN	8501.5100.90	
R88M-K60020F-B52	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, frenli	1,614.00	EC001851	R8MK1073F	4547648656221			#	EB	EBL	CHN	8501.5100.90
R88M-K60020F-S2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental	1,147.00	EC001851	R8MK1059M	4547648656085			#	EB	EBL	CHN	8501.5100.90
R88M-K6K010C-B052	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute, frenli, with oil seal	6,870.00	EC001851	R8MK8997R	4548583017177			EB	EBL	CHN	8501.5220.89	
R88M-K6K010C-S2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute	6,285.00	EC001851	R8MK8937E	4548583016576			EB	EBL	CHN	8501.5220.89	
R88M-K75030C-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute, frenli	2,656.00	EC001851	R8MK0947R	4547648654968			EB	EBL	CHN	8501.5100.90	
R88M-K75030C-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute	2,208.00	EC001851	R8MK0926F	4547648654753			EB	EBL	CHN	8501.5100.90	
R88M-K75030F-B52	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental, frenli	2,282.00	EC001851	R8MK0779D	4547648653282			#	EB	EBL	CHN	8501.5100.90
R88M-K75030F-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental	1,747.00	EC001851	R8MK0758A	4547648653077			#	EB	EBL	CHN	8501.5100.90
R88M-K75030H-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,122.00	EC001851	R8MK0772G	4547648653213			#	EB	EBL	CHN	8501.5100.90
R88M-K75030H-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,460.00	EC001851	R8MK0751D	4547648653008			#	EB	EBL	CHN	8501.5100.90
R88M-K75030T-B52	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,683.00	EC001851	R8MK0940A	4547648654890			#	EB	EBL	CHN	8501.5100.90
R88M-K75030T-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	2,122.00	EC001851	R8MK0919C	4547648654685			#	EB	EBL	CHN	8501.5100.90
R88M-K7K515C-B052	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, frenli, with yağ sızdırmazlığı	7,570.00	EC001851	R8MK8998G	4548583017184			#	EB	EBL	CHN	8501.5220.89
R88M-K7K515C-S2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute	6,770.00	EC001851	R8MK8938C	4548583016583			#	EB	EBL	CHN	8501.5220.89
R88M-K90010C-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,776.00	EC001851	R8MK1301H	4547648658508			EB	EBL	CHN	8501.5220.89	
R88M-K90010C-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute	2,351.00	EC001851	R8MK1295M	4547648658447			EB	EBL	CHN	8501.5220.89	
R88M-K90010F-B52	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,346.00	EC001851	R8MK1253D	4547648658027			EB	EBL	CHN	8501.5220.89	
R88M-K90010F-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental	1,785.00	EC001851	R8MK1247M	4547648657969			EB	EBL	CHN	8501.5220.89	
R88M-K90010H-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,423.00	EC001851	R8MK1250M	4547648657990			EB	EBL	CHN	8501.5220.89	
R88M-K90010H-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental	1,785.00	EC001851	R8MK1244E	4547648657938			EB	EBL	CHN	8501.5220.89	
R88M-K90010T-B52	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,776.00	EC001851	R8MK1298D	4547648658476			EB	EBL	CHN	8501.5220.89	
R88M-K90010T-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute	2,218.00	EC001851	R8MK1292E	4547648658404			EB	EBL	CHN	8501.5220.89	
R88M-KH40030H-B52-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,752.00	EC001851	R8MK7795D	4548583406716			EB	EBL	CHN	8501.5100.90	
R88M-KH40030H-S2-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,228.00	EC001851	R8MK7794F	4548583406698			EB	EBL	CHN	8501.5100.90	



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-KH75030H-BS2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,465.00	EC001851	R8MK7799G	4548583406742			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-S2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,513.00	EC001851	R8MK7798R	4548583406735			EB	EBL	CHN	8501.5100.90
R88M-KH1K020F-BS1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,768.00	EC001851	R8MK7803R	4548583406780			EB	EBL	CHN	8501.5220.89
R88M-KH1K020F-S1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,317.00	EC001851	R8MK7802M	4548583406773			EB	EBL	CHN	8501.5220.89
R88M-KH1K520F-S1	G5 serisi high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,562.00	EC001851	R8MK7806C	4548583406810			EB	EBL	CHN	8501.5220.89
R88M-KH2K020C-S1	G5 serisi high inertia AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	2,248.00	EC001851	R8MK7812H	4548583406872			EB	EBL	CHN	8501.5220.89
R88M-KH3K020F-S1	G5 serisi high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,277.00	EC001851	R8MK7814D	4548583406896			EB	EBL	CHN	8501.5220.89
R88M-KH4K020F-S1	G5 serisi high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,855.00	EC001851	R8MK7818G	4548583406933			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-BS1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	4,875.00	EC001851	R8MK7825M	4548583407008			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,677.00	EC001851	R8MK7824A	4548583406995			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-BS1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,983.00	EC001851	R8MK7823C	4548583406988			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	3,143.00	EC001851	R8MK7822E	4548583406971	#		EB	EBL	CHN	8501.5220.89
R88M-KH7K515C-BS1	G5 high inertia servo motor, 7.5 kW, 400 VAC, 1500 rpm, ABS, Brake	8,065.00	EC001851	R8MK7827F	4548583407022			EB	EBL	CHN	8501.5220.89
R88A-CN41L	G5 serisi servo harici enkoder konnektör [for CN4]	40.62	EC002584	R8AK0103E	4547648720489	#		EB	EBL	JPN	8501.4020.80
R88A-CN81S	Aksesuar servo, G5, güvenli I / O sinyali konnektörü (CN8)	30.53	EC002584	AA050721F	4549734927949	#		EB	EBL	CHN	8536.9010.00
R88A-CNW01R	Enkoder kablo konnektörü (CN2), sürücü tarafı, tüm modeller	69.60	EC002584	AA050720H	4549734927932	#		EB	EBL	CHN	8544.4290.90
R88A-CRGD0R3C	Absolute enkoder battery cable [battery not included]	163.50	EC002615	R8AG0213A	4547648493215	#		EB	EBL	CHN	8501.4020.80
R88A-CRGD0R3C-BS	Absolute enkoder pil kablosu [BAT01G dahildir]	286.50	EC002615	R8AG0221B	4547648582780	#		EB	EBL	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
R7A-CPB001S	SmartStep 2 serisi servo kontrol kablosu, 1m	99.60	EC002615	R7AB0012M	4547648491013	#		EB	EBM	CHN	8501.4020.80
XW2Z-100I-B29	CJ1W-NC113/213/413 ile terminal bloğu arası kablo, 1m	261.40	EC000237	XW2Z0277M	4547648520997			EB	EBM	JPN	8501.4020.80
XW2Z-100I-B32	SmartStep2 kablosu (100-400w) sürücü için servo röle ünitesi ile sürücü arası kablo	211.50	EC000237	XW2Z0283D	4547648521055			EB	EBM	JPN	8501.4020.80
R7D-BP01H	SmartStep 2 servo sürücü, pulse tipi, 100 W, 1~ 200 VAC	1,317.00	EC002572	R7DB0014G	4547648475181	#		EB	EBM	CHN	8504.4095.90
R7D-BP02HH	SmartStep 2 servo sürücü, pulse tipi, 200 W, 1~ 200 VAC	1,347.00	EC002572	R7DB0016C	4547648475204	#		EB	EBM	CHN	8504.4095.90
R7D-BP04H	SmartStep 2 servo sürücü, pulse tipi, 400 W, 1~ 200 VAC	1,398.00	EC002572	R7DB0017A	4547648475211	#		EB	EBM	CHN	8504.4095.90
R88D-GP08H	SmartStep 2 servo sürücü, pulse tipi, 800 W, 1~ 200 VAC	1,862.00	EC002572	R8DG0041E	4547648728911	#		EB	EBM	CHN	8504.4095.90
R7A-CN801A	SmartStep 2 servo motor konnektör (CNB)	15.82	EC002584	R7AB0017M	4547648491068	#		EB	EBM	CHN	8501.4020.80
R7A-CN801P	SmartStep 2 ana enerji beslemesi konnektör (CNA)	14.08	EC002584	R7AB0019G	4547648491082	#		EB	EBM	CHN	8501.4020.80
R88A-RR080100S	Servo aksesuarı, direnç 80 W, 100 ohm	103.40	EC002615	R8AG2018M	4547648512688	#		EB	EBM	JPN	8533.2900.00
R88A-RR08050S	Servo aksesuarı, direnç 80 W, 50 ohm	103.40	EC002615	R8AG2017B	4547648512671	#		EB	EBM	JPN	8533.2900.00
<b>Servolar için Aksesuarlar</b>											
R88A-CAWA005S-DE	servo motor kablosu, 5m (DP9325252-5G ile aynı özellikte)	202.10	EC002615	AA991004H	4536853863319	#		EB	EBZ	DEU	8544.4290.90
R88A-CRGA003CR-E	G-serisi servo enkoder kablosu, 3m, absolute enkoder tipi, 50-750 W	147.40	EC002615	AA028880H	4547648867924	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGA005CR-E	G-serisi servo enkoder kablosu, 5m, absolute enkoder tipi, 50-750 W	165.40	EC002615	AA028881F	4547648867931	#		EB	EBZ	ITA	8544.4290.90
R88A-CRQB001-5CR-E	Servo enkoder kablosu, 1.5m, incremental enkoder tipi, 50-750W	117.20	EC002615	AA028476D	4547648865593	#		EB	EBZ	ITA	8544.4290.90
R88A-CRQB003CR-E	Servo enkoder kablosu, 3m, incremental enkoder tipi, 50-750W	131.30	EC002615	AA028477B	4547648865609	#		EB	EBZ	ITA	8544.4290.90
R88A-CRQB005CR-E	Servo enkoder kablosu, 5m, incremental enkoder tipi, 50-750W	149.70	EC002615	AA028478M	4547648865616	#		EB	EBZ	ITA	8544.4290.90
R88A-CRQB010CR-E	Servo enkoder kablosu, 10m, incremental enkoder tipi, 50-750W	196.60	EC002615	AA028479R	4547648865623	#		EB	EBZ	ITA	8544.4290.90
R88A-CRQB015CR-E	Servo enkoder kablosu, 15m, incremental enkoder tipi, 50-750W	242.80	EC002615	AA028480B	4547648865630	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA001-5CR-E	G5 serisi servo enkoder kablosu, 1.5m, 50-750 W	124.30	EC002615	AA028971E	4547648868419	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA003CR-E	G5 serisi servo enkoder kablosu, 3m, 50-750 W	137.90	EC002615	AA028972C	4547648868426	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA005CR-E	G5 serisi servo enkoder kablosu, 5m, 50-750 W	156.70	EC002615	AA029170A	4547648870184	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA010CR-E	G5 serisi servo enkoder kablosu, 10m, 50-750 W	202.80	EC002615	AA028974M	4547648868440	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA015CR-E	G5 serisi servo enkoder kablosu, 15m, 50-750 W	249.40	EC002615	AA028975H	4547648868457	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA020CR-E	G5 serisi servo enkoder kablosu, 20m, 50-750 W	295.40	EC002615	AA028976F	4547648868464	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA030CR-E	G5 serisi servo enkoder kablosu, 30m, 50-750W	480.70	EC002615	AA032591F	4547648889612	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC001-5NR-E	G5 serisi servo enkoder kablosu, 1.5m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	155.80	EC002615	AA029099C	4547648869553	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC003NR-E	G5 serisi servo enkoder kablosu, 3m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	169.70	EC002615	AA029100M	4547648869560	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC005NR-E	G5 serisi servo enkoder kablosu, 5m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	188.80	EC002615	AA028979M	4547648868495	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC010NR-E	G5 serisi servo enkoder kablosu, 10m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	235.10	EC002615	AA028980D	4547648868501	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC015NR-E	G5 serisi servo enkoder kablosu, 15m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	281.40	EC002615	AA028981B	4547648868518	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC020NR-E	G5 serisi servo enkoder kablosu, 20m, 200 V: 1-1.5 kW, 400 V: 400 W-5 kW	328.10	EC002615	AA028982M	4547648868525	#		EB	EBZ	ITA	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRKC030NR-E	G5 serisi servo enkoder kablosu, 30m, 200V: 1kW - 1.5kW, 400V: 400W - 5kW	472.10	EC002615	AA032210M	4547648887090	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKM005SR-E	Accurax G5 harici enkoder kablosu for CN4, 5m	194.00	EC002615	AA032702A	4547648891875	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKN0015SCR-E	Accurax G5 linear sürücü ile serial converter ara kablosu, 1,5m	284.00	EC002615	AA034002H	4547648903417	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKN003CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu 3m	217.20	EC002615	AA034003F	4547648903424	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKN005CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu, 5m	241.80	EC002615	AA034004D	4547648903431	#		EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	servo enkoder kablosu, 3m (DP9325256-3G ile eşdeğer)	236.90	EC002615	AA991023D	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)	282.30	EC002615	AA991024B	4536853863630	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA010C-DE	servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)	336.00	EC002615	AA991025M	4536853863654	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA015C-DE	servo enkoder kablosu, 15m (DP9325256-15G ile eşdeğer)	421.70	EC002615	AA991026R	4536853863661	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA020C-DE	servo enkoder kablosu, 20m (DP9325256-20G ile eşdeğer)	492.30	EC002615	AA991027G	4536853863685	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWB005N-E	Sigma II enkoder kablosu for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)	317.60	EC002615	AA990711M	4536853861643	#		EB	EBZ	ITA	8544.4290.90
R88A-CRWB010N-E	Sigma II enkoder kablosu for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)	367.30	EC002615	AA990712H	4536853861667	#		EB	EBZ	ITA	8544.4290.90
R88A-CSK0035-E	Servo sürücü, aksesuarı, safety kablosu, 3m, GS (CN8) - uçları açık	90.50	EC000237	AA042475B	4547648996754	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB0015SR-E	güç kablosu, SmartStep 2 motor, 1,5m	60.35	EC002615	AA028470E	4547648865531	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	güç kablosu, SmartStep 2 motor, 3m	68.85	EC002615	AA028471C	4547648865548	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	SmartStep 2 güç kablosu, (50-400 W), yuvaklak IP67 konnektör, non frend, 5m	143.80	EC002615	AA038908F	4547648963251	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	güç kablosu, SmartStep 2 motor, 5m	78.70	EC002615	AA028472A	4547648865555	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	güç kablosu, SmartStep 2 motor, 10m	105.40	EC002615	AA028473M	4547648865562	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA0015SR-E	SmartStep 2/G-serisi güç kablosu 1,5m, 50-750 W	57.30	EC002615	AA028873E	4547648867856	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	SmartStep 2/G-serisi fren kablosu 3m, 50-750 W	61.25	EC002615	AA028483G	4547648865661	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	SmartStep 2/G-serisi güç kablosu 3m, 50-750 W	65.15	EC002615	AA028874C	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	SmartStep 2/G-serisi fren kablosu 5m, 50-750 W	69.60	EC002615	AA028484E	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	SmartStep 2/G-serisi güç kablosu 5m, 50-750 W	76.15	EC002615	AA028875A	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	SmartStep 2/G-serisi fren kablosu 10m, 50-750 W	89.70	EC002615	AA028485C	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	SmartStep 2/G-serisi güç kablosu 10m, 50-750 W	102.20	EC002615	AA028876M	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015SR-E	SmartStep 2/G-serisi güç kablosu 15m, 50-750 W	128.60	EC002615	AA028877H	4547648867894	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB0015SR-E	Servo motor güç kablosu, 1,5m, frensiz, 900 W-1.5 kW	155.40	EC002615	AA028885R	4547648867979	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	Servo motor güç kablosu, 3m, frensiz, 900 W-1.5 kW	178.70	EC002615	AA028886G	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	Servo motor güç kablosu, 5m, frensiz, 900 W-1.5 kW	209.80	EC002615	AA028887E	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010BR-E	Servo motor güç kablosu, 10m, frenli, 900 W-1.5 kW	323.10	EC002615	AA028894H	4547648868068	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	Servo motor güç kablosu, 10m, frensiz, 900 W-1.5 kW	286.60	EC002615	AA028888C	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	Servo motor güç kablosu, 15m, frensiz, 900 W-1.5 kW	363.30	EC002615	AA028889A	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020BR-E	Servo motor güç kablosu, 20m, frenli, 900 W-1.5 kW	529.50	EC002615	AA028896D	4547648868082	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	Servo motor güç kablosu, 20m, frensiz, 900 W-1.5 kW	441.70	EC002615	AA028890E	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD003BR-E	G5 serisi servo motor güç kablosu, 3m, frenli, 3-5 kW	298.40	EC002615	AA029002M	4547648868723	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	G5 serisi servo motor güç kablosu, 3m, frensiz, 3-5 kW	195.10	EC002615	AA028990A	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	G5 serisi servo motor güç kablosu, 5m, frenli, 3-5 kW	348.40	EC002615	AA029003R	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	G5 serisi servo motor güç kablosu, 5m, frensiz, 3-5 kW	228.10	EC002615	AA028991M	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	G5 serisi servo motor güç kablosu, 10m, frenli, 3-5 kW	476.80	EC002615	AA029004G	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	G5 serisi servo motor güç kablosu, 10m, frensiz, 3-5 kW	325.10	EC002615	AA028992H	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	G5 serisi servo motor güç kablosu, 15m, frenli, 3-5 kW	599.50	EC002615	AA029102G	4547648869584	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	G5 serisi servo motor güç kablosu, 15m, frensiz, 3-5 kW	485.20	EC002615	AA028993F	4547648868631	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020BR-E	G5 serisi servo motor güç kablosu, 20m, frenli, 3-5 kW	683.00	EC002615	AA029006C	4547648868754	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020SR-E	G5 serisi servo motor güç kablosu, 20m, frensiz, 3-5 kW	590.50	EC002615	AA028994D	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA0015BR-E	G5 serisi servo fren kablosu, 1,5m, 50-750W	131.80	EC002615	AA029007A	4547648868761	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA0015SR-E	G5 serisi servo motor güç kablosu, 1,5m, non frend, 50-750 W	197.10	EC002615	AA028983R	4547648868532	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA003BR-E	G5 serisi servo fren kablosu, 3m, 50-750W	137.90	EC002615	AA029008M	4547648868778	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	G5 serisi servo motor güç kablosu, 3m, non frend, 50-750 W	213.40	EC002615	AA028984G	4547648868549	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	G5 serisi servo fren kablosu, 5m, 50-750W	146.10	EC002615	AA029009H	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	G5 serisi servo motor güç kablosu, 5m, non frend, 50-750 W	235.90	EC002615	AA028985E	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	G5 serisi servo fren kablosu, 10m, 50-750W	165.80	EC002615	AA029010A	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	G5 serisi servo motor güç kablosu, 10m, non frend, 50-750 W	291.70	EC002615	AA028986C	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	G5 serisi servo fren kablosu, 15m, 50-750W	186.70	EC002615	AA029011M	4547648868808	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	G5 serisi servo motor güç kablosu, 15m, non frend, 50-750 W	346.60	EC002615	AA028987A	4547648868570	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	G5 serisi servo fren kablosu, 20m, 50-750W	205.80	EC002615	AA029012H	4547648868815	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	G5 serisi servo motor güç kablosu, 20m, non frend, 50-750 W	401.70	EC002615	AA028988M	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	G5 serisi servo motor güç kablosu, 30m, frensiz, 50-750W	585.50	EC002615	AA032604A	4547648889742	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE005SR-E	G5 serisi servo motor güç kablosu, 5 m, frensiz, 6 kW - 7.5 kW	516.50	EC002615	AA034946G	4547648917230	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE010SR-E	G5 serisi servo motor güç kablosu, 10m, non frend, 6KW ila 7.6KW	700.00	EC002615	AA034947E	4547648917247	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE015SR-E	G5 serisi servo motor güç kablosu, 15 m, frensiz, 6 kW - 7.5 kW	1,010.00	EC002615	AA034948C	4547648917254	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKF003BR-E	G5 serisi servo motor güç kablosu, 3m, frend, 750W ila 2KW	267.20	EC002615	AA028996M	4547648868662	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF005BR-E	G5 serisi servo motor güç kablosu, 5m, frend, 750W ila 2KW	297.10	EC002615	AA028997R	4547648868679	#		EB	EBZ	ITA	8544.4999.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKF010BR-E	G5 serisi servo motor güç kablosu, 10m, frend, 750W ila 2KW	371.20	EC002615	AA028998G	4547648868686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF015BR-E	G5 serisi servo motor güç kablosu, 15m, frend, 750W ila 2KW	445.80	EC002615	AA028999E	4547648868689	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF020BR-E	G5 serisi servo motor güç kablosu, 20m, frend, 750W ila 2KW	521.00	EC002615	AA029000D	4547648868709	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF030BR-E	G5 serisi servo motor güç kablosu, 30m, frenli, 750W to 2KW	678.00	EC002615	AA032607F	4547648889773	#		EB	EBZ	ITA	8544.4999.00
R88A-CAK020SR-E	G5 serisi servo motor güç kablosu, 20m, frensiz, 11KW - 15KW	1,362.00	EC002615	AA034955F	4547648917322	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (frenli) kablosu, 3m (DP9325253-3G ile aynı özellikte)	175.20	EC002615	AA991008M	4536853863371	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor kablosu, 3m ( DP9325252-3G ile aynı özellikte)	164.30	EC002615	AA991003M	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (frenli) kablosu, 5m ( DP9325253-5G ile aynı özellikte)	212.30	EC002615	AA991009R	4536853863395	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (frenli) kablosu, 10m ( DP9325253-10G ile aynı özellikte)	294.40	EC002615	AA991010B	4536853863418	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor kablosu, 10m ( DP9325252-10G ile aynı özellikte)	274.30	EC002615	AA991005F	4536853863333	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA015B-DE	servo motor (frenli) cable, 15m (equivalent to DP9325253-15G)	382.60	EC002615	AA991011M	4536853863425	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor kablosu, 15m ( DP9325252-15G ile aynı özellikte)	370.20	EC002615	AA991006D	4536853863340	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor kablosu, 20m ( DP9325252-20G ile aynı özellikte)	454.90	EC002615	AA991007B	4536853863364	#		EB	EBZ	DEU	8544.4290.90
R88A-CAW005S-E	Sigma II güç kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 5m	251.20	EC002615	AA990716M	4536853861735	#		EB	EBZ	ITA	8544.4290.90
R88A-SC01K-E	Serial Converter unit, iron core linear motor	2,070.00	EC002584	AA034412M	4547648907156	#		EB	EBZ	DEU	8501.4020.80
R7A-FIB104-RE	SmartStep 2 RFI filtre (Rasmi), 1~ 200 VAC, 4 A (100 W, 200 W, 400 W)	86.85	EC002564	AA028541H	4547648865869	#		EB	EBZ	GBR	8529.9097.00
R88A-FIK102-SE	G/G5 series RFI filter; 2.4 A, 230 VAC, for 100 and 200 W models	62.55	EC002564	AA044377C	4548583963443	#		EB	EBZ	THA	8529.9097.00
R88A-FIK104-SE	G/G5 series RFI filter; 4.1 A, 230 VAC, for 400 W models	65.25	EC002564	AA044370F	4548583963375	#		EB	EBZ	THA	8529.9097.00
R88A-FIK107-SE	G/G5 series RFI filter; 6.6 A, 230 VAC, for 750 W models	74.85	EC002564	AA044374R	4548583963412	#		EB	EBZ	THA	8529.9097.00
R88A-FIK114-SE	G/G5 series RFI filter; 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	95.20	EC002564	AA044373M	4548583963405	#		EB	EBZ	THA	8529.9097.00
R88A-FIK304-SE	G5 series RFI filter; 4 A, 400 VAC, for 600 to 1.5 kW models	92.50	EC002564	AA044372B	4548583963399	#		EB	EBZ	THA	8529.9097.00
R88A-FIK306-SE	G5 series RFI filter; 6 A, 400 VAC, for 2.0 kW models	100.70	EC002564	AA044375G	4548583963429	#		EB	EBZ	THA	8529.9097.00
R88A-FIK312-SE	G5 series RFI filter; 12 A, 400 VAC, for 3.0 to 5.0 kW models	140.30	EC002564	AA044371D	4548583963382	#		EB	EBZ	THA	8529.9097.00
R88A-FIK330-SE	G5 series RFI filter; 30 A, 400 VAC, for 3.0 to 7.5kW models	205.70	EC002564	AA044376E	4548583963436	#		EB	EBZ	THA	8529.9097.00
JZSP-CMP9-1-E	Sigma II servo driver CN2 (enkoder) connector kit	65.75	EC002584	AA036229C	4547648934886	#		EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SGMAH (400 V) and SGMPH (400 V)	55.35	EC002584	AA992456A	4536853871703	#		EB	EBZ	DEU	8503.0099.99
MS3108E20-4S	güç kablosu konektör G5 motor tarafı	86.65	EC002584	AA031023D	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military güç konektör IP67 for 400 V motors SGMGH (20/30/44/D), SGMSH (30/40/50/D), SGMUH (30/40/D)	105.00	EC002584	AA010291G	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	güç kablosu konektör G5 motor tarafı	92.30	EC002584	AA031387M	4547648883078	#		EB	EBZ	ITA	8536.9010.00
MS3108E32-17S	Military güç konektör IP67 for 400 V motors SGMGH (55/75/1 A/1E)D	141.90	EC002584	AA010292E	4536853875916	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	enkoder kablosu konektör, motor tarafı, 750 W'a kadar olan modeller için	44.80	EC002584	RS8A0098E	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04R-E	enkoder kablosu konektör, motor tarafı: R88M-K(1K0/1K5)30(H/T), -K(750/1K0/1K5/2K0/3K0/4K0/5K0)30(F/C), -K(400/600/1K0/1K5/2K0/3K0/4K0/5K0)20, -K(900/2K0/3K0)10	86.65	EC002584	AA031022F	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNU01C	Servo kontrol G / Ç konektörü	48.17	EC002584	AA050718F	4549734927918	#		EB	EBZ	JPN	8536.9010.00
R88A-CNU11C	CN1 için konektör, kontrol I / O [analog / darbeli modeller için]	62.25	EC002584	AA050722D	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNW01C	G5 CN1 için aç / kesim konektör kiti, sadece sebeke tipi sürücüler	51.75	EC002584	AA050724M	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor güç konektörü (dişi), SGMAH (200 V) ve SGMPH (200 V). SPOC-06K-FSDN169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	46.52	EC002584	AA994914R	4536853874124	#		EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor enkoder konektörü (dişi), SGMAH ve SGMPH. SPOC-17H-FRON169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	46.51	EC002584	AA994915G	4536853874131	#		EB	EBZ	DEU	8536.5015.90
SRUC-06I-MSCN236	Smart Step IP67 motor güç konektörü, erkek (motor tarafından kullanılır)	28.11	EC002584	AA994917C	4536853874155	#	20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWON087	Smart Step IP67 motor enkoder konektörü, erkek (motor tarafından kullanılır)	35.55	EC002584	AA011302A	4536853883942	#	20	EB	EBZ	DEU	8536.9010.00
R88A-RR2204751	Servo aksesuarı, direnç 220 W, 47 ohm	109.60	EC002615	R88A1723D	4547648803557	#		EB	EBZ	JPN	8533.2900.00
R7A-CLB00252	Besleme kablosu (CNA), 2m	38.13	EC002584	AA029013F	4547648868822	#		EB	EBZ	ITA	8544.4999.00
R88A-BAT01G	Absolute enkoder pili	105.60	EC002584	RS8A0002C	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPKB001S-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 1m	147.70	EC000237	AA032700E	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPKB002S-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 2m	164.60	EC000237	AA032701C	4547648891868	#		EB	EBZ	ITA	8501.4020.80
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC281	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 2 eksen, 16 cihaz	2,083.00	EC001422	CJ1W0342F	4547648810418	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 64 cihaz	3,028.00	EC001422	CJ1W0363R	4547648837453	#		EC	ECA	JPN	8471.6070.00
CJ1W-NCF81	CJ1 Position Control unit over EtherCAT, 16 axes, 16 nodes	3,811.00	EC001422	CJ1W0362M	4547648837446	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC271	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 2 eksen	1,917.00	EC001422	CJ1W0321C	4547648708906	#		EC	ECA	CHN	8471.6070.00
CJ1W-NCF71	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 16 eksen	3,845.00	EC001422	CJ1W0317E	4547648708869	#		EC	ECA	CHN	8471.6070.00
CS1W-MC221-V1	Motion control unit, 2 axis	3,901.00	EC001422	CS1W0298C	4547648074438	#		EC	ECA	JPN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-NC113	Pozisyon Kontrol ünitesi, 1 eksen, NPN open collector pulse çıkışı, 500 KHz	1,515.00	EC001422	CJ1W0315R	4547648708845			EC	ECA	CHN	8471.6070.00
CJ1W-NC213	Pozisyon Kontrol ünitesi, 2 eksen, NPN open collector pulse çıkışı, 500 KHz	2,170.00	EC001422	CJ1W0316G	4547648708852			EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Pozisyon Kontrol ünitesi, 4 eksen, NPN open collector pulse çıkışı 500 KHz	3,247.00	EC001422	CJ1W0319A	4547648708883	#		EC	ECA	CHN	8471.6070.00
<b>Hareket Kontrolleri için Aksesuarlar</b>											
XW2B-20J6-8A	Servo rölesi ünitesi, 1 eksen. CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez.)	218.00	EC002584	XW2B0034A	4536854871849	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Röle Unit, 2 eksen. CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 ve C200H-NC211	222.40	EC002584	XW2B0023F	4536854229718	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-9A	Servo rölesi ünitesi, 2 eksen. CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez.)	258.00	EC002584	XW2B0035M	4536854871856	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100I-A15	Servo kontrol kablosu (CS1W-NC213/413 için)	269.30	EC000237	XW2Z0144G	4536854778186			EC	ECZ	JPN	8536.9010.00
XW2Z-100I-A33	Servo kontrol kablosu (CJ1M-CPU21/22/23 için)	187.50	EC000237	XW2Z0286R	4547648521086	#		EC	ECZ	JPN	8536.9010.00
R88A-CCM002P4-E	Programming cable, 2m (port 0)	71.05	EC001681	AA029518R	4547648872157			EC	ECZ	ITA	8544.4290.90
3F88L-RS17	Resolver, 3m cable, for use with C200H-CP114 or C500-CP131 cam positioner unit	875.50	EC001422	3F881022C	4536854279294			EC	ECZ	JPN	8537.1098.99
XW2Z-100X	I/O connection cable, CJ1W-NCx4/x34 to terminal block XW2B-20G4/G5, 1 m	79.60	EC000237	XW2Z0239G	4547648236362	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100X-R	I/O connection cable, Reverse Wiring, NX-OD5256-5 and XW2R-P16GD-C3-COM, 1 m	92.25	EC000237	XW2Z8173D	4549734724586			EC	ECZ	JPN	8544.4290.90
XW2Z-200X	I/O connection cable, CJ1W-NCx4/x34 to terminal block XW2B-20G4/G5, 2 m	88.95	EC000237	XW2Z0240M	4547648236379			EC	ECZ	JPN	8536.9010.00
<b>Emniyet Limit Switchi</b>											
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	17.21	EC000030	D4N 0018C	4547648033732	#		FA	FAA	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	23.04	EC000030	D4N 0024H	4547648033794	#		FA	FAA	JPN	8536.5007.00
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	49.99	EC000030	D4N 0612B	4547648030425	#		FA	FAA	JPN	8536.5007.00
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.10	EC000030	D4N 0063R	4547648034180	#		FA	FAA	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	26.97	EC000030	D4N 0069H	4547648034241	#		FA	FAA	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	13.75	EC000030	D4N 0037M	4547648033923	#		FA	FAA	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.18	EC000030	D4N 0043D	4547648033985	#		FA	FAA	JPN	8536.5007.00
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.28	EC000030	D4N 0049C	4547648034043	#		FA	FAA	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	15.71	EC000030	D4N 0104M	4547648034593	#		FA	FAA	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	21.10	EC000030	D4N 0142B	4547648034975	#		FA	FAA	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	21.58	EC000030	D4N 0190B	4547648035453	#		FA	FAA	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	25.97	EC000030	D4N 0197M	4547648035521	#		FA	FAA	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	15.18	EC000030	D4N 0168F	4547648035231	#		FA	FAA	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	17.21	EC000030	D4N 0174M	4547648035293	#		FA	FAA	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	20.10	EC000030	D4N 0204F	4547648035590	#		FA	FAA	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	21.58	EC000030	D4N 0212G	4547648035675	#		FA	FAA	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	15.18	EC000030	D4N 0233M	4547648035880	#		FA	FAA	JPN	8536.5007.00
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	18.60	EC000030	D4N 0001R	4547648030328	#		FA	FAA	JPN	8536.5007.00
D4N-212G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	21.10	EC000030	D4N 0014M	4547648030458	#		FA	FAA	JPN	8536.5007.00
D4N-2180	Limit switch, Cat whisker, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	32.63	EC000030	D4N 0512F	4547648038638	#		FA	FAA	JPN	8536.5007.00
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	26.86	EC000030	D4N 0517G	4547648038683	#		FA	FAA	JPN	8536.5007.00
D4N-2A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), G1/2 (1-conduit)	18.15	EC000030	D4N 0009D	4547648030403	#		FA	FAA	JPN	8536.5007.00
D4N-2B31	Limit switch, Top plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	12.83	EC000030	D4N 0226G	4547648035811	#		FA	FAA	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	16.68	EC000030	D4N 0234H	4547648035897	#		FA	FAA	JPN	8536.5007.00
D4N-4120	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), makaralı kol (plastik kol, plastik makara)	16.19	EC000030	D4N 0002G	4547648030335	#		FA	FAA	JPN	8536.5007.00
D4N-4122	Güvenlik Limit switchi, makaralı kol (metal kol, plastik makara), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	21.58	EC000030	D4N 0027B	4547648033824	#		FA	FAA	JPN	8536.5007.00
D4N-4125	Güvenlik Limit switchi, makaralı kol (metal kol, metal makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	25.47	EC000030	D4N 0035C	4547648033909	#		FA	FAA	JPN	8536.5007.00
D4N-412G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	19.60	EC000030	D4N 0065E	4547648034203	#		FA	FAA	JPN	8536.5007.00
D4N-412H	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	27.92	EC000030	D4N 0071M	4547648034265	#		FA	FAA	JPN	8536.5007.00
D4N-4131	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı	13.11	EC000030	D4N 0004C	4547648030359	#		FA	FAA	JPN	8536.5007.00
D4N-4132	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı makaralı	14.20	EC000030	D4N 0006M	4547648030373	#		FA	FAA	JPN	8536.5007.00
D4N-4162	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (yatay)	15.26	EC000030	D4N 0008F	4547648030397	#		FA	FAA	JPN	8536.5007.00
D4N-4172	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (dikey)	19.60	EC000030	D4N 0058B	4547648034135	#		FA	FAA	JPN	8536.5007.00
D4N-4180	Güvenlik Limit switchi, kedi bıyığı, 1 kablo yuvası, M20	34.29	EC000030	D4N 0514B	4547648038652	#		FA	FAA	JPN	8536.5007.00
D4N-4187	Güvenlik Limit switchi, plastik çubuk, 1 kablo yuvası, M20	26.71	EC000030	D4N 0519C	4547648038706	#		FA	FAA	JPN	8536.5007.00
D4N-4220	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), makaralı kol (plastik kol, plastik makara)	17.65	EC000030	D4N 0078G	4547648034333	#		FA	FAA	JPN	8536.5007.00
D4N-422G	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	24.99	EC000030	D4N 0131G	4547648034869	#		FA	FAA	JPN	8536.5007.00
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	17.40	EC000030	D4N 0107D	4547648034623	#		FA	FAA	JPN	8536.5007.00
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	27.10	EC000030	D4N 0529M	4547648038805	#		FA	FAA	JPN	8536.5007.00
D4N-4A20	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), makaralı kol (plastik kol, plastik makara)	19.11	EC000030	D4N 0010H	4547648030410	#		FA	FAA	JPN	8536.5007.00
D4N-4A2G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	20.10	EC000030	D4N 0193G	4547648035484	#		FA	FAA	JPN	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-4A31	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı	13.75	EC000030	D4N 0163E	4547648035187	#		FA	FAA	JPN	8536.5007.00
D4N-4A32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı makaralı	14.32	EC000030	D4N 0013B	4547648030441	#		FA	FAA	JPN	8536.5007.00
D4N-4A62	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), tek yönlü makara arm kol (yatay)	16.19	EC000030	D4N 0177E	4547648035323	#		FA	FAA	JPN	8536.5007.00
D4N-4B32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 2NC (yavaş kapama), üstten basmalı makaralı	14.15	EC000030	D4N 0236D	4547648035910	#		FA	FAA	JPN	8536.5007.00
D4N-8120	Limit switch, roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	26.97	EC000030	D4N 0023M	4547648033787	#		FA	FAA	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	21.15	EC000030	D4N 0042F	4547648033978	#	50	FA	FAA	JPN	8536.5007.00
D4N-8132	Limit switch, roller plunger, 2 conduit, M20	25.47	EC000030	D4N 0048E	4547648034036	#		FA	FAA	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	22.47	EC000030	D4N 0173B	4547648035286	#		FA	FAA	JPN	8536.5007.00
D4N-8F31	Limit switch, Top plunger, 2NC/1NO (MBB contact-/slow-action), 2NC/1NO (MBB contact-/slow-action), M20 (2-conduit)	31.36	EC000030	D4N 0478B	4547648038294	#		FA	FAA	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	47.43	EC000030	D4N 0020E	4547648033756	#		FA	FAA	JPN	8536.5007.00
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	50.90	EC000030	D4N 0066C	4547648034210	#		FA	FAA	JPN	8536.5007.00
D4N-9132	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), top roller plunger	41.63	EC000030	D4N 0045M	4547648034005	#		FA	FAA	JPN	8536.5007.00
D4N-9B31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	38.96	EC000030	D4N 0229A	4547648035842	#		FA	FAA	JPN	8536.5007.00
D4N-9B62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	44.72	EC000030	D4N 0245C	4547648036009	#		FA	FAA	JPN	8536.5007.00

**Emniyet Rölesi**

G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	38.11	EC001437	G7SA0007H	4536854716041	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 24VDC	Güvenlik Rölesi, plug-in, DPST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	38.11	EC001437	G7SA0002G	4536854579691	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 48VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 48 VDC	45.41	EC001437	G7SA0027B	4547648134071	#	20	FA	FAB	JPN	8536.4900.99
G7SA-3A1B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	38.11	EC001437	G7SA0001R	4536854579752	#	10	FA	FAB	JPN	8536.4900.99
G7SA-3A3B 12VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 12 VDC	42.73	EC001437	G7SA0152M	4549734669276	#	40	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC	42.73	EC001437	G7SA0161R	4549734669368	#	80	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 48VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC	42.73	EC001437	G7SA0164C	4549734669399	#	10	FA	FAB	CHN	8536.4900.99
G7SA-4A2B 24VDC	Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	42.73	EC001437	G7SA0160M	4549734669351	#	10	FA	FAB	CHN	8536.4900.99
G7SA-4A2B DC12	Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	42.73	EC001437	G7SA0151A	4549734669269	#		FA	FAB	CHN	8536.4900.99
G7SA-5A1B 12VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC	42.73	EC001437	G7SA0150C	4549734669252	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 24VDC	Güvenlik Rölesi, plug-in, 5PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	42.73	EC001437	G7SA0159G	4549734669344	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 48VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 48 VDC	42.73	EC001437	G7SA0162G	4549734669375	#	10	FA	FAB	CHN	8536.4900.99
P7SA-10F	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays	31.29	EC001456	P7SA6012G	4548583409095	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND 24VDC	Soket, DIN ray/yüzey montaj, 10 pin, vidalı terminal, G7SA 4 kutuplu röle için, LED indikatörlü	41.62	EC001456	P7SA6010M	4548583409071	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator	40.56	EC001456	P7SA8024A	4549734136150	#	10	FA	FAB	MY	8536.6990.99
P7SA-10P	Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays	10.41	EC001456	P7SA6008R	4548583409057	#	10	FA	FAB	CHN	8536.6990.99
P7SA-14F	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays	29.10	EC001456	P7SA6009G	4548583409064	#	10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND 24VDC	Soket, DIN ray/yüzey montaj, 14 pin, vidalı terminal, G7SA 6 kutuplu röle için, LED indikatörlü	41.62	EC001456	P7SA6011R	4548583409088	#	10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 14 pin, push in terminals, for G7SA 6 pole relays, LED indicator	40.56	EC001456	P7SA8025M	4549734136167	#	10	FA	FAB	MY	8536.6990.99
P7SA-14P	Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays	9.17	EC001456	P7SA6007M	4548583409040	#	10	FA	FAB	CHN	8536.6990.99
G7S-3A3B-E DC24	Güvenlik Rölesi, soketli, 3PST-NO, 3PST-NC, 10A, zorlamalı kontaklar, 24 VDC	48.17	EC001437	G7SE0001G	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
G7S-4A2B-E DC24	Güvenlik Rölesi, soketli, 4PST-NO, 2PST-NC, 10A, zorlamalı kontaklar, 24 VDC	48.17	EC001437	G7SE0002E	4536854872648	#	20	FA	FAB	JPN	8536.4900.99
P7S-14F-END 24VDC	Soket, DIN ray/yüzey montaj, vidalı terminal, led indikatör, G7S röle için	32.93	EC001456	P7SE0001G	4536854872655	#	5	FA	FAB	JPN	8536.4900.99

**Emniyet Ünitesi G9SA/B**

G9SA-301 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	159.30	EC001449	G9SA6001H	4547648813945	#		FA	FAC	CHN	8536.4900.99
G9SA-301 AC100-240	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	233.40	EC001449	G9SA6012C	4547648814058	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T075 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	289.80	EC001449	G9SA6003D	4547648813969	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T15 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	289.30	EC001449	G9SA6004B	4547648813976	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T30 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	288.70	EC001449	G9SA6005M	4547648813983	#		FA	FAC	CHN	8536.4900.99
G9SA-501 AC/DC24	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	224.70	EC001449	G9SA6002F	4547648813952	#		FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC/DC24	Çift el buylanı, 3PST-NO (Kategori 4), 5 A, SPST-NC ek, 2 kanal giriş	174.90	EC001449	G9SA6008R	4547648813990	#		FA	FAC	CHN	8536.4900.99
G9SA-EX031-T075	Expansion unit for G9SA, 3PST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, SPST-NC aux	219.60	EC001449	G9SA6008E	4547648814010	#		FA	FAC	CHN	8536.4900.99
G9SA-EX301	G9SA için ek ünite, 3PST-NO (Kategori 4), 5 A, SPST-NC ek	144.90	EC001449	G9SA6007G	4547648814003	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset	130.60	EC001449	G9SB6003R	4547648814195	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-C AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset	130.60	EC001449	G9SB6005E	4547648814218	#		FA	FAC	CHN	8536.4900.99
G9SB-200-B AC/DC24	Safety relay unit, DIN17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)	116.00	EC001449	G9SB6004G	4547648814201	#		FA	FAC	CHN	8536.4900.99
G9SB-200-D AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	130.40	EC001449	G9SB6006C	4547648814225	#		FA	FAC	CHN	8536.4900.99
G9SB-3010 DC24	Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux., 5 A, 2 channel direct breaking input, auto-reset	138.20	EC001449	G9SB6007A	4547648814232	#		FA	FAC	CHN	8536.4900.99
G9SB-3012-A AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, auto-reset	143.50	EC001449	G9SB6008M	4547648814249	#		FA	FAC	CHN	8536.4900.99
G9SB-3012-C AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, manual-reset	143.50	EC001449	G9SB6010A	4547648814263	#		FA	FAC	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G95B-301-B AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, auto-reset (+ common input)	127.70	EC001449	G95B6009H	4547648814256	#		FA	FAC	CHN	8536.4900.99
G95B-301-D AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, manual-reset (+ common input)	143.80	EC001449	G95B6011M	4547648814270	#		FA	FAC	CHN	8536.4900.99
<b>Emniyet Ünitesi G95X</b>											
G95X-AD322-T15-RC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, spring mounted terminals	443.60	EC001449	G95X6002C	4547648837026	#		FA	FAD	CHN	8536.4900.99
G95X-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals	457.20	EC001449	G95X6001E	4547648837019	#		FA	FAD	CHN	8536.4900.99
G95X-ADA222-T15-RT DC24	Advanced unit (to be used with Basic unit), 2 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals	592.50	EC001449	G95X6012M	4547648837118	#		FA	FAD	CHN	8536.4900.99
G95X-BC202-RC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals	366.20	EC001449	G95X6004M	4547648837040	#		FA	FAD	CHN	8536.4900.99
G95X-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, screw terminals	366.20	EC001449	G95X6003A	4547648837033	#		FA	FAD	CHN	8536.4900.99
G95X-NS202-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs, 2 auxiliary outputs, spring-cage terminals	399.60	EC001449	G95X6017A	4547648837163	#		FA	FAD	CHN	8536.4900.99
G95X-NS202-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC	381.40	EC001449	G95X6010C	4547648837156	#		FA	FAD	CHN	8536.4900.99
G95X-NSA222-T03-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals	583.00	EC001449	G95X6019H	4547648837187	#		FA	FAD	CHN	8536.4900.99
G95X-NSA222-T03-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC	583.00	EC001449	G95X6018M	4547648837170	#		FA	FAD	CHN	8536.4900.99
G95X-SM032-RC	Standstill monitoring unit with spring-cage terminals	1,039.00	EC001449	G95X6027R	4547648837262	#		FA	FAD	CHN	8536.4900.99
G95X-SM032-RT	Standstill monitoring unit with screw terminals	1,039.00	EC001449	G95X6026M	4547648837255	#		FA	FAD	CHN	8536.4900.99
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
D4NS-1AF	Güvenlik kapı switchi, 1NC/1NO, 10 A, 1 x PG 13.5 kablo yuvası	33.17	EC002592	D4NS0001H	4536854963629	#		FA	FAE	JPN	8536.5015.90
D4NS-1BF	Güvenlik kapı switchi, 2 NC, 10 A, 1 x PG13.5 kablo yuvası	33.17	EC002592	D4NS0005M	4536854963674	#		FA	FAE	JPN	8536.5015.90
D4NS-1CF	Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit	30.78	EC002592	D4NS0009C	4536854963728	#		FA	FAE	JPN	8536.5015.90
D4NS-1DF	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit	31.24	EC002592	D4NS0013A	4536854963766	#		FA	FAE	JPN	8536.5015.90
D4NS-1FF	Safety interlock switch, 2NC/1NO (MIBB), 10 A, single PG 13.5 conduit	38.26	EC002592	D4NS0021B	4536854963841	#		FA	FAE	JPN	8536.5015.90
D4NS-2AF	Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit	28.78	EC002592	D4NS0002F	4536854963636	#		FA	FAE	JPN	8536.5015.90
D4NS-2BF	Safety interlock switch, 2NC, 10 A, single PG 13.5 conduit	32.70	EC002592	D4NS0006R	4536854963681	#		FA	FAE	JPN	8536.5015.90
D4NS-2CF	Safety-door switch, 2NC/1NO (slow action)	33.17	EC002592	D4NS0010G	4536854963735	#		FA	FAE	JPN	8536.5015.90
D4NS-2DF	Safety interlock switch, 1NO/1NC, 10 A, single G1/2 conduit	30.78	EC002592	D4NS0014M	4536854963773	#		FA	FAE	JPN	8536.5015.90
D4NS-4AF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 1NC/1NO (yavaş kapama)	27.34	EC002592	D4NS0004B	4536854963667	#		FA	FAE	JPN	8536.5015.90
D4NS-4BF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC (yavaş kapama)	27.34	EC002592	D4NS0008E	4536854963704	#		FA	FAE	JPN	8536.5015.90
D4NS-4CF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (yavaş kapama)	31.76	EC002592	D4NS0012C	4536854963759	#		FA	FAE	JPN	8536.5015.90
D4NS-4DF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 3NC (yavaş kapama)	31.76	EC002592	D4NS0016F	4536854963797	#		FA	FAE	JPN	8536.5015.90
D4NS-4FF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (MIBB kontak)	34.13	EC002592	D4NS0024E	4536854963872	#		FA	FAE	JPN	8536.5015.90
D4NS-5AF	Limit switch	34.95	EC002592	D4NS0025E	4536854963889	#		FA	FAE	JPN	8536.5015.90
D4NS-5BF	Limit switch	38.11	EC002592	D4NS0029H	4536854963919	#		FA	FAE	JPN	8536.5015.90
D4NS-6BF	Safety interlock switch, G1/2 (2-conduit), 2NC (slow-action)	34.13	EC002592	D4NS0030A	4536854963926	#		FA	FAE	JPN	8536.5015.90
D4NS-8AF	Güvenlik kapı switchi, 1NC/1NO, 10 A, 2x M20 kablo yuvası	36.16	EC002592	D4NS0028M	4536854963902	#		FA	FAE	JPN	8536.5015.90
D4NS-8BF	Güvenlik kapı switchi, 2 NC, 10 A, 2 x M20 kablo yuvası	34.85	EC002592	D4NS0032H	4536854963957	#		FA	FAE	JPN	8536.5015.90
D4NS-8CF	Güvenlik kapı switchi, 2 NC+1 NO, 10 A, 2 x M20 kablo yuvası	37.89	EC002592	D4NS0036M	4536854963995	#		FA	FAE	JPN	8536.5015.90
D4NS-9AF	Safety interlock switch, 1 NC/1 NO, 10 A, M12 connector	67.90	EC002592	D4NS0049B	4536854964121	#		FA	FAE	JPN	8536.5015.90
D4NS-9BF	Safety interlock switch, 2 NC, 10 A, M12 connector	67.90	EC002592	D4NS0050F	4536854964138	#		FA	FAE	JPN	8536.5015.90
D4JL-2NFA-CS	Door switch with mechanical lock, Solenoid release, with green indicator, (2NC/1NO + 2NC/1NO)	276.60	EC002593	D4JL0004B	4547648174589	#		FA	FAE	JPN	8536.5015.90
D4JL-2NFA-D6	Guard lock safety door-switch, D4JL, Front And Rear Release Model, Special Release Key, Indicator : Orange, Mechanical Lock/Solenoid Release, 2NC/1NO+2NC/1NO, G1/2	286.30	EC002593	D4JL0008M	4547648175388	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFA-B	Selenoidli Güvenlik kapı-lock switchi, mekanik kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	194.70	EC002593	D4NL0001B	4536854898341	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFG-B	Selenoidli Güvenlik kapı-lock switchi, selenoid kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	202.00	EC002593	D4NL0025M	4536854898587	#		FA	FAE	JPN	8536.5015.90
D4NL-1BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry	200.60	EC002593	D4NL0004G	4536854898372	#		FA	FAE	JPN	8536.5015.90
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	193.40	EC002593	D4NL0007A	4536854898402	#		FA	FAE	JPN	8536.5015.90
D4NL-1CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	192.50	EC002593	D4NL0031D	4536854898648	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry	202.40	EC002593	D4NL0010A	4536854898433	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B4	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC,	217.10	EC002593	D4NL0058F	4536854898914	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-BS	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC, Front key release	199.50	EC002593	D4NL0098E	4536854903212	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release	200.60	EC002593	D4NL0034R	4536854898679	#		FA	FAE	JPN	8536.5015.90
D4NL-1EFA-B	Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24 VDC	192.50	EC002593	D4NL0013F	4536854898464	#		FA	FAE	JPN	8536.5015.90
D4NL-1HDG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, solenoid lock, 24 VDC,	199.60	EC002593	D4NL0040B	4548583138193	#		FA	FAE	JPN	8536.5007.00
D4NL-1HFG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, solenoid lock, 24 VDC,	203.80	EC002593	D4NL0046B	4536854898792	#		FA	FAE	JPN	8536.5015.90



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NL-2AFA-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24 VDC,	218.60	EC002593	D4NL0002M	4536854898358			FA	FAE	JPN	8536.5015.90
D4NL-2AFA-B4	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24 VDC,	197.20	EC002593	D4NL0050M	4536854898839			FA	FAE	JPN	8536.5015.90
D4NL-2BFA-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 2NC, mechanical lock, 24 VDC,	195.30	EC002593	D4NL0005E	4536854898389	#		FA	FAE	JPN	8536.5015.90
D4NL-2CFA-B	Safety door-lock switch, G1/2 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC,	186.50	EC002593	D4NL0008M	4536854898419			FA	FAE	JPN	8536.5015.90
D4NL-2CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A G1/2 entry	196.10	EC002593	D4NL0032B	4536854898655			FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry	186.10	EC002593	D4NL0011M	4536854898440			FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B4	Safety door-lock switch, G1/2 entry, 2NC + 2NC, mechanical lock, 24 VDC,	202.40	EC002593	D4NL0059D	4536854898921	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFG-B	Limit switch	176.00	EC002593	D4NL0035G	4536854898686			FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC	221.90	EC002593	D4NL0017R	4536854898501	#		FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B4S	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release	221.90	EC002593	D4NL0338M	4547648621021	#		FA	FAE	JPN	8536.5007.00
D4NL-2FFG-B	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, 24 VDC solenoid lock / mechanical release	215.40	EC002593	D4NL0041A	4536854898747			FA	FAE	JPN	8536.5015.90
D4NL-2HFG-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24 VDC,	206.90	EC002593	D4NL0047M	4536854898808	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	197.90	EC002593	D4NL0003R	4536854898365	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	199.50	EC002593	D4NL0027F	4536854898600	#		FA	FAE	JPN	8536.5015.90
D4NL-4BFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	200.60	EC002593	D4NL0006C	4536854898396			FA	FAE	JPN	8536.5015.90
D4NL-4CFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	195.30	EC002593	D4NL0009H	4536854898426	#		FA	FAE	JPN	8536.5015.90
D4NL-4CFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	199.50	EC002593	D4NL0033M	4536854898662	#		FA	FAE	JPN	8536.5015.90
D4NL-4DFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	200.60	EC002593	D4NL0012H	4536854898457	#		FA	FAE	JPN	8536.5015.90
D4NL-4DFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	200.60	EC002593	D4NL0036E	4536854898693	#		FA	FAE	JPN	8536.5015.90
D4NL-4EFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	206.50	EC002593	D4NL0015B	4536854898488	#		FA	FAE	JPN	8536.5015.90
D4NL-4EFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	206.50	EC002593	D4NL0039M	4536854898723	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0018G	4536854898518	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0042M	4536854898754	#		FA	FAE	JPN	8536.5015.90
D4NL-4GFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0021G	4536854898549	#		FA	FAE	JPN	8536.5015.90
D4NL-4GFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0045D	4536854898785			FA	FAE	JPN	8536.5015.90
D4NL-4HFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0024A	4536854898570	#		FA	FAE	JPN	8536.5015.90
D4NL-4HFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	206.90	EC002593	D4NL0048R	4536854898815			FA	FAE	JPN	8536.5015.90
D4SL-N2HFA-DN	Guard lock safety door switch, G1/2 coduit, 3NC+2NC, resin head, solenoid release, indicator, connector	193.60	EC002593	D4SL2122A	4548583315464			FA	FAE	JPN	8536.5007.00
D4SL-N2NFA-D	Guard lock safety door switch, G1/2 coduit, 2NC/1NO+2NC/1NO, metal: resin, Mechanical lock/24VDC solenoid release, LED indicator	263.70	EC002593	D4SL2193M	4548583316171			FA	FAE	JPN	8536.5007.00
D4SL-N2NFG-DN	Guard lock safety door switch, G1/2 coduit, 2NC/1NO+2NC/1NO, resin head, solenoid lock, connector	215.10	EC002593	D4SL2198A	4548583316225	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	215.10	EC002593	D4SL2081M	4548583315051	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid açma/mekanik kilitlemeli	224.80	EC002593	D4SL2083G	4548583315075	#		FA	FAE	JPN	8536.5007.00
D4SL-N4CFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release	176.00	EC002593	D4SL2089F	4548583315136	#		FA	FAE	JPN	8536.5007.00
D4SL-N4CFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	217.60	EC002593	D4SL2091H	4548583315150	#		FA	FAE	JPN	8536.5007.00
D4SL-N4DFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma	178.60	EC002593	D4SL2093D	4548583315174	#		FA	FAE	JPN	8536.5007.00
D4SL-N4DFG	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	217.60	EC002593	D4SL2095M	4548583315198	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EDA-D	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: metal, Mechanical lock/24VDC solenoid release, LED indicator	186.10	EC002593	D4SL2454R	4548583370166	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-DN	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	176.00	EC002593	D4SL2161B	4548583315853	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-DN	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	160.80	EC002593	D4SL2162M	4548583315860	#		FA	FAE	JPN	8536.5007.00
D4SL-N4EFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	185.70	EC002593	D4SL2165E	4548583315891	#		FA	FAE	JPN	8536.5007.00
D4SL-N4FFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	185.70	EC002593	D4SL2169H	4548583315938	#		FA	FAE	JPN	8536.5007.00
D4SL-N4FFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	185.70	EC002593	D4SL2173F	4548583315976	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	208.80	EC002593	D4SL2177R	4548583316010	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	218.60	EC002593	D4SL2181G	4548583316058	#		FA	FAE	JPN	8536.5007.00
D4SL-N4HDG-D	Selenoidli Güvenlik-kapı switchi, M20, 3NC+ 2NC, kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	217.60	EC002593	D4SL2481F	4548583370432	#		FA	FAE	JPN	8536.5007.00
D4SL-N4HFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	190.50	EC002593	D4SL2185M	4548583316096	#		FA	FAE	JPN	8536.5007.00
D4SL-N4HFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	185.80	EC002593	D4SL2189B	4548583316133	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDA-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid açma, LED indikatör	251.50	EC002593	D4SL2353D	4548583317772	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDG-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	249.30	EC002593	D4SL2357G	4548583317819	#		FA	FAE	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4SL-N4NDG-DN	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, konnektörlü	233.10	EC002593	D4SL2358E	4548583317826			FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör	235.80	EC002593	D4SL2257M	4548583316812	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-DN	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid açma, LED indikatör, konnektörlü	176.00	EC002593	D4SL2258R	4548583316829	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NFG-D	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	185.70	EC002593	D4SL2261R	4548583316850	#		FA	FAE	JPN	8536.5007.00
D4SL-N4QDA-D	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC selenoid release, LED indicator	170.70	EC002593	D4SL2369M	4548583317932			FA	FAE	JPN	8536.5007.00
D4SL-N4QDG-D	Selenoidli Güvenlik-kapı switchi, M20, 3NC + 2NC/1NO kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	217.60	EC002593	D4SL2373R	4548583317970			FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, terminal blok	251.50	EC002593	D4SL2377A	4548583318014	#		FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-DN	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid açma, LED indikatör, konnektörlü	233.10	EC002593	D4SL2378M	4548583318021			FA	FAE	JPN	8536.5007.00
D4SL-N4RDG-D	Selenoidli Güvenlik kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	254.30	EC002593	D4SL2381M	4548583318052			FA	FAE	JPN	8536.5007.00
D4SL-N4SFG	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, 24VDC selenoid lock/mechanical release	181.80	EC002593	D4SL2035G	4548583314597			FA	FAE	JPN	8536.5007.00
D4SL-N4VFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release	181.80	EC002593	D4SL2045D	4548583314696	#		FA	FAE	JPN	8536.5007.00
D4DS-K1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: yatay montaj	4.04	EC001487	D4DS0011A	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: dikey montaj	4.04	EC001487	D4DS0012M	4536853219963	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: ayarlanabilir montaj (yatay)	14.16	EC001487	D4DS0013H	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar: ayarlanabilir montaj (yatay/dikey)	22.48	EC001487	D4DS1005B	4536854383878	#	10	FA	FAE	JPN	8301.7000.00
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	58.00	EC002591	D4NH0005H	4547648045322	#		FA	FAE	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	58.45	EC002591	D4NH0021M	4547648045483	#		FA	FAE	JPN	8536.5015.90
D4NH-1BBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	58.90	EC002591	D4NH0029E	4547648045568	#		FA	FAE	JPN	8536.5015.90
D4NH-4AAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), mil aktüatörlü	58.00	EC002591	D4NH0007D	4547648045536	#		FA	FAE	JPN	8536.5015.90
D4NH-4BAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), mil aktüatörlü	57.10	EC002591	D4NH0023F	4547648045506	#		FA	FAE	JPN	8536.5015.90
D4NH-4BBC	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), kol aktüatörlü	55.85	EC002591	D4NH0031G	4547648045582			FA	FAE	JPN	8536.5015.90
<b>Emniyet Switchleri için Aksesuarlar</b>											
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	10.48	EC001487	D4BL1004A	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	14.55	EC001487	D4BL1005M	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)	26.98	EC001487	D4BL1006H	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K1	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: yatay montaj	7.25	EC001487	D4BS0025D	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K2	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: dikey montaj	8.29	EC001487	D4BS0026B	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K3	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar: yatay montaj	26.12	EC001487	D4BS0027M	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
D4GS-NK1	Anahtar, yatay montaj	9.78	EC001487	D4GS0045G	4536854688300	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK2	Anahtar, dikey montaj	10.31	EC001487	D4GS0046E	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK4	Anahtar, ayarlanabilir	25.90	EC001487	D4GS0047C	4536854688324	#	10	FA	FAF	JPN	8536.5015.90
<b>Emniyet Işık Bariyeri</b>											
F3SJ-A0245P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	2,777.00	EC002549	F3SJ0041H	4547648138352			FA	FAG	JPN	8536.5019.90
F3SJ-A0623P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 623mm yükseklik, PNP	5,010.00	EC002549	F3SJ0062M	4547648138567			FA	FAG	JPN	8536.5019.90
F3SJ-A0731P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 731mm yükseklik, PNP	5,555.00	EC002549	F3SJ0065E	4547648138598			FA	FAG	JPN	8536.5019.90
F3SJ-A1055P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 1055mm yükseklik, PNP	7,275.00	EC002549	F3SJ0072H	4547648138666			FA	FAG	JPN	8536.5019.90
F3SJ-A0245P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	1,096.00	EC002549	F3SJ0226G	4547648137799			FA	FAG	JPN	8536.5019.90
F3SJ-A0605P20	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 20mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 605mm yükseklik, PNP	2,587.00	EC002549	F3SJ0139B	4547648136921			FA	FAG	JPN	8536.5019.90
F3SJ-A0935P20	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple, 20mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 935mm yükseklik, PNP	3,530.00	EC002549	F3SJ0150C	4547648137034			FA	FAG	JPN	8536.5019.90
F3SJ-B0185P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik, PNP	901.00	EC002549	F3SB0001C	4548583047402			FA	FAG	JPN	8536.5019.90
F3SJ-B0225P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	983.00	EC002549	F3SB0002A	4548583047419			FA	FAG	JPN	8536.5019.90
F3SJ-B0305P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik, PNP	1,074.00	EC002549	F3SB0003M	4548583047426			FA	FAG	JPN	8536.5019.90
F3SJ-B0385P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 385mm, PNP	1,247.00	EC002549	F3SB0004H	4548583047433			FA	FAG	JPN	8536.5019.90
F3SJ-B0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,343.00	EC002549	F3SB0006D	4548583047457			FA	FAG	JPN	8536.5019.90
F3SJ-B0625P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik, PNP	1,511.00	EC002549	F3SB0007B	4548583047464			FA	FAG	JPN	8536.5019.90
F3SJ-B0705P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 705mm yükseklik, PNP	1,589.00	EC002549	F3SB0008M	4548583047471			FA	FAG	JPN	8536.5019.90
F3SJ-B0785P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik, PNP	1,706.00	EC002549	F3SB0009R	4548583047488			FA	FAG	JPN	8536.5019.90
F3SJ-B0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,800.00	EC002549	F3SB0010B	4548583047495			FA	FAG	JPN	8536.5019.90
F3SJ-B0945P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 945mm yükseklik, PNP	1,900.00	EC002549	F3SB0011M	4548583047501			FA	FAG	JPN	8536.5019.90
F3SJ-B1025P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 1025mm yükseklik, PNP	2,012.00	EC002549	F3SB0012R	4548583047518			FA	FAG	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	2,158.00	EC002549	F3SB0013G	4548583047525			FA	FAG	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	2,303.00	EC002549	F3SB0014E	4548583047532			FA	FAG	JPN	8536.5019.90
F3SJ-B1345P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1345mm, PNP	2,540.00	EC002549	F3SB0016A	4548583047556			FA	FAG	JPN	8536.5019.90
F3SJ-B1505P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1505mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,681.00	EC002549	F3SB0018H	4548583047570			FA	FAG	JPN	8536.5019.90
F3SJ-B1905P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1905mm, PNP	3,233.00	EC002549	F3SB0023D	4548583047624			FA	FAG	JPN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SJ-E0185P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik	850.50	EC002549	F3SE0001G	4548583047655			FA	FAG	JPN	8536.5019.90
F3SJ-E0305P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik	1,131.00	EC002549	F3SE0003C	4548583047679			FA	FAG	JPN	8536.5019.90
F3SJ-E0465P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 465mm yükseklik	1,196.00	EC002549	F3SE0005M	4548583047693			FA	FAG	JPN	8536.5019.90
F3SJ-E0545P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,398.00	EC002549	F3SE0006H	4548583047709			FA	FAG	JPN	8536.5019.90
F3SJ-E0625P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik	1,456.00	EC002549	F3SE0007F	4548583047716			FA	FAG	JPN	8536.5019.90
F3SJ-E0785P25	Güvenlik ışık bariyeri, Kategori 4 / Ple, 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik	1,665.00	EC002549	F3SE0009B	4548583047730			FA	FAG	JPN	8536.5019.90
F3SJ-E0945P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 945mm, PNP	1,719.00	EC002549	F3SE0011D	4548583047754			FA	FAG	JPN	8536.5019.90
F3SJ-E1105P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	2,227.00	EC002549	F3SE0013M	4548583047778			FA	FAG	JPN	8536.5019.90
<b>Emniyet Temassız Switchleri</b>											
F3S-TGR-NBMX-21-05	Güvenlik temassız kapı switchi, ex-proof bölgeler için, reed, silindirik paslanmaz çelik M30, 2NC+1NO, 5m kablo	478.70	EC002592	AA040404B	4547648977548			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBMX-21-10	Non-contact door switch, ex zone, reed, barrel stainless steel M30, 2NC+1NO, 10m cable	518.50	EC002592	AA040405M	4547648977558	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPR-21-05	Güvenlik temassız kapı switchi, reed, silindirik plastik M30, 2NC+1NO, 5m kablo	198.70	EC002592	AA040362C	4547648977128			FA	FAI	GBR	8536.5005.00
F3S-TGR-NCPR-21-05	Non-contact door switch, reed, compacat sensor 5m, plastic, 2NC+1NO contacts (D40B size equivalent)	180.80	EC002592	AA031322E	4547648882927	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NLMP-21-05	Güvenlik temassız kapı switchi, reed, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	297.30	EC002592	AA040359C	4547648977098	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMR-21-10	Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 10m cable	311.30	EC002592	AA040360G	4547648977104			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMX-21-05	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable	439.60	EC002592	AA040402F	4547648977524			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMX-21-10	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable	486.20	EC002592	AA040403D	4547648977531	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPR-20-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC kontak	160.60	EC002592	AA020794H	4536853906252			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-20-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli 5m, plastik, 2NC kontak	169.30	EC002592	AA020795F	4536853906269	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC+1NO kontak	166.00	EC002592	AA020798M	4536853906290			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	178.00	EC002592	AA020799R	4536853906306	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-10	Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	200.50	EC002592	AA020800F	4536853906313	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-M1J8	Güvenlik temassız kapı switchi, reed, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	205.30	EC002592	AA020801D	4536853906283	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMHR-21-05	Güvenlik temassız kapı switchi, reed, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	233.40	EC002592	AA040352F	4547648977029	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHR-21-10	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	248.00	EC002592	AA040353D	4547648977036			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sol taraftan	147.30	EC002592	AA040348H	4547648976985			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-R10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sağ taraftan	147.30	EC002592	AA040347M	4547648976978			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-05	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, 5m kablo	123.00	EC002592	AA026101B	4547648861397	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-20-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, M8 konnektörlü sol taraftan	148.80	EC002592	AA040346A	4547648976961	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-M8-WN	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector	70.40	EC002592	AA028929D	4547648868273	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-02	Güvenlik temassız kapı switchi, minyatür, reed, 2m, plastik, 2NC+1NO kontak	125.40	EC002592	AA026104G	4547648861427	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05	Güvenlik temassız kapı switchi, minyatür, reed, 5m, plastik, 2NC+1NO kontak	136.30	EC002592	AA026105E	4547648861434	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05-R	Safety Non-Contact Door switch, Reed, Miniature plastic Housing, 2NC/1NO, 5m pre-wired, Cable entry right sided	136.30	EC002592	AA039084M	4547648964975	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts	158.60	EC002592	AA026106C	4547648861441	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-M1J8	Güvenlik temassız kapı switchi, minyatür, reed, M12 konnektörlü, plastik, 2NC+1NO kontak	164.90	EC002592	AA026107A	4547648861410	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSFR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo	263.70	EC002592	AA040357G	4547648977074			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSHR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	263.70	EC002592	AA040355M	4547648977050			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMR-20-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC kontak	253.20	EC002592	AA020802B	4536853906412			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-05	Güvenlik temassız kapı switchi, reed, küçük gövdeli 5m, paslanmaz çelik, 2NC kontak	259.80	EC002592	AA020803M	4536853906429	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts	280.80	EC002592	AA020805G	4536853906405			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC+1NO kontak	256.80	EC002592	AA020806E	4536853906450			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	263.70	EC002592	AA020807C	4536853906467	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-10	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10m cable	270.30	EC002592	AA020808A	4536853906474	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-M1J8	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	284.90	EC002592	AA020809M	4536853906443	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPR-21-05	Güvenlik temassız kapı switchi, reed, küçük plastik, 2NC+1NO, 5m kablo	190.60	EC002592	AA031316M	4547648882866	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPR-21-10	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	201.80	EC002592	AA031317R	4547648882873	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, uzun plastik, 2NC+1NO, 5m kablo	170.60	EC002592	AA040384D	4547648977340	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPM-21-10	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	189.60	EC002592	AA040385B	4547648977357	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPM-21-M1J8	Safety Non-contact Doorswitch, RFID master coded, elongated plastic housing, 2NC/1NO, M12 8pin	192.20	EC002592	AA039147A	4547648965590	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik, 2NC+1NO, 5m kablo	170.60	EC002592	AA040382H	4547648977326	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-10	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	189.60	EC002592	AA040383F	4547648977333	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik gövdeli, 2NC/1NO, M12 konnektörlü kablolu	194.30	EC002592	AA039146C	4547648965583	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, küçük plastik, 2NC+1NO, 5m kablo	195.20	EC002592	AA040380A	4547648977302	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-10	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	209.50	EC002592	AA040381M	4547648977319	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-M1J8	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	205.30	EC002592	AA040048R	4547648977404	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, 5m kablo	195.20	EC002592	AA040377A	4547648977272	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPU-21-10	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 10m cable	209.50	EC002592	AA040378M	4547648977289	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	220.30	EC002592	AA040379H	4547648977296	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NBMC-21-10	Non-contact door switch, coded, barrel stainless steel M30, 2NC+1NO, 10m cable	270.00	EC002592	AA040335F	4547648976855			FA	FAI	GBR	8536.5005.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3S-TGR-NBPC-21-05	Güvenlik temasız kapı switchi, kodlu, silindirik plastik M30, 2NC+1NO, 5m kablo	141.40	EC002592	AA040331C	4547648976817	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPC-21-M18	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	163.90	EC002592	AA040333M	4547648976831	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMC-21-05	Güvenlik temasız kapı switchi, kodlu, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	243.10	EC002592	AA040328C	4547648976787	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMC-21-10	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 10m cable	252.40	EC002592	AA040329A	4547648976794	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-02	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC kontak	109.10	EC002592	AA020778F	4536853906177	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-05	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 5m, plastik, 2 NC kontak	112.40	EC002592	AA020779D	4536853906184	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-10	Non-contact door switch, coded, elongated sensor 10m, plastic, 2 NC contacts	144.90	EC002592	AA020780H	4536853906191	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-M18	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli M12 konnektörlü, plastik, 2 NC kontak	138.00	EC002592	AA020781F	4536853906160	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-02	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC+1 NO kontak	118.90	EC002592	AA020782D	4536853906214	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-05	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	122.10	EC002592	AA020783B	4536853906221	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	154.60	EC002592	AA020784M	4536853906238	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-M18	Güvenlik temasız kapı switchi, kodlu, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	158.50	EC002592	AA020785R	4536853906207	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHC-21-05	Güvenlik temasız kapı switchi, kodlu, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	223.20	EC002592	AA040319D	4547648976695	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHC-21-M18	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	273.60	EC002592	AA040321F	4547648976718	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	127.80	EC002592	AA026109H	4547648861304	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-05	Güvenlik temasız kapı switchi, minyatür, kodlu, 5m, plastik, 2 NC kontak	117.50	EC002592	AA026110A	4547648861311	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-M18	Güvenlik temasız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC kontak	139.80	EC002592	AA026112H	4547648861298	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-02	Güvenlik temasız kapı switchi, minyatür, kodlu, 2m, plastik, 2 NC+1 NO kontak	114.60	EC002592	AA026113F	4547648861342	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-05	Güvenlik temasız kapı switchi, kodlu, minyatür plastik, 2NC+1NO, 5m kablo	136.30	EC002592	AA026114D	4547648861359	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	158.60	EC002592	AA026115B	4547648861366	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-M18	Güvenlik temasız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC+1 NO kontak	164.90	EC002592	AA026116M	4547648861335	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSFC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo	238.10	EC002592	AA040325R	4547648976756	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-20-05	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli 5m, paslanmaz çelik, 2 NC kontak	222.00	EC002592	AA020787E	4536853906344	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-20-M18	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli M12 konnektörlü, paslanmaz çelik, 2 NC kontak	265.90	EC002592	AA020789A	4536853906320	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-02	Güvenlik temasız kapı switchi, kodlu, küçük gövdeli 2m, paslanmaz çelik, 2 NC+1 NO kontak	227.00	EC002592	AA020790E	4536853906375	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	241.60	EC002592	AA020791C	4536853906382	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	260.20	EC002592	AA020792A	4536853906399	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-M18	Güvenlik temasız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	270.90	EC002592	AA020793M	4536853906368	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPC-21-05	Güvenlik temasız kapı switchi, kodlu, küçük plastik, 2NC+1NO, 5m kablo	123.00	EC002592	AA031319E	4547648882897	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	154.00	EC002592	AA031320R	4547648882903	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPC-21-M18	Güvenlik temasız kapı switchi, kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	166.40	EC002592	AA031321G	4547648882910	#		FA	FAI	GBR	8536.5007.00
D40ML-M1-B-M12	RFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Basic Actuator Code, Pigtail w/M12 Connector	731.00	EC002593	AA044838D	4548583968011	#		FA	FAI	GBR	8536.5007.00
D40ML-M1-U-5M	RFID Magnetic Locking Safety Switch, Die-cast Metal, 1500N, Unique Actuator Code, 5m Cable	698.50	EC002593	AA044828G	4548583967915	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-B-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 10m Cable	558.00	EC002593	AA044833C	4548583967960	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-B-5M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	537.50	EC002593	AA044843M	4548583968066	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-B-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	567.00	EC002593	AA044816C	4548583967793	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	558.00	EC002593	AA044830R	4548583967939	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	567.00	EC002593	AA044817A	4548583967809	#		FA	FAI	GBR	8536.5007.00
D40ML-S51-U-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	881.00	EC002593	AA044811B	4548583967748	#		FA	FAI	GBR	8536.5007.00
D40ML-S52-B-10M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	735.50	EC002593	AA044806F	4548583967694	#		FA	FAI	GBR	8536.5007.00
D40ML-S52-B-5M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	715.00	EC002593	AA044821M	4548583967847	#		FA	FAI	GBR	8536.5007.00
D40ML-CBL-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	83.15	EC001855	AA045418M	4548583973756	#		FA	FAI	GBR	8544.4290.90
D40ML-CBL-M12-5M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length	69.15	EC001855	AA045417A	4548583973749	#		FA	FAI	GBR	8544.4290.90
F39-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Elongated	33.69	EC001487	AA021594M	4536853907402	#		FA	FAI	GBR	8536.5007.00
F39-TGR-NMPC-A	Accessory F3S-TGR-NMPC, actuator	36.15	EC001487	AA026117R	4547648861458	#		FA	FAI	GBR	8536.5005.00
F39-TGR-NMPR-A	Spare actuator for non-coded type, Plastic, Miniature	36.15	EC001487	AA026108M	4547648861465	#	10	FA	FAI	GBR	8536.5007.00
<b>Emniyet DeviceNet Komponenti</b>											
NE1A-SCPU01-V1 VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs	2,751.00	EC001449	NE1A0004R	4547648303385	#		FA	FAJ	JPN	8471.4100.00
NE1A-SCPU02 VER2.0	Safety network controller, 40 x PNP inputs, 8x PNP outputs, 8x test outputs	4,837.00	EC001449	NE1A0005G	4547648303392	#		FA	FAJ	JPN	8471.4100.00
DST1-ID125L-1	Remote I/O terminal, 12 x PNP inputs, 4 x test outputs	1,118.00	EC001449	DST16001B	4547648836821	#		FA	FAJ	CHN	8536.4900.99
DST1-MRD085L-1	Remote I/O terminal, 4 x PNP inputs, 4 x relay outputs, 4 x test outputs	1,360.00	EC001449	DST16003R	4547648836845	#		FA	FAJ	CHN	8536.4900.99
DST1-MD165L-1	Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs	1,292.00	EC001449	DST16002M	4547648836838	#		FA	FAJ	CHN	8536.4900.99
DST1-XD08085L-1	Devicenet Safety	1,118.00	EC001449	DST16014D	4547648836951	#		FA	FAJ	CHN	8536.4900.99
WS02-CFSC1-EV3	Güvenlik ağ konfigüratörü, PC yazılımı	747.00	EC000809	NEW21012H	4548583052260	#		FA	FAJ	JPN	8523.8090.00



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GI-SID1224	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses)	1,257.00	EC001599	GI 0002A	4549734420525			FA	FAJ	CHN	8471.6070.00
GI-SMD1624	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output	1,343.00	EC001599	GI 0001C	4549734420501	#		FA	FAJ	CHN	8471.6070.00
<b>Emniyet Limit Switichi D4B</b>											
D4B-2111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A	42.99	EC000030	D4BN9011G	4536853207151	#		FA	FAK	CHN	8536.5007.00
D4B-2115N	Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, G1/2 conduit	57.25	EC000030	D4BN2115H	4536853205379	#		FA	FAK	JPN	8536.5007.00
D4B-2116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A	57.00	EC000030	D4BN9014A	4536853207182	#		FA	FAK	CHN	8536.5007.00
D4B-2171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A	39.58	EC000030	D4BN9018D	4536853207229	#		FA	FAK	CHN	8536.5007.00
D4B-4111N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (plastik)	44.03	EC000030	D4BN7004C	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
D4B-4113N	Limit switch, SPDB NO/NC, snap action, 10 A	73.65	EC000030	D4BN4021G	4547648598989	#		FA	FAK	JPN	8536.5007.00
D4B-4115N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (paslanmaz çelik)	59.85	EC000030	D4BN4022E	4547648740999	#		FA	FAK	JPN	8536.5007.00
D4B-4116N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol	46.79	EC000030	D4BN7005A	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
D4B-4117N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir çubuk kol	51.70	EC000030	D4BN7006M	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
D4B-4170N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı	44.86	EC000030	D4BN7007H	4548583369504	#		FA	FAK	CHN	8536.5007.00
D4B-4171N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı makaralı	45.68	EC000030	D4BN7008F	4548583369511	#		FA	FAK	CHN	8536.5007.00
D4B-4511N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (plastik)	50.70	EC000030	D4BN4011M	4536854776601	#		FA	FAK	JPN	8536.5007.00
D4B-4516N	Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever	57.65	EC000030	D4BN4012H	4536854776618	#		FA	FAK	JPN	8536.5007.00
D4B-4571N	Güvenlik Limit switichi, D4B, M20, 1NC/1NO (yavaş kapama), üstten basmalı makaralı	57.30	EC000030	D4BN4014D	4536854776632	#	10	FA	FAK	JPN	8536.5007.00
D4B-4A11N	Güvenlik Limit switichi, D4B, M20, DPDB 2-NC (yavaş kapama), makaralı kol (plastik)	59.75	EC000030	D4BN4015B	4536854776649	#		FA	FAK	JPN	8536.5007.00
D4B-4A16N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever	71.25	EC000030	D4BN4016M	4536854776656	#		FA	FAK	JPN	8536.5007.00
D4B-4A17N	Güvenlik Limit switichi, D4B, M20, DPDB 2-NC (yavaş kapama), ayarlanabilir çubuk kol	65.00	EC000030	D4BN4020R	4536854790966	#		FA	FAK	JPN	8536.5007.00
D4B-4A70N	Güvenlik Limit switichi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı	59.85	EC000030	D4BN4017R	4536854776663	#		FA	FAK	JPN	8536.5007.00
D4B-4A71N	Güvenlik Limit switichi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı makaralı	63.25	EC000030	D4BN4018G	4536854776670	#		FA	FAK	JPN	8536.5007.00
<b>Emniyet Bölgesi</b>											
OS32C-BP-VER2	Güvenlik lazer tarayıcı, Güvenlik mesafesi 3m yarı çapı, uyarı bölgesi 10m yarı çaplı, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	5,680.00	EC002550	OS326021F	4548583061118	#		FA	FAO	USA	8536.5019.90
OS32C-BP-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	6,255.00	EC002550	OS326024M	4548583409217	#		FA	FAO	USA	8536.5019.90
OS32C-SN-VER2	Accessory safety, laser scanner, spare for replacement, sensor block without I/O block, Ver.2	4,614.00	EC002550	OS326023B	4548583061132	#		FA	FAO	USA	8536.5019.90
OS32C-SN-4M	Safety laser scanner with measurement data, replacement sensor block	4,085.00	EC002550	OS326026G	4548583409231	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-VER2	Güvenlik lazer tarayıcı, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, yandan kablo çıkış	5,680.00	EC002550	OS326022D	4548583061125	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, PLd & Kat 3 (ISO 13849-1), Ethernet, 24VDC, yandan kablo çıkış	6,255.00	EC002550	OS326025R	4548583409224	#		FA	FAO	USA	8536.5019.90
OS32C-BP-4M	Güvenlik lazer tarayıcı, Güvenlik yarı çapı 4m, uyarı bölgesi 15m, PLd & Kat 3, 24VDC, arkadan kablo çıkış	6,890.00	EC002550	OS326104B	4548583522183	#		FA	FAO	USA	8536.5019.90
OS32C-BP-DM-4M	Güvenlik lazer tarayıcı, ölçüm verisi, Güvenlik yarı çapı 4m, uyarı bölgesi 10m, PLd & Kat 3, Ethernet/IP, 24VDC, arkadan kablo çıkış	7,595.00	EC002550	OS326107G	4548583522213	#		FA	FAO	USA	8536.5019.90
OS32C-SN-4M	Safety laser scanner, safety radius 4m, warning zone 15m, replacement sensor block	5,145.00	EC002550	OS326105M	4548583522190	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-4M	Güvenlik lazer tarayıcı, Güvenlik yarı çapı 4m, uyarı bölgesi 15m, PLd & Kat 3, 24VDC, yandan kablo çıkış	6,890.00	EC002550	OS326103D	4548583522176	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-DM-4M	Güvenlik lazer tarayıcı ölçüm verisi ile, Güvenlik yarı çapı 4m, uyarı bölgesi 10m, PLd & Kat 3, Ethernet/IP, 24VDC, yandan kablo çıkış	7,595.00	EC002550	OS326106R	4548583522206	#		FA	FAO	USA	8536.5019.90
OS32C-BKT1	Alt/kenar montaj braketleri + ünite montaj vidalı	139.50	EC003015	OS326013E	4547648823531	#		FA	FAO	USA	8541.4900.00
OS32C-BKT2	Montaj kiti, XY döner montaj, OS32C-BKT1 ile birlikte kullanılmalıdır.	153.30	EC003015	OS326014C	4547648823548	#		FA	FAO	USA	8541.4900.00
OS32C-BKT3	Basit montaj braketleri x 2 + montaj vidası	95.00	EC003015	OS326015A	4547648823555	#		FA	FAO	USA	8541.4900.00
OS32C-BKT4	Güvenlik lazer tarayıcı koruyucu (ekran için)	98.40	EC003015	OS326016M	4547648823562	#		FA	FAO	USA	8541.4900.00
OS32C-CBL-03M	Güvenlik lazer tarayıcı güç and I/O kablosu, 3m	154.00	EC001855	OS326006B	4547648823463	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-10M	Güvenlik lazer tarayıcı güç and I/O kablosu, 10m	204.90	EC001855	OS326007M	4547648823470	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-20M	Güvenlik lazer tarayıcı güç and I/O kablosu, 20m	300.50	EC001855	OS326008R	4547648823487	#		FA	FAO	MYS	8541.4900.00
OS32C-ECBL-02M	Ethernet kablosu, konfigürasyon için, 2M	233.00	EC002599	OS326010M	4547648823500	#		FA	FAO	JPN	8541.4900.00
OS32C-ECBL-05M	Ethernet kablosu, konfigürasyon için, 5M	299.00	EC002599	OS326011R	4547648823517	#		FA	FAO	JPN	8541.4900.00
OS32C-ECBL-15M	Ethernet cable, for configuration and monitoring, 15M	453.20	EC002599	OS326012G	4547648823524	#		FA	FAO	JPN	8541.4900.00
OS32C-CBSP1	Accessory safety, laser scanner, spare for replacement, I/O block with cable access from left side	1,177.00	EC003015	OS326005D	4547648823456	#		FA	FAO	USA	8541.4900.00
OS32C-WIN-KT	Accessory safety, laser scanner, spare for replacement, Scan window	178.70	EC003015	OS326019D	4547648823593	#		FA	FAO	USA	8541.4900.00
WIN-CLN-KT	Güvenlik lazer tarayıcı aksesuarı, temizleme kiti	98.40	EC003015	OS326020H	4548583130548	#		FA	FAO	USA	8541.4900.00
<b>Emniyet Kontrolcüsü</b>											
G9SP-N10D	G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 16 Güvenlik çıkışı, 6 test çıkışı. PNP	948.50	EC001449	G9SP0002M	4547648830263	#		FA	FAP	CHN	8471.4100.00
G9SP-N10S	G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 4 Güvenlik çıkışı, 4 standart çıkışı. PNP	783.50	EC001449	G9SP0001B	4547648830256	#		FA	FAP	CHN	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G9SP-N20S	G9SP Bağımsız Güvenlik kontrolörü, 20 Güvenlik girişi, 8 Güvenlik çıkışı, 6 test çıkışı. PNP	819.00	EC001449	G9SP0003R	4547648830270	#		FA	FAP	CHN	8471.4100.00
WS02-G9SP01-V2	G9SP konfigüratörü, 1 lisans, WIN-2000/XP/Vista.	566.50	EC000809	G9SP1005M	4548583546318	#		FA	FAP	JPN	8471.4100.00
<b>Emniyet Komponentleri</b>											
E3ZS-T81A	Photoelectric sensor	294.30	EC002716	E3Z6001D	4547648674355	#		FA	FAX	CHN	8541.4900.00
A4EG-OP2	Mounting bracket for securing the A4EG	81.50	EC002886	A4EG0005A	4547648477062	#		FA	FAX	JPN	8536.5015.90
A4EG-OP3	A4EG Holding Key	69.30	EC002886	A4EG0006M	4547648477079	#		FA	FAX	JPN	8536.5015.90
D4BS-15F5	Safety-door switch, D4BS, PG13.5 (1 conduit), 1NC/1NO (slow-action)	53.45	EC002592	D4BS0001G	4536853207366	#	10	FA	FAX	JPN	8536.5015.90
D4BS-1A1F5	Safety-door switch, D4BS, PG13.5 (1 conduit), 2NC (slow-action)	57.15	EC002592	D4BS0002R	4536853207564	#	2	FA	FAX	JPN	8536.5015.90
D4BS-25F5	Limit switch	54.35	EC002592	D4BS0002E	4536853207373	#		FA	FAX	JPN	8536.5015.90
D4BS-45F5	Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama)	56.25	EC002592	D4BS4000M	4536854776724	#		FA	FAX	JPN	8536.5015.90
D4BS-4A1F5	Metal Güvenlik Limit switchi, D4BS, M20 (1 kablo yuvası), 2NC (yavaş kapama)	60.05	EC002592	D4BS4001R	4536854776731	#		FA	FAX	JPN	8536.5015.90
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	80.40	EC002592	D4GS0019H	4536854687976	#		FA	FAX	JPN	8536.5015.90
D4GS-N2R-5	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 5m cable	129.10	EC002592	D4GS0031G	4536854688089	#		FA	FAX	JPN	8536.5015.90
D4GS-N3R	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable	89.35	EC002592	D4GS0033C	4536854688171	#		FA	FAX	JPN	8536.5015.90
D4GS-N3R-5	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 5m cable	134.80	EC002592	D4GS0037F	4536854688225	#		FA	FAX	JPN	8536.5015.90
D4GS-N4R	Safety door switch, IP67, 3NC (slow-action), horizontal key insertion, 1m cable	89.35	EC002592	D4GS0039B	4536854688249	#		FA	FAX	JPN	8536.5015.90
F3S-TGR-KM15-21	Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO	88.95	EC002592	AA042779D	4547648999779	#		FA	FAX	GBR	8536.5005.00
D41G-1YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	1,080.00	EC002593	D41G8005B	4549734703079	#		FA	FAX	DEU	8536.5019.90
D41G-1YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection	938.50	EC002593	D41G8004D	4549734703062	#		FA	FAX	DEU	8536.5019.90
D41G-2YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	1,053.00	EC002593	D41G8008G	4549734703109	#		FA	FAX	DEU	8536.5019.90
D41G-2YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled	913.00	EC002593	D41G8006M	4549734703086	#		FA	FAX	DEU	8536.5019.90
D41G-2YDG-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	1,053.00	EC002593	D41G8009E	4549734703116	#		FA	FAX	DEU	8536.5019.90
D41G-2YDG-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled	913.00	EC002593	D41G8007R	4549734703093	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDA-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection	913.00	EC002593	D41G8001M	4549734703031	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDG-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	1,053.00	EC002593	D41G8003F	4549734703055	#		FA	FAX	DEU	8536.5019.90
D41G-2ZDG-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection	913.00	EC002593	D41G8002H	4549734703048	#		FA	FAX	DEU	8536.5019.90
D41L-1YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	875.50	EC002593	D41L8006B	4549734703277	#		FA	FAX	DEU	8536.5019.90
D41L-1YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	875.50	EC002593	D41L8007M	4549734703284	#		FA	FAX	DEU	8536.5019.90
D41L-1ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	875.50	EC002593	D41L8001A	4549734703222	#		FA	FAX	DEU	8536.5019.90
D41L-1ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	875.50	EC002593	D41L8002M	4549734703239	#		FA	FAX	DEU	8536.5019.90
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	979.00	EC002593	D41L80010M	4549734703314	#		FA	FAX	DEU	8536.5019.90
D41L-2YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	848.00	EC002593	D41L8008R	4549734703291	#		FA	FAX	DEU	8536.5019.90
D41L-2YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	848.00	EC002593	D41L8009G	4549734703307	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	848.00	EC002593	D41L8003H	4549734703246	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDGE-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	979.00	EC002593	D41L8005D	4549734703260	#		FA	FAX	DEU	8536.5019.90
D41L-2ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	848.00	EC002593	D41L8004F	4549734703253	#		FA	FAX	DEU	8536.5019.90
D4BL-1CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	373.70	EC002593	D4BL1001G	4536853204372	#		FA	FAX	JPN	8536.5015.90
D4BL-1CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	449.70	EC002593	D4BL1000R	4536853204365	#		FA	FAX	JPN	8536.5015.90
D4BL-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	501.50	EC002593	D4BL1016E	4536853204525	#		FA	FAX	JPN	8536.5015.90
D4BL-2CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A	368.30	EC002593	D4BL1007F	4536853204433	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	432.90	EC002593	D4BL1019M	4536853204556	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRG	Limit switch	402.00	EC002593	D4BL1041F	4536854404221	#		FA	FAX	JPN	8536.5015.90
D4BL-4DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A	408.50	EC002593	D4BL4003M	4536854776526	#		FA	FAX	JPN	8536.5015.90
F3S-TGR-KHL1	Safety interlock key switch, stainless steel housing, 1600N holding force, M20, 2NC/2NO	591.00	EC002593	AA042787E	4547648999854	#		FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3	Safety interlock key switch, hygienic stainless steel housing, 2000N holding force, M20, 2NC/2NO	673.00	EC002593	AA042788C	4547648999861	#		FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3R	Safety interlock key switch, hygienic stainless steel housing with manual release button, 2000N holding force, M20, 2NC/2NO	908.00	EC002593	AA042789A	4547648999878	#		FA	FAX	GBR	8536.5005.00
D40Z-1C2	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/Plc, 2M	286.70	EC002592	D40Z0001A	4547648833752	#		FA	FAX	CHN	8536.5015.90
D40Z-1C5	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/Plc, 5M	300.90	EC002592	D40Z0002M	4547648833677	#		FA	FAX	CHN	8536.5015.90
D40Z-1C5-S	Safety non-contact door switch, Cat 4/Plc, 5m cable, switch only	249.20	EC002592	D40Z0005D	4547648833707	#		FA	FAX	CHN	8536.5015.90
D40Z-1C-A	Safety non-contact door switch, Cat 4/Plc, actuator only	113.20	EC001487	D40Z0003H	4547648833684	#		FA	FAX	CHN	8536.5015.90
D41D-1CD-N1	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	283.00	EC002592	D41D8001F	4549734702935	#		FA	FAX	DEU	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D41D-2CD-025N2	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	312.80	EC002592	D41D8002D	4549734702942	#		FA	FAX	DEU	8536.5019.90
D40A-1C015-F	Non-contact door switches, Pigtail with M12 connector 4-pole	162.80	EC002592	D40A6003D	4547648839068	#		FA	FAX	CHN	8536.5015.90
D40A-1C2	Non-contact door switches, 2m cable	170.10	EC002592	D40A6001H	4547648839044	#		FA	FAX	CHN	8536.5015.90
D40A-1C5	Non-contact door switches, 5m cable	163.10	EC002592	D40A6002F	4547648839051	#		FA	FAX	CHN	8536.5015.90
D41D-8P5-CFM8-702M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	49.62	EC001855	D41D8008C	4549734703000			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-705M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	67.10	EC001855	D41D8009A	4549734703017			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-710M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	93.95	EC001855	D41D8010E	4549734703024			FA	FAX	DEU	8536.5019.90
D41D-A1	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	34.49	EC001487	D41D8003B	4549734702959	#	20	FA	FAX	DEU	8536.5019.90
D41D-A2	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	34.49	EC001487	D41D8004M	4549734702966	#		FA	FAX	DEU	8536.5019.90
D41D-A3	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	34.49	EC001487	D41D8005R	4549734702973	#		FA	FAX	DEU	8536.5019.90
D41D-MS	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	31.73	EC002594	D41D8007E	4549734702997	#		FA	FAX	DEU	8536.5019.90
D41D-SK	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	11.05	EC002594	D41D8006G	4549734702980	#		FA	FAX	DEU	8536.5019.90
D41G-A1L	Actuator for D41G, compact, left-hand side, without emergency exit	220.90	EC001487	D41G8010R	4549734703123			FA	FAX	DEU	8536.5019.90
D41G-A1L-E0	Actuator for D41G, compact, left-hand side, with emergency exit	305.00	EC001487	D41G8011G	4549734703130			FA	FAX	DEU	8536.5019.90
D41G-A1R	Actuator for D41G, compact, right-hand side, without emergency exit	220.90	EC001487	D41G8012E	4549734703147			FA	FAX	DEU	8536.5019.90
D41G-A1R-E0	Actuator for D41G, compact, right-hand side, with emergency exit	305.00	EC001487	D41G8013C	4549734703154			FA	FAX	DEU	8536.5019.90
D41G-A2L	Actuator for D41G, with door handle, left-hand side, without emergency exit	338.20	EC001487	D41G8014A	4549734703161			FA	FAX	DEU	8536.5019.90
D41G-A2L-E1	Actuator for D41G, with door handle, left-hand side, with emergency exit	505.00	EC001487	D41G8015M	4549734703178	#		FA	FAX	DEU	8536.5019.90
D41G-A2L-E1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	605.00	EC001487	D41G8016H	4549734703185	#		FA	FAX	DEU	8536.5019.90
D41G-A2R	Actuator for D41G, with door handle, right-hand side, without emergency exit	338.20	EC001487	D41G8017F	4549734703192	#		FA	FAX	DEU	8536.5019.90
D41G-A2R-E1	Actuator for D41G, with door handle, right-hand side, with emergency exit	505.00	EC001487	D41G8018D	4549734703208	#		FA	FAX	DEU	8536.5019.90
D41G-A2R-E1T	Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag	605.00	EC001487	D41G8019B	4549734703215	#		FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-905M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	86.85	EC001855	D41L8014C	4549734703352	#		FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-910M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	130.30	EC001855	D41L8015A	4549734703369	#		FA	FAX	DEU	8536.5019.90
D41L-A1	Actuator for D41L, straight, 127 x 35 x 46 mm	118.80	EC001487	D41L8011R	4549734703321	#		FA	FAX	DEU	8536.5019.90
D41L-MP	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	28.98	EC002594	D41L8012G	4549734703338	#		FA	FAX	DEU	8536.5019.90
D41L-MS	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	34.49	EC002594	D41L8013E	4549734703345	#		FA	FAX	DEU	8536.5019.90
A4E-B200SS	Enabling switch, two outputs, no mounting bracket, no rubber seal	53.50	EC002571	A4E 0001G	4536854780295		2	FA	FAX	JPN	8536.5080.90
A4E-B200VA	Enabling switch, two outputs, vertical mounting, with rubber seal	81.20	EC002571	A4E 0007F	4536854780356			FA	FAX	JPN	8536.5080.90
A4E-C211VA	Enabling switch, Four contacts, vertical mounting, with rubber seal	102.90	EC002571	A4E 0008D	4536854780363	#	10	FA	FAX	JPN	8536.5080.90
A4EG-BE2R041	Acil durdurma switchi, aktifleştirme el switchi, Acil durdurma switchi (2NC)	455.60	EC002571	A4EG0009D	4548583869417	#		FA	FAX	JPN	8536.5015.90
A4EG-BM2B041	Acil durdurma switchi, aktifleştirme el switchi, anlık durum switchi (2NO)	470.60	EC002571	A4EG0003E	4547648521642	#		FA	FAX	JPN	8536.5015.90
A4EG-C000041	Acil durdurma switchi, aktifleştirme el switchi, 1 NC (kavrama çıkışı)	370.30	EC002571	A4EG0001R	4547648477031	#		FA	FAX	JPN	8536.5015.90
A165E-02	DPST-NC contact block for A165E Emergency stop switch	18.10	EC000041	A16E3002C	4536854344794	#	50	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-01	Acil durdurma switchi, ışıklı, 30mm çap, bas kilitle/çevir resetle, SPST-NC, 24 VDC	40.07	EC002034	A16E7003C	4536854344824	#	5	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-02	Acil durdurma switchi, ışıklı, 30mm çap, bas kilitle/çevir resetle, DPST-NC, 24 VDC	58.70	EC002034	A16E7004A	4536854344831	#	5	FA	FAX	JPN	8536.5015.90
A165E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, DPST-NC	44.53	EC002034	A16E7006H	4536854344855	#	5	FA	FAX	JPN	8536.5015.90
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	7.42	EC001038	A16E2004D	4536854344770	#	20	FA	FAX	JPN	8536.5015.90
A165E-S-01	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, SPST-NC	40.07	EC002034	A16E7007F	4536854344862	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-02	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, DPST-NC	47.98	EC002034	A16E7008D	4536854344879	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	64.90	EC002034	A16E7012B	4536854479090	#	10	FA	FAX	JPN	8536.5015.90
A22EL-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	31.03	EC001038	A22E2001C	4536854349225	#	10	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-01	Acil durdurma switchi, 24 VAC/DC ışıklı, 40mm çap, bas kilitle/çevir resetle, SPST-NC, IP65	59.20	EC002034	A22E7009F	4536854349324	#	20	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	67.65	EC002034	A22E7010M	4536854349331	#	30	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-11	Acil durdurma switchi, 24 VAC/DC ışıklı, 40mm çap, bas kilitle/çevir resetle, SPST-NO + SPST-NC, IP65	63.45	EC002034	A22E7011H	4536854349348	#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	19.21	EC001038	A22E2002A	4536854349232	#	10	FA	FAX	JPN	8536.5015.90
A22E-M-01	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NC	36.09	EC002034	A22E7001M	4536854349249	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 2NC	45.71	EC002034	A22E7002R	4536854349256	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC , 40 mm dia, push-lock / turn-reset, DPST-NC, within a control box	104.40	EC002034	A22E7053C	4536854860263			FA	FAX	JPN	8536.5015.90
A22E-M-11	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NO + 1NC	33.30	EC002034	A22E7004E	4536854349270	#	20	FA	FAX	JPN	8536.5015.90
A22E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	36.09	EC002034	A22E7025H	4536854380433	#	20	FA	FAX	JPN	8536.5015.90
A22NE-M-L	Acil durdurma anahtarı, aydınlatılmış, 40mm çap, basmalı kilit / dönüş-reset, IP65	35.90	EC001038	A22E0017R	4549734184649	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-N	Acil durdurma anahtarı, aydınlatılmamış, 40mm çap, itmeli kilit / dönüş-reset, IP65	25.42	EC001038	A22E0011M	4549734184588	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-C	Acil durdurma anahtarı, 24 VAC / DC aydınlatılmamış, 40 mm çap, push-lock / dönüş-reset, SPST-NC, itme	76.40	EC002034	A22E0041A	4549734184885	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 40 mm çap, push-lock / dönüş-reset, 1NC	43.39	EC002034	A22E0025M	4549734184724	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N-B	E-Dur, itme, 1NC, 40-diyar. kafa Orta Turn-reset. entegre kontrol kutusu ile	71.90	EC002034	A22E0082R	4549734185295			FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Acil durdurma anahtarı, Push-in, 24 VAC / DC aydınlatılmamış, 40 mm çap, push-lock / dönüş-reset, NO + NC	49.30	EC002034	A22E0042M	4549734184892	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Acil durdurma anahtarı, Push-in, aydınlatılmamış, 40 mm çap, push-lock / dönüş-reset, 1NC + YOK	82.36	EC002034	A22E0026H	4549734184731	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N-B	E-Stop, push-in, 1NC + 1NO, 40-diyar. kafa Orta Turn-reset. entegre kontrol kutusu ile	83.75	EC002034	A22E0083G	4549734185301			FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NE-M-P202-C	Acil durdurma anahtarı, Push-in, 24 VAC / DC aydınlatmalı, 40 mm çap, push-lock / dönüş-reset, 2NC	82.30	EC002034	A22E0043H	4549734184908	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N	Acil durdurma anahtarı, Push-in, aydınlatılmamış, 40 mm çap, push-lock / dönüş-reset, 2NC	49.36	EC002034	A22E0027F	4549734184748	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia. kafa Orta Turn-reset. entegre kontrol kutusu ile	82.30	EC002034	A22E0084E	4549734185318	#		FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Acil durdurma anahtarı, Push-in, aydınlatılmamış, 40 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	56.85	EC002034	A22E0028D	4549734184755			FA	FAX	JPN	8536.5007.00
A22NE-M-P222-N	Acil durdurma anahtarı, Push-in, aydınlatılmamış, 40 mm çap, basmalı kilit / dönüş-reset, 3NC	56.85	EC002034	A22E0029B	4549734184762		10	FA	FAX	JPN	8536.5007.00
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	52.75	EC002034	A22E0226M	4549734442176			FA	FAX	JPN	8536.5015.90
A22NE-S-N	Acil durdurma anahtarı, aydınlatılmamış, 30 mm çap, basmalı kilit / dönüş-reset, IP65	26.92	EC001038	A22E0010A	4549734184571		10	FA	FAX	JPN	8536.5015.90
A22NE-S-P002-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, push-lock / dönüş-reset, NC	40.42	EC002034	A22E0020R	4549734184670			FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, basmalı kilit / dönüş-reset, NC + YOK	46.34	EC002034	A22E0021G	4549734184687		5	FA	FAX	JPN	8536.5015.90
A22NE-S-P202-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, push-lock / dönüş-reset, 2NC	46.34	EC002034	A22E0022E	4549734184694		10	FA	FAX	JPN	8536.5015.90
A22NE-S-P212-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	53.80	EC002034	A22E0023C	4549734184700		5	FA	FAX	JPN	8536.5015.90
A22NE-S-P222-N	Acil durdurma anahtarı, Push-In, aydınlatılmamış, 30 mm çap, push-lock / dönüş-reset, 3NC	53.80	EC002034	A22E0024A	4549734184717		10	FA	FAX	JPN	8536.5015.90
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	42.34	EC000624	A22E0001B	4536854844058	#		FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-Stop Shroud yellow	42.34	EC000624	A22 9156B	4536854952579	#		FA	FAX	JPN	8536.5015.90
44506-4010 ER5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	175.70	EC002033	AA042016A	4547648564427	#		FA	FAX	GBR	8536.5080.90
44506-4030 ER5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	204.90	EC002033	AA042032C	4547648581608	#		FA	FAX	GBR	8536.5080.90
44506-4110 ER5018-021ME	Güvenlik ipli e-stop switchi, 40m ye kadar, 2 NC + 1NO, M20 kablo girişli (3x)	239.20	EC002033	AA042018H	4547648564687	#		FA	FAX	GBR	8536.5080.90
44506-4130 ER5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	259.80	EC002033	AA042036F	4547648579865	#		FA	FAX	GBR	8536.5080.90
44506-5010 ER6022-021M	Safety rope pull E-stop switch, up to 80m, contact 2 NC+1 NO, wiring 3 x M20	207.70	EC002033	AA042024B	4547648565004	#		FA	FAX	GBR	8536.5080.90
44506-5110 ER6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	226.30	EC002033	AA042041B	4547648582018	#		FA	FAX	GBR	8536.5080.90
44506-5410 ER6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	318.70	EC002033	AA042023D	4547648565479	#		FA	FAX	GBR	8536.5080.90
44506-5450 ER6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC + 1 NO, wiring 3 x M20	466.70	EC002033	AA042047A	4548583151499	#		FA	FAX	GBR	8536.5080.90
44506-5810 ER6022-022MSS	Safety rope pull E-stop switch, up to 100m, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	656.50	EC002033	AA042019F	4547648579902	#		FA	FAX	GBR	8536.5080.90
44506-6410 ER1022-042MELL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	371.70	EC002033	AA042030G	4547648579919	#		FA	FAX	GBR	8536.5080.90
44506-7410 ER1032-042MEL	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	540.50	EC002033	AA042017M	4547648580694	#		FA	FAX	GBR	8536.5080.90
44506-2705 RKS	Safety rope pull E-stop switch accessory, rope kit 5m	94.50	EC002026	AA042029C	4547648563192	#		FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Güvenlik ipli e-stop switchi aksesuarı, ip kiti 10m	105.70	EC002026	AA042025M	4547648563420	#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	128.30	EC002026	AA042022F	4547648563987	#		FA	FAX	GBR	8536.5080.90
44506-2750 RK50	Safety rope pull E-stop switch accessory, rope kit 50m	191.10	EC002026	AA042021H	4547648565387	#		FA	FAX	GBR	8536.5080.90
44506-2780 RK80	Güvenlik ipli e-stop switchi aksesuarı, ip kiti 80m	265.80	EC002026	AA042057R	4547648566438	#		FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	80.05	EC002026	AA042027G	4547648562751	#		FA	FAX	GBR	8536.5080.90
44506-4710 SM06-EB10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	24.16	EC002026	AA042037D	4547648561969	#		FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	16.26	EC002026	AA042038B	4547648561754	#		FA	FAX	GBR	8536.5080.90
44506-4730 SM06-TB30	Safety rope pull E-stop switch accessory, rope pull switch turnbuckle, stainless steel	20.11	EC002026	AA042040D	4547648561822	#		FA	FAX	GBR	8536.5080.90
44506-4750 SM06-SP50	Safety rope pull E-stop switch accessory, spring, stainless steel	27.72	EC002026	AA042028E	4547648561990	#		FA	FAX	GBR	8536.5080.90
44506-4770 SM06-THSS	Safety rope pull E-stop switch accessory, thimble stainless steel, 4 pack	14.19	EC002026	AA042039M	4547648561693	#		FA	FAX	GBR	8536.5080.90
44506-4780 SM06-RPSS	Safety rope pull E-stop switch accessory, rope pulley, stainless steel	55.65	EC002026	AA042026R	4547648562331	#		FA	FAX	GBR	8536.5080.90
A22TK-2LR-11-K01	Safety Key Selector Switch, Operation Unit 2LR, SPST-NO + SPST-NC, Key 01	67.05	EC001029	A22E8020B	4547648715157			FA	FAX	JPN	8536.5015.90
F35P-B1P	Control Unit for F3SJ, 3NO + 1NC, (use F39-JC_B double ended cable)	475.50	EC001449	F35P6001R	4547648813402	#		FA	FAX	CHN	8536.4900.99
D4F-102-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit	101.60	EC000030	D4F 0005E	4536854896101	#		FA	FAX	JPN	8536.5007.00
D4F-102-3D	Limit switch	133.90	EC000030	D4F 0029B	4536854896347	#		FA	FAX	JPN	8536.5007.00
D4F-102-5D	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 5 m cable, vertical cable exit	133.60	EC000030	D4F 0045D	4536854896507	#		FA	FAX	JPN	8536.5007.00
D4F-302-5R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit	176.00	EC000030	D4F 0039M	4536854896446	#		FA	FAX	JPN	8536.5007.00
D4F-320-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit	167.70	EC000030	D4F 0019E	4536854896248	#		FA	FAX	JPN	8536.5007.00
D4N-4C32	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger	19.11	EC000030	D4N 0299B	4547648036535	#		FA	FAX	JPN	8536.5007.00
D4N-4A20R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	28.84	EC000030	D4NR0004D	4547648039062	#		FA	FAX	JPN	8536.5007.00
D4N-4A32R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger,	32.13	EC000030	D4NR0022B	4547648039246	#		FA	FAX	JPN	8536.5007.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
F39-JD10A	Verici+Alıcı kablo çifti F3SJ-B için 10m	469.10	EC001855	F39J1005R	4548583097124	#		FA	FAZ	CHN	8544.4290.90
F39-JD15A	Verici+Alıcı kablo çifti F3SJ-B için 15m	639.50	EC001855	F39J1006G	4548583097131	#		FA	FAZ	CHN	8544.4290.90
F39-JD3A	Verici+Alıcı kablo çifti F3SJ-B için 3m	246.90	EC001855	F39J1003B	4548583097100	#		FA	FAZ	CHN	8544.4290.90
F39-JD7A	Verici+Alıcı kablo çifti F3SJ-B için 7m	362.40	EC001855	F39J1004M	4548583097117	#		FA	FAZ	CHN	8544.4290.90
F39-JD7B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7m	317.20	EC001855	F39J1012A	4548583097193	#		FA	FAZ	CHN	8541.9000.00
F39-JR15L	Series connection cable for F3SJ, 0.15M (cap both ends)	146.90	EC001855	F39J0001D	4547648149631	#		FA	FAZ	JPN	8541.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-LJB1	Güvenlik ışık bariyeri aksesuarı, F39I-E/-B, üst/alt montaj braketleri (4 parça)	49.83	EC003015	F39B0001R	4548583033092	#		FA	FAZ	CHN	8541.9000.00
F39-TRD14	Safety Light Curtain Accessory, test rod , 14mm	58.80	EC003015	F39Z0001M	4548583561038			FA	FAZ	JPN	8541.9000.00
F39-TRD30	Safety Light Curtain Accessory, test rod , 30mm	56.20	EC003015	F39Z0004E	4548583561069			FA	FAZ	JPN	8541.9000.00
D4NS-SK30	Güvenlik kapı switchi kapı aparatı, D4NS,	628.50	EC001487	D4NS1003M	4547648183109			FA	FAZ	JPN	8536.5015.90
D4SL-CN10	Guard lock safety-door switch accessory, D4SL-N, connector cable 10m	105.50	EC003015	D4SL0193M	4548583560284	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 3m	52.25	EC003015	D4SL0106R	4547648782425	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 5m	84.30	EC003015	D4SL0107G	4547648782432	#		FA	FAZ	CHN	8536.5007.00
D4SL-NK1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: yatay montaj	8.80	EC001487	D4SL3001H	4548583322271	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1G	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, cushion rubber	12.02	EC001487	D4SL3005M	4548583322318	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1S	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: yatay montaj, (kısa tip)	8.80	EC001487	D4SL3004B	4548583322301	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: dikey montaj	9.10	EC001487	D4SL3002F	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK2G	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting, cushion rubber	9.72	EC001487	D4SL3006R	4548583322325	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar: ayarlanabilir montaj (yatay)	27.34	EC001487	D4SL3003D	4548583322295	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK5	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable (horizontal/vertical)	24.33	EC001487	D4SL3007G	4548583560277	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LK	D4SLN kayar/kilitleme anahtar sistemi, kilitleme kolu dahil değil	256.40	EC001487	D4SL4001C	4548583330122	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LKH	D4SLN slide/lockout key system, with inner lever	309.80	EC001487	D4SL4002A	4548583330153	#		FA	FAZ	JPN	8536.5007.00
F39-TGR-KAM	Key for safety key switch with metal head	8.45	EC001487	AA042772G	4547648999700	#		FA	FAZ	GBR	8536.5005.00
F39-TGR-KHFF	Key for safety key switch, flexible with hygienic stainless steel body	60.15	EC001487	AA042776M	4547648999748	#		FA	FAZ	GBR	8536.5005.00
F39-TGR-NT	T-Connector for F39-TGR-N_C and F39-TGR-N_M(U)	94.85	EC002594	AA043483R	4548583954809	#		FA	FAZ	ITA	8544.4999.00
82611-0010 CM-EIP-1	G9SP EthernetIP haberleşme opsiyonu	388.20	EC001449	SLOA0428F	4548583062429	#		FA	FAZ	USA	8538.9099.99
<b>Emniyet Rölesi G9SE</b>											
G9SE-201 DC24	Emniyet rölesi ünitesi, 24 VDC, 2 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	116.80	EC001449	G9SE9001B	4549734169332	#		FB	FBE	CHN	8536.4900.99
G9SE-221-T05 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyet çıkışı 5 A maks (2 + 2, 5 sn kapalı gecikmeli), yardımcı çıkışlar	147.50	EC001449	G9SE9003R	4549734169356	#		FB	FBE	CHN	8536.4900.99
G9SE-221-T30 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyet çıkışı 5 A maks (2 + 2, 30 s kapalı gecikmeli), yardımcı çıkışlar	147.50	EC001449	G9SE9004G	4549734169363	#		FB	FBE	CHN	8536.4900.99
G9SE-401 DC24	Emniyet röle ünitesi, 24 VDC, 4 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	122.80	EC001449	G9SE9002M	4549734169349	#		FB	FBE	CHN	8536.4900.99
<b>Emniyet Rölesi G9SR</b>											
G9SR-AD201-RC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 5A, ek çıkış	198.50	EC001449	AA041677F	4547648989039	#		FB	FBR	NLD	8536.4900.99
G9SR-BC201-RC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 2A max, ek çıkış	124.40	EC001449	AA041676H	4547648989022	#		FB	FBR	NLD	8536.4900.99
G9SR-EX031-T90-RC	Güvenlik Rölesi ünite, 24VDC, çıkış genişletme, 90s, 3 Güvenlik 5A, ek çıkış	192.00	EC001449	AA041678D	4547648989046	#		FB	FBR	NLD	8536.4900.99
<b>Emniyet Işık Bariyeri F3SG</b>											
F3SG-2RE0160P14	Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 160mm, PNP	595.50	EC002549	F3SG6166M	4549734103695	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0240P14	Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 240mm, PNP	643.00	EC002549	F3SG6167H	4549734103701	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0320P14	Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 320mm, PNP	925.00	EC002549	F3SG6168F	4549734103718	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0400P14	Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 400mm, PNP	1,072.00	EC002549	F3SG6169D	4549734103725	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE1040P14	Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 1040mm, PNP	1,887.00	EC002549	F3SG6177E	4549734103800	#		FC	FCS	NLD	8536.5019.90
F3SG-2SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	676.00	EC002549	F3G28201H	4549734517157	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	768.00	EC002549	F3G28203D	4549734517164	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	859.50	EC002549	F3G28205M	4549734517171	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	904.50	EC002549	F3G28207G	4549734517188	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	997.00	EC002549	F3G28209C	4549734517195	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,089.00	EC002549	F3G28211E	4549734517201	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,136.00	EC002549	F3G28213A	4549734517218	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,322.00	EC002549	F3G28217D	4549734517225	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,524.00	EC002549	F3G28222M	4549734517232	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,704.00	EC002549	F3G28223R	4549734517249	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,898.00	EC002549	F3G28224G	4549734517256	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,101.00	EC002549	F3G28225E	4549734517263	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,336.00	EC002549	F3G28226C	4549734517270	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,515.00	EC002549	F3G28227A	4549734517287	#		FC	FCS	CHN	8536.5019.90
F3SG-2RA0590-30	Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP/NPN	1,157.00	EC002549	F3SG6086H	4549734102896	#		FC	FCS	NLD	8536.5019.90
F3SG-2RA0750-30	Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 750mm, PNP/NPN	1,315.00	EC002549	F3SG6088D	4549734102919	#		FC	FCS	NLD	8536.5019.90
F3SG-2RA0910-30	Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP/NPN	1,472.00	EC002549	F3SG6090F	4549734102933	#		FC	FCS	NLD	8536.5019.90
F3SG-2RA0990-30	Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP/NPN	1,542.00	EC002549	F3SG6091D	4549734102940	#		FC	FCS	NLD	8536.5019.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-2RE0190P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 190mm, PNP	543.50	EC002549	F3SG6191M	4549734103947	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0270P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 270mm, PNP	664.50	EC002549	F3SG6192R	4549734103954	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0350P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 350mm, PNP	765.50	EC002549	F3SG6193G	4549734103961	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0430P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 430mm, PNP	823.00	EC002549	F3SG6194E	4549734103978	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0510P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 510mm, PNP	888.00	EC002549	F3SG6195C	4549734103985	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0590P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP	1,000.00	EC002549	F3SG6196A	4549734103992	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0670P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 670mm, PNP	1,079.00	EC002549	F3SG6197M	4549734104005	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0750P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 750mm, PNP	1,112.00	EC002549	F3SG6198H	4549734104012	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0910P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP	1,324.00	EC002549	F3SG6200C	4549734104036	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE0990P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP	1,334.00	EC002549	F3SG6201A	4549734104043	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE1070P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1070mm, PNP	1,441.00	EC002549	F3SG6202M	4549734104050	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE1390P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1390mm, PNP	1,707.00	EC002549	F3SG6206B	4549734104098	#		FC	FCS	NLD	8536.5019.90
F3SG-2RE1550P30	Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1550mm, PNP	1,843.00	EC002549	F3SG6208R	4549734104111	#		FC	FCS	NLD	8536.5019.90
F3SG-2SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	635.00	EC002549	F3G28228M	4549734517294	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	708.00	EC002549	F3G28230A	4549734517300	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	779.50	EC002549	F3G28232H	4549734517317	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	804.00	EC002549	F3G28234D	4549734517324	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	876.50	EC002549	F3G28236M	4549734517331	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	950.00	EC002549	F3G28238G	4549734517348	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	971.50	EC002549	F3G28240R	4549734517355	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,045.00	EC002549	F3G28242E	4549734517362	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,118.00	EC002549	F3G28244A	4549734517379	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,141.00	EC002549	F3G28246H	4549734517386	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,230.00	EC002549	F3G28248D	4549734517393	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,302.00	EC002549	F3G28250F	4549734517409	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	3,206.00	EC002549	F3G21250H	4549734514040	#		FC	FCS	JPN	8536.5019.90
F3SG-2SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,325.00	EC002549	F3G28251D	4549734517416	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,400.00	EC002549	F3G28252B	4549734517423	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,476.00	EC002549	F3G28253M	4549734517430	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,498.00	EC002549	F3G28254R	4549734517447	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,571.00	EC002549	F3G28255G	4549734517454	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,669.00	EC002549	F3G28256E	4549734517461	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,691.00	EC002549	F3G28257C	4549734517478	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,765.00	EC002549	F3G28258A	4549734517485	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,837.00	EC002549	F3G28259M	4549734517492	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,861.00	EC002549	F3G28260C	4549734517508	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1,934.00	EC002549	F3G28261A	4549734517515	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,030.00	EC002549	F3G28262M	4549734517522	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,263.00	EC002549	F3G28263H	4549734517539	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,390.00	EC002549	F3G28264F	4549734517546	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	681.00	EC002549	F3G28265D	4549734517553	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	705.50	EC002549	F3G28272G	4549734517621	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	759.50	EC002549	F3G28266B	4549734517560	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	776.00	EC002549	F3G28273E	4549734517638	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	886.00	EC002549	F3G28267M	4549734517577	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	893.50	EC002549	F3G28274A	4549734517645	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	963.50	EC002549	F3G28268R	4549734517584	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	963.50	EC002549	F3G28275A	4549734517652	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,044.00	EC002549	F3G28269G	4549734517591	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,051.00	EC002549	F3G28276M	4549734517669	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,266.00	EC002549	F3G28270M	4549734517607	#		FC	FCS	CHN	8536.5019.90
F3SG-2SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,500.00	EC002549	F3G28271R	4549734517614	#		FC	FCS	CHN	8536.5019.90
F3SG-4RA0240-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP/NPN	1,067.00	EC002549	F3SG6002G	4549734102056	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0320-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 320mm, PNP/NPN	1,167.00	EC002549	F3SG6003E	4549734102063	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0400-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP/NPN	1,266.00	EC002549	F3SG6004C	4549734102070	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0480-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP/NPN	1,366.00	EC002549	F3SG6005A	4549734102087	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0560-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP/NPN	1,470.00	EC002549	F3SG6006M	4549734102094	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0640-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP/NPN	1,568.00	EC002549	F3SG6007H	4549734102101	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0800-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP/NPN	1,768.00	EC002549	F3SG6009D	4549734102124	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0960-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP/NPN	1,967.00	EC002549	F3SG6011F	4549734102148	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1040-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP/NPN	2,067.00	EC002549	F3SG6012D	4549734102155	#		FC	FCS	NLD	8536.5019.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4RA1200-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP/NPN	2,269.00	EC002549	F3SG6014M	4549734102179	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1280-14	Güvenlik ışık bariyeri, F3SG-R leri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1280mm, PNP/NPN	2,368.00	EC002549	F3SG6015R	4549734102186	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0160P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 160mm, PNP	796.00	EC002549	F3SG6111B	4549734103145	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0240P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP	887.50	EC002549	F3SG612M	4549734103152	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0320P14	Emniyet sensörü F3SG-4RA için basamaklı kablo _____ 25-01TS (verici ve alıcı için set başına iki kablo) M12 (8-pinli) konik konektör	978.50	EC002549	F3SG6113R	4549734103169	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0400P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP	1,070.00	EC002549	F3SG6114G	4549734103176	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0480P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP	1,162.00	EC002549	F3SG6115E	4549734103183	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0560P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP	1,254.00	EC002549	F3SG6116C	4549734103190	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0640P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP	1,347.00	EC002549	F3SG6117A	4549734103206	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0720P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP	1,439.00	EC002549	F3SG6118M	4549734103213	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0800P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP	1,530.00	EC002549	F3SG6119H	4549734103220	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0880P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 880mm, PNP	1,621.00	EC002549	F3SG6120A	4549734103237	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0960P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP	1,714.00	EC002549	F3SG6121M	4549734103244	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1040P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP	1,803.00	EC002549	F3SG6122H	4549734103251	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1200P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP	1,991.00	EC002549	F3SG6124D	4549734103275	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1360P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1360mm, PNP	2,199.00	EC002549	F3SG6126M	4549734103299	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1520P14	Safety Sensor, F3SG-R Easy, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1520mm, PNP	2,373.00	EC002549	F3SG6128G	4549734103312	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	694.50	EC002549	F3G28001E	4549734515511	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0240-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	795.00	EC002549	F3G28003A	4549734515535	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0320-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	904.50	EC002549	F3G28005H	4549734515559	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	1,190.00	EC002549	F3G28007D	4549734515573	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0480-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,162.00	EC002549	F3G28009M	4549734515597	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0560-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	2,010.00	EC002549	F3G28011B	4549734515610	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0600-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,334.00	EC002549	F3G28012M	4549734515627	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0640-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,386.00	EC002549	F3G28013R	4549734515634	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,601.00	EC002549	F3G28017A	4549734515672	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA0920-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,913.00	EC002549	F3G28020A	4549734515702	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA1000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,985.00	EC002549	F3G28022H	4549734515726	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA1200-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	2,211.00	EC002549	F3G28023F	4549734515733	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA1400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,430.00	EC002549	F3G28024D	4549734515740	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA1600-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,690.00	EC002549	F3G28025B	4549734515757	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA1800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,963.00	EC002549	F3G28026M	4549734515764	FC	FCS	CHN	8536.5019.90		
F3SG-4SRA2000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	3,250.00	EC002549	F3G28027R	4549734515771	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	680.00	EC002549	F3G28101A	4549734516396	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 200 mm, PNP/NPN	725.50	EC002549	F3G28102M	4549734516402	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	770.50	EC002549	F3G28103H	4549734516419	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	823.00	EC002549	F3G28104F	4549734516426	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	875.00	EC002549	F3G28105D	4549734516433	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	2,366.00	EC002549	F3G21105F	4549734513531	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB0360-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	921.50	EC002549	F3G28106B	4549734516440	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	966.50	EC002549	F3G28107M	4549734516457	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 400 mm, PNP/NPN	2,465.00	EC002549	F3G21107B	4549734513548	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB0440-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	1,019.00	EC002549	F3G28108R	4549734516464	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,071.00	EC002549	F3G28109G	4549734516471	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	2,583.00	EC002549	F3G21109R	4549734513555	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB0520-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	1,117.00	EC002549	F3G28110M	4549734516488	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,162.00	EC002549	F3G28111R	4549734516495	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0560-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2,660.00	EC002549	F3G21111M	4549734513562	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB0600-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,215.00	EC002549	F3G28112G	4549734516501	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,268.00	EC002549	F3G28113E	4549734516518	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2,720.00	EC002549	F3G21113G	4549734513579	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB0680-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1,315.00	EC002549	F3G28114C	4549734516525	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0720-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,360.00	EC002549	F3G28115A	4549734516532	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0760-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1,411.00	EC002549	F3G28116M	4549734516549	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,463.00	EC002549	F3G28117H	4549734516556	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0840-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1,510.00	EC002549	F3G28118F	4549734516563	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0880-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,555.00	EC002549	F3G28119D	4549734516570	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0920-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,608.00	EC002549	F3G28120H	4549734516587	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB0960-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1,658.00	EC002549	F3G28121F	4549734516594	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,802.00	EC002549	F3G28122D	4549734516600	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB1000-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	3,277.00	EC002549	F3G21122F	4549734513593	FC	FCS	JPN	8536.5019.90		
F3SG-4SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,946.00	EC002549	F3G28123B	4549734516617	FC	FCS	CHN	8536.5019.90		
F3SG-4SRB1200-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	3,522.00	EC002549	F3G21123D	4549734513609	FC	FCS	JPN	8536.5019.90		

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,187.00	EC002549	F3G28124M	4549734516624			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	3,745.00	EC002549	F3G21124B	4549734513616			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,428.00	EC002549	F3G28125R	4549734516631			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,676.00	EC002549	F3G28126G	4549734516648			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	4,193.00	EC002549	F3G21126R	4549734513630			FC	FCS	JPN	8536.5019.90
F3SG-4SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,924.00	EC002549	F3G28127E	4549734516655			FC	FCS	CHN	8536.5019.90
F3SG-4RA0190-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 190mm, PNP/NPN	828.50	EC002549	F3SG6051E	4549734102544			FC	FCS	NLD	8536.5019.90
F3SG-4RA0430-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP/NPN	1,055.00	EC002549	F3SG6054M	4549734102575	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0510-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP/NPN	1,128.00	EC002549	F3SG6055H	4549734102582	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0590-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP/NPN	1,203.00	EC002549	F3SG6056F	4549734102599	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0670-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP/NPN	1,278.00	EC002549	F3SG6057D	4549734102605	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0750-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP/NPN	1,354.00	EC002549	F3SG6058B	4549734102612	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0830-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP/NPN	1,431.00	EC002549	F3SG6059M	4549734102629	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0910-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP/NPN	1,501.00	EC002549	F3SG6060D	4549734102636	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0990-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP/NPN	1,579.00	EC002549	F3SG6061B	4549734102643	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1070-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP/NPN	1,652.00	EC002549	F3SG6062M	4549734102650	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1230-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP/NPN	1,801.00	EC002549	F3SG6064G	4549734102674	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1310-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP/NPN	1,879.00	EC002549	F3SG6065E	4549734102681	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1390-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1390mm, PNP/NPN	1,953.00	EC002549	F3SG6066C	4549734102698	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1470-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP/NPN	2,026.00	EC002549	F3SG6067A	4549734102704	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1550-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP/NPN	2,101.00	EC002549	F3SG6068M	4549734102711	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1630-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP/NPN	2,174.00	EC002549	F3SG6069H	4549734102728	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1790-30	Güvenlik ışık bariyeri, F3SG-R Ileri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP/NPN	2,324.00	EC002549	F3SG6071M	4549734102742	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0190P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 190mm, PNP	671.50	EC002549	F3SG6136H	4549734103398	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0270P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP	739.50	EC002549	F3SG6137F	4549734103404	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0350P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP	808.00	EC002549	F3SG6138D	4549734103411	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0430P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP	876.50	EC002549	F3SG6139B	4549734103428	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0510P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP	944.50	EC002549	F3SG6140F	4549734103435	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0590P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP	1,013.00	EC002549	F3SG6141D	4549734103442	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0670P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP	1,083.00	EC002549	F3SG6142B	4549734103459	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0750P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP	1,153.00	EC002549	F3SG6143M	4549734103466	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0830P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP	1,219.00	EC002549	F3SG6144R	4549734103473	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0910P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP	1,289.00	EC002549	F3SG6145G	4549734103480	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0990P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP	1,360.00	EC002549	F3SG6146E	4549734103497	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1070P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP	1,431.00	EC002549	F3SG6147C	4549734103503	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1230P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP	1,566.00	EC002549	F3SG6149M	4549734103527	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1310P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP	1,633.00	EC002549	F3SG6150C	4549734103534	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1470P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP	1,772.00	EC002549	F3SG6152M	4549734103558	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1550P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP	1,839.00	EC002549	F3SG6153H	4549734103565	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1630P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP	1,909.00	EC002549	F3SG6154F	4549734103572	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1710P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1710mm, PNP	1,980.00	EC002549	F3SG6155D	4549734103589	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1790P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP	2,049.00	EC002549	F3SG6156B	4549734103596	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1870P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1870mm, PNP	2,114.00	EC002549	F3SG6157M	4549734103602	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1950P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP	2,161.00	EC002549	F3SG6158R	4549734103619	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	614.50	EC002549	F3G28028G	4549734515788			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	690.00	EC002549	F3G28030R	4549734515801			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0280-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	737.50	EC002549	F3G28031G	4549734515818			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	758.00	EC002549	F3G28032E	4549734515825			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	823.50	EC002549	F3G28034A	4549734515849			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0440-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	875.00	EC002549	F3G28035M	4549734515856			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	919.50	EC002549	F3G28036H	4549734515863			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	1,028.00	EC002549	F3G28038D	4549734515887			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	1,157.00	EC002549	F3G28039B	4549734515894			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	1,058.00	EC002549	F3G28040F	4549734515900			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0720-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,138.00	EC002549	F3G28042B	4549734515924			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,211.00	EC002549	F3G28044R	4549734515948			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0880-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,310.00	EC002549	F3G28046E	4549734515962			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0960-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,495.00	EC002549	F3G28048A	4549734515986			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1050-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1050 mm, PNP/NPN	1,463.00	EC002549	F3G28049M	4549734515993			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1040-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,483.00	EC002549	F3G28050C	4549734516006			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1120-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,582.00	EC002549	F3G28051A	4549734516013			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,726.00	EC002549	F3G28052M	4549734516020			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock Qty.	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRA1280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,763.00	EC002549	F3G28053H	4549734516037			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1360-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,798.00	EC002549	F3G28054F	4549734516044			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1440-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,925.00	EC002549	F3G28055D	4549734516051			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	2,070.00	EC002549	F3G28056B	4549734516068			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	2,098.00	EC002549	F3G28057M	4549734516075			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1680-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	2,153.00	EC002549	F3G28058R	4549734516082			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1840-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	2,275.00	EC002549	F3G28060M	4549734516105			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1920-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,334.00	EC002549	F3G28061R	4549734516112			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2080-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,491.00	EC002549	F3G28062G	4549734516129			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,771.00	EC002549	F3G28063E	4549734516136			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,924.00	EC002549	F3G28064C	4549734516143			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	561.50	EC002549	F3G28128C	4549734516662			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 200 mm, PNP/NPN	601.00	EC002549	F3G28129A	4549734516679			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	627.00	EC002549	F3G28130E	4549734516686			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	667.00	EC002549	F3G28131C	4549734516693 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	687.50	EC002549	F3G28132A	4549734516709			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 320 mm, PNP/NPN	2,899.00	EC002549	F3G21132C	4549734513647			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 360 mm, PNP/NPN	725.50	EC002549	F3G28133M	4549734516716			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	758.00	EC002549	F3G28134H	4549734516723			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 400 mm, PNP/NPN	2,961.00	EC002549	F3G21134M	4549734513654			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0440-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	797.00	EC002549	F3G28135F	4549734516730 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	835.50	EC002549	F3G28136D	4549734516747			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 480 mm, PNP/NPN	2,719.00	EC002549	F3G21136F	4549734513661			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 520 mm, PNP/NPN	875.00	EC002549	F3G28137B	4549734516754			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	908.00	EC002549	F3G28138M	4549734516761			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 600 mm, PNP/NPN	2,843.00	EC002549	F3G21138B	4549734513678			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	940.50	EC002549	F3G28139R	4549734516778 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	979.50	EC002549	F3G28140B	4549734516785			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 640 mm, PNP/NPN	2,888.00	EC002549	F3G21140D	4549734513685			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 680 mm, PNP/NPN	1,019.00	EC002549	F3G28141M	4549734516792			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,051.00	EC002549	F3G28142R	4549734516808			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 720 mm, PNP/NPN	3,353.00	EC002549	F3G21142M	4549734513692			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0760-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,085.00	EC002549	F3G28143G	4549734516815			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,124.00	EC002549	F3G28144E	4549734516822			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 800 mm, PNP/NPN	3,079.00	EC002549	F3G21144G	4549734513708			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0840-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 840 mm, PNP/NPN	1,162.00	EC002549	F3G28145C	4549734516839			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,202.00	EC002549	F3G28146A	4549734516846			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 880 mm, PNP/NPN	3,025.00	EC002549	F3G21146C	4549734513715			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0920-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,241.00	EC002549	F3G28147M	4549734516853			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,274.00	EC002549	F3G28148H	4549734516860			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN	3,328.00	EC002549	F3G21148M	4549734513722			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1000-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,306.00	EC002549	F3G28149F	4549734516877 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN	3,382.00	EC002549	F3G21049A	4549734610353			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,386.00	EC002549	F3G28150M	4549734516884			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	3,402.00	EC002549	F3G21150A	4549734513739			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,463.00	EC002549	F3G28151H	4549734516891			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,529.00	EC002549	F3G28152F	4549734516907 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN	3,208.00	EC002549	F3G21152H	4549734513753			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,608.00	EC002549	F3G28153D	4549734516914 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,686.00	EC002549	F3G28154B	4549734516921			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN	3,366.00	EC002549	F3G21154D	4549734513777			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,750.00	EC002549	F3G28155M	4549734516938			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,828.00	EC002549	F3G28156R	4549734516945 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN	3,942.00	EC002549	F3G21156M	4549734513791			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,907.00	EC002549	F3G28157G	4549734516952 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN	3,983.00	EC002549	F3G21157R	4549734513807			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,972.00	EC002549	F3G28158E	4549734516969			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	2,051.00	EC002549	F3G28159C	4549734516976 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	2,129.00	EC002549	F3G28160G	4549734516983 #			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN	4,225.00	EC002549	F3G21160R	4549734513838			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,192.00	EC002549	F3G28161E	4549734516990			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,272.00	EC002549	F3G28162C	4549734517003			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,417.00	EC002549	F3G28163A	4549734517010			FC	FCS	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,559.00	EC002549	F3G28164M	4549734517027			FC	FCS	CHN	8536.5019.90
F3SG-4PGA0670-2A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, Product length 670 mm, Active/active	968.50	EC001832	F3G20077A	4549734453486			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive	867.50	EC001832	F3G20081M	4549734453523	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active	995.00	EC001832	F3G20085B	4549734453561			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, Product length 970 mm, Active/active	1,204.00	EC001832	F3G20078M	4549734453493	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active	1,237.00	EC001832	F3G20086M	4549734453578			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active	1,547.00	EC001832	F3G20079H	4549734453509			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive	1,387.00	EC001832	F3G20083F	4549734453547	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active	1,554.00	EC001832	F3G20087R	4549734453585	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/active	1,616.00	EC001832	F3G20080A	4549734453516	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive	1,452.00	EC001832	F3G20084D	4549734453554	#		FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active	1,625.00	EC001832	F3G20088G	4549734453592	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRA0560-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	866.50	EC002549	F3G28067H	4549734516174			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,535.00	EC002549	F3G28076G	4549734516266			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	2,056.00	EC002549	F3G28071F	4549734516211			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	816.00	EC002549	F3G28165H	4549734517034			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	846.00	EC002549	F3G28172M	4549734517102			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	910.50	EC002549	F3G28166F	4549734517041			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	930.50	EC002549	F3G28173R	4549734517119			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	1,063.00	EC002549	F3G28167D	4549734517058			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	1,071.00	EC002549	F3G28174G	4549734517126			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,157.00	EC002549	F3G28168B	4549734517065			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,157.00	EC002549	F3G28175E	4549734517133			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,253.00	EC002549	F3G28169M	4549734517072			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,263.00	EC002549	F3G28176C	4549734517140	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,519.00	EC002549	F3G28170D	4549734517089	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,800.00	EC002549	F3G28171B	4549734517096	#		FC	FCS	CHN	8536.5019.90
F3W-MA0100P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 100mm için boşluğ	480.60	EC003015	F3W00001G	4548583571150	#		FC	FCS	JPN	8541.4900.00
F3W-MA0300P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 300mm için boşluğ	602.00	EC003015	F3W00002E	4548583571167	#		FC	FCS	JPN	8541.4900.00
<b>Emniyet Işık Bariyeri Aksesuar</b>											
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor; length 150 mm (2 mounters per set)	94.40	EC003015	F39S8206F	4549734523134			FC	FCZ	CHN	8541.4900.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor; length 150 mm (2 mounters per set)	76.65	EC003015	F39S8204M	4549734523110			FC	FCZ	CHN	8541.4900.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor; length 400 mm (2 mounters per set)	105.40	EC003015	F39S8207D	4549734523141	#		FC	FCZ	CHN	8541.4900.00
F39-FMA400T	Muting sensor arm mounter for through-beam sensor; length 400 mm (2 mounters per set)	87.55	EC003015	F39S8205H	4549734523127			FC	FCZ	CHN	8541.4900.00
F39-GCN4	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü set (1 alıcı için + 1 verici için)	175.40	EC003015	F39G1057B	4548583594197	#		FC	FCZ	JPN	8541.4900.00
F39-GCN4-D	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, alıcı için	98.40	EC003015	F39G1059R	4548583594210	#		FC	FCZ	JPN	8541.4900.00
F39-GCN4-L	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, verici için	76.90	EC003015	F39G1058M	4548583594203	#		FC	FCZ	JPN	8541.4900.00
F39-GCN5	Muting Sensor Connection Box for F3SG-SR/PG series	237.80	EC003015	F39S0208R	4549734458177	#		FC	FCZ	JPN	8541.4900.00
F39-GCNY1	Safety Sensor Accessory, F3SG-R Easy, M12 Y-joint connector, 0.5m	32.16	EC003015	F39G1055F	4548583568013	#		FC	FCZ	JPN	8541.4900.00
F39-GCNY2	Safety Sensor Accessory, F3SG-R Advanced, M12 Y-joint connector, 0.5m	54.85	EC003015	F39G1056D	4548583568020	#		FC	FCZ	JPN	8541.4900.00
F39-JG10A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 10m	67.80	EC001855	F39G1039D	4548583567856	#		FC	FCZ	JPN	8544.4290.90
F39-JG10A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 10m	49.92	EC001855	F39G1021A	4548583567672	#		FC	FCZ	JPN	8544.4290.90
F39-JG10B-D	Safety Sensor Accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 10m	86.55	EC001855	F39G1052A	4548583567986	#		FC	FCZ	JPN	8544.4290.90
F39-JG10B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10m	62.70	EC001855	F39G1034C	4548583567801	#		FC	FCZ	JPN	8544.4290.90
F39-JG10C-D	Root-straight cable 10 m for F3SG-SR (cable for receiver with dedicated connector - Black)	53.50	EC001855	F39S0108B	4549734458009	#		FC	FCZ	JPN	8544.4290.90
F39-JG10C-L	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	40.44	EC001855	F39S0107D	4549734457996	#		FC	FCZ	JPN	8544.4290.90
F39-JG15A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15m	91.40	EC001855	F39G1040H	4548583567863	#		FC	FCZ	JPN	8544.4290.90
F39-JG15A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15m	65.75	EC001855	F39G1022M	4548583567689	#		FC	FCZ	JPN	8544.4290.90
F39-JG1B-L	F3SG-R İleri seviye, receiver extension cable M12 8-pin, male/ 1m	37.26	EC001855	F39G1048C	4548583567948	#	5	FC	FCZ	JPN	8544.4290.90
F39-JG1B-L	F3SG-R İleri seviye, emitter extension cable M12 5-pin, male/ 1m	27.92	EC001855	F39G1030M	4548583567764	#	5	FC	FCZ	JPN	8544.4290.90
F39-JG20A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20m	114.40	EC001855	F39G1041F	4548583567870	#		FC	FCZ	JPN	8544.4290.90
F39-JG20A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20m	82.55	EC001855	F39G1023H	4548583567696	#		FC	FCZ	JPN	8544.4290.90
F39-JG3A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 3m	33.84	EC001855	F39G1037H	4548583567832	#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 3m	25.37	EC001855	F39G1019M	4548583567658	#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3m	34.87	EC001855	F39G1031R	4548583567771	#	5	FC	FCZ	JPN	8544.4290.90
F39-JG3C-D	Root-straight cable 3 m for F3SG-SR (cable for receiver with dedicated connector - Black)	30.01	EC001855	F39S0102C	4549734457941	#		FC	FCZ	JPN	8544.4290.90
F39-JG3C-L	Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	24.80	EC001855	F39S0101E	4549734457934	#		FC	FCZ	JPN	8544.4290.90
F39-JG7A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 7m	52.90	EC001855	F39G1038F	4548583567849	#		FC	FCZ	JPN	8544.4290.90
F39-JG7A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 7m	38.94	EC001855	F39G1020C	4548583567665	#		FC	FCZ	JPN	8544.4290.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-JG7C-D	Root-straight cable 7 m for F35G-SR (cable for receiver with dedicated connector - Black)	40.44	EC001855	F39S0105H	4549734457972	#		FC	FCZ	JPN	8544.4290.90
F39-JG7C-L	Root-straight cable 7 m for F35G-SR (cable for emitter with dedicated connector - Gray)	33.93	EC001855	F39S0104M	4549734457965	#	5	FC	FCZ	JPN	8544.4290.90
F39-JGR12L	Side-by-side Cascading Cable set 0.12 m for F35G-4SR (2 cables per set, for emitter and receiver)	112.80	EC001855	F39S0114G	4549734458061	#		FC	FCZ	JPN	8544.4290.90
F39-JGR2W	Güvenlik ışık bariyeri aksesuarı, F35G-R İleri seviye, seri bağlama kablo seti (2 adet)	58.45	EC001855	F39G0010M	4548583564398	#		FC	FCZ	JPN	8544.4290.90
F39-JGR2WTS	Cascading cable for Safety sensor F35G-4RA ____-25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector	131.70	EC001855	F39G0064M	4548583865013	#		FC	FCZ	JPN	8544.4290.90
F39-JGR3K-D	Root-Plug cable for extended set 0.3 m for F35G-4SR (cable for receiver - black)	32.63	EC001855	F39S0111B	4549734458030	#		FC	FCZ	JPN	8544.4290.90
F39-JGR3K-L	Root-Plug cable for extended set 0.3 m for F35G-4SR (cable for emitter - gray)	27.42	EC001855	F39S0110D	4549734458023	#		FC	FCZ	JPN	8544.4290.90
F39-JGR3W	Cascading cable for extended set 0.3 m for F35G-4SR (2 cables per set, for emitter and receiver)	112.80	EC001855	F39S0113R	4549734458054	#		FC	FCZ	JPN	8544.4290.90
F39-LMAF1	Bracket for muting sensor arm mounter (2 units per set)	38.28	EC003015	F39S8007A	4549734523714	#		FC	FCZ	CHN	8541.4900.00
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F35G-PG_A/L (2 beams)	293.80	EC003015	F39S8312G	4549734523264	#		FC	FCZ	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F35G-PG_A/L (3 beams)	360.20	EC003015	F39S8313E	4549734523271	#		FC	FCZ	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F35G-PG_A/L (4 beams)	423.00	EC003015	F39S8314C	4549734523288	#		FC	FCZ	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F35G-PG_A/L (4 beams)	432.00	EC003015	F39S8315A	4549734523295	#		FC	FCZ	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F35G-SR/PG up to 880 mm	528.50	EC003015	F39S8307M	4549734523219	#		FC	FCZ	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F35G-SR/PG up to 1200 mm	598.50	EC003015	F39S8308R	4549734523226	#		FC	FCZ	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F35G-SR/PG, protective height up to 1280 mm	201.20	EC003015	F39S8303H	4549734523172	#		FC	FCZ	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F35G-SR/PG, protective height up to 1520 mm	261.10	EC003015	F39S8304F	4549734523189	#		FC	FCZ	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F35G-SR/PG, protective height up to 1840 mm	267.60	EC003015	F39S8305D	4549734523196	#		FC	FCZ	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F35G-SR/PG	138.60	EC003015	F39S8301A	4549734523158	#		FC	FCZ	CHN	8541.9000.00
F39-GIF	Güvenlik ışık bariyeri aksesuarı, F35G-R İleri seviye, arayüz ünitesi	237.60	EC003015	F39G0009G	4548583564381	#		FC	FCZ	JPN	8541.4900.00
F39-LGA	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, ayarlanabilir braket seti (2 adet), ayarlama +/- 15°	30.57	EC003015	F39G0002M	4548583564121	#		FC	FCZ	JPN	8541.4900.00
F39-LGF	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, sabit braket seti (2 adet)	19.84	EC003015	F39G0001A	4548583564114	#		FC	FCZ	JPN	8541.4900.00
F39-LGMAL	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, L-Shape Muting Bracket (2pcs.)	105.50	EC003015	F39G0013E	4548583571174	#		FC	FCZ	JPN	8541.4900.00
F39-LGMAT	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, T-Shape Muting Bracket (2pcs.)	163.30	EC003015	F39G0062C	4548583733091	#		FC	FCZ	JPN	8541.4900.00
F39-LGTB	Güvenlik ışık bariyeri aksesuarı, F35G-R Serisi, üst/alt ayarlama braket seti (4 adet), ayarlama +/- 22.5°	104.20	EC003015	F39G0003H	4548583564329	#		FC	FCZ	JPN	7326.9098.90
F39-LP	Güvenlik ışık bariyeri aksesuarı, F35G-R İleri seviye, lamba ünitesi	51.70	EC003015	F39G0005D	4548583564343	#		FC	FCZ	JPN	8541.4900.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	40.37	EC003015	F39S8002M	4549734523684	#		FC	FCZ	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	35.69	EC003015	F39S0001R	4549734457804	#		FC	FCZ	JPN	8544.4290.90
F39-LSGTB-K	Mounting bracket for F35G-SRB IP69K Model (set of 2 brackets)	69.30	EC003015	F39S0011F	4549734457903	#		FC	FCZ	JPN	8541.4900.00
F39-LSGTB-RE	Adjustable top/bottom bracket set (2 pcs.) for F35G-RA/ RE series	28.43	EC003015	F39S8013F	4549734523066	#		FC	FCZ	CHN	8541.4900.00
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs.) for F35J/ SN series	25.43	EC003015	F39S8003R	4549734523042	#		FC	FCZ	CHN	8541.4900.00
F39-PTG	Safety Sensor Accessory, F35G-R Series, Laser-alignment kit	425.00	EC003015	F39G0063A	4548583757707	#		FC	FCZ	JPN	8541.4900.00
F39-PTS	Laser-alignment kit for F35G-SR/PG Series	749.50	EC003015	F39S0210M	4549734712286	#		FC	FCZ	JPN	8541.4900.00
F39-SGLP	Safety sensor accessory, F35G-SR/PG, lamp unit	25.43	EC003015	F39S8203A	4549734523103	#		FC	FCZ	CHN	8541.4900.00
F39-SGBT	Bluetooth Communication Unit for F39-SGIT-IL3	90.85	EC003015	F39S8202C	4549734523097	#		FC	FCZ	CHN	8541.4900.00
F39-SGIT-IL3	Intelligent Tap unit for F35G-SR/PG	259.50	EC003015	F39S8201E	4549734523080	#		FC	FCZ	CHN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZG</b>											
ZG2-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, includes Smart Monitor ZG Software.	6,270.00	EC001825	ZG2 1004R	4547648621687	#		GA	GAB	JPN	8541.4900.00
ZG2-WDS70 2M	ZG sensor head, width measurement 70mm (110µm), height profile 210+/-30mm (10µm)	14,950.00	EC001825	ZG2 1009M	4547648621731	#		GA	GAB	JPN	8541.4900.00
ZG2-XC15CR	15-m Extension Cable (also requires 2 x Digital Equalisers & Equaliser connection cable)	1,632.00	EC003015	ZG2 1013H	4547648621779	#		GA	GAB	JPN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZS</b>											
ZS-HLDC41-N	ZS-H controller, analog output and PNP digital outputs	1,939.00	EC001825	ZS 0165C	4549734772471	#		GA	GAC	JPN	9031.4990.00
ZS-LD200 2M	Sensor head, diffuse, 200+/-50mm sensing range, 5µm resolution	2,941.00	EC001825	ZS 0006A	4547648084543	#		GA	GAC	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
ZX-LDA41-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs	1,553.00	EC003015	ZX 1052A	4547648027359	#		GA	GAD	JPN	9031.9000.00
ZX-LD100L	Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)	1,717.00	EC001825	ZX 0007M	4536854772399	#		GA	GAD	JPN	9031.9000.00
ZX-GT28541	Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZG-GTC)	3,768.00	EC002716	ZX 5004C	4547648424400	#		GA	GAD	JPN	8541.4900.00
ZX-LD100	Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)	1,476.00	EC001825	ZX 0004F	4536854772306	#		GA	GAD	JPN	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-LD30V	Laser displacement sensor head, 30+/-2mm, spot focus, for highly reflective surfaces (requires amplifier)	3,318.00	EC001825	ZX 0014C	4536854810091			GA	GAD	JPN	9031.9000.00
ZX-LD40	Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)	1,476.00	EC001825	ZX 0033H	4536854772290			GA	GAD	JPN	9031.9000.00
ZX-LT005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)	1,525.00	EC002716	ZX 0017H	4536854810121	#		GA	GAD	JPN	9031.4990.00
ZX-LT010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)	1,534.00	EC002716	ZX 0021F	4536854823633			GA	GAD	JPN	9031.4990.00
ZX-LT030 0.5M	Laser sensor head, through-beam, 30mm beam width (requires amplifier)	2,045.00	EC002716	ZX 0035F	4547648147934			GA	GAD	JPN	9031.4990.00
ZX-XC4A 4M	Extension cable (amplifier to head), 4m	346.90	EC003015	ZX 0050M	4547648597081	#		GA	GAD	CHN	8544.4290.90
ZX-EDA11 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, NPN output model	1,226.00	EC003015	ZX 1001G	4536854864049			GA	GAD	JPN	8542.3390.00
ZX-EDA41 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1,226.00	EC003015	ZX 1002E	4536854864063	#		GA	GAD	JPN	8542.3390.00
ZX-EM02HT	Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)	1,439.00	EC001818	ZX 1037H	4547648007979	#		GA	GAD	JPN	9031.4990.00
ZX-EM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	834.50	EC001818	ZX 1023H	4536854895777	#		GA	GAD	JPN	9031.4990.00
ZX-EM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)	1,391.00	EC001818	ZX 1024F	4536854895784	#		GA	GAD	JPN	9031.4990.00
ZX-ED01T	Inductive proximity sensor head, 5.4mm dia., Shielded type, 1mm sensing distance (requires ZX-EDA amplifier)	874.50	EC001818	ZX 1021A	4536854895753			GA	GAD	JPN	9031.4990.00
ZX-EDR5T	Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)	859.50	EC001818	ZX 1020C	4536854895746			GA	GAD	JPN	9031.4990.00
ZX-EV04T	Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)	1,050.00	EC001818	ZX 1036M	4547648007962	#		GA	GAD	JPN	9031.4990.00
E9NC-TA0	Contact sensor amplifier, Smart tuning, fieldbus communication	319.00	EC003015	E9NC0023A	4548583519046			GA	GAD	JPN	8541.4900.00
E9NC-TH55 2M	Contact sensor, straight type, 8mm dia., 5 mm detection range, 0.1um resolution	2,169.00	EC003015	E9NC0001M	4548583414341			GA	GAD	JPN	8541.4900.00
ZX-TDS04T	Sensor head, standard type Ø 6mm, distance 4mm (for use with ZX-TDA)	2,524.00	EC003015	ZX 2006C	4547648006071	#		GA	GAD	JPN	8541.4900.00
ZX2-LDA11 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, NPN	721.50	EC003015	ZX 0069M	4548583005860			GA	GAD	JPN	9031.9000.00
ZX2-LDA41 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, PNP	721.50	EC003015	ZX 0070D	4548583005877	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta ışın, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	938.50	EC001825	ZX 0076C	4548583005938	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi ışın, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	894.50	EC001825	ZX 0077A	4548583005945	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, nokta ışın, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	866.50	EC001825	ZX 0074G	4548583005914	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50L 0.5M	lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi ışın, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	890.00	EC001825	ZX 0075E	4548583005921	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50V 0.5M	Laser displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1,651.00	EC001825	ZX 1117M	4548583074019			GA	GAD	JPN	9031.9000.00
ZX2-XC1R	Extension cable (amplifier to head), 1m	137.30	EC003015	ZX 0072M	4548583005891	#		GA	GAD	CHN	9031.9000.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	216.60	EC003015	ZX 0073R	4548583005907	#		GA	GAD	CHN	9031.9000.00
ZX2-XC9R	Extension cable (amplifier to head), 9m	340.20	EC003015	ZX 0078M	4548583005952			GA	GAD	CHN	9031.9000.00
ZX2-CAL	hesaplama ünitesi	280.50	EC003015	ZX 0071B	4548583005884			GA	GAD	JPN	9031.9000.00
ZX1-LD100A61 2M	lazer mesafe sensörü, 100 +/- 50mm, NPN, 2m kablolu	1,141.00	EC001825	ZX 1155B	4548583105836			GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 2M	lazer mesafe sensörü, 100 +/- 50mm, PNP, 2m kablolu	1,141.00	EC001825	ZX 1156M	4548583105843	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 5m cable	1,194.00	EC001825	ZX 1164A	4548583105935	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A86 0.5M	Laser displacement sensor, 100 +/- 50 mm, PNP, 0,5m pigtail connector	1,302.00	EC001825	ZX 1172B	4548583106048	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 2M	lazer mesafe sensörü, 300 +/- 150mm, NPN, 2m kablolu	1,141.00	EC001825	ZX 1157R	4548583105867			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 5m cable	1,194.00	EC001825	ZX 1165M	4548583105942			GA	GAD	JPN	9031.9000.00
ZX1-LD300A66 0.5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 0,5m pigtail connector	1,302.00	EC001825	ZX 1173M	4548583106055			GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 2M	lazer mesafe sensörü, 300 +/- 150mm, PNP, 2m kablolu	1,141.00	EC001825	ZX 1158G	4548583105874	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 5m cable	1,194.00	EC001825	ZX 1166H	4548583105959	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A86 0.5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 0,5m pigtail connector	1,302.00	EC001825	ZX 1174R	4548583106062	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A61 2M	lazer mesafe sensörü, 50 +/- 10mm. NPN, 2m kablolu	1,141.00	EC001825	ZX 1153F	4548583105812			GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 2M	lazer mesafe sensörü, 50 +/- 10mm. PNP, 2m kablolu	1,141.00	EC001825	ZX 1154D	4548583105829	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 5M	Laser displacement sensor, 50 +/- 10 mm. PNP, 5m cable	1,194.00	EC001825	ZX 1162E	4548583105911			GA	GAD	JPN	9031.9000.00
ZX1-LD50A86 0.5M	Laser displacement sensor, 50 +/- 10 mm. PNP, 0,5m pigtail connector	1,302.00	EC001825	ZX 1170F	4548583106024			GA	GAD	JPN	9031.9000.00
ZX1-LD600A61 2M	lazer mesafe sensörü, 600 +/- 400mm, NPN, 2m kablolu	1,141.00	EC001825	ZX 1159E	4548583105881			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 2M	lazer mesafe sensörü, 600 +/- 400mm, PNP, 2m kablolu	1,141.00	EC001825	ZX 1160R	4548583105898	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 5m cable	1,194.00	EC001825	ZX 1168D	4548583105980	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81L 2M	Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	1,136.00	EC001825	ZX 1182M	4548583314054			GA	GAD	JPN	9031.9000.00
ZX1-LD600A86 0.5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 0,5m pigtail connector	1,302.00	EC001825	ZX 1176E	4548583106086	#		GA	GAD	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Profil Ölçüm Sistemi</b>											
E8PC-010ST-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	777.00	EC001190	E8PC0033H	4549734726641	#		GA	GAF	JPN	8536.5080.90
E8PC-100ST-E	Pressure sensor, liquid and gas, 0 to 10 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	777.00	EC001190	E8PC0037M	4549734726689	#		GA	GAF	JPN	8536.5080.90
E8PC-400ST-E	Pressure sensor, liquid and gas, 0 to 40 MPa, PNP/NPN, IO-Link COM3, analog, M12 connector	777.00	EC001190	E8PC0041R	4549734726726	#		GA	GAF	JPN	8536.5080.90
E8FC-25ST	Flow sensor, liquid, PNP/NPN, IO-Link COM3, analog, M12 connector	998.50	EC001190	E8FC0015F	4549734726603	#		GA	GAF	JPN	9026.1021.00
<b>Sensör Harici Yükseltici N-5ma</b>											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	272.00	EC003015	E3NC7000A	4548583374980	#		GA	GAN	CHN	8536.5019.90
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	272.00	EC003015	E3NC7001M	4548583374997	#		GA	GAN	CHN	8536.5019.90
E3NC-LH02 2M	Laser sensor head, 1200mm, 0.8 mm spot adjustable	352.70	EC001821	E3NC0006B	4548583376137	#		GA	GAN	JPN	8541.4900.00
E3NC-LH03 2M	Laser sensor head, retro-reflective, 8m, 2mm spot	296.50	EC002717	E3NC0013E	4548583489318	#		GA	GAN	JPN	8541.4900.00
E3NC-SA51 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	272.00	EC003015	E3NC0002M	4548583376090	#		GA	GAN	JPN	8536.5019.90
E3NC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	272.00	EC003015	E3NC0011R	4548583425743	#		GA	GAN	JPN	8536.5019.90
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	498.60	EC002719	E3NC0008R	4548583376151	#		GA	GAN	JPN	8541.4900.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	498.60	EC002719	E3NC0009G	4548583376168	#		GA	GAN	JPN	8541.4900.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	498.60	EC002719	E3NC0012G	4548583442061	#		GA	GAN	JPN	8541.4900.00
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	267.50	EC001820	E3NX0002H	4548583802582	#		GA	GAN	JPN	8536.5019.90
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	326.40	EC001820	E3NX0003F	4548583802599	#		GA	GAN	JPN	8536.5019.90
E3NX-CA41 2M	Fiber amplifikatör, standart model, renk markası algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	271.70	EC001820	E3NX0004D	4548583802605	#		GA	GAN	JPN	8536.5019.90
E3NX-CA51 2M	Fiber amplifikatör, gelişmiş model, renk işaretli algılama beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	326.40	EC001820	E3NX0005B	4548583802612	#		GA	GAN	JPN	8536.5019.90
E3NX-CA6	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, connector	272.20	EC001820	E3NX0006M	4548583802629	#		GA	GAN	JPN	8536.5019.90
E3NX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	258.60	EC002651	E3NX7010G	4548583375222	#		GA	GAN	CHN	8536.5019.90
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	238.00	EC002651	E3NX7000M	4548583375123	#		GA	GAN	CHN	8536.5019.90
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	299.10	EC002651	E3NX7044A	4549734190442	#		GA	GAN	CHN	8536.5019.90
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	258.60	EC002651	E3NX7001H	4548583375130	#		GA	GAN	CHN	8536.5019.90
E3NX-FA24	Fiber amplifier, twin digital display, smart tuning, NPN, single output, external input, M8 connector	258.60	EC002651	E3NX7011E	4548583424203	#		GA	GAN	CHN	8536.5019.90
E3NX-FA41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable	238.00	EC002651	E3NX7002F	4548583375147	#		GA	GAN	CHN	8536.5019.90
E3NX-FA41AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable	299.10	EC002651	E3NX7045M	4549734190459	#		GA	GAN	CHN	8536.5019.90
E3NX-FA51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	258.60	EC002651	E3NX7003D	4548583375154	#		GA	GAN	CHN	8536.5019.90
E3NX-FA54	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector	258.60	EC002651	E3NX7012C	4548583424210	#		GA	GAN	CHN	8536.5019.90
E3NX-FA54TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector	258.60	EC002651	E3NX7013A	4548583424227	#		GA	GAN	CHN	8536.5019.90
E3NX-FA8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	238.00	EC002651	E3NX7006R	4548583375185	#		GA	GAN	CHN	8536.5019.90
E3NX-FA9TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	258.60	EC002651	E3NX7009C	4548583375215	#		GA	GAN	CHN	8536.5019.90
E3NX-FAH41 2M	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable	211.90	EC002651	E3NX7040R	4549734190404	#		GA	GAN	CHN	8536.5019.90
E3NX-MA11 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	311.40	EC002651	E3NX7021B	4548583514690	#		GA	GAN	CHN	8536.5019.90
E3NX-MA41 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable	311.40	EC002651	E3NX7023R	4548583514713	#		GA	GAN	CHN	8536.5019.90
E3NX-MA8	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector	305.40	EC002651	E3NX7026C	4548583514744	#		GA	GAN	CHN	8536.5019.90
E3NW-ECT	EtherCat communication unit for N-Smart sensors	553.50	EC001603	E3NW7001C	4548583375093	#		GA	GAN	CHN	8541.4900.00
<b>Diğer Algılama Komponentleri</b>											
E2NC-EA51 2M	High precision inductive sensor amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	292.50	EC003015	E2NC0002A	4549734192781	#		GA	GAX	JPN	8536.5019.90
E2NC-ED02	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm, 2.6 m standard cable	232.90	EC002714	E2NC0013G	4549734192897	#		GA	GAX	JPN	8536.5080.90
E2NC-EDR6-F	Sensor head, shielded, cylindrical 3 mm diameter, sensing distance 0.6 mm, repeat accuracy 1 µm, 3.6 m free cutting cable	226.10	EC002714	E2NC0016A	4549734192927	#		GA	GAX	JPN	8536.5080.90
E2NC-EV05	Sensor head, shielded, flat housing, sensing distance 5 mm, repeat accuracy 2 µm, 2.6 m standard cable	280.00	EC002714	E2NC0024B	4549734193009	#		GA	GAX	JPN	8536.5080.90
F3E-06-T6	Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin connector, detection area 200mm	382.20	EC001832	AA022055C	4536853911218	#		GA	GAX	DEU	8536.5019.90
F3E-12-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, detection area 1320mm, M8-4pin connector	610.50	EC001832	AA026210H	4547648861588	#		GA	GAX	DEU	8536.5019.90
F3E-16-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm	665.00	EC001832	AA020968A	4536853908485	#		GA	GAX	DEU	8536.5019.90
F3W-D052D 1M	Picking Sensor, Through Beam, Sensing distance 3m, NPN output	984.00	EC001832	F3W 2313B	4549734111522	#		GA	GAX	JPN	8536.5019.90
<b>Sensör Sistemleri için Aksesuarlar</b>											
E39-R22	Reflektör, 40x55mm	45.84	EC002467	E39 1238M	4548583489332	#		GA	GAZ	JPN	8541.4900.00
E39-P52	Line beam lens attachment for E3NC-LH02	33.16	EC003015	E39 1242H	4548583489370	#		GA	GAZ	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-SF11	RS-232C communications interface	910.00	EC003015	ZX 0019D	4536854810145			GA	GAZ	JPN	8536.5015.90
ZX-XC1A-Z 1M	Extension cable (amplifier to head), 1 m	251.20	EC003015	ZX 1213C	4549734777469	#		GA	GAZ	CHN	8544.4290.90
ZX-XC8A-Z 8M	Extension cable (amplifier to head), 8 m	470.10	EC003015	ZX 1214A	4549734777476	#		GA	GAZ	CHN	8544.4290.90
E39-L181	Mounting bracket for ZX1-LD300/LD600 sensor	42.28	EC003015	E39 1220G	4548583104945	#		GA	GAZ	JPN	9031.9000.00
ZX0-XC10R	Extension cable ZX1 (for pre-wired connector models), 10m	201.60	EC001855	ZX 1151M	4548583104914	#		GA	GAZ	CHN	8544.4290.90
ZX0-XC20R	Extension cable ZX1 (for pre-wired connector models), 20m	269.50	EC001855	ZX 1152H	4548583104921	#		GA	GAZ	CHN	8544.4290.90
ZS-XRS3	RS-232C cable, 2m cable length, for PC connection	198.50	EC001681	ZS 0158M	4549734168717	#		GA	GAZ	JPN	8544.4210.00
ZW-XF7005R	Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included	820.50	EC003015	ZW 0010B	4548583796102	#		GA	GAZ	JPN	8544.7000.90
E39-R13	Reflector, E3C-LDA sensor, 7x7mm effective area	32.16	EC002467	E39 3001R	4536854958311	#		GA	GAZ	JPN	8541.9000.00
<b>Döner Enkoder E6A2</b>											
E6A2-CS5C 100P/R 2M	Rotary Encoder	222.80	EC001486	E6A21043H	4536853366698			GC	GCA	JPN	9032.9000.90
E6A2-CS5C 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, 2-phase, NPN, 2 m cable	222.80	EC001486	E6A21046B	4536853366728	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 0.5M	Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	207.80	EC001486	E6A21023C	4536853366490	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 2M	Enkoder, artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 2m kablolu	224.60	EC001486	E6A21055A	4536853366810	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 0.5M	Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 0.5m kablolu	207.80	EC001486	E6A21024A	4536853366506	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 2M	Enkoder, artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 2m kablolu	224.40	EC001486	E6A21056M	4536853366827	#		GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 0.5M	Enkoder, artımlı, 200puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	214.50	EC001486	E6A21082R	4536854494055	#		GC	GCA	JPN	9032.9000.90
<b>Döner Enkoder E6B2</b>											
E6B2-CWZ1X 1000P/R 0.5M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 0.5m kablolu	272.90	EC001486	E6B27050G	4547648295543	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1000P/R 2M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	293.60	EC001486	E6B27060D	4547648295642	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1024P/R 0.5M	Encoder, incremental, 1024ppr, 5 VDC, Line driver 0.5m cable	343.30	EC001486	E6B27129E	4547648296311	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 0.5M	Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 0.5m kablolu	301.00	EC001486	E6B27054M	4547648295581	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 2M	Encoder, incremental, 2000ppr, 5 VDC, Line driver 2m cable	319.10	EC001486	E6B27102C	4547648296045	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 1000P/R 0.5M	Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu	277.80	EC001486	E6B27119H	4547648296212	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 1000P/R 2M	Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu	288.00	EC001486	E6B27114G	4547648296168	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 2000P/R 0.5M	Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 0.5m kablolu	306.10	EC001486	E6B27120A	4547648296229	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 2000P/R 2M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable	297.70	EC001486	E6B27115E	4547648296175	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 0.5M	Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 0.5m kablolu	343.70	EC001486	E6B27116C	4547648296182	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable	275.40	EC001486	E6B27185F	4547648426907	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 500P/R 0.5M	Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 0.5m kablolu	307.10	EC001486	E6B27117A	4547648296199	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 0.5M	Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN, 0.5m kablolu	275.40	EC001486	E6B27014M	4547648295185	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 2M	Enkoder, artımlı, 1000puls, 5-24 VDC, 3-faz, NPN	288.40	EC001486	E6B27057D	4547648295611	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 100P/R 2M	Enkoder, artımlı, 100puls, 5-24 VDC, 3-faz, NPN	292.20	EC001486	E6B27055H	4547648295598	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 2M	Enkoder, artımlı, 2000puls, 5-24VDC, 3-faz, NPN, 2m kablolu	316.30	EC001486	E6B27090F	4547648295949	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 200P/R 2M	Enkoder, artımlı, 200puls, 5-24 VDC, 3-faz, NPN	250.00	EC001486	E6B27066C	4547648295703	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 0.5M	Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 0.5m cable	275.40	EC001486	E6B27010H	4547648295147	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 2M	Enkoder, artımlı, 360puls, 5-24 VDC, 3-faz, NPN	288.40	EC001486	E6B27065E	4547648295697	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 0.5M	Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 0.5m cable	275.40	EC001486	E6B27012D	4547648295161	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 2M	Enkoder, artımlı, 500puls, 5-24 VDC, 3-faz, NPN	270.30	EC001486	E6B27056F	4547648295604	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 600P/R 2M	Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output	280.60	EC001486	E6B27061B	4547648295659	#		GC	GCB	CHN	9032.9000.90
<b>Döner Enkoder E6C2-C</b>											
E6C2-CWZ1X 1000P/R 2M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	390.20	EC001486	E6C27049G	4547648528559	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1000P/R 5M	Enkoder, artımlı, 1000puls, 5 VDC, Line driver, 5m kablolu	439.60	EC001486	E6C27079R	4547648528856	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1024P/R 2M	Enkoder, artımlı, 1024puls, 5 VDC, Line driver, 2m kablolu	334.50	EC001486	E6C27063B	4547648528696	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 2000P/R 2M	Enkoder, artımlı, 2000puls, 5 VDC, Line driver, 2m kablolu	415.90	EC001486	E6C27053E	4547648528597	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 360P/R 2M	Encoder, incremental, 360ppr, 5 VDC, Line driver output, 2m cable	311.10	EC001486	E6C27047M	4547648528535	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 1000P/R 2M	Enkoder, artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu	329.70	EC001486	E6C27059D	4547648528658	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 100P/R 2M	Enkoder, artımlı, 100puls, 12-24 VDC, PNP, 2m kablolu	292.50	EC001486	E6C27054C	4547648528603	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 2000P/R 2M	Enkoder, artımlı, 2000puls, 12-24 VDC, PNP, 2m kablolu	353.00	EC001486	E6C27060H	4547648528665	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 200P/R 2M	Enkoder, artımlı, 200puls, 12-24 VDC, PNP, 2m kablolu	292.50	EC001486	E6C27055A	4547648528610	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 360P/R 2M	Enkoder, artımlı, 360puls, 12-24 VDC, PNP, 2m kablolu	308.40	EC001486	E6C27056M	4547648528627	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 500P/R 2M	Enkoder, artımlı, 500puls, 12-24 VDC, PNP, 2m kablolu	311.10	EC001486	E6C27057H	4547648528634	#		GC	GCC	CHN	9032.9000.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6C2-CWZ6C 1000P/R 2M	Enkoder, artımlı, 1000puls, 5-24 VDC, NPN, 2m kablolu	383.70	EC001486	E6C27013F	4547648528191	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 100P/R 2M	Enkoder, artımlı, 100puls, 5-24 VDC, NPN, 2m kablolu	289.90	EC001486	E6C27006C	4547648528122	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 10P/R 2M	Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable	289.90	EC001486	E6C27000D	4547648528061	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 2000P/R 2M	Enkoder, artımlı, 2000puls, 5-24 VDC, NPN, 2m kablolu	410.20	EC001486	E6C27017R	4547648528238	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 200P/R 2M	Enkoder, artımlı, 200puls, 5-24 VDC, NPN, 2m kablolu	289.90	EC001486	E6C27007A	4547648528139	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 360P/R 2M	Enkoder, artımlı, 360puls, 5-24 VDC, NPN, 2m kablolu	306.30	EC001486	E6C27009H	4547648528153	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 500P/R 2M	Enkoder, artımlı, 500puls, 5-24 VDC, NPN, 2m kablolu	308.40	EC001486	E6C27011M	4547648528177	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 60P/R 2M	Enkoder, artımlı, 60puls, 5-24 VDC, NPN, 2m kablolu	339.80	EC001486	E6C27005E	4547648528115	#		GC	GCC	CHN	9032.9000.90
<b>Döner Enkoder E6CP</b>											
E6CP-AG5C-C 256 2M	Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	325.10	EC001486	E6CP1011M	4536854588532	#		GC	GCE	CHN	9032.9000.90
<b>Döner Enkoder E6F</b>											
E6F-CWZ5G 1000P/R 2M	Enkoder, artımlı, 1000puls, 12-24VDC, PNP/NPN, 2m kablolu	702.00	EC001486	E6F 1034H	4536854740435	#		GC	GCF	JPN	9032.9000.90
E6F-AB3C-C 360 2M	Enkoder, mutlak, 360puls, 10-bit, 5-12 VDC, 2m kablolu, H8PR konnektör	876.50	EC001486	E6F 1004F	4536853371975	#		GC	GCF	JPN	9032.9000.90
E6F-AG5B 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	770.00	EC001486	E6F 1025R	4536854687877	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 256 2M	Enkoder, mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	769.00	EC001486	E6F 1010M	4536853372033	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 360 2M	Enkoder, mutlak, 360puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	786.50	EC001486	E6F 1036D	4547648048132	#		GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 720 2M	Enkoder, mutlak, 720puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	822.00	EC001486	E6F 1037B	4547648048149	#		GC	GCF	JPN	9032.9000.90
<b>Döner Enkoder E6C3-C</b>											
E6C3-CWZ3XH 3600P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, line driver, 3600 puls, 2m kablolu	566.00	EC001486	E6C32052D	4536854871825	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1000P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu	523.00	EC001486	E6C32009E	4536854871399	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 100P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 100puls, 12-24 VDC, PNP/NPN, 2m kablolu	470.90	EC001486	E6C32001M	4536854871313	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1024P/R 2M	Encoder, incremental, 8 dia tough model, 1024ppr, 12-24 VDC, Complimentary output, 2m cable	523.00	EC001486	E6C32010R	4536854871405	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 2000P/R 2M	Rotary Encoder	523.00	EC001486	E6C32014A	4536854871443	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 200P/R 1M	Encoder incremental 8 dia rugged housing, complimentary output, 200 ppr	428.20	EC001486	E6C32055R	4536854873065	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 3600P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 3600 puls, 2m kablolu	566.00	EC001486	E6C32017F	4536854871474	#		GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 360P/R 2M	Encoder incremental 8 dia rugged housing, complimentary output 360 ppr, 2m cable	470.90	EC001486	E6C32004D	4536854871344	#		GC	GCG	JPN	9032.9000.90
<b>Döner Enkoder E6C3-A</b>											
E6C3-AG5B 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable	688.50	EC001486	E6C31028F	4536854871221	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5B 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, PNP açık kollektör, 2m kablolu	688.50	EC001486	E6C31026M	4536854871207	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5B 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, PNP open collector, gray code output, 2m cable	688.50	EC001486	E6C31027H	4536854871214	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C 1024P/R 2M	Enkoder, mutlak, 1024puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	643.00	EC001486	E6C31004R	4536854870989	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C 256P/R 2M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	671.00	EC001486	E6C31001D	4536854870958	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 256P/R 2M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	688.50	EC001486	E6C31012M	4536854871061	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	688.50	EC001486	E6C31013H	4536854871078	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 720P/R 2M	Enkoder, mutlak, 720puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	688.50	EC001486	E6C31065M	4547648048125	#		GC	GCH	JPN	9032.9000.90
<b>Döner Enkoderler için Aksesuarlar</b>											
E69-C04B	Accessory encoder, shaft coupling dia. 4mm	21.71	EC003015	E69 1004G	4536853373498	#		GC	GCZ	JPN	9029.9000.90
E69-C06B	Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder	22.19	EC003015	E69 1001B	4536853373467	#		GC	GCZ	JPN	9029.9000.90
E69-C06M	Accessory encoder, shaft coupling dia. 6mm, metal	96.95	EC003015	E69 1018G	4536853373634	#		GC	GCZ	USA	9029.9000.90
E69-C08B	Accessory encoder, shaft coupling for E6C3-A encoder	31.08	EC003015	E69 1023C	4536853373689	#		GC	GCZ	JPN	9029.9000.90
E69-C10B	Accessory encoder, shaft coupling for E6F encoder	34.95	EC003015	E69 1005E	4536853373504	#		GC	GCZ	JPN	9029.9000.90
E69-C10M	Accessory encoder, shaft coupling dia. 10mm, metal	130.80	EC003015	E69 1019E	4536853373641	#		GC	GCZ	USA	9029.9000.90
E69-C610B	Shaft coupling for E6F-C encoder, Different end diameter	42.09	EC003015	E69 1016M	4536853373610	#		GC	GCZ	JPN	9029.9000.90
E69-C68B	Accessory encoder, shaft coupling dia. 6mm and 8mm	37.20	EC003015	E69 1015B	4536853373603	#		GC	GCZ	JPN	9029.9000.90
E69-DF10	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m	263.20	EC001855	E69 1104C	4548583064980	#		GC	GCZ	CHN	9029.9000.90
E69-DF20	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20m	399.80	EC001855	E69 1107H	4536853373573	#		GC	GCZ	CHN	9029.9000.90
E69-DF5	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m	188.00	EC001855	E69 1110H	4536853373542	#		GC	GCZ	CHN	9029.9000.90
<b>Fiber Alqılama Kafası E32</b>											
E32-D11N 2M	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	171.60	EC002651	E32 1513H	4548583336124	#		GD	GDA	CHN	8541.4900.00
E32-D11R 2M	Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2m cable	47.23	EC002651	E32 1458A	4548583049208	#		GD	GDA	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-D14L 2M	Fiberoptik sensör, cisimden yansımali, 6mm çap, 2m kablolu	140.70	EC002651	E32 1323B	4547648094924	#		GD	GDA	CHN	8541.4900.00
E32-D14LR 2M	Fiber optic sensor, diffuse, 6mm dia, high flex	433.70	EC002651	E32 1256B	4536854634741	#		GD	GDA	JPN	8541.4900.00
E32-D211 2M	Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2m cable	44.22	EC002651	E32 1544H	4548583413863	#		GD	GDA	CHN	8541.4900.00
E32-D211R 2M	Fiberoptik sensör, cisimden yansımali, M4, yüksek esneklik R1, 2m kablolu	110.40	EC002651	E32 1545F	4548583413870	#		GD	GDA	CHN	8541.4900.00
E32-D21N 2M	Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2m cable	106.90	EC002651	E32 1601M	4548583487833	#		GD	GDA	CHN	8541.4900.00
E32-D21R 2M	Fiber optic sensor, diffuse, M3, high flex, 2m cable	147.40	EC002651	E32 1459M	4548583049215	#		GD	GDA	CHN	8541.4900.00
E32-DC200	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	36.13	EC002651	E32 1329A	4547648094986	#		GD	GDA	CHN	8541.4900.00
E32-DC200E 2M	Fiberoptik sensör, cisimden yansımali, M3, 2m kablolu	47.64	EC002651	E32 1330E	4547648094993	#		GD	GDA	CHN	8541.4900.00
E32-DC500 5M	Fiberoptik sensör, cisimden yansımali, M6, 5m	79.30	EC002651	E32 1307M	4547648094764	#		GD	GDA	CHN	8541.4900.00
E32-R21 2M	Fiberoptik sensör, reflektörülü, M6, R10 fiber, 2m kablolu	199.70	EC002651	E32 1453M	4548583049130	#		GD	GDA	CHN	8541.4900.00
E32-T11N 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	133.40	EC002651	E32 1512M	4548583336117	#		GD	GDA	CHN	8541.4900.00
E32-T11R 2M	Fiber optic sensor, through-beam, M4 head, high flex R1 fibre, 2m cable	69.45	EC002651	E32 1454R	4548583049147	#	10	GD	GDA	CHN	8541.4900.00
E32-T11R 5M	Fiber optic sensor, through-beam, M4 head, high-flex R1 fiber, 5m cable	160.70	EC002651	E32 1568E	4548583414105	#		GD	GDA	CHN	8541.4900.00
E32-T21R 2M	Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2m	117.60	EC002651	E32 1456E	4548583049185	#		GD	GDA	CHN	8541.4900.00
E32-TC200 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	42.00	EC002651	E32 1318F	4547648094870	#		GD	GDA	CHN	8541.4900.00
E32-TC200E 2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	59.20	EC002651	E32 1320H	4547648094894	#		GD	GDA	CHN	8541.4900.00
E32-TC500 5M	Fiber optic sensor, through-beam, M4, 5m cable	91.40	EC002651	E32 1301A	4547648094702	#		GD	GDA	CHN	8541.4900.00
E32-D15Y 2M	Fiberoptik sensör, cisimden yansımali, kare gövde, standart R25 fiber, 2m kablolu	140.10	EC002651	E32 5046D	4547648018081	#		GD	GDA	JPN	8541.4900.00
E32-D15YR 2M	Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2m cable	112.50	EC002651	E32 1541C	4548583413832	#		GD	GDA	CHN	8541.4900.00
E32-D15ZR 2M	Fibre optic sensor, diffuse, square flat form head, high flex R1 fibre, 2m cable	167.30	EC002651	E32 1542A	4548583413849	#		GD	GDA	CHN	8541.4900.00
E32-EC41-1 1M	Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber R1, 1m cable	147.50	EC002651	E32 9390B	4548583737624	#		GD	GDA	NLD	8541.4900.00
E32-ET15YR-1 2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	295.40	EC002651	E32 9414C	4548583737860	#		GD	GDA	NLD	8541.4900.00
E32-ET15LR 2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	206.70	EC002651	E32 9424M	4548583737969	#		GD	GDA	NLD	8541.4900.00
E32-LT35Z 2M	Fiber optic sensor head, through-beam, square, flat-view, integrated lens, R1 flexible fiber, 2 m cable	238.70	EC002651	E32 1630D	4548583783232	#		GD	GDA	CHN	8541.4900.00
E32-T15Y 2M	Fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	155.50	EC002651	E32 1574M	4548583414167	#		GD	GDA	CHN	8541.4900.00
E32-T15YR 2M	Fiberoptik sensör, karşılıklı, kare yüksek esneklik R1 fiber, 2m kablolu	207.80	EC002651	E32 1575H	4548583414174	#		GD	GDA	CHN	8541.4900.00
E32-T15ZR 2M	Fibre optic sensor, thru-beam, square flat form head, high flex R1 fibre, 2m cable	216.90	EC002651	E32 1577D	4548583414198	#		GD	GDA	CHN	8541.4900.00
E32-D22R 2M	Fiberoptik sensör, cisimden yansımali, minyatür gövde, çap 3mm, yüksek esneklik R1 fiber, 2m kablolu	97.95	EC002651	E32 1460C	4548583049222	#		GD	GDA	CHN	8541.4900.00
E32-D24 2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	105.90	EC002651	E32 1516B	4548583336148	#		GD	GDA	CHN	8541.4900.00
E32-D24R 2M	Fiberoptik sensör, cisimden yansımali, 2mm çap, esnek R1 fiber, 2m kablolu	169.20	EC002651	E32 1548M	4548583413900	#		GD	GDA	CHN	8541.4900.00
E32-D32 2M	Fiberoptik sensör, cisimden yansımali, 2mm çap, 2m kablolu	80.30	EC002651	E32 1328C	4547648094979	#		GD	GDA	CHN	8541.4900.00
E32-D33 2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	84.25	EC002651	E32 1304F	4547648094733	#		GD	GDA	CHN	8541.4900.00
E32-DC200B 2M	Fiberoptik sensör, cisimden yansımali, M6	61.95	EC002651	E32 1305D	4547648094740	#		GD	GDA	CHN	8541.4900.00
E32-DC200B4 2M	Fiberoptik sensör, cisimden yansımali, çap 2.5mm, standart R25 fiber, 2m kablolu	75.80	EC002651	E32 1306B	4547648094757	#		GD	GDA	CHN	8541.4900.00
E32-DC200F	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	42.18	EC002651	E32 1556A	4548583413986	#		GD	GDA	CHN	8541.4900.00
E32-DC200F4	Fiberoptik sensör, cisimden yansımali, M3, R10, 2m kablolu	91.80	EC002651	E32 1557M	4548583413993	#		GD	GDA	CHN	8541.4900.00
E32-T12R 2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	71.20	EC002651	E32 1455G	4548583049178	#		GD	GDA	CHN	8541.4900.00
E32-T14L 2M	Fiberoptik sensör, karşılıklı, uzun mesafe, 2m kablolu	149.30	EC002651	E32 1312G	4547648094818	#		GD	GDA	CHN	8541.4900.00
E32-T14LR 2M	Fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	285.20	EC002651	E32 1521R	4548583336193	#		GD	GDA	CHN	8541.4900.00
E32-T22 2M	Fiberoptik sensör, karşılıklı, 2mm çap, standart R10 fiber, 2m kablolu	76.15	EC002651	E32 1315A	4547648094849	#		GD	GDA	CHN	8541.4900.00
E32-T24 2M	Fiberoptik sensör, karşılıklı, 1mm, 2m kablolu	142.70	EC002651	E32 1517M	4548583336155	#		GD	GDA	CHN	8541.4900.00
E32-TC200B	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	84.25	EC002651	E32 1588M	4548583414303	#		GD	GDA	CHN	8541.4900.00
E32-D11L 2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, 2m kablolu	112.20	EC002651	E32 1322D	4547648094917	#		GD	GDA	CHN	8541.4900.00
E32-D11L 5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5m cable	170.40	EC002651	E32 2097B	4536853293673	#		GD	GDA	JPN	8541.4900.00
E32-D21L 2M	Fiberoptik sensör, cisimden yansımali, M4, uzun mesafe, 2m kablolu	120.70	EC002651	E32 1326G	4547648094955	#		GD	GDA	CHN	8541.4900.00
E32-D22L 2M	Fiberoptik sensör, cisimden yansımali, 3mm çapmeter, uzun mesafe, 2m kablolu	114.00	EC002651	E32 1327E	4547648094962	#		GD	GDA	CHN	8541.4900.00
E32-LD11 2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, standart R25 fiber, 2m kablolu	58.35	EC002651	E32 1525A	4548583363458	#		GD	GDA	CHN	8541.4900.00
E32-LD11N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	124.30	EC002651	E32 1595B	4548583485716	#		GD	GDA	CHN	8541.4900.00
E32-LD11R 2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	124.30	EC002651	E32 1527H	4548583363472	#		GD	GDA	CHN	8541.4900.00
E32-LT11 2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, standart R25 fiber, 2m kablolu	65.60	EC002651	E32 1129R	4548583336551	#		GD	GDA	CHN	8541.4900.00
E32-LT11N 2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	109.60	EC002651	E32 1592H	4548583485686	#		GD	GDA	CHN	8541.4900.00
E32-LT11R 2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, yüksek esneklik R1 fiber, 2m kablolu	131.50	EC002651	E32 1130B	4548583336568	#		GD	GDA	CHN	8541.4900.00
E32-R16 2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	160.30	EC002651	E32 1565M	4548583414075	#		GD	GDA	CHN	8541.4900.00
E32-T11L 2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, 2m kablolu	88.10	EC002651	E32 1310M	4547648094795	#		GD	GDA	CHN	8541.4900.00
E32-T12L 2M	Fiberoptik sensör, karşılıklı, çap 3mm, uzun mesafe, standart R25 fiber, 2m kablolu	116.20	EC002651	E32 1311R	4547648094801	#		GD	GDA	CHN	8541.4900.00
E32-T14 2M	Fiberoptik sensör, karşılıklı, 2m kablolu	119.90	EC002651	E32 1452B	4548583049123	#		GD	GDA	CHN	8541.4900.00
E32-T14 5M	Fiberoptik sensör, karşılıklı, uzun mesafe, standart R25 fiber, 5m kablolu	187.70	EC002651	E32 2098M	4536853293680	#		GD	GDA	JPN	8541.4900.00
E32-T21L 2M	Fiberoptik sensör, karşılıklı, 2m kablolu	94.85	EC002651	E32 1314C	4547648094832	#		GD	GDA	CHN	8541.4900.00
E32-TC200A 2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	40.96	EC002651	E32 1319D	4547648094887	#		GD	GDA	CHN	8541.4900.00



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-D11 2M	Fiberoptik sensör, cisimden yansımali, M6, robotik fiber R4, 2m kablolu	63.55	EC002651	E32 1321F	4547648094900	#		GD	GDA	CHN	8541.4900.00
E32-D21 2M	Fiberoptik sensör, cisimden yansımali, M3, robotik fiber R4, 2m kablolu	92.90	EC002651	E32 1324M	4547648094931	#		GD	GDA	CHN	8541.4900.00
E32-D21B 2M	Fiberoptik sensör, cisimden yansımali, M4, robotik fiber R4, 2m kablolu	118.10	EC002651	E32 1325R	4547648094948	#		GD	GDA	CHN	8541.4900.00
E32-D221B 2M	Fiber optik sensor, diffuse, 3mm dia head, robot application, break resistant R4 fiber, 2m cable	57.25	EC002651	E32 1546D	4548583413887	#		GD	GDA	CHN	8541.4900.00
E32-D22B 2M	Fiberoptik sensör, cisimden yansımali, çap 1.5mm , yüksek-esneklik fiber R1, 2m kablolu	177.70	EC002651	E32 1303H	4547648094726	#		GD	GDA	CHN	8541.4900.00
E32-T11 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	62.65	EC002651	E32 1309G	4547648094788	#		GD	GDA	CHN	8541.4900.00
E32-A04 2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	756.50	EC002651	E32A0042R	4548583414334	#		GD	GDA	CHN	8541.4900.00
E32-C21N 2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2m cable	148.30	EC002651	E32 1598G	4548583485747	#		GD	GDA	CHN	8541.4900.00
E32-C31 2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2m cable	86.80	EC002651	E32 1331C	4547648095006	#		GD	GDA	CHN	8541.4900.00
E32-C31N 2M	Fiber optic sensor, diffuse coaxial, M3 side view, high flex R4 fiber, 2m cable	155.50	EC002651	E32 1535R	4548583413771	#		GD	GDA	CHN	8541.4900.00
E32-C41 1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1m cable	115.80	EC002651	E32 1308R	4547648094771	#		GD	GDA	CHN	8541.4900.00
E32-CC200 2M	Fiber optic sensor, diffuse coaxial, M6, standard fiber R25, 2m cable	48.97	EC002651	E32 1332A	4547648095013	#		GD	GDA	CHN	8541.4900.00
E32-CC200R	Fiber optic sensor, diffuse coaxial, M6, high flex R4 fiber, 2m cable	77.05	EC002651	E32 1537E	4548583413795	#		GD	GDA	CHN	8541.4900.00
E32-D32L 2M	Fiber optic sensor, diffuse, 3mm dia head, coaxial type, standard R25 fiber, 2m cable	80.20	EC002651	E32 1551M	4548583413931	#		GD	GDA	CHN	8541.4900.00
E32-EC31 6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6m cable	123.00	EC002651	E32 9388M	4548583737600	#		GD	GDA	NLD	8541.4900.00
E32-L15 2M	Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable	239.40	EC002651	E32 1560M	4548583414020	#		GD	GDA	CHN	8541.4900.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	102.50	EC002651	E32 1562F	4548583414044	#		GD	GDA	CHN	8541.4900.00
E32-L25L 2M	Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable	167.60	EC002651	E32 1448D	4548583049093	#		GD	GDA	CHN	8541.4900.00
E32-T22S 2M	Fiberoptik sensör, karşılıklı, 3mm çap , standart R10 fiber, 2m kablolu	149.30	EC002651	E32 1523E	454858336216	#		GD	GDA	CHN	8541.4900.00
E32-D36P1 2M	Fiber optic sensor, diffuse, square head, area sensing 11mm, robot application, break resistant R4, 2m cable	462.00	EC003015	E32 1553G	4548583413955	#		GD	GDA	CHN	8541.4900.00
E32-ET16WR-1 2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	881.00	EC003015	E32 9417H	4548583737891	#		GD	GDA	NLD	8541.4900.00
E32-ET16WR-2 2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	906.00	EC003015	E32 9418F	4548583737907	#		GD	GDA	NLD	8541.4900.00
E32-T16 2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable	214.00	EC003015	E32 1444A	4548583049062	#		GD	GDA	CHN	8541.4900.00
E32-T16 5M	Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable	219.10	EC003015	E32 1446H	4548583049079	#		GD	GDA	CHN	8541.4900.00
E32-T16UR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	399.30	EC003015	E32 1442E	4548583049024	#		GD	GDA	CHN	8541.4900.00
E32-T16P 2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	264.60	EC003015	E32 1438G	4548583048980	#		GD	GDA	CHN	8541.4900.00
E32-T16PR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	369.30	EC003015	E32 1441G	4548583049017	#		GD	GDA	CHN	8541.4900.00
E32-T16W 2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	609.50	EC003015	E32 1439E	4548583048997	#		GD	GDA	CHN	8541.4900.00
E32-T16WR 2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	703.50	EC003015	E32 1443C	4548583049055	#		GD	GDA	CHN	8541.4900.00
E32-C91N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	149.80	EC002651	E32 0016E	4548583802643	#		GD	GDA	CHN	8541.4900.00
E32-D11U 2M	Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable	99.60	EC002651	E32 1538C	4548583413801	#		GD	GDA	CHN	8541.4900.00
E32-D51 2M	Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2m cable	175.10	EC002651	E32 2014M	4536853292904	#		GD	GDA	JPN	8541.4900.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only	413.20	EC002651	E32 2168E	4548583080454	#		GD	GDA	CHN	8541.4900.00
E32-D61-S 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable	320.00	EC002651	E32 2170G	4548583080478	#		GD	GDA	CHN	8541.4900.00
E32-D82F1 4M	Fiber optic sensor, liquid level detection, dia 6mm head, chemical resistant, 4m cable	1,470.00	EC002651	E32 6011G	4536853294687	#		GD	GDA	JPN	8541.4900.00
E32-ED34 2M	Fiber optic sensor, diffuse, side view, dia 6mm head, R5 fiber, 2m cable	133.80	EC002651	E32 9403H	4548583737754	#		GD	GDA	NLD	8541.4900.00
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	218.40	EC002651	E32 1450F	4548583049260	#		GD	GDA	CHN	8541.4900.00
E32-T14F 2M	Fiber optic sensor, through-beam, 5mm dia side view, chemical resistant, R40 fiber, 2m cable	432.90	EC002651	E32 1572C	4548583414143	#		GD	GDA	CHN	8541.4900.00
E32-T24S 2M	Fiber optic sensor, through-beam, 3mm dia side view, standard R10 fiber, 2m cable	418.30	EC002651	E32 1524C	4548583362223	#		GD	GDA	CHN	8541.4900.00
E32-T61-S 2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	407.30	EC002651	E32 7053H	4548583034495	#		GD	GDA	CHN	8541.4900.00
E32-T61-S 5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5m cable	1,138.00	EC002651	E32 7055D	4548583034518	#		GD	GDA	CHN	8541.4900.00
E32-T81F-S 2M	Fiber optic sensor, through-beam, chemical&heat resistant 200°C, R10, 2m cable	640.00	EC002651	E32 1283M	4536854903595	#		GD	GDA	JPN	8541.4900.00
E39-EF51	Sideview lens 90 deg for E32fibre	191.80	EC003015	E39F9018C	4548583738010	#		GD	GDA	NLD	8541.9000.00
E32-E01 100M	Optical fiber, 100m roll, R10, 2.2mm dia, monocoore	992.50	EC003015	E32 9378C	4548583737501	#		GD	GDA	NLD	8541.4900.00
<b>Fotoelektrik Sensör E3AS</b>											
E3AS-F1000IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	177.40	EC002719	E3AS0031D	4549734512510	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	171.20	EC002719	E3AS0033M	4549734512534	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0035G	4549734512558	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	177.40	EC002719	E3AS0041A	4549734512619	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	171.20	EC002719	E3AS0043H	4549734512633	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0045D	4549734512657	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	133.10	EC002719	E3AS0046B	4549734512664	#		GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-F1000IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	120.40	EC002719	E3AS0048R	4549734512688			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0050M	4549734512701			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	133.10	EC002719	E3AS0056M	4549734512763	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	120.40	EC002719	E3AS0058F	4549734512787	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0060H	4549734512800	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT-M3J 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m	164.70	EC002719	E3AS0059D	4549734512794			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	177.40	EC002719	E3AS0001B	4549734512213			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	171.20	EC002719	E3AS0003R	4549734512237			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0005E	4549734512251			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	177.40	EC002719	E3AS0011M	4549734512312	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	171.20	EC002719	E3AS0013F	4549734512336	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	209.20	EC002719	E3AS0015B	4549734512350	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	133.10	EC002719	E3AS0016M	4549734512367			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	120.40	EC002719	E3AS0018G	4549734512381			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0020R	4549734512404			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	133.10	EC002719	E3AS0026H	4549734512466	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	120.40	EC002719	E3AS0028D	4549734512480	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	164.70	EC002719	E3AS0030F	4549734512503	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	449.80	EC002719	E3AS0148E	4549734663854			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	449.80	EC002719	E3AS0150G	4549734663878			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0113B	4549734663380			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	449.80	EC002719	E3AS0156F	4549734663939			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	449.80	EC002719	E3AS0158B	4549734663953	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0115R	4549734663403	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	437.00	EC002719	E3AS0136A	4549734663731			GD	GDH	CHN	8541.4900.00
E3AS-HL150MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	437.00	EC002719	E3AS0138H	4549734663755			GD	GDH	CHN	8541.4900.00
E3AS-HL150MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0110H	4549734663359			GD	GDH	CHN	8541.4900.00
E3AS-HL150MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	437.00	EC002719	E3AS0144B	4549734663816	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	437.00	EC002719	E3AS0146R	4549734663830	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0112D	4549734663373	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	449.80	EC002719	E3AS0124H	4549734663618			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	449.80	EC002719	E3AS0126D	4549734663632			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0107H	4549734663328			GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-HL500LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	449.80	EC002719	E3AS0132R	4549734663694	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	449.80	EC002719	E3AS0134E	4549734663717	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	468.60	EC002719	E3AS0109D	4549734663342	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	437.00	EC002719	E3AS0100M	4549734663250	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	437.00	EC002719	E3AS0102G	4549734663274	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0104C	4549734663298	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	437.00	EC002719	E3AS0120E	4549734663571	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	437.00	EC002719	E3AS0122A	4549734663595	#		GD	GDH	CHN	8541.4900.00
E3AS-HL500MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	456.00	EC002719	E3AS0106M	4549734663311	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	215.40	EC002719	E3AS0061F	4549734512817	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	209.20	EC002719	E3AS0063B	4549734512831	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0065R	4549734512855	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	215.40	EC002719	E3AS0071C	4549734512916	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	209.20	EC002719	E3AS0073M	4549734512930	#		GD	GDH	CHN	8541.4900.00
E3AS-L200MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0075F	4549734512954	#		GD	GDH	CHN	8541.4900.00
E3AS-L80MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	215.40	EC002719	E3AS0076D	4549734512961	#		GD	GDH	CHN	8541.4900.00
E3AS-L80MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	209.20	EC002719	E3AS0078M	4549734512985	#	2	GD	GDH	CHN	8541.4900.00
E3AS-L80MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0080B	4549734513005	#		GD	GDH	CHN	8541.4900.00
E3AS-L80MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	215.40	EC002719	E3AS0086A	4549734513067	#		GD	GDH	CHN	8541.4900.00
E3AS-L80MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	209.20	EC002719	E3AS0088H	4549734513081	#		GD	GDH	CHN	8541.4900.00
E3AS-L80MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	247.20	EC002719	E3AS0090M	4549734513104	#		GD	GDH	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3Z</b>											
E3Z-B61 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, 2m kablolu	174.40	EC002717	E3Z 7199H	4547648676632	#		GD	GDI	CHN	8541.4900.00
E3Z-B62 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, NPN, 2m kablolu	174.40	EC002717	E3Z 7206D	4547648676700	#		GD	GDI	CHN	8541.4900.00
E3Z-B66	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, M8 konektör	160.30	EC002717	E3Z 7201C	4547648676656	#		GD	GDI	CHN	8541.4900.00
E3Z-B67	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, NPN, M8 konektör	160.30	EC002717	E3Z 7208M	4547648676724	#		GD	GDI	CHN	8541.4900.00
E3Z-B81 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, 2m kablolu	174.40	EC002717	E3Z 7200E	4547648676649	#		GD	GDI	CHN	8541.4900.00
E3Z-B82 2M	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, 2m kablolu	174.40	EC002717	E3Z 7212R	4547648676762	#		GD	GDI	CHN	8541.4900.00
E3Z-B86	Fotoelektrik sensör, şeffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, M8 konektör	160.30	EC002717	E3Z 7202A	4547648676663	#		GD	GDI	CHN	8541.4900.00
E3Z-B87	Fotoelektrik sensör, şeffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, M8 konektör	160.30	EC002717	E3Z 7214E	4547648676786	#		GD	GDI	CHN	8541.4900.00
E3Z-D61 2M	Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, NPN, 2m kablolu	102.60	EC001821	E3Z 4056A	4549734446600	#		GD	GDI	IDN	8541.4900.00
E3Z-D62 2M	Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, NPN, 2m kablolu	102.90	EC001821	E3Z 4060M	4549734446648	#		GD	GDI	IDN	8541.4900.00
E3Z-D62 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)	103.40	EC001821	E3Z 7037A	4547648287180	#		GD	GDI	CHN	8541.4900.00
E3Z-D66	Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, NPN, M8 konektör	107.80	EC001821	E3Z 4058H	4549734446624	#	50	GD	GDI	IDN	8541.4900.00
E3Z-D67	Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, NPN, M8 konektör	107.80	EC001821	E3Z 4062F	4549734446662	#		GD	GDI	IDN	8541.4900.00
E3Z-D81 2M	Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, PNP, 2m kablolu	102.70	EC001821	E3Z 4057M	4549734446617	#		GD	GDI	IDN	8541.4900.00
E3Z-D81 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)	106.50	EC001821	E3Z 7036C	4547648287173	#		GD	GDI	CHN	8541.4900.00
E3Z-D81-M1J 0.3M	Photoelectric sensor, diffuse, compact square, infrared LED, 100m, PNP, L-on/D-on selectable, M12 pig-tail connector	104.80	EC001821	E3Z 7157B	4547648676212	#		GD	GDI	CHN	8541.4900.00
E3Z-D82 2M	Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, PNP, 2m kablolu	102.90	EC001821	E3Z 4061H	4549734446655	#		GD	GDI	IDN	8541.4900.00
E3Z-D82 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)	106.50	EC001821	E3Z 7038M	4547648287197	#		GD	GDI	CHN	8541.4900.00
E3Z-D82-IL3 2M	Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, 2m kablolu, IO-link , COM 3	108.20	EC001821	E3Z 8024E	4548583793255	#		GD	GDI	CHN	8541.4900.00
E3Z-D82-IL3 5M	Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, 5m kablolu, IO-link , COM 3	117.00	EC001821	E3Z 8025C	4548583793262	#		GD	GDI	CHN	8541.4900.00
E3Z-D82-M1J 0.3M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M12 pigtail (requires bracket)	119.00	EC001821	E3Z 7158M	4547648676229	#		GD	GDI	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-D82-M1TJ-IL3 0.3M	Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, M12 kablolu, IO-link , COM 3	108.20	EC001821	E3Z 8026A	4548583793279			GD	GDI	CHN	8541.4900.00
E3Z-D86	Fotoelektrik sensör, cisimden yansımali, 100mm, DC, 3 kablolu, PNP, M8 konektör	107.80	EC001821	E3Z 4059F	4549734446631	#		GD	GDI	IDN	8541.4900.00
E3Z-D87	Fotoelektrik sensör, cisimden yansımali, 1m, DC, 3 kablolu, PNP, M8 konektör	107.80	EC001821	E3Z 4063D	4549734446679	#		GD	GDI	IDN	8541.4900.00
E3Z-D87-IL3	Fotoelektrik sensör, cisimden yansımali, 1m, DC, PNP, M8 konektör, IO-link , COM 3	108.20	EC001821	E3Z 8029F	4548583793309	#		GD	GDI	CHN	8541.4900.00
E3Z-G61 2M	Fotoelektrik sensör, tek ışınli, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	135.20	EC002720	E3Z 7187D	4547648676519	#		GD	GDI	CHN	8541.4900.00
E3Z-G61-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, NPN, M8 pigtail connector	140.20	EC002720	E3Z 7189M	4547648676533	#	10	GD	GDI	CHN	8541.4900.00
E3Z-G62 2M	Fotoelektrik sensör, çift ışınli, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	164.60	EC002720	E3Z 7190D	4547648676540	#		GD	GDI	CHN	8541.4900.00
E3Z-G62-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, NPN, M8 pigtail connector	158.60	EC002720	E3Z 7192M	4547648676564	#	10	GD	GDI	CHN	8541.4900.00
E3Z-G81 2M	Fotoelektrik sensör, tek ışınli, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	135.20	EC002720	E3Z 7226R	4547648676908	#	10	GD	GDI	CHN	8541.4900.00
E3Z-G81-M1J-1 0.3M	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M12 pigtail connector	129.90	EC002720	E3Z 7267F	4547648677318	#		GD	GDI	CHN	8541.4900.00
E3Z-G81-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M8 pigtail connector	175.90	EC002720	E3Z 7227G	4547648676915	#	10	GD	GDI	CHN	8541.4900.00
E3Z-G82 2M	Fotoelektrik sensör, çift ışınli, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	164.60	EC002720	E3Z 7229C	4547648676939	#		GD	GDI	CHN	8541.4900.00
E3Z-G82-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, PNP, M8 pigtail connector	207.10	EC002720	E3Z 7230G	4547648676946	#		GD	GDI	CHN	8541.4900.00
E3Z-L61 2M	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, NPN, 2m kablolu	146.40	EC001821	E3Z 7161M	4547648676250	#		GD	GDI	CHN	8541.4900.00
E3Z-L66	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, NPN, M8 konektör	146.40	EC001821	E3Z 7164E	4547648676281	#		GD	GDI	CHN	8541.4900.00
E3Z-L81 2M	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, PNP, 2m kablolu	163.10	EC001821	E3Z 7163G	4547648676274	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-IL3 2M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, 2m kablolu, IO-link , COM 3	108.20	EC001821	E3Z 8034B	4548583793354	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-IL3 5M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, 5m kablolu, IO-link , COM 3	117.00	EC001821	E3Z 8035M	4548583793361	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	143.30	EC001821	E3Z 7266H	4547648677301	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1TJ-IL3-1 0.3M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, M12 kablolu, IO-link , COM 3	122.10	EC001821	E3Z 8037G	4548583793385	#		GD	GDI	CHN	8541.4900.00
E3Z-L86	Fotoelektrik sensör, dar ışın, cisimden yansımali, 90±30mm, DC, 3 kablolu, PNP, M8 konektör	163.10	EC001821	E3Z 7165C	4547648676298	#		GD	GDI	CHN	8541.4900.00
E3Z-L86-IL3	Fotoelektrik sensör, cisimden yansımali, 90mm, dar ışın, DC, PNP, M8 konektör, IO-link , COM 3	108.20	EC001821	E3Z 8039C	4548583793408	#		GD	GDI	CHN	8541.4900.00
E3Z-LL61 2M	Fotoelektrik sensör, arka plan bastırılmalı lazer sensör, 20-300mm, NPN, 2m kablolu	224.40	EC002719	E3Z 7409A	4547648678735	#		GD	GDI	CHN	8541.4900.00
E3Z-LL66	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konektör, NPN	219.00	EC002719	E3Z 7410E	4547648678742	#		GD	GDI	CHN	8541.4900.00
E3Z-LL68	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, NPN, L-ON/D-ON seçilebilir, M8 konektör	263.90	EC002719	E3Z 7414H	4547648678780	#		GD	GDI	CHN	8541.4900.00
E3Z-LR1 2M	Fotoelektrik sensör, arka plan bastırılmalı lazer sensör, 20-300mm, PNP	224.40	EC002719	E3Z 7411C	4547648678759	#		GD	GDI	CHN	8541.4900.00
E3Z-LR1 5M	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output	227.90	EC002719	E3Z 7510A	4547648679749	#		GD	GDI	CHN	8541.4900.00
E3Z-LR1-M1J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M12 pigtail, PNP	265.80	EC002719	E3Z 7428H	4547648678926	#		GD	GDI	CHN	8541.4900.00
E3Z-LR1-M3J 0.3M	Photoelectric sensor, BGS laser, 20-300mm, M8 pigtail 4-pin, PNP	225.00	EC002719	E3Z 7464D	4547648679282	#		GD	GDI	CHN	8541.4900.00
E3Z-LR3 2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 konektör	224.40	EC002719	E3Z 7415F	4547648678797	#		GD	GDI	CHN	8541.4900.00
E3Z-LR3-M1J 0.3M	Photoelectric sensor, BGS laser, 25-300mm, M12 pigtail, PNP, High Speed Version	265.80	EC002719	E3Z 7432F	4547648678964	#		GD	GDI	CHN	8541.4900.00
E3Z-LR6	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konektör, PNP	220.10	EC002719	E3Z 7412A	4547648678766	#		GD	GDI	CHN	8541.4900.00
E3Z-LR88	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8-4pin konektör	223.30	EC002719	E3Z 7416D	4547648678803	#		GD	GDI	CHN	8541.4900.00
E3Z-LR61 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, NPN, 2m kablolu	176.20	EC002717	E3Z 7417B	4547648678810	#		GD	GDI	CHN	8541.4900.00
E3Z-LR66	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konektör, NPN	178.30	EC002717	E3Z 7418M	4547648678827	#		GD	GDI	CHN	8541.4900.00
E3Z-LR81 2M	Fotoelektrik sensör, reflektörlü lazer, 15m, PNP, 2m kablolu	176.20	EC002717	E3Z 7419R	4547648678834	#		GD	GDI	CHN	8541.4900.00
E3Z-LR81-M1J 0.3M	Photoelectric sensor, retro-reflective laser, 15m, M12 pigtail, PNP	161.30	EC002717	E3Z 7436R	4547648679008	#		GD	GDI	CHN	8541.4900.00
E3Z-LR86	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konektör, PNP	174.40	EC002717	E3Z 7420B	4547648678841	#		GD	GDI	CHN	8541.4900.00
E3Z-LS61 2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, NPN, 2m kablolu	142.40	EC002719	E3Z 7237D	4547648677011	#		GD	GDI	CHN	8541.4900.00
E3Z-LS63 2M	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	179.60	EC002719	E3Z 7595M	4547648680592	#		GD	GDI	CHN	8541.4900.00
E3Z-LS66	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 40-200mm, DC, 3 kablolu, NPN, M8 konektör	146.40	EC002719	E3Z 7239M	4547648677035	#		GD	GDI	CHN	8541.4900.00
E3Z-LS68	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, M8-4pin konektör	150.50	EC002719	E3Z 7597G	4547648680615	#		GD	GDI	CHN	8541.4900.00
E3Z-LS81 2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, 2m kablolu	142.40	EC002719	E3Z 7241B	4547648677059	#		GD	GDI	CHN	8541.4900.00
E3Z-LS81 5M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, 5m cable (requires bracket)	165.80	EC002719	E3Z 7244G	4547648677080	#		GD	GDI	CHN	8541.4900.00
E3Z-LS81-M1J 0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M12 pigtail (requires bracket)	206.30	EC002719	E3Z 7403B	4547648678674	#		GD	GDI	CHN	8541.4900.00
E3Z-LS81-M3J 0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	115.70	EC002719	E3Z 7327C	4547648677912	#		GD	GDI	CHN	8541.4900.00
E3Z-LS83 2M	Fotoelektrik sensör, arka plan bastırılmalı, 2-80mm, DC, 3 kablolu, PNP, 2m kablolu	178.40	EC002719	E3Z 7369R	4547648678339	#		GD	GDI	CHN	8541.4900.00
E3Z-LS86	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, M8 konektör	146.40	EC002719	E3Z 7242M	4547648677066	#		GD	GDI	CHN	8541.4900.00
E3Z-LS88	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, PNP, L-ON/D-ON seçilebilir, M8 konektör	180.80	EC002719	E3Z 7371M	4547648678353	#		GD	GDI	CHN	8541.4900.00
E3Z-LT61 2M	Fotoelektrik sensör, karşılıklı lazer, 60m, kablolu, NPN, 2m kablolu	224.40	EC002716	E3Z 7421M	4547648678858	#		GD	GDI	CHN	8541.4900.00
E3Z-LT66	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konektör, NPN	220.10	EC002716	E3Z 7422R	4547648678865	#		GD	GDI	CHN	8541.4900.00
E3Z-LT81 2M	Fotoelektrik sensör, karşılıklı lazer, 60m, PNP, 2m kablolu	224.40	EC002716	E3Z 7423G	4547648678872	#		GD	GDI	CHN	8541.4900.00
E3Z-LT81-M1J 0.3M	Photoelectric sensor, through-beam laser, 60m, M12 pigtail, PNP	246.90	EC002716	E3Z 7440G	4547648679046	#		GD	GDI	CHN	8541.4900.00
E3Z-LT86	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konektör, PNP	224.40	EC002716	E3Z 7424E	4547648678889	#		GD	GDI	CHN	8541.4900.00
E3Z-LT86-D	Photoelectric sensor, through-beam laser receiver, 60m, M8 4-pin connector, PNP	86.95	EC002716	E3Z 7505E	4547648679695	#		GD	GDI	CHN	8541.4900.00
E3Z-LT86-L	Photoelectric sensor, through-beam laser emitter, 60m, M8 4-pin connector	161.30	EC002716	E3Z 7445H	4547648679091	#		GD	GDI	CHN	8541.4900.00
E3Z-R61 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, 2m kablolu	109.50	EC002717	E3Z 4052R	4549734446563	#		GD	GDI	IDN	8541.4900.00
E3Z-R61 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable (requires reflector & bracket)	109.60	EC002717	E3Z 7033R	4547648287142	#		GD	GDI	CHN	8541.4900.00
E3Z-R61-C 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including reflector E39-R1	163.10	EC002717	E3Z 7210B	4547648676748	#		GD	GDI	CHN	8541.4900.00
E3Z-R66	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, M8 konektör	114.70	EC002717	E3Z 4054E	4549734446587	#		GD	GDI	IDN	8541.4900.00
E3Z-R81 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, 2m kablolu	109.60	EC002717	E3Z 4053G	4549734446570	#		GD	GDI	IDN	8541.4900.00
E3Z-R81 5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflector & bracket)	109.60	EC002717	E3Z 7034G	4547648287159	#		GD	GDI	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-R81-IL3 2M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 2m kablolu, IO-link, COM 3	107.40	EC002717	E3Z 8014H	4548583793156			GD	GDI	CHN	8541.4900.00
E3Z-R81-IL3 5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 5m kablolu, IO-link, COM 3	117.00	EC002717	E3Z 8015F	4548583793163			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J 0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M12 pigtail (requires reflector & bracket)	81.85	EC002717	E3Z 7156D	4547648676205	#		GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J-1 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	98.80	EC002717	E3Z 7283H	4547648677479			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1TJ-IL3 0.3M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M12 kablolu, IO-link, COM 3	107.40	EC002717	E3Z 8016D	4548583793170			GD	GDI	CHN	8541.4900.00
E3Z-R81-M3J 0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M8 pigtail 4-pin (requires reflector & bracket)	105.20	EC002717	E3Z 7205F	4547648676694	#		GD	GDI	CHN	8541.4900.00
E3Z-R81-M5J 0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	123.10	EC002717	E3Z 7349D	4547648678131	#		GD	GDI	CHN	8541.4900.00
E3Z-R86	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, M8 konnektör	114.70	EC002717	E3Z 4055C	4549734446594	#		GD	GDI	IDN	8541.4900.00
E3Z-R86-2	Photoelectric sensor, rectangular housing with mounting hole $\phi$ 3.2, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	114.70	EC002717	E3Z 7234M	4547648676984	#		GD	GDI	CHN	8541.4900.00
E3Z-R86-4	Photoelectric sensor, retro-reflective, compact square, infrared LED, 5m, PNP, L-on/D-on selectable, M8-4pin connector	102.90	EC002717	E3Z 7537C	4547648680011	#		GD	GDI	CHN	8541.4900.00
E3Z-R86H	Retro-reflective with M.S.R. 4m, without sensitivity adjusters, PNP, M8 plug-in 4-pins	88.00	EC002717	E3Z 5443M	4548583583818	#		GD	GDI	CHN	8541.4900.00
E3Z-R86-IL3	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M8 konnektör, IO-link, COM 3	107.40	EC002717	E3Z 8019R	4548583793200			GD	GDI	CHN	8541.4900.00
E3Z-T61 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, 2m kablolu	139.40	EC002716	E3Z 4040E	4549734446440	#		GD	GDI	IDN	8541.4900.00
E3Z-T61A 2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, 2m kablolu	132.30	EC002716	E3Z 4044H	4549734446488	#	20	GD	GDI	IDN	8541.4900.00
E3Z-T61-D 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, NPN, Light-ON/Dark-ON, 2 m cable	87.95	EC002716	E3Z 4065M	4549734446693	#		GD	GDI	IDN	8541.4900.00
E3Z-T61-L 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, NPN, Light-ON/Dark-ON, 2 m cable	66.15	EC002716	E3Z 4064B	4549734446686	#		GD	GDI	IDN	8541.4900.00
E3Z-T66	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, M8 konnektör	144.50	EC002716	E3Z 4042A	4549734446464	#		GD	GDI	IDN	8541.4900.00
E3Z-T66A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, M8 konnektör	144.00	EC002716	E3Z 4046D	4549734446501	#		GD	GDI	IDN	8541.4900.00
E3Z-T66-D	Photoelectric sensor, through-beam receiver, 15m, infrared LED, NPN, M8-4pin connector	116.00	EC002716	E3Z 4069C	4549734446470	#		GD	GDI	IDN	8541.4900.00
E3Z-T81 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, 2m kablolu	140.40	EC002716	E3Z 4041C	4549734446457	#		GD	GDI	IDN	8541.4900.00
E3Z-T81 5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 brackets)	57.65	EC002716	E3Z 7032M	4547648287135	#		GD	GDI	CHN	8541.4900.00
E3Z-T81A 2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, 2m kablolu	47.04	EC002716	E3Z 4045F	4549734446495	#		GD	GDI	IDN	8541.4900.00
E3Z-T81A 6M	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, 6m cable (requires 2 brackets)	161.60	EC002716	E3Z 7243R	4547648677073	#		GD	GDI	CHN	8541.4900.00
E3Z-T81A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	99.55	EC002716	E3Z 4075H	4549734446792	#		GD	GDI	IDN	8541.4900.00
E3Z-T81A-M1J 0.3M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	202.90	EC002716	E3Z 7301M	4547648677653	#		GD	GDI	CHN	8541.4900.00
E3Z-T81C-G05RL-CN	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, Dark-ON, without adjuster, M8 4-pin connector	108.20	EC002716	E3Z 7844E	4547648683081	#		GD	GDI	CHN	8541.4900.00
E3Z-T81C-G05RL-CN	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 4-pin connector	63.95	EC002716	E3Z 7843G	4547648683074	#		GD	GDI	CHN	8541.4900.00
E3Z-T81-D-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	91.85	EC002716	E3Z 7541A	4547648680059			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 2m kablolu, IO-link, COM 3	142.40	EC002716	E3Z 8004M	4548583793057			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 5M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 5m kablolu, IO-link, COM 3	154.50	EC002716	E3Z 8005R	4548583793064			GD	GDI	CHN	8541.4900.00
E3Z-T81K-M3J 0.3M	Photoelectric sensor	238.40	EC002716	E3Z 7275G	4547648677394			GD	GDI	CHN	8541.4900.00
E3Z-T81-L-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	61.75	EC002716	E3Z 7540C	4547648680042			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J 0.3M	Photoelectric sensor, through-beam, Sn=15m, PNP, plastic, red LED, 0.3m PVC cable with M12 4-pin	188.70	EC002716	E3Z 7155F	4547648676199	#		GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	139.60	EC002716	E3Z 7264A	4547648677288			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1TJ-IL3 0.3M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 3	161.30	EC002716	E3Z 8006G	4548583793071			GD	GDI	CHN	8541.4900.00
E3Z-T82 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, 2m kablolu	145.70	EC002716	E3Z 4049R	4549734446532		40	GD	GDI	IDN	8541.4900.00
E3Z-T86	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, M8 konnektör	144.50	EC002716	E3Z 4043M	4549734446471	#		GD	GDI	IDN	8541.4900.00
E3Z-T86A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, M8 konnektör	139.60	EC002716	E3Z 4047B	4549734446518	#		GD	GDI	IDN	8541.4900.00
E3Z-T86A-D	Photoelectric sensor, through-beam receiver, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	105.20	EC002716	E3Z 4079M	4549734446839	#		GD	GDI	IDN	8541.4900.00
E3Z-T86A-L	Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	79.90	EC002716	E3Z 4078B	4549734446822	#		GD	GDI	IDN	8541.4900.00
E3Z-T86-D	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	76.90	EC002716	E3Z 4071E	4549734446754	#		GD	GDI	IDN	8541.4900.00
E3Z-T86-IL3	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M8 konnektör, IO-link, COM 3	142.40	EC002716	E3Z 8009A	4548583793101	#		GD	GDI	CHN	8541.4900.00
E3Z-T86-L	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	79.60	EC002716	E3Z 4070G	4549734446747	#		GD	GDI	IDN	8541.4900.00
E3Z-T87	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, M8 konnektör	143.50	EC002716	E3Z 4051M	4549734446556	#		GD	GDI	IDN	8541.4900.00
E3ZM-B66	Fotoelektrik sensör, şeffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, M8, 4-pin konnektör	219.10	EC002717	E3ZM7224M	4547648689298	#		GD	GDI	CHN	8541.4900.00
E3ZM-B81 2M	Fotoelektrik sensör, şeffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, PNP, 2m kablolu	222.50	EC002717	E3ZM7222D	4547648689274	#		GD	GDI	CHN	8541.4900.00
E3ZM-B81T 2M	Fotoelektrik sensör, şeffaf algılama, reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, 2m kablolu	226.30	EC002717	E3ZM0268D	4547648797313	#		GD	GDI	JPN	8541.4900.00
E3ZM-B86	Fotoelektrik sensör, şeffaf PET şişe, reflektörlü, metal gövde, IP69K, 500mm, M8, 4-pin konnektör, PNP	219.10	EC002717	E3ZM7225R	4547648689304	#		GD	GDI	CHN	8541.4900.00
E3ZM-B86-1	Photoelectric sensor, transparent, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector not included	219.10	EC002717	E3ZM7225C	4547648728706	#		GD	GDI	CHN	8541.4900.00
E3ZM-B86-C	Photoelectric sensor, transparent PET bottle, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector included	284.30	EC002717	E3ZM7237B	4547648689427	#		GD	GDI	CHN	8541.4900.00
E3ZM-B86T	Fotoelektrik sensör, şeffaf algılama, reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, M8, 4-pin konnektör	214.80	EC002717	E3ZM0269B	4547648797320	#		GD	GDI	JPN	8541.4900.00
E3ZM-D62 2M	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, NPN, 2m kablolu	195.50	EC001821	E3ZM0001M	4547648235587	#		GD	GDI	JPN	8541.4900.00
E3ZM-D67	Photoelectric sensor, diffuse, metal body, IP69K, 1m, NPN, M8 4-pin connector	223.50	EC001821	E3ZM0002R	4547648235594	#		GD	GDI	JPN	8541.4900.00
E3ZM-D82 2M	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, PNP, 2m kablolu	195.50	EC001821	E3ZM0003G	4547648235600	#		GD	GDI	JPN	8541.4900.00
E3ZM-D82-S1J 0.3M	Photoelectric sensor, diffuse, metal body, IP69K, 1m, M12 4-pin stainless steel pigtail 0.3m, PNP	263.40	EC001821	E3ZM0237D	4547648593304	#		GD	GDI	JPN	8541.4900.00
E3ZM-D87	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, M8, 4-pin, PNP	194.60	EC001821	E3ZM0004E	4547648235617	#		GD	GDI	JPN	8541.4900.00
E3ZM-LS81H 2M	Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.1m, PNP, 2m kablolu	196.40	EC002719	E3ZM0011H	4547648235686	#		GD	GDI	JPN	8541.4900.00
E3ZM-LS81H 5M	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.1m, PNP, 5m cable	198.20	EC002719	E3ZM0031B	4547648279239	#		GD	GDI	JPN	8541.4900.00
E3ZM-LS82H 2M	Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.15m, PNP	195.50	EC002719	E3ZM0012F	4547648235693	#		GD	GDI	JPN	8541.4900.00
E3ZM-LS84H 2M	Fotoelektrik sensör, sabit arka plan bastırılmalı, metal gövde, IP69K, 0.2m, PNP, 2m kablolu	195.50	EC002719	E3ZM0013D	4547648235709	#		GD	GDI	JPN	8541.4900.00



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3ZM-LS86H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.1m, M8 4-pin, PNP output	168.60	EC002719	E3ZM0014B	4547648235716	#		GD	GDI	JPN	8541.4900.00
E3ZM-LS89H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.2m, M8 4-pin, PNP	166.90	EC002719	E3ZM0016R	4547648235730	#		GD	GDI	JPN	8541.4900.00
E3ZM-R61 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, NPN, 2m kablolu	191.30	EC002717	E3ZM0017E	4547648235747	#		GD	GDI	JPN	8541.4900.00
E3ZM-R66	Photoelectric sensor, retro-reflective, metal body, IP69K, 4m, M8 4-pin, NPN output	222.40	EC002717	E3ZM0018C	4547648235754	#		GD	GDI	JPN	8541.4900.00
E3ZM-R81 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, PNP, 2m kablolu	191.30	EC002717	E3ZM0019C	4547648235761	#		GD	GDI	JPN	8541.4900.00
E3ZM-R86	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, M8, 4-pin, PNP	195.50	EC002717	E3ZM0020G	4547648235778	#		GD	GDI	JPN	8541.4900.00
E3ZM-T81 2M	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, PNP, 2m kablolu	307.10	EC002716	E3ZM0023A	4547648235808	#		GD	GDI	JPN	8541.4900.00
E3ZM-T81 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output	361.30	EC002716	E3ZM0025H	4547648271790	#		GD	GDI	JPN	8541.4900.00
E3ZM-T81-L 5M	Photoelectric sensor, rectangular, SUS body, IR LED, thru-beam emitter, 15m, PNP, L-ON/D-ON selectable, 5m cable	167.50	EC002716	E3ZM0261G	4547648719148	#		GD	GDI	JPN	8541.4900.00
E3ZM-T81-S11 0.3M	Photoelectric sensor, through-beam, metal body, IP69K, 15m, M12 4-pin stainless steel pigtail 0.3m, PNP	321.60	EC002716	E3ZM0241B	4547648599641	#		GD	GDI	JPN	8541.4900.00
E3ZM-T83 5M	Photoelectric sensor, through-beam, 0.8m, compact square, stainless steel, infrared LED, internal slit, IP69K, PNP, 5m cable	309.40	EC002716	E3ZM0078R	4547648289375	#		GD	GDI	JPN	8541.4900.00
E3ZM-T86	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, M8, 4-pin, PNP	307.80	EC002716	E3ZM0024M	4547648235815	#		GD	GDI	JPN	8541.4900.00
E3ZM-T86-D	Photoelectric sensor	197.80	EC002716	E3ZM0194G	4547648386630	#		GD	GDI	JPN	8541.4900.00
E3ZM-T88	Fotoelektrik sensör, karşılıklı, 0.8m, kompakt kare, paslanmaz çelik, infrared LED, IP69K, PNP, M8-4pin konnektör	323.60	EC002716	E3ZM0080M	4547648289399	#		GD	GDI	JPN	8541.4900.00
E3ZM-V61 2M	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, 2m kablolu	263.40	EC001820	E3ZM7226G	4547648689311	#		GD	GDI	CHN	8541.4900.00
E3ZM-V66	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, M8, 4-pin konnektör	260.20	EC001820	E3ZM7230E	4547648689359	#		GD	GDI	CHN	8541.4900.00
E3ZM-V81 2M	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, 2m kablolu	262.30	EC001820	E3ZM7228C	4547648689335	#		GD	GDI	CHN	8541.4900.00
E3ZM-V81 5M	Colour mark sensor, diffuse, 12 +/- 2mm, 50µs response time, stainless steel body, IP69K, PNP	272.90	EC001820	E3ZM7229A	4547648689342	#		GD	GDI	CHN	8541.4900.00
E3ZM-V86	Fotoelektrik sensör, benek/renk, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, M8, 4-pin konnektör	259.00	EC001820	E3ZM7231C	4547648689366	#		GD	GDI	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3S</b>											
E3S-AD11	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable	134.30	EC001821	E3S 3007B	4536853282233	#		GD	GDI	JPN	8541.4900.00
E3S-AD12	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable	133.50	EC001821	E3S 3009R	4536853282257	#		GD	GDI	JPN	8541.4900.00
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable	141.70	EC001821	E3S 3117R	4536853283872	#		GD	GDI	JPN	8541.4900.00
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable	136.00	EC001821	E3S 3033A	4536853282493	#		GD	GDI	JPN	8541.4900.00
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable	133.90	EC001821	E3S 3035H	4536853282516	#		GD	GDI	JPN	8541.4900.00
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable	155.80	EC001821	E3S 3170B	4536853283858	#		GD	GDI	JPN	8541.4900.00
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in	141.70	EC001821	E3S 3041B	4536853282578	#		GD	GDI	JPN	8541.4900.00
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in	143.50	EC001821	E3S 3042M	4536853282585	#		GD	GDI	JPN	8541.4900.00
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in	149.30	EC001821	E3S 3163M	4536853283780	#		GD	GDI	JPN	8541.4900.00
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable	134.30	EC001821	E3S 3059E	4536853282752	#		GD	GDI	JPN	8541.4900.00
E3S-AD66	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, M12 plug-in	140.70	EC001821	E3S 3067F	4536853282837	#		GD	GDI	JPN	8541.4900.00
E3S-AD68	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, M12 plug-in	144.70	EC001821	E3S 3164H	4536853283797	#		GD	GDI	JPN	8541.4900.00
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable	138.00	EC001821	E3S 3085D	4536853283018	#		GD	GDI	JPN	8541.4900.00
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable	133.90	EC001821	E3S 3087M	4536853283032	#		GD	GDI	JPN	8541.4900.00
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable	142.10	EC001821	E3S 3167B	4536853283827	#		GD	GDI	JPN	8541.4900.00
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in	141.70	EC001821	E3S 3093E	4536853283094	#		GD	GDI	JPN	8541.4900.00
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in	140.70	EC001821	E3S 3094C	4536853283100	#		GD	GDI	JPN	8541.4900.00
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in	148.90	EC001821	E3S 3162A	4536853283773	#		GD	GDI	JPN	8541.4900.00
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable	150.00	EC002717	E3S 3005F	4536853282219	#		GD	GDI	JPN	8541.4900.00
E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in	158.10	EC002717	E3S 3014E	4536853282301	#		GD	GDI	JPN	8541.4900.00
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable	150.00	EC002717	E3S 3031E	4536853282479	#		GD	GDI	JPN	8541.4900.00
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in	155.20	EC002717	E3S 3040D	4536853282561	#		GD	GDI	JPN	8541.4900.00
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable	150.00	EC002717	E3S 3083H	4536853282998	#		GD	GDI	JPN	8541.4900.00
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in	155.20	EC002717	E3S 3092G	4536853283087	#		GD	GDI	JPN	8541.4900.00
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable	182.10	EC002716	E3S 3001C	4536853282172	#		GD	GDI	JPN	8541.4900.00
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable	184.50	EC002716	E3S 3027G	4536853282431	#		GD	GDI	JPN	8541.4900.00
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in	195.50	EC002716	E3S 3037D	4536853282530	#		GD	GDI	JPN	8541.4900.00
E3S-AT61	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable	182.10	EC002716	E3S 3053F	4536853282691	#		GD	GDI	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, M12 plug-in	195.30	EC002716	E3S 3063C	4536853282790	#		GD	GDI	JPN	8541.4900.00
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	184.50	EC002716	E3S 3079M	4536853282950	#		GD	GDI	JPN	8541.4900.00
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in	195.50	EC002716	E3S 3089G	4536853283056	#		GD	GDI	JPN	8541.4900.00
E3S-CD11 2M	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	197.20	EC001821	E3S 7006F	4547648357180	#		GD	GDI	CHN	8541.4900.00
E3S-CD11-M11 0.3M	Photoelectric sensor, Diffuse, 700mm range, Horizontal, NPN/PNP, M12 connector	225.50	EC001821	E3S 7023F	4547648357357	#		GD	GDI	CHN	8541.4900.00
E3S-CD12 2M	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	208.60	EC001821	E3S 7007D	4547648357197	#		GD	GDI	CHN	8541.4900.00
E3S-CD16	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, yatay, M12 konnektör	225.50	EC001821	E3S 7047C	4547648357593	#		GD	GDI	CHN	8541.4900.00
E3S-CD17	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, yatay, M12 konnektör	223.40	EC001821	E3S 7048A	4547648357609	#		GD	GDI	CHN	8541.4900.00
E3S-CD61 2M	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	191.60	EC001821	E3S 7010D	4547648357227	#		GD	GDI	CHN	8541.4900.00
E3S-CD61-M11 0.3M	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with M12 connector	202.60	EC001821	E3S 7027R	4547648357395	#		GD	GDI	CHN	8541.4900.00
E3S-CD62 2M	Fotoelektrik sensör, cisimden yansımali, 2m, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	211.00	EC001821	E3S 7011B	4547648357234	#		GD	GDI	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-CD66	Fotoelektrik sensör, cisimden yansımali, 700mm, DC, 3 kablolu, NPN/PNP, düşey, M12 konnektör	234.40	EC001821	E3S 7049M	4547648357616	#		GD	GDJ	CHN	8541.4900.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	234.40	EC001821	E3S 7050C	4547648357623	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1 2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırmalı, 5-200mm, NPN/PNP, 2m kablolu	250.00	EC002719	E3S 7029E	4547648357418	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1 5M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 5m cable	236.80	EC002719	E3S 7030R	4547648357425	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	238.10	EC002719	E3S 7039B	4547648357517	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2 2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırmalı, 5-500mm, NPN/PNP, 2m kablolu	229.40	EC002719	E3S 7031G	4547648357432	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2 5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	256.90	EC002719	E3S 7032E	4547648357449	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	253.70	EC002719	E3S 7040F	4547648357524	#		GD	GDJ	CHN	8541.4900.00
E3S-CR11 2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	195.50	EC002717	E3S 7005H	4547648357173	#		GD	GDJ	CHN	8541.4900.00
E3S-CR16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	283.20	EC002717	E3S 7051A	4547648357630	#		GD	GDJ	CHN	8541.4900.00
E3S-CR61 2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	192.80	EC002717	E3S 7009M	4547648357210	#		GD	GDJ	CHN	8541.4900.00
E3S-CR61 5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5m cable	221.10	EC002717	E3S 7016C	4547648357289	#		GD	GDJ	CHN	8541.4900.00
E3S-CR61-M1J 0.3M	Photoelectric sensor, retroreflective	228.60	EC002717	E3S 7026M	4547648357388	#		GD	GDJ	CHN	8541.4900.00
E3S-CR66	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolu, NPN/PNP, düşey, M12 konnektör	203.90	EC002717	E3S 7037F	4547648357494	#		GD	GDJ	CHN	8541.4900.00
E3S-CT11 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, yatay, 2m kablolu	260.90	EC002716	E3S 7004A	4547648357166	#		GD	GDJ	CHN	8541.4900.00
E3S-CT11 5M	Photoelectric sensor, through beam	295.50	EC002716	E3S 7017A	4547648357296	#		GD	GDJ	CHN	8541.4900.00
E3S-CT16	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, yatay, M12 konnektör	299.90	EC002716	E3S 7041D	4547648357531	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, NPN/PNP, düşey, 2m kablolu	277.80	EC002716	E3S 7008B	4547648357203	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61 5M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable	296.00	EC002716	E3S 7018M	4547648357302	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61-D 5M	Photoelectric sensor, through-beam receiver, 5m=12m, NPN/PNP, zinc diecast, 5m PVC cable	195.30	EC002716	E3S 7036H	4547648357487	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61-L 5M	Photoelectric sensor, through-beam emitter, 5m=12m, zinc diecast, 5m PVC cable	135.60	EC002716	E3S 7035M	4547648357470	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61-L-5 5M	Through-beam, emitter, 5 m range, oil-resistant, DC, 5 m cable output	133.50	EC002716	E3S 7061R	4547648357739	#		GD	GDJ	CHN	8541.4900.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	254.90	EC002716	E3S 7044R	4547648357562	#		GD	GDJ	CHN	8541.4900.00
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	224.60	EC002716	E3S 7046E	4547648357586	#		GD	GDJ	CHN	8541.4900.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in	166.50	EC002716	E3S 7045G	4547648357579	#		GD	GDJ	CHN	8541.4900.00
E3S-R36	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, yatay, M12 konnektör	173.60	EC002717	E3S 3256C	4536853284718	#		GD	GDJ	JPN	8541.4900.00
E3S-R37	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, M12 konnektör	166.50	EC002717	E3S 3257A	4536853284725	#		GD	GDJ	JPN	8541.4900.00
E3S-R67	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, düşey, M12 konnektör	173.60	EC002717	E3S 3210E	4536853284251	#		GD	GDJ	JPN	8541.4900.00
E3S-R86	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, düşey, M12 konnektör	169.10	EC002717	E3S 3260A	4536853284756	#		GD	GDJ	JPN	8541.4900.00
E3S-R87	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, düşey, M12 konnektör	170.60	EC002717	E3S 3261M	4536853284763	#		GD	GDJ	JPN	8541.4900.00
<b>Fiberoptik Amplifikatör E3X</b>											
E3X-ECT	E3X communication unit, EtherCAT	614.00	EC003015	E3X 7307A	4548583057661	#		GD	GDK	CHN	8541.4900.00
E3X-MZV11 2M	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 NPN outputs, 2 m cable	245.30	EC002651	E3X 2006G	4549734673815	#		GD	GDK	CHN	8536.5019.90
E3X-MZV41 2M	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 PNP outputs, 2 m cable	245.30	EC002651	E3X 2007E	4549734673822	#	50	GD	GDK	CHN	8536.5019.90
E3X-MZV6	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 NPN outputs, system connector	239.80	EC002651	E3X 2010E	4549734752923	#		GD	GDK	CHN	8536.5019.90
E3X-NA11F 2M	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 PNP outputs, system connector	239.80	EC002651	E3X 2011C	4549734752930	#		GD	GDK	CHN	8536.5019.90
E3X-NA11 2M	Fiberoptik amplifikatör, IP50, NPN , 2m kablolu	148.30	EC002651	E3X 7001C	4547648358750	#		GD	GDK	CHN	8536.5019.90
E3X-NA11F 2M	Fiber amplifier with potentiometer, fast respons time, NPN output, 2m cable	253.90	EC002651	E3X 7008M	4547648358828	#		GD	GDK	CHN	8536.5019.90
E3X-NA11V 2M	Fiberoptik amplifikatör, IP66, NPN , 2m kablolu	223.20	EC002651	E3X 7010B	4547648358842	#		GD	GDK	CHN	8536.5019.90
E3X-NA14V	Amplifier with potentiometer, IP66, NPN output, M8 plug-in	219.00	EC002651	E3X 7012R	4547648358866	#		GD	GDK	CHN	8536.5019.90
E3X-NA21 2M	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC, 3-wire, NPN, 2 m cable	155.60	EC002651	E3X 7017M	4547648358910	#		GD	GDK	CHN	8536.5019.90
E3X-NA41 2M	Fiberoptik amplifikatör, IP50, PNP , 2m kablolu	148.30	EC002651	E3X 7002A	4547648358767	#		GD	GDK	CHN	8536.5019.90
E3X-NA41F 2M	Fiber amplifier with potentiometer, fast respons time, PNP output, 2m cable	253.90	EC002651	E3X 7009R	4547648358853	#		GD	GDK	CHN	8536.5019.90
E3X-NA41V 2M	Fiberoptik amplifikatör, IP66, PNP , 2m kablolu	219.00	EC002651	E3X 7011M	4547648358859	#		GD	GDK	CHN	8536.5019.90
E3X-NA44V	Fiberoptik amplifikatör, IP66, PNP , M8 konnektör	219.00	EC002651	E3X 7007B	4547648358811	#		GD	GDK	CHN	8536.5019.90
E3X-NA51 2M	Fiberoptik amplifikatör, çubuk LED gösterge, DC, 3 kablolu, PNP, 2m kablolu	242.70	EC002651	E3X 7018H	4547648358927	#		GD	GDK	CHN	8536.5019.90
E3X-NA8	Fiberoptik amplifikatör, IP50, PNP, konnektör	127.30	EC002651	E3X 7006D	4547648358804	#		GD	GDK	CHN	8536.5019.90
E3X-NAG11 2M	Fiberoptik amplifikatör, benek algılama, NPN, 2m kablolu	164.60	EC002651	E3X 7003M	4547648358774	#		GD	GDK	CHN	8536.5019.90
E3X-NAG41 2M	Amplifier, with potentiometer, mark detection, green LED, PNP output, 2m cable	148.80	EC002651	E3X 7004H	4547648358781	#		GD	GDK	CHN	8536.5019.90
E3X-ZV11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2 m cable	185.30	EC002651	E3X 2004M	4549734673792	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2 m cable	185.30	EC002651	E3X 2005R	4549734673808	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	179.90	EC002651	E3X 2008C	4549734752909	#	50	GD	GDK	CHN	8536.5019.90
E3X-ZV8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	179.90	EC002651	E3X 2009A	4549734752916	#		GD	GDK	CHN	8536.5019.90
E3X-CN11	Connector, 3-wire cable for master amplifier, 2m cable	19.54	EC001855	E3X 7191E	4547648647717	#		GD	GDK	CHN	8541.4900.00
E3X-CN11 5M	Connector, 3-wire, cable for master amplifier, 5m cable	27.80	EC001855	E3X 7195H	4547648647755	#		GD	GDK	CHN	8541.4900.00
E3X-CN12	Connector, 1-wire cable for slave amplifier, 2m cable	17.78	EC001855	E3X 7192C	4547648647724	#		GD	GDK	CHN	8541.4900.00
E3X-CN12 5M	Connector, 1-wire cable for slave amplifier, 5m cable	20.42	EC001855	E3X 7196F	4547648647762	#		GD	GDK	CHN	8541.4900.00
E3X-CN21	Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables	27.32	EC001855	E3X 7193A	4547648647731	#		GD	GDK	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Fotoelektrik Sensör E3T</b>											
E3T-FD11 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, NPN, L-ON, yassi, 2m kablololu	119.00	EC001821	E3T 1009A	4536853289881	#		GD	GDO	JPN	8541.4900.00
E3T-FD12 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, NPN, D-ON, yassi, 2m kablololu	119.00	EC001821	E3T 1010E	4536853289898	#		GD	GDO	JPN	8541.4900.00
E3T-FD13 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, PNP, L-ON, yassi, 2m kablololu	115.90	EC001821	E3T 1035M	4536854366437	#		GD	GDO	JPN	8541.4900.00
E3T-FD13M 2M	Photoelectric sensor, flat, diffuse 5-30mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	85.80	EC001821	E3T 1305H	4548583011144	#		GD	GDO	JPN	8541.4900.00
E3T-FD14 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, PNP, D-ON, yassi, 2m kablololu	119.40	EC001821	E3T 1036R	4536854366451	#		GD	GDO	JPN	8541.4900.00
E3T-FL13 2M	Fotoelektrik sensör, arka plan bastırmali, 1-15mm, DC, 3 kablololu, PNP, L-ON, yassi, 2m kablololu	195.10	EC002719	E3T 1225F	4547648223621	#		GD	GDO	JPN	8541.4900.00
E3T-FL21 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	164.60	EC002719	E3T 1227B	4547648223645	#		GD	GDO	JPN	8541.4900.00
E3T-FL23 2M	Fotoelektrik sensör, arka plan bastırmali, 1-30mm, DC, 3 kablololu, PNP, L-ON, yassi, 2m kablololu	159.60	EC002719	E3T 1229R	4547648223669	#		GD	GDO	JPN	8541.4900.00
E3T-FT11 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablololu, NPN, L-ON, yassi, 2m kablololu	158.50	EC002716	E3T 1007E	4536853289867	#		GD	GDO	JPN	8541.4900.00
E3T-FT12 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablololu, NPN, D-ON, yassi, 2m kablololu	154.90	EC002716	E3T 1008C	4536853289874	#		GD	GDO	JPN	8541.4900.00
E3T-FT13 2M	Fotoelektrik sensör, karşılıklı, minyatür, yassi, 500mm, L-ON, PNP, 2m kablololu	158.50	EC002716	E3T 1027M	4536854366345	#		GD	GDO	JPN	8541.4900.00
E3T-FT14 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablololu, PNP, D-ON, yassi, 2m kablololu	154.90	EC002716	E3T 1028H	4536854366352	#		GD	GDO	JPN	8541.4900.00
E3T-FT23 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	195.90	EC002716	E3T 1134R	4536854914102	#		GD	GDO	JPN	8541.4900.00
E3T-FT24 2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	200.00	EC002716	E3T 1130F	4536854914065	#		GD	GDO	JPN	8541.4900.00
E3T-SL11 2M	Fotoelektrik sensör, cisimden yansımali, 15mm, DC, 3 kablololu, NPN, L-ON, 2m kablololu	120.60	EC002719	E3T 1004M	4536853289836	#		GD	GDO	JPN	8541.4900.00
E3T-SL13 2M	Fotoelektrik sensör, cisimden yansımali, 15mm, DC, 3 kablololu, PNP, L-ON, 2m kablololu	114.20	EC002719	E3T 1031H	4536854366383	#		GD	GDO	JPN	8541.4900.00
E3T-SL13-MSJ 0.3M	Photo-electric sensor	116.20	EC002719	E3T 1146B	4547648016551	#	5	GD	GDO	JPN	8541.4900.00
E3T-SL21 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, NPN, L-ON, 2m kablololu	115.90	EC002719	E3T 1011C	4536853289904	#		GD	GDO	JPN	8541.4900.00
E3T-SL23 2M	Fotoelektrik sensör, cisimden yansımali, 30mm, DC, 3 kablololu, PNP, L-ON, 2m kablololu	118.10	EC002719	E3T 1033D	4536854366413	#		GD	GDO	JPN	8541.4900.00
E3T-SL23-MSJ 0.3M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	148.80	EC002719	E3T 1148R	4547648016575	#		GD	GDO	JPN	8541.4900.00
E3T-SL24 2M	Fotoelektrik sensör, cisimden yansımali, minyatür, 5-30mm, D-ON, PNP, 2m kablololu	115.90	EC002719	E3T 1034B	4536854366420	#		GD	GDO	JPN	8541.4900.00
E3T-SL24 5M	Photoelectric sensor, diffuse, 5-30mm, DC, 3-wire, PNP, dark-on, side-view, 5m cable, M2 mounting	95.80	EC002719	E3T 1046F	4536854366598	#		GD	GDO	JPN	8541.4900.00
E3T-SR22 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablololu, NPN, D-ON, 2m kablololu	128.00	EC002717	E3T 3002E	4547648222884	#		GD	GDO	JPN	8541.4900.00
E3T-SR23 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablololu, PNP, L-ON, 2m kablololu	126.30	EC002717	E3T 3008D	4547648222952	#		GD	GDO	JPN	8541.4900.00
E3T-SR23-MSJ 0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, pigtail connector, M8, 3 pin (requires bracket)	152.60	EC002717	E3T 3042D	4547648223430	#		GD	GDO	JPN	8541.4900.00
E3T-SR24 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablololu, PNP, D-ON, 2m kablololu	126.30	EC002717	E3T 3011D	4547648222983	#		GD	GDO	JPN	8541.4900.00
E3T-SR41-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, NPN, L-ON, 2m kablololu,	161.30	EC002717	E3T 3065C	4547648590389	#		GD	GDO	JPN	8541.4900.00
E3T-SR43-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, PNP, L-ON, 2m kablololu,	103.90	EC002717	E3T 3067M	4547648590402	#		GD	GDO	JPN	8541.4900.00
E3T-SR44 2M	Fotoelektrik sensör,	137.40	EC002717	E3T 3064E	4547648590372	#		GD	GDO	JPN	8541.4900.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, D-on, 2m cable, M2 mounting	117.00	EC002717	E3T 3068H	4547648590419	#		GD	GDO	JPN	8541.4900.00
E3T-ST11 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablololu, NPN, L-ON, 2m kablololu	158.50	EC002716	E3T 1001F	4536853289805	#		GD	GDO	JPN	8541.4900.00
E3T-ST12 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablololu, NPN, D-ON, 2m kablololu	155.50	EC002716	E3T 1002D	4536853289812	#		GD	GDO	JPN	8541.4900.00
E3T-ST13 2M	Fotoelektrik sensör, karşılıklı, minyatür, 1m, L-ON, PNP, 2m kablololu	154.90	EC002716	E3T 1025C	4536854366321	#		GD	GDO	JPN	8541.4900.00
E3T-ST14 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablololu, PNP, D-ON, 2m kablololu	153.70	EC002716	E3T 1026A	4536854366338	#		GD	GDO	JPN	8541.4900.00
E3T-ST23 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, L-ON, 2m kablololu,	175.90	EC002716	E3T 1136E	4536854914126	#		GD	GDO	JPN	8541.4900.00
E3T-ST24 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, D-ON, 2m kablololu,	161.60	EC002716	E3T 1133M	4536854914096	#		GD	GDO	JPN	8541.4900.00
<b>Fotoelektrik Sensör E3C-LDA</b>											
E3C-LD11N 2M	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	479.60	EC001821	E3C 2057G	4549734741347	#		GD	GDQ	JPN	8536.5019.90
E3C-LDA21N 2M	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, NPN, 2 m cable	340.50	EC003015	E3C 2051H	4549734741286	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA51N 2M	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	340.50	EC003015	E3C 2052F	4549734741293	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA8N	Photoelectric sensor, laser amplifier, 2 output, DC, PNP, system connector	340.50	EC003015	E3C 2055M	4549734741323	#		GD	GDQ	JPN	8542.3390.00
E3C-LDA9N	Photoelectric sensor, laser amplifier, 1 output, 1 input, DC, PNP, system connector	340.50	EC003015	E3C 2056R	4549734741330	#		GD	GDQ	JPN	8542.3390.00
E3C-LR11N 2M	Laser sensor head, coaxial retro-reflective, 7 m, variable spot, 2 m cable	643.00	EC002717	E3C 2058E	4549734741354	#		GD	GDQ	JPN	8536.5019.90
E3C-LR12N 2M	Laser sensor head, coaxial retro-reflective, 7 m, 2 mm spot diameter, fixed spot, 2 m cable	643.00	EC002717	E3C 2059C	4549734741361	#		GD	GDQ	JPN	8536.5019.90
E39-P11	Line beam adaptor for E3C-LD11	103.40	EC003015	E39 1158H	4536854895289	#		GD	GDQ	JPN	8541.9000.00
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SX471	Photo micro sensor, slot type, L-shaped, L-ON, NPN, connector	14.11	EC002720	EE5X2242F	4548583476004	#	10	GD	GDR	JPN	8536.5019.90
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	9.95	EC002720	EE5X2243D	4548583476011	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	13.13	EC002720	EE5X2246R	4548583476042	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	13.60	EC002720	EE5X2247G	4548583476059	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	22.50	EC002720	EE5X2249C	4548583476080	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1m robotic cable	28.20	EC002720	EE5X1999R	4547648354639	#		GD	GDR	CHN	8536.5019.90
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	18.21	EC002720	EE5X2250G	4548583476097	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670-WR 1M	Photomicro sensor	20.64	EC002720	EE5X1991C	4547648354554	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	EE5X2251E	4548583476073	#	50	GD	GDR	JPN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	13.60	EC002720	EESX2252C	4548583476103	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	22.06	EC002720	EESX2253A	4548583476110	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P-WR 1M	Photomicro sensor	48.63	EC002720	EESX2200H	4547648354660	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	18.21	EC002720	EESX2254M	4548583476127	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671R-WR 1M	Photomicro sensor	46.61	EC002720	EESX1992A	4547648354561	#	20	GD	GDR	CHN	8536.5019.90
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	13.60	EC002720	EESX2255H	4548583476134	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	12.92	EC002720	EESX2256F	4548583476141	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	18.71	EC002720	EESX2257D	4548583476158	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1m robotic cable	22.36	EC002720	EESX2001F	4547648354677	#		GD	GDR	CHN	8536.5019.90
EE-SX672R	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	18.95	EC002720	EESX2258B	4548583476165	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672-WR 1M	Photomicro sensor	23.55	EC002720	EESX1993M	4547648354578	#	20	GD	GDR	CHN	8536.5019.90
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	10.58	EC002720	EESX2259M	4548583476172	#	100	GD	GDR	JPN	8536.5019.90
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	13.43	EC002720	EESX2260D	4548583476189	#	50	GD	GDR	JPN	8536.5019.90
EE-SX673P	Photo micro sensor, slot type, close-mounting, L-ON/D-ON selectable, incident light indicator, PNP, connector	30.14	EC002720	EESX2261B	4548583476196	#	20	GD	GDR	JPN	8536.5019.90
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	21.58	EC002720	EESX2262M	4548583476202	#	10	GD	GDR	JPN	8536.5019.90
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	16.73	EC002720	EESX2263R	4548583476219	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	18.81	EC002720	EESX2264G	4548583476226	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	27.30	EC002720	EESX2265E	4548583476233	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre wired 2M	23.94	EC002720	EESX2003B	4547648354691	#		GD	GDR	CHN	8536.5019.90
EE-SX674R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	15.56	EC002720	EESX2266C	4548583476240	#	10	GD	GDR	JPN	8536.5019.90
EE-SX674-WR 1M	Photomicro sensor	18.04	EC002720	EESX1995F	4547648354592	#		GD	GDR	CHN	8536.5019.90
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	14.89	EC002720	EESX2267A	4548583476257	#	50	GD	GDR	JPN	8536.5019.90
EE-SX770 2M	Photomicro sensor, slim, 5mm slot, D-on, NPN, 2m cable	58.55	EC002720	EESX1619A	4536854355509	#		GD	GDR	JPN	8536.5019.90
EE-SX770A 2M	Photomicro sensor	39.17	EC002720	EESX1620E	4536854355516	#		GD	GDR	JPN	8536.5019.90
EE-SX770P	Photomicro sensor, slim, 5mm slot, D-on, PNP, 2m cable	38.61	EC002720	EESX1652C	4536854402371	#	10	GD	GDR	JPN	8536.5019.90
EE-SX771 2M	Photomicro sensor, slim, L-shape, D-on, NPN, 2m cable	41.73	EC002720	EESX1623M	4536854355547	#	10	GD	GDR	JPN	8536.5019.90
EE-SX771A 2M	Photomicro sensor	39.69	EC002720	EESX1624H	4536854355554	#		GD	GDR	JPN	8536.5019.90
EE-SX771P	Photomicro sensor, slim, 5mm slot, L-shaped, D-on, PNP, 2m cable	37.85	EC002720	EESX1653A	4536854402388	#	10	GD	GDR	JPN	8536.5019.90
EE-SX771R	Photomicro sensor	38.11	EC002720	EESX1659N	4536854402456	#		GD	GDR	JPN	8536.5019.90
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, NPN, 2m cable	39.17	EC002720	EESX1627B	4536854356728	#		GD	GDR	JPN	8536.5019.90
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, without incident light indicator, D-ON, NPN, 2m cable	39.69	EC002720	EESX1628M	4536854356735	#		GD	GDR	JPN	8536.5019.90
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, D-on, PNP, 2m cable	36.52	EC002720	EESX1654M	4536854402395	#	10	GD	GDR	JPN	8536.5019.90
EE-SX772R	Photomicro sensor	37.61	EC002720	EESX1660D	4536854402463	#	100	GD	GDR	JPN	8536.5019.90
EE-SX870 2M	Photomicro sensor, slim, Standard-shape, L-on, NPN, 2m cable	50.45	EC002720	EESX1621C	4536854355523	#		GD	GDR	JPN	8536.5019.90
EE-SX870P	Photomicro sensor, slim, 5mm slot, L-on, PNP, 2m cable	37.85	EC002720	EESX1655H	4536854402401	#	10	GD	GDR	JPN	8536.5019.90
EE-SX871 2M	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	39.69	EC002720	EESX1625F	4536854355561	#		GD	GDR	JPN	8536.5019.90
EE-SX871P	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	34.44	EC002720	EESX1656F	4536854402418	#	10	GD	GDR	JPN	8536.5019.90
EE-SX871R	Photo micro sensor, L-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, PNP, 2M	39.69	EC002720	EESX1662M	4536854402487	#	10	GD	GDR	JPN	8536.5019.90
EE-SX872 2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	41.73	EC002720	EESX1629R	4536854356742	#		GD	GDR	JPN	8536.5019.90
EE-SX872A 2M	Photo micro sensor, T-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, NPN, 2M	41.73	EC002720	EESX1630B	4536854356759	#	10	GD	GDR	JPN	8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	37.85	EC002720	EESX1657D	4536854402425	#	10	GD	GDR	JPN	8536.5019.90
EE-SX950P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	19.67	EC002720	EESX2214M	4548583416734	#	5	GD	GDR	JPN	8536.5019.90
EE-SX951P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	20.78	EC002720	EESX2220E	4548583416796	#	10	GD	GDR	JPN	8536.5019.90
EE-SX951P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	19.67	EC002720	EESX2215R	4548583416741	#	5	GD	GDR	JPN	8536.5019.90
EE-SX951-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	24.96	EC002720	EESX2210H	4548583416697	#	10	GD	GDR	JPN	8536.5019.90
EE-SX951-W 1M	Photo micro sensor, slot type, NPN, 1m cable	19.95	EC002720	EESX2205A	4548583416642	#	5	GD	GDR	JPN	8536.5019.90
EE-SX952P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	25.31	EC002720	EESX2221C	4548583416802	#	10	GD	GDR	JPN	8536.5019.90
EE-SX952P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	17.19	EC002720	EESX2216G	4548583416758	#	5	GD	GDR	JPN	8536.5019.90
EE-SX952-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	14.32	EC002720	EESX2211F	4548583416703	#	10	GD	GDR	JPN	8536.5019.90
EE-SX952-W 1M	Photo micro sensor, slot type, NPN, 1m cable	17.19	EC002720	EESX2206M	4548583416659	#	5	GD	GDR	JPN	8536.5019.90
EE-SX953P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	25.70	EC002720	EESX2222A	4548583416819	#	10	GD	GDR	JPN	8536.5019.90
EE-SX953P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	17.30	EC002720	EESX2217E	4548583416765	#	5	GD	GDR	JPN	8536.5019.90
EE-SX953-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	21.58	EC002720	EESX2212D	4548583416710	#	10	GD	GDR	JPN	8536.5019.90
EE-SX954P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	25.31	EC002720	EESX2223M	4548583416826	#	10	GD	GDR	JPN	8536.5019.90
EE-SX954P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	23.44	EC002720	EESX2218C	4548583416772	#	5	GD	GDR	JPN	8536.5019.90
EE-SX954-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	27.17	EC002720	EESX2213B	4548583416727	#	10	GD	GDR	JPN	8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	30.80	EC002720	EESX2139M	4547648822312	#		GD	GDR	CHN	8536.5019.90
EE-SX971P-C1	Photomicro sensor, slot type, L-shape, 5mm, PNP, connector	28.20	EC002720	EESX2140C	4547648822329	#	4	GD	GDR	CHN	8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	28.20	EC002720	EESX2134R	4547648822275	#	50	GD	GDR	CHN	8536.5019.90
EE-SX974-C1	Photomicro sensor, slot type, 5mm, close-mounting, NPN, connector	28.20	EC002720	EESX2135G	4547648822282	#	100	GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6mm, D-ON, NPN, 1m cable	42.82	EC002720	EESP4020C	4536854778513	#	5	GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 2M	Photomicro sensor	35.93	EC002720	EESP4043B	4536854778735	#		GD	GDR	CHN	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SPX303N	Photomicro sensor, slot type, 13mm, D-on, NPN, connector	33.39	EC002720	EESP3155G	4547648766548	#	50	GD	GDR	JPN	8536.5019.90
EE-SPX401	Photo micro sensor	28.74	EC002720	EESP4002E	4536854778087	#	50	GD	GDR	CHN	8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13mm, NPN, connector	30.27	EC002720	EESP3156E	4547648766555	#		GD	GDR	JPN	8536.5019.90
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1m cable	88.00	EC002720	EESP3118B	4536853234195	#		GD	GDR	JPN	8536.5019.90
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, D-ON, NPN, connector	34.44	EC001821	EESP4005M	4536854778094	#	100	GD	GDR	CHN	8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5mm, L-ON, NPN, connector	28.20	EC001821	EESP4004A	4536854778087	#	100	GD	GDR	CHN	8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	27.17	EC001821	EESP4006H	4536854778100	#	50	GD	GDR	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2-5mm, L-ON, NPN, connector	43.59	EC001821	EESP4029G	4536854778605	#	20	GD	GDR	CHN	8536.5019.90
EE-SY671	Photomicro sensor, reflective type, horizontal (radial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	26.09	EC001821	EESY1123B	4536853238780	#		GD	GDR	JPN	8536.5019.90
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	27.17	EC001821	EESY1124M	4536853238797	#	20	GD	GDR	JPN	8536.5019.90
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3M	25.31	EC001855	EE 1107G	4547648822398	#		GD	GDR	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3FA / E3RA</b>											
E3FA-BN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	61.95	EC002717	E3FA2009B	4548583440623	#		GD	GDS	IDN	8536.9095.00
E3FA-BN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	61.95	EC002717	E3FA2010F	4548583440630	#		GD	GDS	IDN	8536.9095.00
E3FA-BN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	61.95	EC002717	E3FA2020C	4548583440739	#		GD	GDS	IDN	8536.9095.00
E3FA-BN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	61.95	EC002717	E3FA2021A	4548583440746	#		GD	GDS	IDN	8536.9095.00
E3FA-BP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	61.95	EC002717	E3FA2031R	4548583440854	#		GD	GDS	IDN	8536.9095.00
E3FA-BP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	61.95	EC002717	E3FA2032G	4548583440852	#		GD	GDS	IDN	8536.9095.00
E3FA-BP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	61.95	EC002717	E3FA2042D	4548583440951	#		GD	GDS	IDN	8536.9095.00
E3FA-BP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	61.95	EC002717	E3FA2043B	4548583440968	#		GD	GDS	IDN	8536.9095.00
E3FA-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC001821	E3FA2003C	4548583440562	#		GD	GDS	IDN	8536.9095.00
E3FA-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC001821	E3FA2004A	4548583440579	#		GD	GDS	IDN	8536.9095.00
E3FA-DN13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.60	EC001821	E3FA2005M	4548583440586	#		GD	GDS	IDN	8536.9095.00
E3FA-DN14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.61	EC001821	E3FA0053R	4548583468498	#		GD	GDS	CHN	8541.4900.00
E3FA-DN15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.61	EC001821	E3FA0057A	4548583468535	#		GD	GDS	CHN	8541.4900.00
E3FA-DN16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	50.60	EC001821	E3FA0061M	4548583468573	#		GD	GDS	CHN	8541.4900.00
E3FA-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	48.94	EC001821	E3FA2014R	4548583440678	#		GD	GDS	IDN	8536.9095.00
E3FA-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	48.94	EC001821	E3FA2015G	4548583440685	#		GD	GDS	IDN	8536.9095.00
E3FA-DN23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	51.60	EC001821	E3FA2016E	4548583440692	#		GD	GDS	IDN	8536.9095.00
E3FA-DN24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	47.61	EC001821	E3FA0054G	4548583468504	#		GD	GDS	CHN	8541.4900.00
E3FA-DN25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	47.61	EC001821	E3FA0058M	4548583468542	#		GD	GDS	CHN	8541.4900.00
E3FA-DN26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	50.60	EC001821	E3FA0062H	4548583468580	#		GD	GDS	CHN	8541.4900.00
E3FA-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC001821	E3FA2025D	4548583440784	#		GD	GDS	IDN	8536.9095.00
E3FA-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC001821	E3FA2026B	4548583440791	#		GD	GDS	IDN	8536.9095.00
E3FA-DP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.60	EC001821	E3FA2027M	4548583440807	#		GD	GDS	IDN	8536.9095.00
E3FA-DP14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.61	EC001821	E3FA0055E	4548583468511	#		GD	GDS	CHN	8541.4900.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	47.61	EC001821	E3FA0065B	4548583499447	#		GD	GDS	CHN	8541.4900.00
E3FA-DP15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.61	EC001821	E3FA0059H	4548583468559	#		GD	GDS	CHN	8541.4900.00
E3FA-DP15-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	47.61	EC001821	E3FA0066M	4548583499454	#		GD	GDS	CHN	8541.4900.00
E3FA-DP16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	50.60	EC001821	E3FA0063F	4548583468597	#		GD	GDS	CHN	8541.4900.00
E3FA-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	48.94	EC001821	E3FA2036M	4548583440890	#		GD	GDS	IDN	8536.9095.00
E3FA-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	48.94	EC001821	E3FA2037H	4548583440906	#		GD	GDS	IDN	8536.9095.00
E3FA-DP23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	51.60	EC001821	E3FA2038F	4548583440913	#		GD	GDS	IDN	8536.9095.00
E3FA-DP24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	47.61	EC001821	E3FA0056C	4548583468528	#		GD	GDS	CHN	8541.4900.00
E3FA-DP24-E016	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150mm fixed, PNP, L-ON/D-ON selectable, M12 connector	37.65	EC001821	E3FA0096B	4548583731110	#		GD	GDS	CHN	8541.4900.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	36.87	EC001821	E3FA0069E	4548583499485	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	47.61	EC001821	E3FA0060A	4548583468566	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25-1	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, low hysteresis, PNP, L-ON/D-ON selectable, M12 connector	47.61	EC001821	E3FA0079B	4548583584655	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	36.81	EC001821	E3FA0070R	4548583499492	#		GD	GDS	CHN	8541.4900.00
E3FA-DP26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	50.60	EC001821	E3FA0064D	4548583468603	#		GD	GDS	CHN	8541.4900.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	39.90	EC001821	E3FA0071G	4548583499508	#		GD	GDS	CHN	8541.4900.00
E3FA-LN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.90	EC002719	E3FA2006H	4548583440593	#		GD	GDS	IDN	8536.9095.00
E3FA-LN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.90	EC002719	E3FA2007F	4548583440609	#		GD	GDS	IDN	8536.9095.00
E3FA-LN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	57.40	EC002719	E3FA2017C	4548583440708	#		GD	GDS	IDN	8536.9095.00
E3FA-LN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	57.40	EC002719	E3FA2018A	4548583440715	#		GD	GDS	IDN	8536.9095.00
E3FA-LP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.70	EC002719	E3FA2028R	4548583440814	#		GD	GDS	IDN	8536.9095.00
E3FA-LP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.40	EC002719	E3FA2029G	4548583440821	#		GD	GDS	IDN	8536.9095.00
E3FA-LP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	57.00	EC002719	E3FA2039D	4548583440920	#		GD	GDS	IDN	8536.9095.00



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	57.05	EC002719	E3FA0072E	4548583499515	#		GD	GDS	CHN	8541.4900.00
E3FA-LP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.75	EC002719	E3FA2040H	4548583440937	#		GD	GDS	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	56.90	EC002719	E3FA0100D	4548583731158	#		GD	GDS	CHN	8536.9095.00
E3FA-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC002717	E3FA2001G	4548583440548	#		GD	GDS	IDN	8536.9095.00
E3FA-RN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.60	EC002717	E3FA2002E	4548583440555	#		GD	GDS	IDN	8536.9095.00
E3FA-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	48.94	EC002717	E3FA2012B	4548583440654	#		GD	GDS	IDN	8536.9095.00
E3FA-RN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.60	EC002717	E3FA2013M	4548583440661	#		GD	GDS	IDN	8536.9095.00
E3FA-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	48.94	EC002717	E3FA2023H	4548583440760	#		GD	GDS	IDN	8536.9095.00
E3FA-RP11 5M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	50.20	EC002717	E3FA0084R	4548583595576	#		GD	GDS	CHN	8541.4900.00
E3FA-RP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.60	EC002717	E3FA2024F	4548583440777	#		GD	GDS	IDN	8536.9095.00
E3FA-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	48.94	EC002717	E3FA2034C	4548583440876	#		GD	GDS	IDN	8536.9095.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	57.25	EC002717	E3FA0104G	4548583731196	#		GD	GDS	CHN	8536.9095.00
E3FA-RP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500m, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.60	EC002717	E3FA2035A	4548583440883	#		GD	GDS	IDN	8536.9095.00
E3FA-TN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	66.80	EC002716	E3FA2000R	4548583440531	#		GD	GDS	IDN	8536.9095.00
E3FA-TN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kızılötesi LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	68.15	EC002716	E3FA0049M	4548583468450	#		GD	GDS	CHN	8541.4900.00
E3FA-TN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kızılötesi LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	66.80	EC002716	E3FA2011D	4548583440647	#		GD	GDS	IDN	8541.4900.00
E3FA-TN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kızılötesi LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konektör	68.15	EC002716	E3FA0050D	4548583468467	#		GD	GDS	CHN	8541.4900.00
E3FA-TP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m PVC kablolu	66.80	EC002716	E3FA2022M	4548583440753	#		GD	GDS	IDN	8541.4900.00
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 5m PVC cable	55.85	EC002716	E3FA0077F	4548583569201	#		GD	GDS	CHN	8541.4900.00
E3FA-TP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kızılötesi LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	68.15	EC002716	E3FA0051B	4548583468474	#		GD	GDS	CHN	8541.4900.00
E3FA-TP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	66.80	EC002716	E3FA2033E	4548583440869	#		GD	GDS	IDN	8541.4900.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	44.62	EC002716	E3FA0075M	4548583547308	#		GD	GDS	CHN	8541.4900.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	31.47	EC002716	E3FA0074A	4548583547292	#		GD	GDS	CHN	8541.4900.00
E3FA-TP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kızılötesi LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konektör	68.15	EC002716	E3FA0052M	4548583468481	#		GD	GDS	CHN	8541.4900.00
E3FA-VN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	59.80	EC002719	E3FA2008D	4548583440616	#		GD	GDS	IDN	8536.9095.00
E3FA-VN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	59.80	EC002719	E3FA2019M	4548583440722	#		GD	GDS	IDN	8536.9095.00
E3FA-VP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	59.80	EC002719	E3FA2030M	4548583440838	#		GD	GDS	IDN	8536.9095.00
E3FA-VP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	59.80	EC002719	E3FA2041F	4548583440944	#		GD	GDS	IDN	8536.9095.00
E3FB-BN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	68.55	EC002717	E3FB2009G	4548583441064	#		GD	GDS	IDN	8536.9095.00
E3FB-BN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	68.55	EC002717	E3FB2010M	4548583441071	#		GD	GDS	IDN	8536.9095.00
E3FB-BN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	68.55	EC002717	E3FB2020H	4548583441170	#		GD	GDS	IDN	8536.9095.00
E3FB-BN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	68.55	EC002717	E3FB2021F	4548583441187	#		GD	GDS	IDN	8536.9095.00
E3FB-BP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	68.55	EC002717	E3FB2031C	4548583441286	#		GD	GDS	IDN	8536.9095.00
E3FB-BP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	68.55	EC002717	E3FB2032A	4548583441293	#		GD	GDS	IDN	8536.9095.00
E3FB-BP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	68.55	EC002717	E3FB2042R	4548583441392	#		GD	GDS	IDN	8536.9095.00
E3FB-BP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	68.55	EC002717	E3FB2043G	4548583441408	#		GD	GDS	IDN	8536.9095.00
E3FB-DN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	55.85	EC001821	E3FB2003H	4548583441002	#		GD	GDS	IDN	8536.9095.00
E3FB-DN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.15	EC001821	E3FB2004F	4548583441019	#		GD	GDS	IDN	8536.9095.00
E3FB-DN13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	58.45	EC001821	E3FB2005D	4548583441026	#		GD	GDS	IDN	8536.9095.00
E3FB-DN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC001821	E3FB2014C	4548583441118	#		GD	GDS	IDN	8536.9095.00
E3FB-DN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC001821	E3FB2015A	4548583441125	#		GD	GDS	IDN	8536.9095.00
E3FB-DN23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	58.45	EC001821	E3FB2016M	4548583441132	#		GD	GDS	IDN	8536.9095.00
E3FB-DP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	55.85	EC001821	E3FB2025R	4548583441224	#		GD	GDS	IDN	8536.9095.00
E3FB-DP11-F2 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, inverted logic, 2m cable	55.85	EC001821	E3FB0050R	4548583731240	#		GD	GDS	CHN	8536.9095.00
E3FB-DP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	55.85	EC001821	E3FB2026G	4548583441231	#		GD	GDS	IDN	8536.9095.00
E3FB-DP13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	58.45	EC001821	E3FB2027E	4548583441248	#		GD	GDS	IDN	8536.9095.00
E3FB-DP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC001821	E3FB2036D	4548583441330	#		GD	GDS	IDN	8536.9095.00
E3FB-DP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC001821	E3FB2037B	4548583441347	#		GD	GDS	IDN	8536.9095.00
E3FB-DP23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.45	EC001821	E3FB2038M	4548583441354	#		GD	GDS	IDN	8536.9095.00
E3FB-DP24-F2	Photoelectric sensor, M18 axial, metal body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	55.85	EC001821	E3FB0054A	4548583731288	#		GD	GDS	CHN	9031.9000.00
E3FB-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inversed logic, M12 connector	54.15	EC001821	E3FB0045B	4548583518926	#		GD	GDS	CHN	8541.4900.00
E3FB-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable inverted logic, M12 connector	56.75	EC001821	E3FB0055M	4548583731295	#		GD	GDS	CHN	9031.9000.00
E3FB-LN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	63.05	EC002719	E3FB2006B	4548583441033	#		GD	GDS	IDN	8536.9095.00
E3FB-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	63.05	EC002719	E3FB2007M	4548583441040	#		GD	GDS	IDN	8536.9095.00
E3FB-LN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	64.60	EC002719	E3FB2017H	4548583441149	#		GD	GDS	IDN	8536.9095.00
E3FB-LN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	65.10	EC002719	E3FB2018F	4548583441156	#		GD	GDS	IDN	8536.9095.00
E3FB-LP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.90	EC002719	E3FB2028C	4548583441255	#		GD	GDS	IDN	8536.9095.00
E3FB-LP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	63.15	EC002719	E3FB2029A	4548583441262	#		GD	GDS	IDN	8536.9095.00
E3FB-LP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	64.25	EC002719	E3FB2039R	4548583441361	#		GD	GDS	IDN	8536.9095.00
E3FB-LP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	64.45	EC002719	E3FB2040B	4548583441378	#		GD	GDS	IDN	8536.9095.00
E3FB-RN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	55.85	EC002717	E3FB2001A	4548583440982	#		GD	GDS	IDN	8536.9095.00
E3FB-RN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC002717	E3FB2012G	4548583441095	#		GD	GDS	IDN	8536.9095.00
E3FB-RN22	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, NPN, L-ON/D-ON selectable, M12 connector	63.65	EC002717	E3FB2013E	4548583441101	#		GD	GDS	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FB-RP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	55.85	EC002717	E3FB2023B	4548583441200	#		GD	GDS	IDN	8536.9095.00
E3FB-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	45.37	EC002717	E3FB2024M	4548583441217			GD	GDS	IDN	8536.9095.00
E3FB-RP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	55.85	EC002717	E3FB2034H	4548583441316	#		GD	GDS	IDN	8536.9095.00
E3FB-RP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.80	EC002717	E3FB0058D	4548583731325	#		GD	GDS	CHN	8536.9095.00
E3FB-RP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, eşeksenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.45	EC002717	E3FB2035F	4548583441323	#		GD	GDS	IDN	8536.9095.00
E3FB-TN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	79.80	EC002716	E3FB2000C	4548583440975	#		GD	GDS	IDN	8536.9095.00
E3FB-TN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	79.80	EC002716	E3FB2011R	4548583441088	#		GD	GDS	IDN	8536.9095.00
E3FB-TP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	79.80	EC002716	E3FB2022D	4548583441194	#		GD	GDS	IDN	8536.9095.00
E3FB-TP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	79.80	EC002716	E3FB2033M	4548583441309	#		GD	GDS	IDN	8536.9095.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	51.95	EC002716	E3FB0047R	4548583593671	#		GD	GDS	CHN	8541.4900.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	36.40	EC002716	E3FB0048G	4548583593688	#		GD	GDS	CHN	8541.4900.00
E3FB-VN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	58.00	EC002719	E3FB2008R	4548583441057			GD	GDS	IDN	8536.9095.00
E3FB-VN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	58.00	EC002719	E3FB2019D	4548583441163			GD	GDS	IDN	8536.9095.00
E3FB-VP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	58.00	EC002719	E3FB2030E	4548583441279			GD	GDS	IDN	8536.9095.00
E3FB-VP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.00	EC002719	E3FB2041M	4548583441385	#		GD	GDS	IDN	8536.9095.00
E3FC-BN21	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, M12 connector	106.20	EC002717	E3FC7003M	4548583732698			GD	GDS	CHN	8541.4900.00
E3FC-BP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	95.00	EC002717	E3FC7000E	4548583732667			GD	GDS	CHN	8541.4900.00
E3FC-BP21 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	103.00	EC002717	E3FC7001C	4548583732674			GD	GDS	CHN	8541.4900.00
E3FC-DN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	79.30	EC001821	E3FC7004H	4548583732704			GD	GDS	CHN	8541.4900.00
E3FC-DN13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	79.30	EC001821	E3FC7005F	4548583732711			GD	GDS	CHN	8541.4900.00
E3FC-DN15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	80.65	EC001821	E3FC7006D	4548583732728			GD	GDS	CHN	8541.4900.00
E3FC-DN16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	79.30	EC001821	E3FC7007B	4548583732735			GD	GDS	CHN	8541.4900.00
E3FC-DN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	80.05	EC001821	E3FC7008M	4548583732742			GD	GDS	CHN	8541.4900.00
E3FC-DN23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	80.65	EC001821	E3FC7009R	4548583732759			GD	GDS	CHN	8541.4900.00
E3FC-DN25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	80.65	EC001821	E3FC7010B	4548583732766			GD	GDS	CHN	8541.4900.00
E3FC-DN26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	79.30	EC001821	E3FC7011M	4548583732773			GD	GDS	CHN	8541.4900.00
E3FC-DP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.05	EC001821	E3FC7012R	4548583732780	#		GD	GDS	CHN	8541.4900.00
E3FC-DP13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.65	EC001821	E3FC7013G	4548583732797			GD	GDS	CHN	8541.4900.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	91.80	EC001821	E3FC7014E	4548583732803			GD	GDS	CHN	8541.4900.00
E3FC-DP15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.65	EC001821	E3FC7015C	4548583732810			GD	GDS	CHN	8541.4900.00
E3FC-DP16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.65	EC001821	E3FC7016A	4548583732827			GD	GDS	CHN	8541.4900.00
E3FC-DP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	79.30	EC001821	E3FC7017M	4548583732834	#		GD	GDS	CHN	8541.4900.00
E3FC-DP23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	80.65	EC001821	E3FC7018H	4548583732841	#		GD	GDS	CHN	8541.4900.00
E3FC-DP25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	79.30	EC001821	E3FC7019F	4548583732858	#		GD	GDS	CHN	8541.4900.00
E3FC-DP26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	80.65	EC001821	E3FC7021H	4548583732872			GD	GDS	CHN	8541.4900.00
E3FC-LN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	114.40	EC002719	E3FC7022F	4548583732889			GD	GDS	CHN	8541.4900.00
E3FC-LN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	115.50	EC002719	E3FC7023D	4548583732896			GD	GDS	CHN	8541.4900.00
E3FC-LN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	115.50	EC002719	E3FC7024B	4548583732902			GD	GDS	CHN	8541.4900.00
E3FC-LN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	114.40	EC002719	E3FC7025M	4548583732919			GD	GDS	CHN	8541.4900.00
E3FC-LP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	115.50	EC002719	E3FC7026R	4548583732926			GD	GDS	CHN	8541.4900.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 5m cable	127.60	EC002719	E3FC7027G	4548583732933			GD	GDS	CHN	8541.4900.00
E3FC-LP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	114.90	EC002719	E3FC7028E	4548583732940			GD	GDS	CHN	8541.4900.00
E3FC-LP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	114.40	EC002719	E3FC7030G	4548583732964			GD	GDS	CHN	8541.4900.00
E3FC-LP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	115.50	EC002719	E3FC7031E	4548583732971	#		GD	GDS	CHN	8541.4900.00
E3FC-RN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	80.05	EC002717	E3FC7032C	4548583732988			GD	GDS	CHN	8541.4900.00
E3FC-RN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	80.05	EC002717	E3FC7033A	4548583732995			GD	GDS	CHN	8541.4900.00
E3FC-RP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	80.65	EC002717	E3FC7034M	4548583733008			GD	GDS	CHN	8541.4900.00
E3FC-RP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	92.40	EC002717	E3FC7035H	4548583733015			GD	GDS	CHN	8541.4900.00
E3FC-RP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	80.05	EC002717	E3FC7036F	4548583733022	#		GD	GDS	CHN	8541.4900.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	133.40	EC002716	E3FC7037D	4548583733039			GD	GDS	CHN	8541.4900.00
E3FC-TN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	140.10	EC002716	E3FC7038B	4548583733046			GD	GDS	CHN	8541.4900.00
E3FC-TP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	130.10	EC002716	E3FC7039M	4548583733053	#		GD	GDS	CHN	8541.4900.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	158.90	EC002716	E3FC7040D	4548583733060			GD	GDS	CHN	8541.4900.00
E3FC-TP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	135.00	EC002716	E3FC7042M	4548583733084	#		GD	GDS	CHN	8541.4900.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	54.60	EC001821	E3RA2002F	4548583441590			GD	GDS	IDN	8536.9095.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	55.85	EC001821	E3RA2003D	4548583441606			GD	GDS	IDN	8536.9095.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, 2m cable	58.45	EC001821	E3RA2004B	4548583441613			GD	GDS	IDN	8536.9095.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	54.60	EC001821	E3RA2007G	4548583441644			GD	GDS	IDN	8536.9095.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	55.85	EC001821	E3RA2008E	4548583441651			GD	GDS	IDN	8536.9095.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	58.45	EC001821	E3RA2009C	4548583441668			GD	GDS	IDN	8536.9095.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	54.60	EC001821	E3RA2012C	4548583441699			GD	GDS	IDN	8536.9095.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	55.85	EC001821	E3RA2013A	4548583441705			GD	GDS	IDN	8536.9095.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2m cable	58.45	EC001821	E3RA2014M	4548583441712			GD	GDS	IDN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	54.60	EC001821	E3RA2017D	4548583441743	#	40	GD	GDS	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	55.85	EC001821	E3RA2018B	4548583441750	#		GD	GDS	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	58.45	EC001821	E3RA2019M	4548583441767	#		GD	GDS	IDN	8536.9095.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	54.60	EC002717	E3RA2001H	4548583441583	#		GD	GDS	IDN	8536.9095.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	54.60	EC002717	E3RA2006R	4548583441637	#		GD	GDS	IDN	8536.9095.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	54.60	EC002717	E3RA2011E	4548583441682	#		GD	GDS	IDN	8536.9095.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	54.60	EC002717	E3RA2016F	4548583441736	#		GD	GDS	IDN	8536.9095.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	72.45	EC002716	E3RA2000M	4548583441576	#		GD	GDS	IDN	8536.9095.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	72.45	EC002716	E3RA2005M	4548583441620	#		GD	GDS	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	72.45	EC002716	E3RA2010G	4548583441675	#		GD	GDS	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	72.45	EC002716	E3RA2015H	4548583441729	#		GD	GDS	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	62.90	EC001821	E3RB2008M	4548583441859	#		GD	GDS	IDN	8536.9095.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	62.90	EC001821	E3RB2013F	4548583441903	#		GD	GDS	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	61.95	EC001821	E3RB2017R	4548583441941	#		GD	GDS	IDN	8536.9095.00
E3RB-DP21-F2	Photoelectric sensor, M18 threaded barrel, radial type, metal, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, inverted logic, M12 connector	93.75	EC001821	E3RB9021E	4549734276993	#		GD	GDS	CHN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	52.55	EC001821	E3RB2018G	4548583441958	#		GD	GDS	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	65.10	EC001821	E3RB2019E	4548583441965	#		GD	GDS	IDN	8536.9095.00
E3RB-RN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	56.30	EC002717	E3RB2001B	4548583441781	#		GD	GDS	IDN	8536.9095.00
E3RB-RN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	56.30	EC002717	E3RB2006C	4548583441835	#		GD	GDS	IDN	8536.9095.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	51.60	EC002717	E3RB2011M	4548583441880	#		GD	GDS	IDN	8536.9095.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	61.95	EC002717	E3RB2016M	4548583441934	#		GD	GDS	IDN	8536.9095.00
E3RB-RP21-F2	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	55.50	EC002717	E3RB0022D	4548583731356	#		GD	GDS	CHN	8536.9095.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	84.35	EC002716	E3RB2010A	4548583441873	#		GD	GDS	IDN	8536.9095.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	84.50	EC002716	E3RB2015B	4548583441927	#		GD	GDS	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3F1</b>											
E3F1-DN11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	34.11	EC001821	E3F12002E	4548583441439	#		GD	GDT	IDN	8536.9095.00
E3F1-DN12 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	35.11	EC001821	E3F12003C	4548583441446	#		GD	GDT	IDN	8536.9095.00
E3F1-DN21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	34.11	EC001821	E3F12006H	4548583441477	#		GD	GDT	IDN	8536.9095.00
E3F1-DN22	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konnektör	35.11	EC001821	E3F12007F	4548583441484	#		GD	GDT	IDN	8536.9095.00
E3F1-DP11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	34.11	EC001821	E3F12010F	4548583441514	#		GD	GDT	IDN	8536.9095.00
E3F1-DP12 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	35.11	EC001821	E3F12011D	4548583441521	#		GD	GDT	IDN	8536.9095.00
E3F1-DP21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	34.11	EC001821	E3F12014R	4548583441552	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör	35.11	EC001821	E3F12015G	4548583441569	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22-10	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konnektör, (10'lu paket)	317.60	EC001821	E3F10017B	4548583571617	#		GD	GDT	CHN	8536.9095.00
E3F1-RN11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	34.11	EC002717	E3F12001G	4548583441422	#		GD	GDT	IDN	8536.9095.00
E3F1-RN21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	34.11	EC002717	E3F12005M	4548583441460	#		GD	GDT	IDN	8536.9095.00
E3F1-RP11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	34.11	EC002717	E3F12009B	4548583441507	#		GD	GDT	IDN	8536.9095.00
E3F1-RP21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	34.11	EC002717	E3F12013M	4548583441545	#	20	GD	GDT	IDN	8536.9095.00
E3F1-RP21-10	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, reflektörlü, 3m, PNP, L-ON/D-ON seçilebilir, M12 konnektör, (10'lu paket)	308.00	EC002717	E3F10019R	4548583571631	#		GD	GDT	CHN	8536.9095.00
E3F1-TN11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.82	EC002716	E3F12000R	4548583441415	#		GD	GDT	IDN	8536.9095.00
E3F1-TN21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konnektör	46.33	EC002716	E3F12004A	4548583441453	#		GD	GDT	IDN	8536.9095.00
E3F1-TP11 2M	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	48.97	EC002716	E3F12008D	4548583441491	#		GD	GDT	IDN	8536.9095.00
E3F1-TP21	Fotoelektrik sensör, M18 eksenal, plastik gövde, kırmızı LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konnektör	46.33	EC002716	E3F12012B	4548583441538	#		GD	GDT	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3JK-Lite</b>											
E3JK-DN11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	77.15	EC001821	E3JK2020M	4548583746541	#		GD	GDU	IDN	8541.4900.00
E3JK-DP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	77.15	EC001821	E3JK2024B	4548583746589	#		GD	GDU	IDN	8541.4900.00
E3JK-DP12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	79.85	EC001821	E3JK2026R	4548583746602	#		GD	GDU	IDN	8541.4900.00
E3JK-DP13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	72.05	EC001821	E3JK7149A	4548583580862	#		GD	GDU	CHN	8541.4900.00
E3JK-DR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	90.45	EC001821	E3JK2014E	4548583746480	#		GD	GDU	IDN	8541.4900.00
E3JK-DR12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	86.30	EC001821	E3JK2017M	4548583746510	#		GD	GDU	IDN	8541.4900.00
E3JK-DR13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	77.60	EC001821	E3JK7139D	4548583580763	#		GD	GDU	CHN	8541.4900.00
E3JK-DR14 2M	Photoelectric sensor, square body, IR LED, diffuse, 300mm, AC/DC, relay, L-ON/D-ON selectable, 2m cable	82.00	EC001821	E3JK7142D	4548583580794	#		GD	GDU	CHN	8541.4900.00
E3JK-RN12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	77.15	EC002717	E3JK2036F	4548583746701	#		GD	GDU	IDN	8541.4900.00
E3JK-RP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonuz, 7m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	77.15	EC002717	E3JK2032C	4548583746664	#		GD	GDU	IDN	8541.4900.00
E3JK-RP12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonuz, 6m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	77.15	EC002717	E3JK2038B	4548583746725	#		GD	GDU	IDN	8541.4900.00
E3JK-RR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonuz, 7m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	83.65	EC002717	E3JK2028E	4548583746626	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonuz, 6m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	83.65	EC002717	E3JK2034M	4548583746688	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12 5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5m cable	83.25	EC002717	E3JK7086M	4548583484023	#		GD	GDU	CHN	8541.4900.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3JK-TP11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	115.30	EC002716	E3JK2010B	4548583746442			GD	GDU	IDN	8541.4900.00
E3JK-TR11 2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	122.90	EC002716	E3JK2000E	4548583746343	#		GD	GDU	IDN	8541.4900.00
E3JK-TR11 5M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	126.10	EC002716	E3JK2001C	4548583746350	#		GD	GDU	IDN	8541.4900.00
E3JK-TR12 2M	Photoelectric sensor, square body, red LED, through-beam, 5 m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	122.90	EC002716	E3JK2003M	4548583746374			GD	GDU	IDN	8541.4900.00
<b>Fotoelektrik Sensör E3S-D</b>											
E3S-DBN21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4.5m, NPN, M12 konnektör	149.50	EC002717	E3S 7089R	4548583518339	#		GD	GDV	CHN	8541.4900.00
E3S-DBN22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, SmartTeach, 0.7m, NPN, M12 konnektör	149.50	EC002717	E3S 7091M	4548583518353	#		GD	GDV	CHN	8541.4900.00
E3S-DBP21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, SmartTeach, 4.5m, PNP, M12 konnektör	132.30	EC002717	E3S 7085F	4548583518292	#		GD	GDV	CHN	8541.4900.00
E3S-DBP21T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, potansiyometreli, 4.5m, PNP, M12 konnektör	117.70	EC002717	E3S 7084H	4548583518285	#		GD	GDV	CHN	8541.4900.00
E3S-DBP22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, SmartTeach, 0.7m, PNP, M12 konnektör	134.30	EC002717	E3S 7087B	4548583518315	#		GD	GDV	CHN	8541.4900.00
E3S-DBP22T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, şeffaf nesne algılama, dar ışın, potansiyometreli, 0.7m, PNP, M12 konnektör	123.70	EC002717	E3S 7086D	4548583518308	#		GD	GDV	CHN	8541.4900.00
E3S-DCN21	Renk sensörü, cisimden yansımali, kare gövde, IP67 , 10 +/- 3mm, 50µs cevap verme süresi, NPN, M12 konnektör	262.30	EC001820	E3S 7112G	4548583819047	#		GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL2	Renk sensörü, cisimden yansımali, kare gövde, IP67 , 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM2 (38.4kbps), M12 konnektör	311.10	EC001820	E3S 7113E	4548583819054	#		GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL3	Renk sensörü, cisimden yansımali, kare gövde, IP67 , 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM3 (230.4kbps), M12 konnektör	311.10	EC001820	E3S 7114C	4548583819061	#		GD	GDV	CHN	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3S-GS3B4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, PNP, 2m kablolu	212.90	EC002720	E3SN1082A	4536853286194	#		GD	GDX	JPN	8541.4900.00
E3S-GS3B4 5M	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 5m cable	239.40	EC002720	E3SN1114C	4536853286514	#		GD	GDX	JPN	8541.4900.00
E3S-GS3E4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, NPN, 2m kablolu	189.80	EC002720	E3SN1049M	4536853285937	#		GD	GDX	JPN	8541.4900.00
E3S-LS10XB4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, PNP, 2m kablolu	240.70	EC002719	E3SN1076G	4536853286132	#		GD	GDX	JPN	8541.4900.00
E3S-LS10XE4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, NPN, 2m kablolu	240.70	EC002719	E3SN1040F	4536853285876	#		GD	GDX	JPN	8541.4900.00
E3S-LS20XB4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, PNP, 2m kablolu	240.70	EC002719	E3SN1078C	4536853286156	#		GD	GDX	JPN	8541.4900.00
E3S-LS20XE4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, NPN, 2m kablolu	240.70	EC002719	E3SN1043M	4536853285890	#		GD	GDX	JPN	8541.4900.00
E3S-LS3N 2M	Fotoelektrik sensör, cisimden yansımali, 20-35mm, DC, 3 kablolu, NPN, düşey, 2m kablolu	82.75	EC002719	E3SL1314G	4536854586071	#		GD	GDX	JPN	8541.4900.00
E3S-LS3NW 2M	Fotoelektrik sensör, cisimden yansımali, 10-60mm, DC, 3 kablolu, NPN, düşey, 2m kablolu	143.10	EC002719	E3SL1317A	4536854810060	#		GD	GDX	JPN	8541.4900.00
E3S-LS3PW 2M	Fotoelektrik sensör, sınırlı mesafe, cisimden yansımali, 10-60mm, PNP, 2m kablolu	154.50	EC002719	E3SL1320A	4536854917318	#		GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M3J 0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	120.30	EC002719	E3SL1326M	4536854917387	#		GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M5J 0.3M	Photoelectric sensor limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, pigtail 0,3m with M8 3-pin connector	120.30	EC002719	E3SL1330R	4536854917424	#		GD	GDX	JPN	8541.4900.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	413.40	EC002717	E3SN1355C	4536853287924	#		GD	GDX	JPN	8541.4900.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable	417.30	EC002717	E3SN1353G	4536853287900	#		GD	GDX	JPN	8541.4900.00
E3H2-DS10B4M-M1	Fotoelektrik sensör, M12 piriç gövde, cisimden yansımali, 100mm sabit, PNP, M12, 4-pin	109.30	EC001821	AA029801C	4547648873024	#		GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M 2M	Fotoelektrik sensör, M12 piriç gövde, cisimden yansımali, 300mm öğretilmeli, PNP, 2m kablolu	169.20	EC001821	AA029796C	4547648872973	#		GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-M1	Fotoelektrik sensör, M12 piriç gövde, cisimden yansımali, 300mm öğretilmeli, M12, 4-pin	110.80	EC001821	AA029797A	4547648872980	#		GD	GDX	ITA	8541.4900.00
E3H2-R2B4M-M1	Fotoelektrik sensör, M12 piriç gövde, polarizasyon reflektörlü, 2m öğretilmeli, PNP, M12, 4-pin	117.80	EC002717	AA029793R	4547648872942	#		GD	GDX	ITA	8541.4900.00
E3H2-T4B4M 2M	Fotoelektrik sensör, M12 piriç gövde, karşılıklı, 4m ayarlanabilir, PNP, 2m kablolu	160.30	EC002716	AA029788B	4547648872898	#		GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-M1	Fotoelektrik sensör, M12 piriç gövde, karşılıklı, 4m ayarlanabilir, PNP, M12, 4-pin	214.00	EC002716	AA029789M	4547648872904	#		GD	GDX	ITA	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
E39-F9	Fine fiber attachment for E3X amplifiers	7.72	EC003015	E39F2002R	4536853297251	#	100	GD	GDZ	JPN	8541.9000.00
E39-L143	Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-EDA	11.02	EC003015	E3X 1088F	4536854537578	#	50	GD	GDZ	JPN	8541.9000.00
E39-F1	Long-distance lens unit for E32 through-beam fibers	59.95	EC003015	E39F2032M	4547648667876	#		GD	GDZ	CHN	8541.4900.00
E39-F18	Focal lens for E32-CC200 / E32-C11N, 50mm range	251.20	EC003015	E39F171B	4547648651134	#		GD	GDZ	CHN	8541.4900.00
E39-F2	Focal lens, side view unit for E32 through-beam optical fibers	96.95	EC003015	E39F2033R	4547648667883	#		GD	GDZ	CHN	8541.4900.00
E39-F3A	Small spot lens unit for E32-D32 optical fiber	140.20	EC003015	E39F2038M	4547648667937	#		GD	GDZ	CHN	8541.4900.00
E39-F3A-5	Focus lens for E32-EC41 fiber sensor head, 7mm focus length, 0.1mm spot	112.20	EC003015	E39F2041M	4547648667968	#		GD	GDZ	CHN	8541.4900.00
E39-F3B	Focus lens for E32-EC31 fiber sensor head, 17mm focus length, 0.5mm spot	116.00	EC003015	E39F2042H	4547648667975	#		GD	GDZ	CHN	8541.4900.00
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot	271.40	EC003015	E39F2043F	4547648667982	#		GD	GDZ	CHN	8541.4900.00
E39-F10	Connector for E32 optical fiber cable	14.64	EC003015	E39F2003G	4536853297268	#		GD	GDZ	JPN	8541.9000.00
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibers, 1m	53.80	EC003015	E39F2013D	4536853297367	#		GD	GDZ	JPN	8541.9000.00
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibers, 1m	73.80	EC003015	E39F2015M	4536853297381	#		GD	GDZ	JPN	8541.9000.00
E39-F32C5 0.5M	Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m	72.05	EC003015	E39F2021E	4536853297442	#		GD	GDZ	JPN	8541.9000.00
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibers, 1m	50.45	EC003015	E39F2016R	4536853297398	#		GD	GDZ	JPN	8541.9000.00
E39-F4	Cutter for all E32 optical fibers	4.69	EC003015	E39F1004M	4536853297169	#		GD	GDZ	JPN	8541.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-1001	Accessory Connector for Photomicrosensors, 4-pin , solder terminals	2.23	EC003015	EE 1113A	4548583379572	#	100	GD	GDZ	CHN	8544.4290.90
EE-1001-1	Connector for Photomicrosensors, 4-pin , solder terminals, bridge between L and +	4.69	EC003015	EE 1114M	4548583379589	#	100	GD	GDZ	CHN	8541.4900.00
EE-1003	Accessory Photomicrosensor connector	4.29	EC001855	EE 1062C	4536854886485	#	50	GD	GDZ	JPN	8541.4900.00
EE-1006 1M	Accessory Photomicrosensor connector with cable 1m	4.53	EC001855	EE 1058E	4536854831942	#	50	GD	GDZ	CHN	8541.4900.00
EE-1006 2M	Accessory Photomicrosensor connector with cable 2m	6.25	EC001855	EE 1057G	4536854831935	#		GD	GDZ	CHN	8541.4900.00
EE-1006 3M	Accessory Photomicrosensor connector with cable 3m	6.68	EC001855	EE 1059C	4536854831959	#		GD	GDZ	CHN	8544.4290.90
EE-1009	Accessory Connector for Photomicrosensors, 4-pin , solder terminals, locking mechanism	4.91	EC003015	EE 1040B	4536853231040	#	100	GD	GDZ	JPN	8544.4290.90
EE-1010 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, PVC, 2m	7.23	EC001855	EE 1041M	4536853231057	#		GD	GDZ	CHN	8541.4900.00
EE-1010-R 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, robotic PVC, 2m	20.38	EC001855	EE 1043G	4536853231071	#		GD	GDZ	CHN	8541.4900.00
EE-2002	Accessory Photomicro sensor EE-SPX_03, NPN/PNP converter and cable connector, 0.5m	24.05	EC003015	EE 1030E	4536853230944	#	20	GD	GDZ	JPN	8541.4900.00
E39-R1	Reflektör, 40x60x7.5mm,	17.78	EC002467	E39 1216R	4548583065079	#	130	GD	GDZ	CHN	8541.9000.00
E39-R10	Reflektör, 52x62x8mm,	19.85	EC002467	E39 2232F	4536854515217	#		GD	GDZ	JPN	8541.9000.00
E39-R1K	Reflektör, 40x60x7.5mm,	42.82	EC002467	E39 1223A	4548583128873	#	15	GD	GDZ	CHN	8541.9000.00
E39-R1S	Reflektör, 40x60x7.5mm,	9.95	EC002467	E39 1224M	4548583128910	#	5	GD	GDZ	CHN	8541.9000.00
E39-R2	Reflektör, 80.8x60x7.5mm,	24.05	EC002467	E39 1221E	4548583128859	#	10	GD	GDZ	CHN	8541.9000.00
E39-R21	Reflektör, 30x35mm	22.72	EC002467	E39 1237A	4548583489325	#		GD	GDZ	JPN	8541.9000.00
E39-R3	Reflektör, 42x22mm	27.17	EC002467	E39 2103F	4536853295950	#		GD	GDZ	JPN	8541.9000.00
E39-R37-CA	Sensor reflector, high precision type, 14mm x 23mm	12.54	EC002467	E39 2307A	4547648595193	#		GD	GDZ	JPN	8541.9000.00
E39-R4	Reflektör, 23x14mm	27.69	EC002467	E39 2127C	4536853296193	#		GD	GDZ	JPN	8541.9000.00
E39-R40	Reflektör, 84.5x84.5x8.7mm,	22.83	EC002467	AA035117H	4547648923460	#	100	GD	GDZ	DEU	8541.4900.00
E39-R42	Reflektör, 51x60mm	3.00	EC002467	AA057256E	4549734893008	#		GD	GDZ	DEU	8541.9000.00
E39-R49	Sensor reflector, snap fitting, 30mm dia	9.31	EC002467	AA035122D	4547648923514	#		GD	GDZ	DEU	8541.4900.00
E39-R50	Reflektör, 40x60mm, IP69K, deterjana dayanıklılık	42.82	EC002467	AA057258A	4549734893022	#		GD	GDZ	DEU	8541.9000.00
E39-R51	Reflector, 20x40mm, IP69K, detergent resistant	26.15	EC002467	AA057259M	4549734893039	#		GD	GDZ	DEU	8541.9000.00
E39-R6	Reflektör, 52x40mm,	12.15	EC002467	AA035123B	4547648923521	#		GD	GDZ	DEU	8541.4900.00
E39-R7	Reflektör, 84mm çap	9.95	EC002467	AA035124M	4547648923538	#		GD	GDZ	DEU	8541.4900.00
E39-R8	Reflektör, 100x100mm	18.36	EC002467	AA035125R	4547648923545	#		GD	GDZ	DEU	8541.9000.00
E39-R9	Reflektör, 35x42mm	17.78	EC002467	E39 2231H	4536854515200	#		GD	GDZ	JPN	8541.9000.00
E39-RP1	Reflektör, polarize, 44mm x 64mm	26.24	EC002467	E3ZM0220M	4547648395526	#		GD	GDZ	JPN	8541.9000.00
E39-RS1	Reflektör, 35mm x 10mm	10.45	EC002467	E39 2205R	4536854386329	#		GD	GDZ	JPN	8541.9000.00
E39-RS2	Reflektör, 40 x 35 x 0.6mm	17.27	EC002467	E39 2206G	4536854386336	#		GD	GDZ	JPN	8541.9000.00
E39-RS25 5M	Reflektör, 25mm x 5m	121.60	EC002467	AA035127E	4547648923569	#		GD	GDZ	DEU	9001.2000.00
E39-RS3	Reflektör, 70x80mm	33.95	EC002467	E39 2207E	4536854386343	#		GD	GDZ	JPN	8541.9000.00
E39-RS50 1M	Accessory photoelectric sensor, reflective tape, 50mm x 1m	38.63	EC002467	AA035425H	4547648926843	#		GD	GDZ	DEU	8541.9000.00
E39-RS50 22.8M	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m	600.50	EC002467	AA035128C	4547648923576	#		GD	GDZ	USA	9001.2000.00
E39-RS50 5M	Reflektör, 50mm x 5m	249.60	EC002467	AA035129A	4547648923583	#		GD	GDZ	DEU	9001.2000.00
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting	7.48	EC003015	E39 2173G	4536853296643	#		GD	GDZ	JPN	8541.9000.00
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting	9.41	EC003015	E39 2190G	4536853296810	#		GD	GDZ	JPN	8541.9000.00
E39-L142	Mounting Bracket, protective side wall (for E3Z)	12.04	EC003015	E39 2233D	4536854552557	#		GD	GDZ	JPN	8541.9000.00
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z pre-wired	15.67	EC003015	E39 7031B	4548583009004	#	50	GD	GDZ	CHN	8541.4900.00
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post	60.10	EC003015	E39 2239C	4536854806674	#		GD	GDZ	JPN	8541.9000.00
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post	30.80	EC003015	E39 2240G	4536854806681	#		GD	GDZ	JPN	8541.9000.00
E39-L153	Mounting bracket for E3Z sensor, L shape, for prewired	6.92	EC003015	E39 2242C	4536854817274	#		GD	GDZ	JPN	8541.9000.00
E39-L182	E3FA/R flush mounting bracket	8.18	EC003015	E39 1226F	4548583328075	#		GD	GDZ	CHN	8541.9000.00
E39-L183	M18 L-type mounting bracket, stainless steel (SUS304)	8.18	EC003015	E39 1227D	4548583328082	#		GD	GDZ	CHN	8541.9000.00
E39-L201	Mounting bracket for E3AS sensor, L shaped	7.85	EC003015	E39 1253C	4549734513111	#		GD	GDZ	CHN	8541.9000.00
E39-L202	Protective mounting bracket for E3AS, vertical mounting	10.47	EC003015	E39 1254A	4549734513128	#		GD	GDZ	CHN	8541.9000.00
E39-L203	Mounting bracket for E3AS sensor, rear mounting	7.85	EC003015	E39 1255M	4549734513135	#		GD	GDZ	CHN	8541.9000.00
E39-L204	Protective metal cover for E3AS, horizontal surface mounting	11.99	EC003015	E39 1256H	4549734513142	#		GD	GDZ	CHN	8541.9000.00
E39-L211	Mounting bracket for E3AS sensor, L shaped	7.98	EC003015	E39 1257F	4549734513159	#	20	GD	GDZ	CHN	8541.9000.00
E39-L212	Protective mounting bracket for E3AS, vertical mounting	10.62	EC003015	E39 1258D	4549734513166	#	28	GD	GDZ	CHN	8541.9000.00
E39-L214	Protective metal cover for E3AS, horizontal surface mounting	17.26	EC003015	E39 1259B	4549734513173	#	20	GD	GDZ	CHN	8541.4900.00
E39-L221	L-shaped mounting bracket	11.06	EC003015	E39 1262B	4549734663410	#		GD	GDZ	CHN	8541.9000.00
E39-L222	Horizontal protective cover bracket	14.71	EC003015	E39 1263M	4549734663427	#		GD	GDZ	CHN	8541.9000.00
E39-L223	Rear mounting bracket	12.55	EC003015	E39 1264R	4549734663434	#		GD	GDZ	CHN	8541.9000.00
E39-L224	Robust mounting bracket	15.60	EC003015	E39 1265G	4549734663441	#		GD	GDZ	CHN	8541.9000.00
E39-L231	L-shaped mounting bracket	14.04	EC003015	E39 1266E	4549734663458	#		GD	GDZ	CHN	8541.9000.00
E39-L232	Horizontal protective cover bracket	19.53	EC003015	E39 1267C	4549734663465	#		GD	GDZ	CHN	8541.9000.00
E39-L234	Robust mounting bracket	20.18	EC003015	E39 1268A	4549734663472	#		GD	GDZ	CHN	8541.9000.00
E39-L261	Flexible mounting bracket	51.90	EC003015	E39 1269M	4549734663489	#		GD	GDZ	CHN	8541.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-L262	50mm post for flexible mounting bracket E39-L261	23.78	EC003015	E39 1270C	4549734663496			GD	GDZ	CHN	8541.9000.00
E39-L263	100mm post for flexible mounting bracket E39-L261	29.38	EC003015	E39 1271A	4549734663502	#		GD	GDZ	CHN	8541.9000.00
E39-L40	Accessory photosensor E3JK, mounting bracket	2.92	EC003015	E39 7024M	4547648825344	#		GD	GDZ	CHN	8541.4900.00
E39-L43	Mounting bracket for E3Z sensor, side mounting	7.95	EC003015	E39 1130H	4536853295721	#		GD	GDZ	JPN	8541.9000.00
E39-L44	Mounting bracket for E3Z sensor, rear mounting	7.11	EC003015	E39 1129D	4536853295714	#		GD	GDZ	JPN	8541.9000.00
E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting	37.06	EC003015	E39 2266M	4536854907517	#		GD	GDZ	JPN	8541.9000.00
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings	36.52	EC003015	E39 2269E	4536854907548	#		GD	GDZ	JPN	8541.9000.00
E39-L96	Optional reflector bracket for photoelectric sensor	15.81	EC003015	E39 2177M	4536853296681	#		GD	GDZ	JPN	8541.9000.00
E39-L98	Protective metal cover for E3S-A/E3Z vertical sensor	20.39	EC003015	E39 7030D	4548583008991	#		GD	GDZ	CHN	8541.9000.00
E39-E11	Mutual interference filters for the E3Z-TA models	27.20	EC003015	E39 2235M	4536854555923			GD	GDZ	JPN	8541.9000.00
E39-S46	Slit, 0.5-2mm, for E3S-A photoelectric sensor	11.54	EC003015	E39 2124R	4536853296162	#		GD	GDZ	JPN	8541.9000.00
E39-S63	Slits for E3T-ST1* types, 0.5mm & 1mm dia pairs supplied	9.40	EC003015	E39 2192C	4536853296834	#		GD	GDZ	JPN	8541.9000.00
E39-S64	Slits for E3T-F1* types, 0.5mm & 1mm dia pairs supplied	9.41	EC003015	E39 2194M	4536853296858	#		GD	GDZ	JPN	8541.9000.00
E39-S65A	Slit for E3Z-T, 0.5mm diameter	9.22	EC003015	E39 2224E	4536854499104	#		GD	GDZ	JPN	8541.9000.00
E39-S65B	Slit for E3Z-T, 1mm diameter	10.14	EC003015	E39 2225C	4536854499111	#		GD	GDZ	JPN	8541.9000.00
E39-S65C	Slit for E3Z-T, 2mm diameter	11.88	EC003015	E39 2226A	4536854499128	#	50	GD	GDZ	JPN	8541.9000.00
E39-S65D	Slit for E3Z-T, 0.5x10mm diameter	11.13	EC003015	E39 2227M	4536854499135	#		GD	GDZ	JPN	8541.9000.00
E39-S65E	Slit for E3Z-T, 1x10mm diameter	12.04	EC003015	E39 2228H	4536854499142	#		GD	GDZ	JPN	8541.9000.00
E39-S65F	Slit for E3Z-T, 2x10mm diameter	13.13	EC003015	E39 2229F	4536854499159	#		GD	GDZ	JPN	8541.9000.00
E39-E16	Air blow unit	44.58	EC003015	E39 1272M	4549734663519	#		GD	GDZ	CHN	8541.9000.00
E39-E19	Front protection cover for E3AS-HL	36.29	EC003015	E39 1273H	4549734663526	#		GD	GDZ	CHN	8541.9000.00
E39-VA	Sensor test unit, hand-held, battery-powered	96.20	EC003015	E39V1002R	4536853297497	#		GD	GDZ	JPN	8541.9000.00
E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area	46.17	EC002467	E39 3000M	4536854958304	#		GD	GDZ	JPN	8541.9000.00
E39-R16	Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm	197.40	EC002467	E39 9055M	4548583750814	#		GD	GDZ	NLD	8541.9000.00
E39-R54	Reflective tape, high precision microtripel, self adhesive, 195mm x 22mm	152.30	EC002467	E39 3003E	4536854958335	#		GD	GDZ	JPN	8541.9000.00
E39-R55	Reflective tape, high precision microtripel, self adhesive, 108mm x 46mm	172.70	EC002467	E39 3004C	4536854958342	#		GD	GDZ	JPN	8541.9000.00
<b>İndüktif Proximity Sensör E2EG</b>											
E2E-X10B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.20	EC002714	E2EN2047A	4549734480567			GE	GEA	CHN	8536.5080.90
E2E-X10B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.20	EC002714	E2EN2065M	4549734480741			GE	GEA	CHN	8536.5080.90
E2E-X10B1TL30 2M	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	67.80	EC002714	E2EN2145A	4549734481540			GE	GEA	CHN	8536.5080.90
E2E-X10B1TL30-M1	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN2154M	4549734481632			GE	GEA	CHN	8536.5080.90
E2E-X10C130 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	54.20	EC002714	E2EN1837M	45497344478465			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.70	EC002714	E2EN0974E	4549734469838			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.65	EC002714	E2EN0992C	4549734470018	#		GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN1550H	4549734475594			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN1568M	4549734475778	#		GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.70	EC002714	E2EN1077H	4549734470865			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.70	EC002714	E2EN1086G	4549734470957			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1636R	4549734476454			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1645H	4549734476546			GE	GEA	CHN	8536.5080.90
E2E-X10MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	58.70	EC002714	E2EN0750E	4549734467599			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	47.41	EC002714	E2EN1328R	4549734473378			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	47.41	EC002714	E2EN1346G	4549734473552			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	50.80	EC002714	E2EN1414E	4549734472438			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire	62.50	EC002714	E2E 8367E	4549734182393			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire	65.30	EC002714	E2E 8369A	4549734182416	#		GE	GEA	CHN	8536.5080.90
E2E-X10MD112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	67.20	EC002714	E2E 8385C	4549734182577			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity	62.50	EC002714	E2E 8377B	4549734182492			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire	67.20	EC002714	E2E 8376D	4549734182485			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	67.20	EC002714	E2E 8386A	4549734182584			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity	62.50	EC002714	E2E 8378M	4549734182508			GE	GEA	CHN	8536.5080.90
E2E-X11D118 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	62.50	EC002714	E2E 8391H	4549734182638	#		GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire	67.20	EC002714	E2E 8399C	4549734182713			GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	67.20	EC002714	E2E 8409D	4549734182812			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity	65.30	EC002714	E2E 8403E	4549734182751			GE	GEA	CHN	8536.5080.90
E2E-X11D218 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire	62.50	EC002714	E2E 8392F	4549734182645			GE	GEA	CHN	8536.5080.90
E2E-X11D218 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire	65.30	EC002714	E2E 8394B	4549734182669			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	62.50	EC002714	E2E 8402G	4549734182744			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X11D218-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity	65.30	EC002714	E2E 8404C	45497344182768			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.65	EC002714	E2EN1515M	4549734475242	#		GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.65	EC002714	E2EN1533H	4549734475426	#		GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m		EC002714	E2EN1527C	4549734475365		20	GE	GEA	CHN	8536.5080.90
E2E-X12B1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	75.65									
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.70	EC002714	E2EN1616D	4549734476256	#	10	GE	GEA	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.70	EC002714	E2EN1625C	4549734476348	#		GE	GEA	CHN	8536.5080.90
E2E-X12B3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.70	EC002714	E2EN1736E	4549734477451	#		GE	GEA	CHN	8536.5080.90
E2E-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, M12 connector	58.70	EC002714	E2EN1795M	4549734478045	#		GE	GEA	CHN	8536.5080.90
E2E-X14B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, M12 connector	58.70	EC002714	E2EN1311D	4549734473200	#		GE	GEA	CHN	8536.5080.90
E2E-X14B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN1536B	4549734475457	#		GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1548F	4549734475570	#		GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m		EC002714	E2EN1544C	4549734475532	#		GE	GEA	CHN	8536.5080.90
E2E-X14B1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN1628H	4549734476379	#	10	GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1634B	4549734476430	#		GE	GEA	CHN	8536.5080.90
E2E-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	64.40	EC002714	E2EN1549D	4549734475587	#		GE	GEA	CHN	8536.5080.90
E2E-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, M12 connector	64.40	EC002714	E2EN1326B	4549734473354	#		GE	GEA	CHN	8536.5080.90
E2E-X14C218 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, 5 m cable	67.80	EC002714	E2EN1317C	4549734473262	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.20	EC002714	E2EN2068D	4549734480772	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	57.65	EC002714	E2EN2071D	4549734480802	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.20	EC002714	E2EN2086B	4549734480956	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m		EC002714	E2EN2080C	4549734480895	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	71.15									
E2E-X15B1T30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	67.80	EC002714	E2EN2157E	4549734481663	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	71.15	EC002714	E2EN2160E	4549734481694	#		GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN2166D	4549734481755	#		GE	GEA	CHN	8536.5080.90
E2E-X15B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	54.20	EC002714	E2EN2069H	4549734480789	#		GE	GEA	CHN	8536.5080.90
E2E-X15B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	54.20	EC002714	E2EN2087M	4549734480963	#		GE	GEA	CHN	8536.5080.90
E2E-X15B2130 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	65.50	EC002714	E2EN2159C	4549734481670	#		GE	GEA	CHN	8536.5080.90
E2E-X15B2130-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	65.50	EC002714	E2EN2167B	4549734481762	#		GE	GEA	CHN	8536.5080.90
E2E-X15B3D30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	54.20	EC002714	E2EN2272E	4549734482813	#		GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	54.20	EC002714	E2EN2284R	4549734482936	#		GE	GEA	CHN	8536.5080.90
E2E-X15B3DL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	65.50	EC002714	E2EN2329B	4549734483384	#		GE	GEA	CHN	8536.5080.90
E2E-X15B3DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable	68.90	EC002714	E2EN2331D	4549734483407	#		GE	GEA	CHN	8536.5080.90
E2E-X15B3DL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	73.45	EC002714	E2EN2335G	4549734483445	#		GE	GEA	CHN	8536.5080.90
E2E-X15C130 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, 2 m cable	54.20	EC002714	E2EN1858B	4549734478670	#		GE	GEA	CHN	8536.5080.90
E2E-X15C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 connector	54.20	EC002714	E2EN1876M	4549734478854	#		GE	GEA	CHN	8536.5080.90
E2E-X15C1130-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 connector	67.80	EC002714	E2EN1956B	4549734479653	#		GE	GEA	CHN	8536.5080.90
E2E-X15C3130-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, M12 connector	67.80	EC002714	E2EN1958R	4549734479677	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN0995H	4549734470049	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1007G	4549734470162	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m		EC002714	E2EN1003D	4549734470124	#	10	GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	81.35									
E2E-X16MB1T18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	47.41	EC002714	E2EN1571M	4549734475808	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1574E	4549734475839	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN1589C	4549734475983	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m		EC002714	E2EN1583D	4549734475921	#	10	GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1095F	4549734471046	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN1648B	4549734476577	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1657A	4549734476669	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	64.40	EC002714	E2EN0996F	4549734470056	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	64.40	EC002714	E2EN1008E	4549734470179	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	47.41	EC002714	E2EN1572R	4549734475815	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN1590G	4549734475990	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	50.80	EC002714	E2EN1658M	4549734476676	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	47.41	EC002714	E2EN1759D	4549734477680	#		GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1771C	4549734477802	#	10	GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	50.80	EC002714	E2EN1815R	4549734478243	#		GE	GEA	CHN	8536.5080.90
E2E-X16MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	64.40	EC002714	E2EN0765C	4549734467742	#	5	GE	GEA	CHN	8536.5080.90
E2E-X16MC118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 2 m cable	47.41	EC002714	E2EN1349A	4549734473583	#		GE	GEA	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	47.41	EC002714	E2EN1367M	4549734473767	#	15	GE	GEA	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector	42.90	EC002714	E2EN1435H	4549734474443	#		GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X18M81T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	65.50	EC002714	E2EN1214R	4549734481135			GE	GEA	CHN	8536.5080.90
E2E-X18M81T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	56.50	EC002714	E2EN2142G	4549734481519			GE	GEA	CHN	8536.5080.90
E2E-X18M8230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	65.50	EC002714	E2EN2143E	4549734481926			GE	GEA	CHN	8536.5080.90
E2E-X18M8C130-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 2 m cable	65.50	EC002714	E2EN1914F	4549734479233			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN0245G	4549734462549			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	42.90	EC002714	E2EN0257M	4549734462662			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M3	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	50.80	EC002714	E2EN0259G	4549734462686			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M5	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	50.80	EC002714	E2EN0261R	4549734462709			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	56.50	EC002714	E2EN0389E	4549734463980			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	56.50	EC002714	E2EN0395M	4549734464048			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M5	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	56.50	EC002714	E2EN0400M	4549734464093			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN0246E	4549734462556			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN0258R	4549734462679			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M3	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	50.80	EC002714	E2EN0260M	4549734462693			GE	GEA	CHN	8536.5080.90
E2E-X1R5C18-2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m cable	50.80	EC002714	E2EN0001B	4549734460101	#		GE	GEA	CHN	8536.5080.90
E2E-X1R5C18-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M12 connector	50.80	EC002714	E2EN0013F	4549734460224			GE	GEA	CHN	8536.5080.90
E2E-X1R5D1-N-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC 2-wire	47.30	EC002714	E2E 8519H	4549734183918			GE	GEA	CHN	8536.5080.90
E2E-X20D130-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire	66.25	EC002714	E2E 8431M	4549734183031	#		GE	GEA	CHN	8536.5080.90
E2E-X20D130-M1TGI-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	78.90	EC002714	E2E 8449C	4549734183215			GE	GEA	CHN	8536.5080.90
E2E-X20D130-R-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable robotic, DC 2-wire	71.05	EC002714	E2E 8435C	4549734183079			GE	GEA	CHN	8536.5080.90
E2E-X20D130-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	66.25	EC002714	E2E 8441H	4549734183130			GE	GEA	CHN	8536.5080.90
E2E-X20D230-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire	66.25	EC002714	E2E 8432R	4549734183048			GE	GEA	CHN	8536.5080.90
E2E-X20D230-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	66.25	EC002714	E2E 8442F	4549734183147			GE	GEA	CHN	8536.5080.90
E2E-X20M81T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.70	EC002714	E2EN1678D	4549734476874			GE	GEA	CHN	8536.5080.90
E2E-X20M8C118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable	58.70	EC002714	E2EN1438B	4549734474474			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire	64.40	EC002714	E2E 8411F	4549734182836			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-M1TGI-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	69.10	EC002714	E2E 8429R	4549734183017			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	64.40	EC002714	E2E 8421C	4549734182935			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	64.40	EC002714	E2E 8412D	4549734182843			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	64.40	EC002714	E2E 8422A	4549734182942			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	65.50	EC002714	E2EN2089G	4549734480987	#		GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	69.30	EC002714	E2EN2092G	4549734481014			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	65.50	EC002714	E2EN2107R	4549734481168	#		GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	90.35	EC002714	E2EN2101M	4549734481106		10	GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	73.45	EC002714	E2EN2178H	4549734481878		5	GE	GEA	CHN	8536.5080.90
E2E-X22B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	67.80	EC002714	E2EN2090M	4549734480994	#		GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	67.80	EC002714	E2EN2108G	4549734481175	#		GE	GEA	CHN	8536.5080.90
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	67.80	EC002714	E2EN2298R	4549734483070	#		GE	GEA	CHN	8536.5080.90
E2E-X22B3DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	67.80	EC002714	E2EN2343H	4549734483520			GE	GEA	CHN	8536.5080.90
E2E-X22C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, 2 m cable	65.50	EC002714	E2EN1879E	4549734478885	#		GE	GEA	CHN	8536.5080.90
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, M12 connector	65.50	EC002714	E2EN1897C	4549734479066	#		GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	73.45	EC002714	E2EN2110R	4549734481199			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	73.45	EC002714	E2EN2122B	4549734481311	#		GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	96.00	EC002714	E2EN2118D	4549734481274		15	GE	GEA	CHN	8536.5080.90
E2E-X23B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	79.05	EC002714	E2EN2187G	4549734481960	#	5	GE	GEA	CHN	8536.5080.90
E2E-X23B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	73.45	EC002714	E2EN2111G	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	73.45	EC002714	E2EN2123M	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, M12 connector	73.45	EC002714	E2EN1912M	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1109M	4549734471183		5	GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN0855B	4549734468640	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN0873M	4549734468824	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN0263E	4549734462723	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	54.20	EC002714	E2EN0265A	4549734462747	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN0275R	4549734462846	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	50.80	EC002714	E2EN0277E	4549734462860	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	50.80	EC002714	E2EN0279A	4549734462884	#	20	GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1009C	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12-M1	Proximity sensor, inductive, nickel-brass long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1018B	4549734470278	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	56.50	EC002714	E2EN0402F	4549734464116	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	56.50	EC002714	E2EN0408E	4549734464178	#		GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M3	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	56.50	EC002714	E2EN0411E	4549734464208			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X2B1TL8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	56.50	EC002714	E2EN0413A	4549734464228	#		GE	GEA	CHN	8536.5080.90
E2E-X2B12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN0874R	4549734468831	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN0264C	4549734462730	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	54.20	EC002714	E2EN0266M	4549734462754	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN0276G	4549734462853	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-M3	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	50.80	EC002714	E2EN0278C	4549734462877	#		GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	50.80	EC002714	E2EN0280E	4549734462891	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN1010G	4549734470193	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN1019M	4549734470285	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L-2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	56.50	EC002714	E2EN0403D	4549734464123	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	56.50	EC002714	E2EN0409C	4549734464185	#		GE	GEA	CHN	8536.5080.90
E2E-X2B2L-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	56.50	EC002714	E2EN0414M	4549734464239	#		GE	GEA	CHN	8536.5080.90
E2E-X2C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	47.41	EC002714	E2EN0613D	4549734466226	#		GE	GEA	CHN	8536.5080.90
E2E-X2C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	47.41	EC002714	E2EN0631B	4549734466400	#		GE	GEA	CHN	8536.5080.90
E2E-X2C18-2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	50.80	EC002714	E2EN0019E	4549734460286	#		GE	GEA	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	50.80	EC002714	E2EN0031D	4549734460408	#		GE	GEA	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	50.80	EC002714	E2EN0035G	4549734460446	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	56.50	EC002714	E2EN0158B	4549734461672	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	56.50	EC002714	E2EN0164G	4549734461733	#		GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	56.50	EC002714	E2EN0169H	4549734461788	#		GE	GEA	CHN	8536.5080.90
E2E-X2C28-2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN0020R	4549734460293	#		GE	GEA	CHN	8536.5080.90
E2E-X2C28-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	50.80	EC002714	E2EN0036E	4549734460453	#		GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-2M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN00317H	4549734463263	#		GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M1	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN0329A	4549734463386	#		GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	50.80	EC002714	E2EN0333M	4549734463423	#		GE	GEA	CHN	8536.5080.90
E2E-X2MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN0330E	4549734463393	#		GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	46.37	EC002714	E2E 8343H	4549734182157	#		GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-T-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	46.37	EC002714	E2E 8545G	4549734184175	#		GE	GEA	CHN	8536.5080.90
E2E-X2R5D2-N-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	51.10	EC002714	E2E 8344F	4549734182164	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB1D1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	65.50	EC002714	E2EN2368C	4549734483773	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN1681D	4549734476904	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1693H	4549734477024	#	5	GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.80	EC002714	E2EN2201F	4549734482103	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB1T1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN2219R	4549734482288	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	64.40	EC002714	E2EN1682B	4549734476911	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	64.40	EC002714	E2EN1694F	4549734477031	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	67.80	EC002714	E2EN2202D	4549734482110	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	65.50	EC002714	E2EN2220B	4549734482295	#		GE	GEA	CHN	8536.5080.90
E2E-X30MB3D1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	65.50	EC002714	E2EN2369A	4549734483780	#		GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	64.40	EC002714	E2EN1459E	4549734474689	#		GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	64.40	EC002714	E2EN1471D	4549734474801	#		GE	GEA	CHN	8536.5080.90
E2E-X30MC1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	67.80	EC002714	E2EN1991M	4549734480000	#		GE	GEA	CHN	8536.5080.90
E2E-X30MC1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	67.80	EC002714	E2EN2009R	4549734480185	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.15	EC002714	E2EN0281C	4549734462907	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.15	EC002714	E2EN0293G	4549734463027	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.15	EC002714	E2EN0295C	4549734463041	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	62.15	EC002714	E2EN0297M	4549734463065	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1TL8-2M	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.15	EC002714	E2EN0415H	4549734464246	#		GE	GEA	CHN	8536.5080.90
E2E-X3B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.15	EC002714	E2EN0421B	4549734464307	#		GE	GEA	CHN	8536.5080.90
E2E-X3B28-2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	62.15	EC002714	E2EN0282A	4549734462914	#		GE	GEA	CHN	8536.5080.90
E2E-X3B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	62.15	EC002714	E2EN0294E	4549734463034	#		GE	GEA	CHN	8536.5080.90
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.15	EC002714	E2EN0296A	4549734463058	#		GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.15	EC002714	E2EN0424G	4549734464338	#		GE	GEA	CHN	8536.5080.90
E2E-X3C18-2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, 2 m cable	62.15	EC002714	E2EN0037C	4549734460460	#		GE	GEA	CHN	8536.5080.90
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, M12 connector	62.15	EC002714	E2EN0049G	4549734460583	#		GE	GEA	CHN	8536.5080.90
E2E-X3D18-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	61.50	EC002714	E2E 8303R	4549734181754	#		GE	GEA	CHN	8536.5080.90
E2E-X3D18-MITGJ-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	66.25	EC002714	E2E 8311M	4549734181839	#		GE	GEA	CHN	8536.5080.90
E2E-X3D18-MITGT-0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	66.25	EC002714	E2E 8321G	4549734181938	#		GE	GEA	CHN	8536.5080.90
E2E-X3D18-T-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	61.50	EC002714	E2E 8313F	4549734181853	#		GE	GEA	CHN	8536.5080.90
E2E-X3D28-T-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	61.50	EC002714	E2E 8314D	4549734181860	#		GE	GEA	CHN	8536.5080.90
E2E-X3D28-TR-5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	69.10	EC002714	E2E 8320R	4549734181921	#		GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	73.45	EC002714	E2EN2222R	4549734482188	#		GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	73.45	EC002714	E2EN2240G	4549734482493	#	10	GE	GEA	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X40MD130-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	80.90	EC002714	E2E 8459M	4549734183314			GE	GEA	CHN	8536.5080.90
E2E-X40MD130-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	82.00	EC002714	E2E 8469H	4549734183413			GE	GEA	CHN	8536.5080.90
E2E-X40MD130-R 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire	71.95	EC002714	E2E 8455H	4549734183277			GE	GEA	CHN	8536.5080.90
E2E-X40MD130-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	68.20	EC002714	E2E 8461B	4549734183338			GE	GEA	CHN	8536.5080.90
E2E-X40MD130-TR 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	78.90	EC002714	E2E 8465E	4549734183376			GE	GEA	CHN	8536.5080.90
E2E-X40MD230-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	68.20	EC002714	E2E 8462M	4549734183345			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12 10M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	60.90	EC002714	E2EN2651H	4549734710749	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN0876E	4549734468855	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	50.80	EC002714	E2EN0879M	4549734468886	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN0894C	4549734469036	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.40	EC002714	E2EN0888R	4549734468978		10	GE	GEA	CHN	8536.5080.90
E2E-X4B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.80	EC002714	E2EN0299F	4549734463089	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN0311R	4549734463201	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1TJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.80	EC002714	E2EN0307M	4549734463164	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	67.80	EC002714	E2EN0313E	4549734463225			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	67.80	EC002714	E2EN0315A	4549734463249	#	20	GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1021B	4549734470308	#	5	GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	54.20	EC002714	E2EN1024G	4549734470339	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1030A	4549734470391	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.80	EC002714	E2EN1027A	4549734470360			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.80	EC002714	E2EN0427A	4549734464369			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN0433F	4549734464420	#		GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	67.80	EC002714	E2EN0435B	4549734464444			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	67.80	EC002714	E2EN0437C	4549734464468	#		GE	GEA	CHN	8536.5080.90
E2E-X4B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	47.41	EC002714	E2EN0877R	4549734468862	#		GE	GEA	CHN	8536.5080.90
E2E-X4B212 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	50.80	EC002714	E2EN0880C	4549734468893	#		GE	GEA	CHN	8536.5080.90
E2E-X4B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN0895A	4549734469043	#		GE	GEA	CHN	8536.5080.90
E2E-X4B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	67.80	EC002714	E2EN0300C	4549734463096			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	67.80	EC002714	E2EN0312G	4549734463218			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	67.80	EC002714	E2EN0314C	4549734463232			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN1022M	4549734470315	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN1031M	4549734470407	#		GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	54.20	EC002714	E2EN1028M	4549734470377			GE	GEA	CHN	8536.5080.90
E2E-X4B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	67.80	EC002714	E2EN0428M	4549734464376			GE	GEA	CHN	8536.5080.90
E2E-X4B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	67.80	EC002714	E2EN0436M	4549734464451			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	47.41	EC002714	E2EN1112M	4549734471213	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1124C	4549734471336	#		GE	GEA	CHN	8536.5080.90
E2E-X4B3D12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	50.80	EC002714	E2EN1204E	4549734472135			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	50.80	EC002714	E2EN1210M	4549734472197	#		GE	GEA	CHN	8536.5080.90
E2E-X4C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	47.41	EC002714	E2EN0634G	4549734466431	#		GE	GEA	CHN	8536.5080.90
E2E-X4C112 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 5 m cable	50.80	EC002714	E2EN0637A	4549734466462	#		GE	GEA	CHN	8536.5080.90
E2E-X4C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	47.41	EC002714	E2EN0652E	4549734466615	#		GE	GEA	CHN	8536.5080.90
E2E-X4C18 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	56.50	EC002714	E2EN0055A	4549734466044			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	67.80	EC002714	E2EN0067E	4549734466076			GE	GEA	CHN	8536.5080.90
E2E-X4C1L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	42.90	EC002714	E2EN0779C	4549734467889	#		GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	42.90	EC002714	E2EN0788B	4549734467971	#		GE	GEA	CHN	8536.5080.90
E2E-X4C212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	39.51	EC002714	E2EN0635E	4549734466448	#		GE	GEA	CHN	8536.5080.90
E2E-X4C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN0653C	4549734466622	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN0335F	4549734463447	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	54.20	EC002714	E2EN0337B	4549734463461	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN0347M	4549734463560	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	50.80	EC002714	E2EN0349F	4549734463584			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	50.80	EC002714	E2EN0351H	4549734463607	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	56.50	EC002714	E2EN0452B	4549734464611			GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	56.50	EC002714	E2EN0458A	4549734464673	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	56.50	EC002714	E2EN0463H	4549734464727	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN0348H	4549734463577	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	50.80	EC002714	E2EN0352F	4549734463614	#		GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	56.50	EC002714	E2EN0453M	4549734464628			GE	GEA	CHN	8536.5080.90
E2E-X4MC18 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, 2 m cable	50.80	EC002714	E2EN0091H	4549734461009			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, M12 connector	50.80	EC002714	E2EN1013E	4549734461122	#		GE	GEA	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X50M81L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	79.05	EC002714	E2EN2243A	4549734482523			GE	GEA	CHN	8536.5080.90
E2E-X50M82L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	79.05	EC002714	E2EN2244M	4549734482530			GE	GEA	CHN	8536.5080.90
E2E-X50M82L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	73.45	EC002714	E2EN2256C	4549734482653			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN1473M	4549734474825	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN1491R	4549734475006	#		GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18 2M	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1592C	4549734476010			GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1601F	4549734476102	#		GE	GEA	CHN	8536.5080.90
E2E-X5B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	47.41	EC002714	E2EN1474R	4549734474832			GE	GEA	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN1492G	4549734475013			GE	GEA	CHN	8536.5080.90
E2E-X5C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	47.41	EC002714	E2EN1251G	4549734472609			GE	GEA	CHN	8536.5080.90
E2E-X5C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, M12 connector	47.41	EC002714	E2EN1269M	4549734472784			GE	GEA	CHN	8536.5080.90
E2E-X5C118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	50.80	EC002714	E2EN1370M	4549734473798			GE	GEA	CHN	8536.5080.90
E2E-X5C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	47.41	EC002714	E2EN1270C	4549734472791			GE	GEA	CHN	8536.5080.90
E2E-X5D1-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	63.15	EC002714	E2E 8569D	4549734184410			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12 2M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN0932M	4549734469418	#		GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN0950H	4549734469593			GE	GEA	CHN	8536.5080.90
E2E-X5MB1TL12 2M	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1053M	4549734470629			GE	GEA	CHN	8536.5080.90
E2E-X5MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1062M	4549734470711	#		GE	GEA	CHN	8536.5080.90
E2E-X5MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN0951F	4549734469609			GE	GEA	CHN	8536.5080.90
E2E-X5MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1159F	4549734471688			GE	GEA	CHN	8536.5080.90
E2E-X5M3C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	47.41	EC002714	E2EN0690H	4549734466998			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.65	EC002714	E2EN0897H	4549734469067	#		GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.65	EC002714	E2EN0915M	4549734469241	#		GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.70	EC002714	E2EN1033F	4549734470421			GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.70	EC002714	E2EN1042E	4549734470513	#		GE	GEA	CHN	8536.5080.90
E2E-X6B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	58.70	EC002714	E2EN0916H	4549734469258	#		GE	GEA	CHN	8536.5080.90
E2E-X6B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	58.70	EC002714	E2EN1043C	4549734470520			GE	GEA	CHN	8536.5080.90
E2E-X6B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.70	EC002714	E2EN1138C	4549734471473	#	20	GE	GEA	CHN	8536.5080.90
E2E-X6C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector	58.70	EC002714	E2EN0673H	4549734466820			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.15	EC002714	E2EN0365H	4549734463744			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.15	EC002714	E2EN0367D	4549734463768			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.15	EC002714	E2EN0369M	4549734463782			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.15	EC002714	E2EN0465D	4549734464741			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.15	EC002714	E2EN0471R	4549734464802			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.15	EC002714	E2EN0475A	4549734464840			GE	GEA	CHN	8536.5080.90
E2E-X6MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	62.15	EC002714	E2EN0366F	4549734463751			GE	GEA	CHN	8536.5080.90
E2E-X6MD18 5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC 2-wire	66.25	EC002714	E2E 8325M	4549734181976			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire	68.20	EC002714	E2E 8331D	4549734182034			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ-T 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	68.20	EC002714	E2E 8341A	4549734182133			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-T 2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC 2-wire, no polarity	63.45	EC002714	E2E 8333M	4549734182058			GE	GEA	CHN	8536.5080.90
E2E-X7D112 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire	60.65	EC002714	E2E 8347M	4549734182195	#		GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire	65.30	EC002714	E2E 8355A	4549734182270	#		GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	65.30	EC002714	E2E 8365R	4549734182379			GE	GEA	CHN	8536.5080.90
E2E-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	60.65	EC002714	E2E 8357H	4549734182294	#		GE	GEA	CHN	8536.5080.90
E2E-X7D212 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	60.65	EC002714	E2E 8348R	4549734182201			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire	65.30	EC002714	E2E 8356M	4549734182287			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	65.30	EC002714	E2E 8366G	4549734182386			GE	GEA	CHN	8536.5080.90
E2E-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	60.65	EC002714	E2E 8358F	4549734182300			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18 10M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	52.95	EC002714	E2EN2657G	4549734710800	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN1494C	4549734475037	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1T18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	42.90	EC002714	E2EN1497H	4549734475068	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN1512E	4549734475211	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.40	EC002714	E2EN1506M	4549734475150		20	GE	GEA	CHN	8536.5080.90
E2E-X8B1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1604M	4549734476133	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1TL18 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	54.20	EC002714	E2EN1607E	4549734476164	#		GE	GEA	CHN	8536.5080.90
E2E-X8B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1613M	4549734476225	#		GE	GEA	CHN	8536.5080.90
E2E-X8B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	47.41	EC002714	E2EN1495A	4549734475044	#		GE	GEA	CHN	8536.5080.90
E2E-X8B218 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 5 m cable	50.80	EC002714	E2EN1498F	4549734475075			GE	GEA	CHN	8536.5080.90
E2E-X8B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN1513C	4549734475228	#		GE	GEA	CHN	8536.5080.90
E2E-X8B2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	50.80	EC002714	E2EN1605R	4549734476140			GE	GEA	CHN	8536.5080.90
E2E-X8B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	50.80	EC002714	E2EN1614H	4549734476232	#		GE	GEA	CHN	8536.5080.90
E2E-X8B3D18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 4-wire, PNP NO+NC, IO-Link COM2, 2 m cable	47.41	EC002714	E2EN1710A	4549734477192	#	5	GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8B3D18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable	50.80	EC002714	E2EN1712H	4549734477215			GE	GEA	CHN	8536.5080.90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1722E	4549734477314	#	10	GE	GEA	CHN	8536.5080.90
E2E-X8B3D18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	50.80	EC002714	E2EN1781M	4549734477901			GE	GEA	CHN	8536.5080.90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	50.80	EC002714	E2EN1787M	4549734477963	#		GE	GEA	CHN	8536.5080.90
E2E-X8C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	47.41	EC002714	E2EN1272M	4549734472814	#		GE	GEA	CHN	8536.5080.90
E2E-X8C118 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 5 m cable	50.80	EC002714	E2EN1275D	4549734472845	#		GE	GEA	CHN	8536.5080.90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	47.41	EC002714	E2EN1290H	4549734472999	#		GE	GEA	CHN	8536.5080.90
E2E-X8C118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	50.80	EC002714	E2EN1382C	4549734473910	#		GE	GEA	CHN	8536.5080.90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	50.80	EC002714	E2EN1391B	4549734474009	#		GE	GEA	CHN	8536.5080.90
E2E-X8C218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	47.41	EC002714	E2EN1273H	4549734472821	#		GE	GEA	CHN	8536.5080.90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	47.41	EC002714	E2EN1291F	4549734473002	#		GE	GEA	CHN	8536.5080.90
E2E-X8C218 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	50.80	EC002714	E2EN1383A	4549734473927	#		GE	GEA	CHN	8536.5080.90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	50.80	EC002714	E2EN1392M	4549734474016	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	47.41	EC002714	E2EN1172C	4549734471817	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 10M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 10 m cable	60.90	EC002714	E2EN2650M	45497344710732	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	47.41	EC002714	E2EN0953B	4549734469623	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	50.80	EC002714	E2EN0956G	4549734469654	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	47.41	EC002714	E2EN0971M	4549734469807	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.80	EC002714	E2EN0371B	4549734463805	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN0383F	4549734463928	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1TJ 0.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	84.70	EC002714	E2EN0379H	4549734463881	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	67.80	EC002714	E2EN0387R	4549734463966	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	50.80	EC002714	E2EN1065D	4549734470742	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	54.20	EC002714	E2EN1068R	4549734470773	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1074C	4549734470834	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.80	EC002714	E2EN0477H	4549734464864	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.80	EC002714	E2EN0483B	4549734464925	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	67.80	EC002714	E2EN0487E	4549734464963	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	47.41	EC002714	E2EN0954M	4549734469630	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	47.41	EC002714	E2EN0972R	4549734469814	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	67.80	EC002714	E2EN0384D	4549734463935	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	50.80	EC002714	E2EN1075A	4549734470481	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB2L8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	67.80	EC002714	E2EN0484M	4549734464932	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	47.41	EC002714	E2EN1161H	4549734471701	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	56.50	EC002714	E2EN1173A	4549734471824	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.70	EC002714	E2EN1238M	4549734472470	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	47.41	EC002714	E2EN0711D	4549734467209	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	47.41	EC002714	E2EN0729G	4549734467384	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	50.80	EC002714	E2EN0823D	4549734468329	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	50.80	EC002714	E2EN0832C	4549734468411	#		GE	GEA	CHN	8536.5080.90
E2E-X8MC18 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	67.80	EC002714	E2EN0233C	4549734462426	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN0918D	4549734469272	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN0930C	4549734469395	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.40	EC002714	E2EN0926E	4549734469357	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	64.40	EC002714	E2EN1045M	4549734470544	#	10	GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.40	EC002714	E2EN1051D	4549734470605	#	25	GE	GEA	CHN	8536.5080.90
E2E-X9B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	64.40	EC002714	E2EN0919B	4549734469289	#		GE	GEA	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	53.05	EC002714	E2EN0931A	4549734469401	#		GE	GEA	CHN	8536.5080.90
E2E-X9C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, 2 m cable	50.80	EC002714	E2EN0676B	4549734466851	#		GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 connector	64.40	EC002714	E2EN0688F	4549734466974	#		GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 pigtail Smartclick connector, 0.3 m	81.35	EC002714	E2EN0684C	4549734466936	#	5	GE	GEA	CHN	8536.5080.90
E2EQ-X11D118 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	111.60	EC002714	E2E 8495G	4549734183673	#		GE	GEA	CHN	8536.5080.90
E2EQ-X11D118-M1TG-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	134.60	EC002714	E2E 8505H	4549734183772	#		GE	GEA	CHN	8536.5080.90
E2EQ-X11D118-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	112.80	EC002714	E2E 8501E	4549734183734	#		GE	GEA	CHN	8536.5080.90
E2EQ-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	112.80	EC002714	E2E 8502C	4549734183741	#		GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18 2M	Proximity sensor, inductive, Fluorescesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	110.60	EC002714	E2EQ7262R	4549734486163	#		GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluorescesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	110.60	EC002714	E2EQ7271H	4549734486255	#		GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-M1TG-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	177.90	EC002714	E2E 8511B	4549734183833	#		GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	157.10	EC002714	E2E 8513R	4549734183857	#		GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	157.10	EC002714	E2E 8514G	4549734183864	#		GE	GEA	CHN	8536.5080.90
E2EQ-X22B1T30-M1	Proximity sensor, inductive, Fluorescesin coating (base material: brass), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	145.50	EC002714	E2EQ7367F	4549734487214	#		GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X2B1T8-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	93.10	EC002714	E2EQ7084G	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	122.50	EC002714	E2E 8481G	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	99.70	EC002714	E2E 8477R	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	98.55	EC002714	E2E 8472H	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	99.70	EC002714	E2E 8478G	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X4B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	81.45	EC002714	E2EQ7163M	4549734485173			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	104.70	EC002714	E2EQ7175D	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	114.90	EC002714	E2E 8493M	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	97.10	EC002714	E2E 8489B	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	114.90	EC002714	E2E 8494R	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	97.10	EC002714	E2E 8490F	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	87.30	EC002714	E2EQ7259R	4549734486132			GE	GEA	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
E2E-X10D1-M1G	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, M12 konektör	136.00	EC002714	E2E 8822G	4549734744744			GE	GEC	CHN	8536.5080.90
E2E-X10D1-M1GJ-T 0.3M	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, no polarity, pigtail connector M12	162.80	EC002714	E2E 8788C	4549734744409			GE	GEC	CHN	8536.5080.90
E2E-X10D1-N 2M	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, 2m kablololu	96.10	EC002714	E2E 8710G	4549734743631	#		GE	GEC	CHN	8536.5080.90
E2E-X10MY1 2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablololu, NA, 2m kablololu	117.80	EC002714	E2E 7327M	4547648404723	#		GE	GEC	CHN	8536.5080.90
E2E-X10MY2 2M	Endüktif sensör, M18, çıkık kafa, 10mm, AC, 2 kablololu, NK, 2m kablololu	110.40	EC002714	E2E 7328R	4547648404730	#		GE	GEC	CHN	8536.5080.90
E2E-X10T1 2M	Proximity sensor, inductive, M30, shielded, 10 mm, AC/DC, 2-wire, NO, cable 2 m	105.30	EC002714	E2E 7549D	4547648406949			GE	GEC	CHN	8536.5080.90
E2E-X14MD1 2M	Endüktif sensör, M18, çıkık kafa, 14mm, DC, 2 kablololu, NA, 2m kablololu	78.10	EC002714	E2E 8740R	4549734743938	#		GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1G	Endüktif sensör, M18, çıkık kafa, 14mm, DC, 2 kablololu, NA, M12 konektör	90.30	EC002714	E2E 8828F	4549734744805	#		GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1GJ 0.3M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, Pig tail connector, M12	94.00	EC002714	E2E 8844H	4549734744966	#		GE	GEC	CHN	8536.5080.90
E2E-X18MY1 2M	Endüktif sensör, M30, çıkık kafa, 18mm, AC, 2 kablololu, NA, 2m kablololu	122.50	EC002714	E2E 7331R	4547648404761	#		GE	GEC	CHN	8536.5080.90
E2E-X20MD1 2M	Endüktif sensör, M30, çıkık kafa, 20mm, DC, 2 kablololu, NA, 2m kablololu	78.60	EC002714	E2E 8742E	4549734743952	#		GE	GEC	CHN	8536.5080.90
E2E-X20MD1-M1J 0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector M12	170.40	EC002714	E2E 8785R	4549734744379			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M12 konektör	98.10	EC002714	E2E 8802B	4549734744546	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1GJ 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	107.70	EC002714	E2E 8860M	4549734745123	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1J 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	150.90	EC002714	E2E 8863D	4549734745154	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M8 konektör	69.85	EC002714	E2E 8855C	4549734745079	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m kablololu	75.30	EC002714	E2E 8698D	4549734743518	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	85.00	EC002714	E2E 8699B	4549734743525	#	4	GE	GEC	CHN	8536.5080.90
E2E-X2D1-R 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m robotik kablololu	97.05	EC002714	E2E 8772G	4549734744249	#		GE	GEC	CHN	8536.5080.90
E2E-X2D2-M1G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NC, M12 Connector	64.30	EC002714	E2E 8803M	4549734744553			GE	GEC	CHN	8536.5080.90
E2E-X2D2-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, M8 4-pin konektör	69.85	EC002714	E2E 8856A	4549734745086	#		GE	GEC	CHN	8536.5080.90
E2E-X2D2-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, 2m kablololu	75.30	EC002714	E2E 8700M	4549734743532	#		GE	GEC	CHN	8536.5080.90
E2E-X2Y1 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, 2m kablololu	106.90	EC002714	E2E 7333E	4547648404785	#		GE	GEC	CHN	8536.5080.90
E2E-X2Y1-M1	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, M12 konektör	104.90	EC002714	E2E 7380G	4547648405256	#		GE	GEC	CHN	8536.5080.90
E2E-X2Y2 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NK, 2m kablololu	106.90	EC002714	E2E 7334C	4547648404792	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, M12 konektör	98.10	EC002714	E2E 8816B	4549734744683	#	50	GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	133.80	EC002714	E2E 8806E	4549734744584	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ-T 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	137.30	EC002714	E2E 8786G	4549734744386	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1J 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	159.00	EC002714	E2E 8780H	4549734744324	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, 2m kablololu	66.45	EC002714	E2E 8702F	4549734743556	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 5M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 5m cable	76.20	EC002714	E2E 8703D	4549734743563	#		GE	GEC	CHN	8536.5080.90
E2E-X3D2-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, M12 konektör	100.60	EC002714	E2E 8818R	4549734744706	#	36	GE	GEC	CHN	8536.5080.90
E2E-X3D2-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, 2m kablololu	65.50	EC002714	E2E 8704B	4549734743570	#		GE	GEC	CHN	8536.5080.90
E2E-X3T1 2M	Endüktif sensör, AC/DC 2 kablololu,	103.40	EC002714	E2E 7545A	4547648406901			GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M1G	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connector	98.30	EC002714	E2E 8804R	4549734744560	#		GE	GEC	CHN	8536.5080.90
E2E-X4MD2 2M	Proximity sensor, inductive, M8, non-shielded, 4 mm, DC, 2-wire, NO, cable 2 m	75.30	EC002714	E2E 8750F	4549734744034	#		GE	GEC	CHN	8536.5080.90
E2E-X5MY1 2M	Endüktif sensör, M12, çıkık kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	106.90	EC002714	E2E 7335A	4547648404808	#		GE	GEC	CHN	8536.5080.90
E2E-X5Y1 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	98.80	EC002714	E2E 7281R	4547648404266	#		GE	GEC	CHN	8536.5080.90
E2E-X5Y1-M1	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, M12 konektör	97.75	EC002714	E2E 7382C	4547648405270	#		GE	GEC	CHN	8536.5080.90
E2E-X5Y2 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NK, 2m kablololu	114.50	EC002714	E2E 7282G	4547648404273	#		GE	GEC	CHN	8536.5080.90
E2E-X5Y2-M1	Proximity Switch, AC	135.00	EC002714	E2E 7383A	4547648405287			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, pig-tail konektör	109.80	EC002714	E2E 8819G	4549734744713	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	86.95	EC002714	E2E 8807C	4549734744591	#	10	GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ-T 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	124.40	EC002714	E2E 8787E	4549734744393	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 2M	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NO	87.45	EC002714	E2E 8790E	4549734744423	#	15	GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 5M	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, 2m kablololu	70.75	EC002714	E2E 8706R	4549734743594	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	77.20	EC002714	E2E 8707G	4549734743600	#		GE	GEC	CHN	8536.5080.90
E2E-X7D2-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NK	80.70	EC002714	E2E 8821R	4549734744737			GE	GEC	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X7T1 2M	Endüktif sensör, piring-nikel, M18, düz kafa, 7mm, AC/DC, 2 kablolu, NA	123.40	EC002714	E2E 7547H	4547648406925			GE	GEC	CHN	8536.5080.90
E2E-X8MD1-M1G	Endüktif sensör, M12, çıkık kafa, 8mm, DC, 2 kablolu, NA, pig-tail konnektör	91.25	EC002714	E2E 8825A	4549734744775	#	18	GE	GEC	CHN	8536.5080.90
E2E-X7B4-M1TJ-IL3 0.3M	Endüktif sensör, M18, düz, 7mm, DC, 3-kablolu, PNP NO/NC seçilebilir (fabrika ayarları: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick kablolu 0.3m	67.75	EC002714	E2E 8288A	4548583786332			GE	GEC	CHN	8536.5080.90
E2E-C03N02-WC-B1 2M	Endüktif sensör, çap 3mm, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	112.40	EC002714	E2E 8074R	4548583405509	#		GE	GEC	CHN	8536.5080.90
E2E-C03SR8-CJ-B1 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO	85.75	EC002714	E2E 8070F	4548583405462	#		GE	GEC	CHN	8536.5080.90
E2E-C03SR8-WC-B1 2M	Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA	72.35	EC002714	E2E 8066H	4548583405424	#		GE	GEC	CHN	8536.5080.90
E2E-C03SR8-WC-C1 2M	Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA	72.35	EC002714	E2E 8068D	4548583405448	#		GE	GEC	CHN	8536.5080.90
E2E-C04N03-WC-B1 2M	Endüktif sensör, çap 4mm, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA	72.35	EC002714	E2E 8110R	4548583405868	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-CJ-B1 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	59.20	EC002714	E2E 8102H	4548583405783	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B1 2M	Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	46.17	EC002714	E2E 8098F	4548583405745	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B2 2M	Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK	46.17	EC002714	E2E 8099D	4548583405752	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-C1 2M	Endüktif sensör, çap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA	46.17	EC002714	E2E 8100A	4548583405769	#		GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-B1 2M	Endüktif sensör, çap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, PNP-NA	47.39	EC002714	E2E 8264D	4548583518780	#		GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-C1 2M	Endüktif sensör, çap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, NPN-NA	47.39	EC002714	E2E 8260A	4548583518742	#		GE	GEC	CHN	8536.5080.90
E2E-C06N04-WC-B1	Endüktif sensör, çap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, M8(3pin), PNP-NA	79.70	EC002714	E2E 8166D	4548583406421	#		GE	GEC	CHN	8536.5080.90
E2E-C06N04-WC-B1 2M	Endüktif sensör, çap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, 2m kablolu, PNP-NA	72.35	EC002714	E2E 8158C	4548583406346	#		GE	GEC	CHN	8536.5080.90
E2E-C06S02-MC-B1	Endüktif sensör, çap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, M8(3pin), PNP-NA	52.60	EC002714	E2E 8154M	4548583406308	#		GE	GEC	CHN	8536.5080.90
E2E-C06S02-WC-B1 2M	Endüktif sensör, çap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	46.17	EC002714	E2E 8146M	4548583406223	#		GE	GEC	CHN	8536.5080.90
E2E-S04N02-CJ-B1 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pig-Tail, PNP NO	125.40	EC002714	E2E 8094C	4548583405707	#		GE	GEC	CHN	8536.5080.90
E2E-S04N02-WC-B1 2M	Endüktif sensör, M4, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	112.40	EC002714	E2E 8090M	4548583405660	#		GE	GEC	CHN	8536.5080.90
E2E-S04SR8-CJ-B1 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO	85.75	EC002714	E2E 8086B	4548583405622	#		GE	GEC	CHN	8536.5080.90
E2E-S04SR8-WC-B1 2M	Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA	72.35	EC002714	E2E 8082M	4548583405585	#		GE	GEC	CHN	8536.5080.90
E2E-S04SR8-WC-C1 2M	Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA	72.35	EC002714	E2E 8084F	4548583405608	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-CJ-B1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO	85.75	EC002714	E2E 8138R	4548583406148	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-MC-B1	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, M8(3pin), PNP-NA	79.70	EC002714	E2E 8142G	4548583406186	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-B1 2M	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA	72.35	EC002714	E2E 8134F	4548583406100	#		GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-C1 2M	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA	72.35	EC002714	E2E 8136B	4548583406124	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-B1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	59.20	EC002714	E2E 8126E	4548583406025	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-B2 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NC	59.20	EC002714	E2E 8127C	4548583406032	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-C1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, NPN NO	59.20	EC002714	E2E 8128A	4548583406049	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B1	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NA	52.60	EC002714	E2E 8130C	4548583406063	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B2	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NK	52.60	EC002714	E2E 8131A	4548583406070	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C1	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), NPN-NA	52.60	EC002714	E2E 8132M	4548583406087	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C2	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), NPN-NK	52.60	EC002714	E2E 8133H	4548583406094	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	46.17	EC002714	E2E 8122B	4548583405981	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 5M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	52.50	EC002714	E2E 8206G	4548583498112	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B2 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK	46.17	EC002714	E2E 8123M	4548583405988	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C1 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA	46.17	EC002714	E2E 8124R	4548583406001	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NK	46.17	EC002714	E2E 8125G	4548583406018	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1TGJ-U 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC 2-wire no polarity, NO, M12 pig-tail 0.3m	154.80	EC002714	E2E 6130B	4547648625371			GE	GEC	CHN	8536.5080.90
E2E-X3D1-U 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablolu, NA, 2m kablolu PUR yağa dayanıklı	94.30	EC002714	E2E 7738A	4547648408837			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2F</b>											
E2FQ-X10F1	Endüktif sensör, PTFE gövde, kısa, M30, düz kafa, 10mm, DC, PNP-NA, 2m kablolu	253.90	EC002714	E2FQ1009M	4536853263355			GE	GED	JPN	8536.5080.90
E2FQ-X2F1	Endüktif sensör, PTFE gövde, kısa, M12, düz kafa, 2mm, 3 kablolu, DC, PNP-NA, 2m kablolu	208.90	EC002714	E2FQ1021M	4536853263461	#		GE	GED	JPN	8536.5080.90
E2FQ-X5F1	Endüktif sensör, PTFE gövde, kısa, M18, düz kafa, 5mm, 3 kablolu, DC, PNP-NA, 2m kablolu	193.20	EC002714	E2FQ1003A	4536853263300	#		GE	GED	JPN	8536.5080.90
E2F-X10F1 2M	Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC 3-wire, PNP-NO	111.30	EC002714	E2F 7108E	4547648321235			GE	GED	CHN	8536.5080.90
E2F-X2F1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable	108.60	EC002714	E2F 7104B	4547648321198	#		GE	GED	CHN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
E2K-X15ME1	Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	162.10	EC002715	E2KX1021M	4536853264352			GE	GEE	JPN	8536.5080.90
E2K-X15MF1	Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	162.10	EC002715	E2KX1073C	4536853264635	#		GE	GEE	JPN	8536.5080.90
E2K-X4ME1	Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	138.00	EC002715	E2KX1001F	4536853264253	#		GE	GEE	JPN	8536.5080.90
E2K-X4MF1	Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	138.00	EC002715	E2KX1061M	4536853264550	#		GE	GEE	JPN	8536.5080.90
E2K-X8ME1	Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	156.40	EC002715	E2KX1011C	4536853264307	#		GE	GEE	JPN	8536.5080.90
E2K-X8MF1	Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	156.40	EC002715	E2KX1067R	4536853264598	#		GE	GEE	JPN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2K-X8MF2	Kapasitif sensör,	156.40	EC002715	E2KX1070R	4536853264611	#		GE	GEE	JPN	8536.5080.90
E2K-C25ME1	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolü, NPN-NA, 2m kablolü	201.50	EC002715	E2K 5003B	4536853263683	#		GE	GEE	JPN	8536.5080.90
E2K-C25ME2	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolü, NPN-NK, 2m kablolü	205.50	EC002715	E2K 5005R	4536853263706	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF1	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolü, PNP-NA, 2m kablolü	201.50	EC002715	E2K 5004M	4536853263690	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF2	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolü, PNP-NK, 2m kablolü	201.50	EC002715	E2K 5006G	4536853263713	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1	Kapasitif sensör, yassı, çıkık kafa, 10mm, DC, 3 kablolü, NPN-NA, 2m kablolü	98.35	EC002715	E2KF1001A	4536853264048	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1-A 2M	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable	131.90	EC002715	E2KF1020H	4547648085656	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC2	Kapasitif sensör, yassı, çıkık kafa, 10mm, DC, 3 kablolü, NPN-NK, 2m kablolü	98.35	EC002715	E2KF1004F	4536853264079	#		GE	GEE	JPN	8536.5080.90
E2K-L13MC1 2M	Capacitive, Liquid level sensing, 8 to 11mm tube, NPN, 2m cable	243.00	EC002715	E2KF1015A	4536854711954	#		GE	GEE	JPN	8536.5080.90
E2K-L26MC1 2M	Capacitive, Liquid level sensing, 12 to 26mm tube, NPN	167.50	EC002715	E2KF1014C	4536854711947	#		GE	GEE	JPN	8536.5080.90
<b>İndüktif Proximity Sensör TL-TL-T/W</b>											
TL-W1R5MB1	Endüktif sensör, çıkık kafa, 1.5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	79.30	EC002714	TLW 1026H	4536854116407	#	5	GE	GEG	JPN	8536.5080.90
TL-W1R5MC1	Endüktif sensör, çıkık kafa, 1.5mm, DC, 3 kablolü, NPN-NA, 2m kablolü	70.55	EC002714	TLW 1014D	4536854116315	#	5	GE	GEG	JPN	8536.5080.90
TL-W3MB1 2M	Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolü, PNP-NA, 2m kablolü	63.15	EC002714	TLW 1024A	4536854116384	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MB1 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 5m cable	71.90	EC002714	TLW 1063B	4536854116735	#	3	GE	GEG	JPN	8536.5080.90
TL-W3MB1-R 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable	96.85	EC002714	TLW 1089F	4536854116995	#		GE	GEG	JPN	8536.5080.90
TL-W3MB2	Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolü, PNP-NK, 2m kablolü	118.90	EC002714	TLW 1059D	4536854116698	#	5	GE	GEG	JPN	8536.5080.90
TL-W3MC1 2M	Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolü, NPN-NA, 2m kablolü	63.65	EC002714	TLW 1012H	4536854116292	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MC2 2M	Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolü, NPN-NK, 2m kablolü	64.60	EC002714	TLW 1019E	4536854116353	#	5	GE	GEG	CHN	8536.5080.90
TL-W5E1	Endüktif sensör, düz kafa, 5mm, DC, 3 kablolü, NPN-NA, 2m kablolü	110.40	EC002714	TLW 1001B	4536854116186	#		GE	GEG	JPN	8536.5080.90
TL-W5F1	Endüktif sensör, düz kafa, 5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	110.40	EC002714	TLW 1003R	4536854116209	#		GE	GEG	JPN	8536.5080.90
TL-W5F1 5M	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	109.80	EC002714	TLW 1004G	4536854116216	#		GE	GEG	JPN	8536.5080.90
TL-W5F2	Endüktif sensör, düz kafa, 5mm, DC, 3 kablolü, PNP-NK, 2m kablolü	114.40	EC002714	TLW 1007A	4536854116247	#		GE	GEG	JPN	8536.5080.90
TL-W5MB1 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	51.20	EC002714	TLW 1025M	4536854116391	#		GE	GEG	CHN	8536.5080.90
TL-W5MB1 5M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	55.95	EC002714	TLW 1095M	4536854117053	#		GE	GEG	CHN	8536.5080.90
TL-W5MB1-MSJ 0.26M	Proximity sensor, inductive, non-shielded, 5 mm, DC, 3-wire, PNP-NO, 0.26 m cable with M8 3-pin connector	62.45	EC002714	TLW 7028G	4547648331982	#		GE	GEG	CHN	8536.5080.90
TL-W5MB2 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NK, 2m kablolü	52.15	EC002714	TLW 1125F	4536854647376	#		GE	GEG	CHN	8536.5080.90
TL-W5MC1 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolü, NPN-NA, 2m kablolü	50.20	EC002714	TLW 1009H	4536854116261	#		GE	GEG	CHN	8536.5080.90
TL-W5MC2 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolü, NPN-NK, 2m kablolü	51.70	EC002714	TLW 1029B	4536854116438	#		GE	GEG	CHN	8536.5080.90
TL-W5MD1 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 2 kablolü, DC, NA, 2m kablolü	78.00	EC002714	TLW 1043H	4536854116537	#		GE	GEG	CHN	8536.5080.90
TL-W5MD2 2M	Endüktif sensör, çıkık kafa, 5mm, DC, 2 kablolü, DC, NK, 2m kablolü	78.00	EC002714	TLW 1047M	4536854116575	#		GE	GEG	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2Q</b>											
E2Q6-N20E3-H	Endüktif sensör, kare gövde, düz kafa, 20mm, NPN-NA/NK, M20 kablo kanalı	102.80	EC002714	E2Q69007F	4549734708265	#		GE	GEH	VNM	8536.5080.90
E2Q6-N20F3-H	Endüktif sensör, kare gövde, düz kafa, 20mm, PNP-NA/NK, M20 kablo kanalı	102.80	EC002714	E2Q69006H	4549734708258	#		GE	GEH	VNM	8536.5080.90
E2Q6-N30ME3-H	Endüktif sensör, kare gövde, çıkık kafa, 30mm, NPN-NA/NK, M20 kablo kanalı	107.00	EC002714	E2Q69005M	4549734708241	#		GE	GEH	VNM	8536.5080.90
E2Q6-N30MF3-H	Endüktif sensör, kare gövde, çıkık kafa, 30mm, PNP-NA/NK, M20 kablo kanalı	108.70	EC002714	E2Q69004A	4549734708234	#		GE	GEH	VNM	8536.5080.90
E2Q5-N20E1-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, NPN, NA	73.10	EC002714	E2Q59009H	4549734724609	#		GE	GEH	VNM	8536.5080.90
E2Q5-N20E3-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, NPN, NA & NK	80.40	EC002714	E2Q59010A	4549734724616	#		GE	GEH	VNM	8536.5080.90
E2Q5-N20F1-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA	73.10	EC002714	E2Q59011M	4549734724623	#		GE	GEH	VNM	8536.5080.90
E2Q5-N20F3-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA & NK	80.40	EC002714	E2Q59012H	4549734724630	#		GE	GEH	VNM	8536.5080.90
E2Q5-N40ME1-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, NPN, NA	74.80	EC002714	E2Q59013F	4549734724647	#		GE	GEH	VNM	8536.5080.90
E2Q5-N40ME3-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, NPN, NA & NK	82.85	EC002714	E2Q59014D	4549734724654	#		GE	GEH	VNM	8536.5080.90
E2Q5-N40MF1-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA	75.75	EC002714	E2Q59015B	4549734724661	#		GE	GEH	VNM	8536.5080.90
E2Q5-N40MF3-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA & NK	82.85	EC002714	E2Q59016M	4549734724678	#		GE	GEH	VNM	8536.5080.90
<b>İndüktif Proximity Sensör E2A</b>											
E2A-M12KN05-WP-B1-TP 5M	Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, for Tetra Pack	46.13	EC002714	E2A 7280F	4547648340564	#		GE	GEI	CHN	8536.5080.90
E2A-M12K504-M1-B1-4	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in, gold-plated pins	68.40	EC002714	E2A 7387M	454858333871	#		GE	GEI	CHN	8536.5080.90
E2A-M12LN05-M1-B1-TP	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, M12 connector, including washer	69.35	EC002714	E2A 7398E	4548583722873	#		GE	GEI	CHN	8536.5080.90
E2A-M12LN05-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, 5m prewired, including washer	59.00	EC002714	E2A 7281D	4547648340571	#		GE	GEI	CHN	8536.5080.90
E2A-M18K505-WP-B1-TP 6M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 6m prewired, including washer	85.95	EC002714	E2A 7303R	4547648424684	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 4-pin konektör	78.10	EC002714	E2A 7464G	4548583723535	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M12 konektör	58.30	EC002714	E2A 7220B	4547648162456	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, M12 konektör	53.40	EC002714	E2A 7221M	4547648162463	#		GE	GEI	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08KN04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konnektör	58.30	EC002714	E2A 7196F	4547648149266	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konnektör	78.10	EC002714	E2A 7465E	4548583723542	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konnektör	69.20	EC002714	E2A 7197D	4547648149273	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, M8 konnektör	53.40	EC002714	E2A 7223G	4547648162487	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, 2m kablolü	46.13	EC002714	E2A 7198B	4547648149280	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	55.00	EC002714	E2A 7226A	4547648162500	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, 2m kablolü	53.40	EC002714	E2A 7227M	4547648162517	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, 2m kablolü	46.13	EC002714	E2A 7229F	4547648162531	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolü, PNP-NA, M12 konnektör	55.35	EC002714	E2A 7338A	4547648525015	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konnektör	49.68	EC002714	E2A 7199M	4547648149297	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NC, M8 konnektör	49.68	EC002714	E2A 7233D	4547648162579	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M12 konnektör	49.68	EC002714	E2A 7234B	4547648162586	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konnektör (4-pin)	57.50	EC002714	E2A 7322E	4547648475044	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	58.45	EC002714	E2A 7339M	4547648525022	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konnektör (3-pin)	57.50	EC002714	E2A 7236F	4547648162609	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M8 konnektör (3-pin)	55.35	EC002714	E2A 7237G	4547648162616	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M8 konnektör (3-pin)	57.50	EC002714	E2A 7200H	4547648149303	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (3 pin)	57.50	EC002714	E2A 7238E	4547648162623	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	39.04	EC002714	E2A 7239C	4547648162630	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	39.04	EC002714	E2A 7240C	4547648162647	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, 2m kablolü	39.04	EC002714	E2A 7241E	4547648162654	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	39.04	EC002714	E2A 7201F	4547648149327	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	55.00	EC002714	E2A 7243A	4547648162678	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NK, 2m kablolü	39.04	EC002714	E2A 7244M	4547648162685	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolü, NA, 2m kablolü	56.10	EC002714	E2A 7402G	4548583722910	#		GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M12 konnektör	68.05	EC002714	E2A 7202D	4547648149334	#		GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	97.75	EC002714	E2A 7602M	4548583724914	#		GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konnektör(3-pin)	58.30	EC002714	E2A 7249M	4547648162739	#		GE	GEI	CHN	8536.5080.90
E2A-S08LN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, 2m kablolü	55.35	EC002714	E2A 7252M	4547648162760	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS01-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1 mm, DC, PNP NO, 3-wire, M12 plug-in connector	65.95	EC002714	E2A 7520A	4548583724099	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konnektör	55.35	EC002714	E2A 7259H	4547648162838	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M12 konnektör	60.35	EC002714	E2A 7260A	4547648162845	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M12 konnektör	55.35	EC002714	E2A 7205R	4547648149365	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	47.71	EC002714	E2A 7340C	4547648525039	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M3-B3	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 4 kablolü, PNP-NA+NK, M8 4pin konnektör	131.90	EC002714	E2A 7601A	4548583724907	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konnektör (3-pin)	57.50	EC002714	E2A 7206G	4547648149372	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M8 konnektör (3-pin)	56.10	EC002714	E2A 7262H	4547648162869	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M8 konnektör (3-pin)	57.50	EC002714	E2A 7263F	4547648162876	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	51.90	EC002714	E2A 7207E	4547648149389	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	55.00	EC002714	E2A 7265B	4547648162890	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, 2m kablolü	51.90	EC002714	E2A 7266M	4547648162906	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	51.90	EC002714	E2A 7268G	4547648162920	#		GE	GEI	CHN	8536.5080.90
E2A-S12KN08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	61.15	EC002714	E2A 7382R	4548583130456	#		GE	GEI	CHN	8536.5080.90
E2A-S12KN08-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, 2m kablolü	68.05	EC002714	E2A 7318G	4547648475082	#		GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	52.05	EC002714	E2A 7368C	4548583020894	#		GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	52.05	EC002714	E2A 7440M	4548583723290	#		GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konnektör	94.10	EC002714	E2A 7394B	4548583722835	#		GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, PNP-NA, M8 konnektör (3-pin)	102.90	EC002714	E2A 7422A	4548583723115	#		GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	50.30	EC002714	E2A 7367E	4548583004917	#		GE	GEI	CHN	8536.5080.90
E2A-S12LS04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	68.15	EC002714	E2A 7403E	4548583722927	#		GE	GEI	CHN	8536.5080.90
E2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	94.80	EC002714	E2A 7155R	4547648048613	#		GE	GEI	CHN	8536.5080.90
E2A-S18KS08-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konnektör	78.10	EC002714	E2A 7154M	4547648048606	#		GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	108.80	EC002714	E2A 7409D	4548583722989	#		GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	88.95	EC002714	E2A 7404C	4548583722934	#		GE	GEI	CHN	8536.5080.90
E2A-S18LS08-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konnektör	94.10	EC002714	E2A 7405A	4548583722941	#		GE	GEI	CHN	8536.5080.90
E2A-S30KS15-M1-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in	103.50	EC002714	E2A 7156G	4547648048620	#		GE	GEI	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2B</b>											
E2B-M12KN05-M1-B1	Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, M12 konnektör	10.65	EC002714	E2B 2128H	4548583549517	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-M1-B2	Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NK, M12 konnektör	10.95	EC002714	E2B 2130M	4548583549531	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-B1 2M	Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	10.26	EC002714	E2B 2120B	4548583549432	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-C1 2M	Endüktif sensör, piring-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolü, NPN-NA, 2m kablolü	10.26	EC002714	E2B 2124E	4548583549470	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M12KN08-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	12.59	EC002714	E2B 2176H	4548583549999	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1-20	Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	237.80	EC002714	E2B 7724M	4548583879317	#		GE	GEJ	CHN	8536.5080.90
E2B-M12KN08-M1-B2	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	12.59	EC002714	E2B 2178D	4548583550018	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C1	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	12.59	EC002714	E2B 2177F	4548583550001	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C2	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	12.59	EC002714	E2B 2179B	4548583550025	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	12.59	EC002714	E2B 2168G	4548583549913	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	14.92	EC002714	E2B 2169E	4548583549920	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	12.59	EC002714	E2B 2170R	4548583549937	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	12.59	EC002714	E2B 2172E	4548583549951	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	12.59	EC002714	E2B 2174A	4548583549975	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	10.83	EC002714	E2B 2104M	4548583549272	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-M1-B2	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	10.26	EC002714	E2B 2106G	4548583549296	#	40	GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	10.26	EC002714	E2B 2096F	4548583549197	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-WP-C1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	10.26	EC002714	E2B 2100H	4548583549234	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	12.59	EC002714	E2B 2152M	4548583549753	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12KS04-M1-B1 OMS 'den 20 adet)	237.80	EC002714	E2B 7587F	4548583552487	#		GE	GEJ	CHN	8536.5080.90
E2B-M12KS04-M1-B2	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	12.59	EC002714	E2B 2154G	4548583549777	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-C1	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	12.59	EC002714	E2B 2153R	4548583549760	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-C2	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	12.59	EC002714	E2B 2155E	4548583549784	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	12.59	EC002714	E2B 2144M	4548583549678	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	14.92	EC002714	E2B 2145H	4548583549685	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	12.59	EC002714	E2B 2146F	4548583549692	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B2 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 5m cable	14.92	EC002714	E2B 2147D	4548583549708	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-C1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	12.59	EC002714	E2B 2148B	4548583549715	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-C2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	12.59	EC002714	E2B 2150D	4548583549739	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN05-M1-B1	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	10.26	EC002714	E2B 2140G	4548583549630	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-B1	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	12.59	EC002714	E2B 2188A	4548583550117	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-B2	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	12.59	EC002714	E2B 2190C	4548583550131	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-C1	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	12.59	EC002714	E2B 2189M	4548583550124	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-C2	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	12.59	EC002714	E2B 2191A	4548583550148	#	20	GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-B1 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	12.59	EC002714	E2B 2180F	4548583550032	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-B2 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	12.59	EC002714	E2B 2182B	4548583550056	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-C1 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	12.59	EC002714	E2B 2184R	4548583550070	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-C2 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, çikık kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	12.59	EC002714	E2B 2186E	4548583550094	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS02-M1-B1	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	10.26	EC002714	E2B 2116D	4548583549395	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-B1	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	12.59	EC002714	E2B 2164D	4548583549876	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12LS04-M1-B1 OMS 'den 20 adet)	237.80	EC002714	E2B 7588D	4548583552494	#		GE	GEJ	CHN	8536.5080.90
E2B-M12LS04-M1-B2	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	12.59	EC002714	E2B 2166M	4548583549890	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C1	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	12.59	EC002714	E2B 2165B	4548583549883	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C2	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	12.59	EC002714	E2B 2167R	4548583549906	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B1 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	12.59	EC002714	E2B 2156C	4548583549791	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m Prewired	14.92	EC002714	E2B 2157A	4548583549807	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B2 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	12.59	EC002714	E2B 2158M	4548583549814	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C1 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	12.59	EC002714	E2B 2160A	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C2 2M	Endüktif sensör, piriç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	12.59	EC002714	E2B 2162H	4548583549852	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 10mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	15.81	EC002714	E2B 2296R	4548583551190	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	18.45	EC002714	E2B 2344B	4548583551671	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1-20	Multi-pack E2B-M18KN16-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	329.20	EC002714	E2B 7726G	4548583879331	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KN16-M1-B2	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	18.45	EC002714	E2B 2346F	4548583551695	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C1	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	18.45	EC002714	E2B 2345M	4548583551688	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	18.45	EC002714	E2B 2336A	4548583551596	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	18.45	EC002714	E2B 2338H	4548583551619	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, çikık kafa, 16mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	18.45	EC002714	E2B 2340M	4548583551633	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	15.81	EC002714	E2B 2272A	4548583550957	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	15.81	EC002714	E2B 2192M	4548583550155	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-WP-C1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	15.81	EC002714	E2B 2196B	4548583550193	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B1	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	18.45	EC002714	E2B 2320E	4548583551435	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M18KS08-M1-B1 OMS 'den 20 adet)	329.20	EC002714	E2B 7589B	4548583552500	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KS08-M1-B2	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	18.45	EC002714	E2B 2322A	4548583551559	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-C1	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	18.45	EC002714	E2B 2321C	4548583551442	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	18.45	EC002714	E2B 2312D	4548583551350	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	21.06	EC002714	E2B 2313B	4548583551367	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B2 2M	Endüktif sensör, piriç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	18.45	EC002714	E2B 2314M	4548583551374	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M18KS08-WP-C1 2M	Endüktif sensör, piring-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	18.45	EC002714	E2B 2316G	4548583551398	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-C2 2M	Endüktif sensör, piring-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	18.45	EC002714	E2B 2318C	4548583551411	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B1	Endüktif sensör, piring-nikel, uzun gövde, M18, çikik kafa, 16mm, DC, 3 kablolu, PNP-NA, M12 konnektör	18.45	EC002714	E2B 2356F	4548583551794	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B2	Endüktif sensör, piring-nikel, uzun gövde, M18, çikik kafa, 16mm, DC, 3 kablolu, PNP-NK, M12 konnektör	18.45	EC002714	E2B 2358B	4548583551817	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-WP-B1 2M	Endüktif sensör, piring-nikel, uzun gövde, M18, çikik kafa, 16mm, DC, 3 kablolu, PNP-NA, 2m kablolu	18.45	EC002714	E2B 2348E	4548583551718	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS05-M1-B1	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konnektör	15.81	EC002714	E2B 2284E	4548583551077	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B1	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konnektör	18.45	EC002714	E2B 2332R	4548583551558	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B2	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konnektör	18.45	EC002714	E2B 2334E	4548583551572	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-C1	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konnektör	18.45	EC002714	E2B 2333G	4548583551565	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-C2	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konnektör	18.45	EC002714	E2B 2335C	4548583551589	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B1 2M	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	18.45	EC002714	E2B 2324H	4548583551473	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired	21.06	EC002714	E2B 2325F	4548583551487	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B2 2M	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu	18.45	EC002714	E2B 2326D	4548583551490	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-C1 2M	Endüktif sensör, piring-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	18.45	EC002714	E2B 2328M	4548583551510	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-M1-B1	Endüktif sensör, piring-nikel, kısa gövde, M30, çikik kafa, 20mm, DC, 3 kablolu, PNP-NA, M12 konnektör	21.74	EC002714	E2B 2220R	4548583550438	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-B1 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, çikik kafa, 20mm, DC, 3 kablolu, PNP-NA, 2m kablolu	21.74	EC002714	E2B 2212H	4548583550353	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-M1-B1	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konnektör	21.74	EC002714	E2B 2368M	4548583551916	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-WP-B1 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, 2m kablolu	21.74	EC002714	E2B 2360D	4548583551831	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B1	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konnektör	24.65	EC002714	E2B 2244F	4548583550674	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B2	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konnektör	24.65	EC002714	E2B 2246B	4548583550698	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-C1	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, M12 konnektör	24.65	EC002714	E2B 2245D	4548583550681	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	24.65	EC002714	E2B 2236E	4548583550599	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 5m cable	27.64	EC002714	E2B 2237C	4548583550605	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B2 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	24.65	EC002714	E2B 2238A	4548583550612	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C1 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	24.65	EC002714	E2B 2240C	4548583550636	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN20-WP-B1 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, çikik kafa, 20mm, DC, 3 kablolu, PNP-NA, 2m kablolu	21.74	EC002714	E2B 2224A	4548583550476	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B1	Endüktif sensör, piring-nikel, kısa gövde, M30, çikik kafa, 30mm, DC, 3 kablolu, PNP-NA, M12 konnektör	24.65	EC002714	E2B 2268C	4548583550919	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B2	Endüktif sensör, piring-nikel, kısa gövde, M30, çikik kafa, 30mm, DC, 3 kablolu, PNP-NK, M12 konnektör	24.65	EC002714	E2B 2270E	4548583550933	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-B1 2M	Endüktif sensör, piring-nikel, kısa gövde, M30, çikik kafa, 30mm, DC, 3 kablolu, PNP-NA, 2m kablolu	24.65	EC002714	E2B 2260H	4548583550834	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-M1-B1	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konnektör	24.65	EC002714	E2B 2256M	4548583550797	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-M1-B2	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konnektör	24.65	EC002714	E2B 2258F	4548583550810	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-B1 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	24.65	EC002714	E2B 2248R	4548583550711	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-B2 2M	Endüktif sensör, piring-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	24.65	EC002714	E2B 2250M	4548583550735	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	12.59	EC002714	E2B 2032M	4548583548558	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	12.59	EC002714	E2B 2024R	4548583548473	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör	14.92	EC002714	E2B 2080M	4548583549036	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör	14.92	EC002714	E2B 2082F	4548583549050	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konnektör	14.92	EC002714	E2B 2081H	4548583549043	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	14.92	EC002714	E2B 2072R	4548583548954	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	17.27	EC002714	E2B 2073G	4548583548961	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	14.92	EC002714	E2B 2074E	4548583548978	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	14.92	EC002714	E2B 2076A	4548583548992	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör	12.59	EC002714	E2B 2008G	4548583548312	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, 2m kablolu	12.59	EC002714	E2B 2000A	4548583548237	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	14.92	EC002714	E2B 2056G	4548583548794	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B1-20	Endüktif sensör, Çoklu paket (E2B-S08KS02-MC-B1 OMS 'den 20 adet)	296.60	EC002714	E2B 7586H	4548583552470	#		GE	GEJ	CHN	8536.5080.90
E2B-S08KS02-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör	14.92	EC002714	E2B 2058C	4548583548817	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör	14.92	EC002714	E2B 2057E	4548583548800	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konnektör	14.92	EC002714	E2B 2059A	4548583548824	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	14.92	EC002714	E2B 2048F	4548583548718	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable	17.27	EC002714	E2B 2049D	4548583548725	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	14.92	EC002714	E2B 2050H	4548583548732	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	14.92	EC002714	E2B 2052D	4548583548756	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	14.92	EC002714	E2B 2054M	4548583548770	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör	14.92	EC002714	E2B 2092C	4548583549159	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör	14.92	EC002714	E2B 2094M	4548583549173	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	14.92	EC002714	E2B 2084B	4548583549074	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	14.92	EC002714	E2B 2088E	4548583549111	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS01-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör	12.59	EC002714	E2B 2020F	4548583548435	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	14.92	EC002714	E2B 2068M	4548583548916	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör	14.92	EC002714	E2B 2070B	4548583548930	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör	14.92	EC002714	E2B 2069R	4548583548923	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-C2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konnektör	14.92	EC002714	E2B 2071M	4548583548947	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-S08LS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	14.92	EC002714	E2B 2060E	4548583548831	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired	17.27	EC002714	E2B 2061C	4548583548848			GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, 2m kablolü	14.92	EC002714	E2B 2062A	4548583548855	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	14.92	EC002714	E2B 2064H	4548583548879	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NK, 2m kablolü	14.92	EC002714	E2B 2066D	4548583548893			GE	GEJ	IDN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
E2E2-X10MY1 2M	Endüktif sensör, uzun gövde, M18, çıkık kafa, 10mm, NA, AC, 2 kablolü, 2m kablolü	100.70	EC002714	E2E27103M	4547648310109			GE	GEX	CHN	8536.5080.90
E2E2-X2Y1 2M	Proximity sensor, long body, M12, shielded, 2mm, NO, AC, 2-wire, 2m cable	83.30	EC002714	E2E27100E	4547648310079			GE	GEX	CHN	8536.5080.90
E2E2-X5MY1 2M	Proximity sensor, long body, M12, non shielded, 5 mm, NO, AC, 2-wire, 2 m cable	84.90	EC002714	E2E27097A	4547648310048			GE	GEX	CHN	8536.5080.90
E2E2-X5Y1 2M	Endüktif sensör, uzun gövde, M18, düz kafa, 5mm, NA, AC, 2 kablolü, 2m kablolü	100.70	EC002714	E2E27106D	4547648310130	#		GE	GEX	CHN	8536.5080.90
E2EC-C3D1	Endüktif sensör,	226.30	EC002714	E2EC1032R	4536853257590	#		GE	GEX	JPN	8536.5080.90
E2EC-C3D1-M1J-1	Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable	322.90	EC002714	E2EC1105H	4536854887864	#		GE	GEX	JPN	8536.5080.90
E2EC-C3D1-M1TJ-1 0.3M	Ń	372.10	EC002714	E2EC1114G	4547648497350			GE	GEX	JPN	8536.5080.90
E2EC-C1R5D1	Endüktif sensör, çap 5.4mm, düz kafa, 1.5mm, DC, 2 kablolü, NA, 2m kablolü	219.50	EC002714	E2EC1024H	4536853257514	#		GE	GEX	JPN	8536.5080.90
E2EC-CR8D1	Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 2 kablolü, NA, 2m kablolü	230.40	EC002714	E2EC1016G	4536853257439	#		GE	GEX	JPN	8536.5080.90
E2S-Q11 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolü DC, NA, 1m kablolü	50.00	EC002714	E2S 7001G	4536854841552			GE	GEX	CHN	8536.5080.90
E2S-Q15 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolü	53.20	EC002714	E2S 7011D	4536854841651	#		GE	GEX	CHN	8536.5080.90
E2S-Q21 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolü DC, NA, 1m kablolü	53.20	EC002714	E2S 7014R	4536854841682	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q22 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolü DC, NK, 1m kablolü	58.35	EC002714	E2S 7019M	4536854841736			GE	GEX	CHN	8536.5080.90
E2S-Q23 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolü	57.85	EC002714	E2S 7022M	4536854841767	#		GE	GEX	CHN	8536.5080.90
E2S-Q25 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolü	57.85	EC002714	E2S 7025D	4536854841798	#	10	GE	GEX	CHN	8536.5080.90
E2S-Q25 2M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 2m kablolü	63.45	EC002714	E2S 7086F	4547648285933	#		GE	GEX	CHN	8536.5080.90
E2S-W11 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolü DC, NA, 1m kablolü	53.20	EC002714	E2S 7029G	4536854841835	#		GE	GEX	CHN	8536.5080.90
E2S-W13 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, NPN, NA, 1m kablolü	53.20	EC002714	E2S 7033E	4536854841873	#		GE	GEX	CHN	8536.5080.90
E2S-W15 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolü	75.60	EC002714	E2S 7038F	4536854841927	#	10	GE	GEX	CHN	8536.5080.90
E2S-W16 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NK, 1m kablolü	53.20	EC002714	E2S 7040H	4536854841941			GE	GEX	CHN	8536.5080.90
E2S-W21 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolü DC, NA, 1m kablolü	50.00	EC002714	E2S 7041F	4536854841958	#	10	GE	GEX	CHN	8536.5080.90
E2S-W22 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolü DC, NK, 1m kablolü	53.20	EC002714	E2S 7046G	4536854842009	#	10	GE	GEX	CHN	8536.5080.90
E2S-W23 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolü	57.85	EC002714	E2S 7051C	4536854842054	#	10	GE	GEX	CHN	8536.5080.90
E2S-W24 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NK, 1m kablolü	58.35	EC002714	E2S 7056D	4536854842108			GE	GEX	CHN	8536.5080.90
E2S-W25 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolü	57.85	EC002714	E2S 7058M	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
E2S-W26 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NK, 1m kablolü	49.55	EC002714	E2S 7060B	4536854842146	#		GE	GEX	CHN	8536.5080.90
TL-N10ME1 2M	Endüktif sensör, 10mm, çıkık kafa, NPN/NA 2m kablolü	111.20	EC002714	TLNN1251M	4536854478543	#		GE	GEX	CHN	8536.5080.90
TL-N20MD1-M1GJ 0.3M	Proximity sensor, inductive, square heads, 30 cm pig-tail connector	221.10	EC002714	TLNN1237E	4536854113536			GE	GEX	JPN	8536.5080.90
TL-N20ME1 2M	Inductive proximity sensor, 20 mm, unshielded, NPN/NO, 2 m cable	139.80	EC002714	TLNN1252R	4536854478550			GE	GEX	CHN	8536.5080.90
TL-N7MD1 2M	Endüktif sensör,	164.20	EC002714	TLNN1255C	4536854478581			GE	GEX	CHN	8536.5080.90
TL-N7MD2 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NC, different frequency, 2 m cable	151.20	EC002714	TLNN1211A	4536854113284			GE	GEX	JPN	8536.5080.90
TL-Q5MB1 2M	Endüktif sensör, 5mm, PNP, NA, 2m kablolü	85.25	EC002714	TLQ 2035M	4536854115127	#		GE	GEX	JPN	8536.5080.90
TL-Q5MC1 2M	Endüktif sensör, 5mm, NPN, NA	73.75	EC002714	TLQ 2001E	4536854114854	#		GE	GEX	CHN	8536.5080.90
TL-Q5MC15	Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable	49.55	EC002714	TLQ 2034A	4536854115110			GE	GEX	JPN	8536.5080.90
TL-Q5MC2 2M	Endüktif sensör, 5mm, NPN, NK	34.85	EC002714	TLQ 2006F	4536854114885	#		GE	GEX	CHN	8536.5080.90
TL-Q5MD1 2M	Endüktif sensör, 5mm, DC, 2 kablolü, NA	74.60	EC002714	TLQ 2020A	4536854114991			GE	GEX	CHN	8536.5080.90
E2FM-X10B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable	181.30	EC002714	E2FM0019D	4547648325851			GE	GEX	JPN	8536.5015.90
E2FM-X1R5B1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, PNP-NA, 2m kablolü	160.70	EC002714	E2FM0031C	4547648348669			GE	GEX	JPN	8536.5015.90
E2FM-X1R5B1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, PNP-NA, M12 konnektör	150.80	EC002714	E2FM0008R	4547648228398			GE	GEX	JPN	8536.5015.90
E2FM-X1R5C1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, NPN-NA, M12 konnektör	190.00	EC002714	E2FM0036D	4547648348713			GE	GEX	JPN	8536.5015.90
E2FM-X1R5D1 2M	Endüktif sensör,	173.00	EC002714	E2FM0013E	4547648325790			GE	GEX	JPN	8536.5015.90
E2FM-X1R5D1-M1TGT 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 2-wire, NO, M12 with 0.3m pigtail	197.20	EC002714	E2FM0069M	4547648525176			GE	GEX	JPN	8536.5015.90
E2FM-X2B1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konnektör	113.50	EC002714	E2FM0009G	4547648228404	#		GE	GEX	JPN	8536.5015.90
E2FM-X2D1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M12, düz kafa, 2mm, DC, 2 kablolü, NA, 2m kablolü	155.20	EC002714	E2FM0014C	4547648325806			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-M1TGT 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail	206.00	EC002714	E2FM0065H	4547648490818			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-M1TGT-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail (no polarity)	189.70	EC002714	E2FM0066F	4547648490825			GE	GEX	JPN	8536.5015.90
E2FM-XS81 2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2 m cable	174.40	EC002714	E2FM0018F	4547648325844			GE	GEX	JPN	8536.5015.90
E2FM-XS81-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolü, PNP-NA, M12 konnektör	128.00	EC002714	E2FM0010M	4547648228411	#		GE	GEX	JPN	8536.5015.90
E2FM-XS81 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M18, düz kafa, 5mm, DC, 2 kablolü, NA, 2m kablolü	174.40	EC002714	E2FM0015A	4547648325813			GE	GEX	JPN	8536.5015.90
E2EH-X12B1 2M	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, 2m kablolü	153.80	EC002714	E2EH7019G	4547648628662	#		GE	GEX	CHN	8536.5080.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EH-X12B1-M1	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, M12 konnektör	225.70	EC002714	E2EH7020M	4547648628679			GE	GEX	CHN	8536.5080.90
E2EH-X3B1 2M	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, 2m kablolu	80.20	EC002714	E2EH7002B	4547648628495	#		GE	GEX	CHN	8536.5080.90
E2EH-X3B1-M1	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, kablolu, M12 konnektör	138.00	EC002714	E2EH7003M	4547648628501	#		GE	GEX	CHN	8536.5080.90
E2EH-X3D1-M1G	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör	116.20	EC002714	E2EH7013H	4547648628600			GE	GEX	CHN	8536.5080.90
E2EH-X7B1 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, 2m kablolu	153.40	EC002714	E2EH7034M	4547648628815	#		GE	GEX	CHN	8536.5080.90
E2EH-X7B1-M1	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, M12 konnektör	155.80	EC002714	E2EH7036G	4547648628839	#		GE	GEX	CHN	8536.5080.90
E2EH-X7B2 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NK, 2m kablolu	97.70	EC002714	E2EH7037E	4547648628846			GE	GEX	CHN	8536.5080.90
E2EH-X7D1 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, NA, 2m kablolu	80.20	EC002714	E2EH7046D	4547648628938			GE	GEX	CHN	8536.5080.90
E2EH-X7D1-M1G	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konnektör	130.60	EC002714	E2EH7047B	4547648628945	#		GE	GEX	CHN	8536.5080.90
E2EH-X7D1-T	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, kutupsuz, NA, 2m kablolu	94.45	EC002714	E2EH7049R	4547648628969			GE	GEX	CHN	8536.5080.90
E2EW-QX7B1T12-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	163.10	EC002714	E2EW0460H	4549734528689			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	169.70	EC002714	E2EW0204D	4549734526128			GE	GEX	CHN	8536.5080.90
E2EW-X7B1T12-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	143.50	EC002714	E2EW0076R	4549734524841			GE	GEX	CHN	8536.5080.90
E2K-X15MY1	Kapasitif sensör, M30, çıkık kafa, 15mm, AC, 2 kablolu, NA, 2m kablolu	83.20	EC002715	E2KX1051B	4536853264505			GE	GEX	JPN	8536.5080.90
E2K-X15MY2	Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NC, 2m cable	87.20	EC002715	E2KX1056C	4536853264536			GE	GEX	JPN	8536.5080.90
E2K-C25MY1	Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, AC, 2 kablolu, NA, 2m kablolu	174.40	EC002715	E2K 5001F	4536853263669	#		GE	GEX	JPN	8536.5080.90
GLS-1	Magnetik endüktif sensör, sensör & mknatis set	24.57	EC002544	GLS 1019M	4549734511469	#	10	GE	GEX	JPN	9031.9000.00
GLS-M1	Magnetik endüktif sensör, mknatis, GLS-1 için	10.92	EC003015	GLS 1018A	4549734511452	#	20	GE	GEX	JPN	8536.5015.90
GLS-S1	Magnetik endüktif sensör, sensör, GLS-1 için	17.47	EC002544	GLS 1017C	4549734511445	#	20	GE	GEX	JPN	9031.9000.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
XS2F-D421-D80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 2 m	23.79	EC001855	XS2F0182C	4536854224805	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-G80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 5 m	39.02	EC001855	XS2F0183A	4536854224812	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-GB0-F	Cable socket, M12 4-pin, straight, 3-wire (1,3,4), PVC fire retardant, robotic, cable length 5m	32.59	EC001855	XS2F0571C	4548583080713	#		GE	GEZ	JPN	8544.4290.90
XS2F-D421-J80-F	Sensor connector, M12 straight, 10m, Fire-retardant, vibration-proof	62.25	EC001855	XS2F0190D	4536854224881	#		GE	GEZ	JPN	8544.4290.90
XS2F-D422-D80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 2 m	27.42	EC001855	XS2F0504G	4547648698047	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D422-G80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 5 m	43.94	EC001855	XS2F0484R	4547648622073	#	2	GE	GEZ	JPN	8544.4290.90
XS2F-D422-J80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	56.15	EC001855	XS2F0485G	4547648623322	#		GE	GEZ	JPN	8544.4290.90
XS2F-D521-G60-A	Sensor connector, M12, 5 PIN, straight, 2m cable	34.79	EC001855	XS2F0153M	4536854224522		5	GE	GEZ	JPN	8544.4290.90
XS2F-E422-G80-E	Sensor connector cable	58.00	EC001855	XS2F0443A	4547648395168	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-LM12PVC3A10M	Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 10m	15.33	EC001855	XS2F5217G	4548583135260	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A2M	Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 2m	8.59	EC001855	XS2F5205C	4548583127135	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A5M	Sensör kablosu, M12, 3 kablolu, açılı dişi konnektör, PVC, 5m	10.89	EC001855	XS2F5206A	4548583127159	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S10M	Sensör kablosu, M12, 3 kablolu, düz dişi konnektör, PVC, 10m	15.33	EC001855	XS2F5218E	4548583135277	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S5M	Sensör kablosu, M12, 3 kablolu, düz dişi konnektör, PVC, 5m	10.89	EC001855	XS2F5208H	4548583127210	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A10M	Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 10m	15.33	EC001855	XS2F5211H	4548583127258	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A2M	Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 2m	8.59	EC001855	XS2F5209F	4548583127227	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A5M	Sensör kablosu, M12, 4 kablolu, açılı dişi konnektör, PVC, 5m	10.89	EC001855	XS2F5210M	4548583127234	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S10M	Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 10m	15.33	EC001855	XS2F5214B	4548583127302	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S2M	Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 2m	8.59	EC001855	XS2F5212F	4548583127272	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S5M	Sensör kablosu, M12, 4 kablolu, düz dişi konnektör, PVC, 5m	10.89	EC001855	XS2F5213D	4548583127289	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A2M	Sensor connector, M12 3-wire, Angled female connector, PVC, 2m	14.50	EC001855	XS2F0704M	4548583435216	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A5M	Sensor connector, M12 3-wire, Angled female connector, PVC, 5m	18.87	EC001855	XS2F0705H	4548583435223	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S2M	Sensor connector, M12 3-wire, Straight female connector, PVC, 2m	14.93	EC001855	XS2F0707D	4548583435247	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S5M	Sensor connector, M12 3-wire, Straight female connector, PVC, 5m	18.50	EC001855	XS2F0708B	4548583435254	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10M	Sensor connector, M12 4-pin, Angled female connector, PVC, 10m	25.52	EC001855	XS2F0709M	4548583435261	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10MPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator (PNP)	38.18	EC001855	XS2F0732E	4548583440319	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A15M	Sensor connector, M12 4-pin, Angled female connector, PVC, 15m	31.54	EC001855	XS2F0710D	4548583435278	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A20M	Sensor connector, M12 4-pin, Angled female connector, PVC, 20m	28.52	EC001855	XS2F0711B	4548583435285	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2M	Sensor connector, M12 4-pin, Angled female connector, PVC, 2m	11.98	EC001855	XS2F0712M	4548583435292	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2MPLED	Sensör kablosu, dişi, M12, PVC, 4-pin, açılı, 2M, LED göstergeli (PNP)	33.72	EC001855	XS2F0730R	4548583440296	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A5M	Sensör kablosu, M12, 4-pin, açılı dişi konnektör, PVC, 5m	17.22	EC001855	XS2F0713R	4548583435308	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A5MPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator (PNP)	36.37	EC001855	XS2F0731G	4548583440302	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4S10M	Sensor connector, M12 4-pin, Straight female connector, PVC, 10m	23.39	EC001855	XS2F0714G	4548583435315	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S15M	Sensor connector, M12 4-pin, Straight female connector, PVC, 15m	27.94	EC001855	XS2F0715E	4548583435322	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S20M	Sensor connector, M12 4-pin, Straight female connector, PVC, 20m	38.90	EC001855	XS2F0716C	4548583435339	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S2M	Sensor connector, M12 4-pin, Straight female connector, PVC, 2m	12.79	EC001855	XS2F0717A	4548583435346	#		GE	GEZ	CHN	8544.4290.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X52F-M12PVC4S3M	Sensor connector, M12 4-pin, Straight female connector, PVC, 3m	15.20	EC001855	X52F0718M	4548583435353			GE	GEZ	CHN	8544.4290.90
X52F-M12PVC4S5M	Sensör kablosu, M12, 4-pin, düz dişi konnektör, PVC, 5m	17.22	EC001855	X52F0719H	4548583435360	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PVC5A10M	Sensor connector, M12 5-pin, Angled female connector, PVC, 10m	20.42	EC001855	X52F0720A	4548583435377	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PVC5A5M	Sensor connector, M12 5-pin, Angled female connector, PVC, 5m	18.35	EC001855	X52F0722H	4548583435391	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PVC5S10M	Sensor connector, M12 5-pin, Straight female connector, PVC, 10m	27.06	EC001855	X52F0723F	4548583435407	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PVC5S2M	Sensor connector, M12 5-pin, Straight female connector, PVC, 2m	14.94	EC001855	X52F0725B	4548583435421	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PVC5S5M	Sensor connector, M12 5-pin, Straight female connector, PVC, 5m	18.04	EC001855	X52F0726M	4548583435438	#		GE	GEZ	CHN	8544.4290.90
X52W-D421-C81-F	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 1 m	34.27	EC001855	X52W0100R	4536854228056		8	GE	GEZ	JPN	8544.4290.90
X52W-D421-D81-F	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 2 m	40.07	EC001855	X52W0137H	4536854465024	#		GE	GEZ	JPN	8544.4290.90
X52W-D421-G81-F	Sensor connector, M12, 4-wire, straight, female-male, PVC, 5m	62.65	EC001855	X52W0138F	4536854465031	#		GE	GEZ	JPN	8544.4290.90
X52W-D421-J81-F	Sensor connector	94.40	EC001855	X52W0101G	4536854228063	#		GE	GEZ	JPN	8544.4290.90
X53F-E421-405-A	M8 4-pin, Straight female SUS-connector, IP69K, PVC, 5m	35.29	EC001855	X53F0104E	4547648386463	#		GE	GEZ	JPN	8544.4290.90
X53F-LM8PVC3A2M	Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 2m	7.57	EC001855	X53F0175D	4548583127005	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 5m	9.86	EC001855	X53F0176B	4548583127012	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC3S2M	Sensör kablosu, M8, 3 kablolu, düz dişi konnektör, PVC, 2m	7.57	EC001855	X53F0177M	4548583127036	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC3S5M	Sensör kablosu, M8, 3 kablolu, düz dişi konnektör, PVC, 5m	9.86	EC001855	X53F0178R	4548583127043	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC4A2M	Sensör kablosu, M8, 4 kablolu, açılı dişi konnektör, PVC, 2m	7.57	EC001855	X53F0179G	4548583127050	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC4A5M	Sensör kablosu, M8, 4 kablolu, açılı dişi konnektör, PVC, 5m	9.86	EC001855	X53F0180M	4548583127067	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC4S2M	Sensör kablosu, M8, 4 kablolu, düz dişi konnektör, PVC, 2m	7.57	EC001855	X53F0181R	4548583127081	#		GE	GEZ	CHN	8544.4290.90
X53F-LM8PVC4S5M	Sensör kablosu, M8, 4 kablolu, düz dişi konnektör, PVC, 5m	9.86	EC001855	X53F0182G	4548583127098	#		GE	GEZ	CHN	8544.4290.90
X53F-M321-305-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m	12.16	EC001855	X53F0189D	4548583359499	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M322-305-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	12.16	EC001855	X53F0191F	4548583359512	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-402-A	M8 4-pin, Straight female connector, IP67, standard cable 2m	16.89	EC001855	X53F0033B	4536854505812	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-402-R	Sensor connector, M8 4-pin, Straight female connector, IP67, robot cable 2m	18.51	EC001855	X53F0002B	4536854228599	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-405-A	M8 4-pin, Straight female connector, IP67, standard cable 5m	21.09	EC001855	X53F0034M	4536854505829	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-405-R	M8 4-pin, Straight female connector, IP67, robot cable 5m	17.59	EC001855	X53F0003M	4536854228605	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M421-410-A	M8 4-pin, Straight female connector, IP67, standard cable 10m	22.47	EC001855	X53F0052R	4536854537776	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-402-A	M8 4-pin, 90° female connector, IP67, standard cable 2m	16.89	EC001855	X53F0035R	4536854505843	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-405-A	M8 4-pin, 90° female connector, IP67, standard cable 5m	21.09	EC001855	X53F0036G	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M422-405-R	M8 4-pin, 90° female connector, IP67, robot cable 5m	22.35	EC001855	X53F0006E	4536854228636	#	5	GE	GEZ	JPN	8544.4290.90
X53F-M8PVC3A10M	Sensor connector, M8 3-wire, Angled female connector, PVC, 10m	15.66	EC001855	X53F0233E	4548583436800	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	9.54	EC001855	X53F0236M	4548583436831	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı dişi konnektör, PVC, 5m	16.13	EC001855	X53F0237H	4548583436848	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S10M	Sensor connector, M8 3-wire, Straight female connector, PVC, 10m	24.40	EC001855	X53F0238F	4548583436855	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S2M	Sensor connector, M8 3-wire, Straight female connector, PVC, 2m	8.95	EC001855	X53F0241F	4548583436886	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC3S5M	Sensor connector, M8 3-wire, Straight female connector, PVC, 5m	15.53	EC001855	X53F0242D	4548583436893	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A10M	Sensor connector, M8 4-wire, Angled female connector, PVC, 10m	74.20	EC001855	X53F0245R	4548583436923	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A15M	Sensor connector, M8 4-wire, Angled female connector, PVC, 15m	31.24	EC001855	X53F0246G	4548583436930	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A20M	Sensor connector, M8 4-wire, Angled female connector, PVC, 20m	34.62	EC001855	X53F0247E	4548583436947	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	13.12	EC001855	X53F0248C	4548583436954	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A5M	Sensor connector, M8 4-wire, Angled female connector, PVC, 5m	13.94	EC001855	X53F0249A	4548583436961	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S10M	Sensor connector, M8 4-wire, Straight female connector, PVC, 10m	24.40	EC001855	X53F0250E	4548583436978	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S15M	Sensor connector, M8 4-wire, Straight female connector, PVC, 15m	27.94	EC001855	X53F0251C	4548583436985	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S20M	Sensor connector, M8 4-wire, Straight female connector, PVC, 20m	34.62	EC001855	X53F0252A	4548583436992	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S2M	Sensor connector, M8 4-wire, Straight female connector, PVC, 2m	7.62	EC001855	X53F0253M	4548583437005	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S5M	Sensör konnektörü, M8 4 telli, Düz dişi konnektör, PVC, 5m	15.94	EC001855	X53F0254H	4548583437012	#		GE	GEZ	CHN	8544.4290.90
X53W-M321-302-R	Screw-mounting connector, M8, PVC vibration-proof robot cable, F straight/ M straight, 2 m	34.82	EC001855	X53W0112F	4548583432284		5	GE	GEZ	JPN	8544.4290.90
X53W-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m		EC001855	X53W0188F	4548583521858			GE	GEZ	JPN	8544.4290.90
		72.95									
X55F-D421-D80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 2m	24.27	EC001855	X55F0007M	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	18.58	EC001855	X55F1002E	4549734197946	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	26.51	EC001855	X55F1007F	4549734488280	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 5m	34.27	EC001855	X55F0009G	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	22.55	EC001855	X55F1004A	4549734197960	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	42.38	EC001855	X55F1009B	4549734488303	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 10m	50.45	EC001855	X55F0101M	4547648305129	#		GE	GEZ	JPN	8536.9010.00
X55F-D421-J80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	29.16	EC001855	X55F1005M	4549734197977	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	86.30	EC001855	X55F1010F	4549734488310	#		GE	GEZ	JPN	8544.4290.90
X55F-D421-L80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 20 m	92.75	EC001855	X55F0074G	4548583081857	#		GE	GEZ	JPN	8536.9010.00
X55F-D422-G80-F	Smartclick sensor connector, M12, angled, 5m robot cable	35.64	EC001855	X55F0050M	4547648623049		5	GE	GEZ	JPN	8536.9010.00
X55W-D421-C81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m		EC001855	X55W1001G	4549734197984			GE	GEZ	JPN	8544.4290.90
		33.13									

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X55W-D421-C81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-reistant robot cable, IP67, 1 m	37.11	EC001855	X55W1006H	4549734488327			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-F	Cable, vibration proof 2m	33.49	EC001855	X55W0007M	4547648305198	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-reistant cable, IP67, 2 m	34.44	EC001855	X55W1002E	4549734197991			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-reistant robot cable, IP67, 2 m	42.38	EC001855	X55W1007F	4549734488334			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-F	Cable, vibration proof 5m	49.57	EC001855	X55W0009G	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-reistant cable, IP67, 5 m	38.44	EC001855	X55W1004A	4549734198011			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-reistant robot cable, IP67, 5 m	58.35	EC001855	X55W1009B	4549734488358			GE	GEZ	JPN	8544.4290.90
X55W-D421-J81-F	Cable, Vibration proof 10m	63.15	EC001855	X55W0010M	4547648305228	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-L81-F	Cable, 4-pin, 2 connectors Smart-click, PVC, Vibration proof 20 m	94.90	EC001855	X55W0057G	4547648617116			GE	GEZ	JPN	8536.9010.00
X52F-M12PUR3A5M	Sensor connector, M12 3-wire, Angled female connector, PUR, 5m	19.10	EC001855	X52F0683C	4548583435001			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10M	Sensor connector, M12 4-wire, Angled female connector, PUR, 10m	29.06	EC001855	X52F0687F	4548583435049	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 10M, LED göstergeli (PNP)	57.00	EC001855	X52F0738D	4548583440371	#		GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A15M	Sensor connector, M12 4-wire, Angled female connector, PUR, 15m	28.19	EC001855	X52F0688D	4548583435056	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A20M	Sensor connector, M12 4-wire, Angled female connector, PUR, 20m	53.00	EC001855	X52F0689B	4548583435063	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2M	Sensor connector, M12 4-wire, Angled female connector, PUR, 2m	14.33	EC001855	X52F0690F	4548583435070	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A5M	Sensor connector, M12 4-wire, Angled female connector, PUR, 5m	18.31	EC001855	X52F0691D	4548583435087	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A5MPLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator (PNP)	38.94	EC001855	X52F0737F	4548583440364	#		GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4S10M	Sensor connector, M12 4-wire, Straight female connector, PUR, 10m	29.30	EC001855	X52F0692B	4548583435094	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S20M	Sensor connector, M12 4-wire, Straight female connector, PUR, 20m	53.00	EC001855	X52F0694R	4548583435117	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S2M	Sensor connector, M12 4-wire, Straight female connector, PUR, 2m	14.35	EC001855	X52F0695G	4548583435124	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S5M	Sensor connector, M12 4-wire, Straight female connector, PUR, 5m	19.10	EC001855	X52F0696E	4548583435131	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A5M	Sensor connector, M12 5-wire, Angled female connector, PUR, 5m	23.24	EC001855	X52F0698A	4548583435155	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5S10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 10m	19.66	EC001855	X52F0699M	4548583435162	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5S5M	Sensor connector, M12 5-wire, Straight female connector, PUR, 5m	23.24	EC001855	X52F0702C	4548583435193	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A10M	Sensor connector, M8 3-wire, Angled female connector, PUR, 10m	28.17	EC001855	X53F0211D	4548583436589	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A2M	Sensor connector, M8 3-wire, Angled female connector, PUR, 2m	12.23	EC001855	X53F0214R	4548583436619	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A5M	Sensor connector, M8 3-wire, Angled female connector, PUR, 5m	18.12	EC001855	X53F0215G	4548583436626	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S10M	Sensor connector, M8 3-wire, Straight female connector, PUR, 10m	23.76	EC001855	X53F0216E	4548583436633	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S2M	Sensor connector, M8 3-wire, Straight female connector, PUR, 2m	8.67	EC001855	X53F0219C	4548583436664	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S5M	Sensor connector, M8 3-wire, Straight female connector, PUR, 5m	18.12	EC001855	X53F0220M	4548583436671	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A10M	Sensor connector, M8 4-wire, Angled female connector, PUR, 10m	28.17	EC001855	X53F0223H	4548583436701	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A2M	Sensor connector, M8 4-wire, Angled female connector, PUR, 2m	8.67	EC001855	X53F0226B	4548583436732	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4A5M	Sensor connector, M8 4-wire, Angled female connector, PUR, 5m	18.87	EC001855	X53F0227M	4548583436749	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S10M	Sensor connector, M8 4-wire, Straight female connector, PUR, 10m	28.17	EC001855	X53F0228R	4548583436756	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S2M	Sensor connector, M8 4-wire, Straight female connector, PUR, 2m	13.30	EC001855	X53F0231R	4548583436787	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR4S5M	Sensor connector, M8 4-wire, Straight female connector, PUR, 5m	17.99	EC001855	X53F0232G	4548583436794	#		GE	GEZ	CHN	8544.4290.90
X53W-M421-401-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	49.59	EC001855	X53W5015A	4549734113007		5	GE	GEZ	JPN	8544.4290.90
X55F-D421-C80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 1m	21.09	EC001855	X55F0006B	4547648305082	#	10	GE	GEZ	JPN	8536.9010.00
X55F-D421-E80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 3m	30.06	EC001855	X55F0008R	4547648305105	#	5	GE	GEZ	JPN	8536.9010.00
X55H-D421-B80-F	Sensor connector, M12, male, straight, Smart-click	21.33	EC001855	X55H0056H	4547648506599	#	10	GE	GEZ	JPN	8544.4290.90
X55W-D421-C81-F	Sensor connector	31.76	EC001855	X55W0006B	4547648305181	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-E81-F	Smartclick sensor connector plug and socket, M12, straight, 3m robot cable	37.42	EC001855	X55W0008R	4547648305204	#	5	GE	GEZ	JPN	8536.9010.00
Y92E-M12FSM12MSPURSH806M-L	Receiver M12 8-pin shielded cable, male-female, for control box F39-TGR-W-IBOX, 0,6m	49.52	EC001855	AA032200C	4547648887007			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH82M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 2m	54.35	EC001855	AA032201A	4547648887014			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH85M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 5m	73.15	EC001855	AA032202M	4547648887021			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4A5M-R	M12 4-pin Straight female connector, Robot cable, PUR, 5m	37.35	EC001855	AA035953E	4547648932189			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4S2M-L	M12 4-pin, Straight female connector, PUR, 2m	17.89	EC001855	AA018037C	4536853901332			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4S5M-L	M12 4-pin, Straight female connector, PUR, 5m	21.83	EC001855	AA018071C	4536853901349			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S10M-L	Emitter cable M12 4-pin, female connector, shielded cable 10m	72.35	EC001855	AA032198H	4547648886987	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S25M-L	Emitter cable M12 4-pin, female connector, shielded cable 25m	140.20	EC001855	AA032199F	4547648886994	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S2M-L	Emitter cable M12 4-pin, female connector, shielded cable 2m	37.35	EC001855	AA032196A	4547648886963	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S5M-L	Emitter cable M12 4-pin, female connector, shielded cable 5m	38.45	EC001855	AA032197M	4547648886970	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S10M-L	Receiver cable M12 8-pin, female connector, shielded cable 10m	64.60	EC001855	AA032194E	4547648886949	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S25M-L	Receiver cable M12 8-pin, female connector, shielded cable 25m	173.10	EC001855	AA032195C	4547648886956	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S2M-L	Receiver cable M12 8-pin, female connector, shielded cable 2m	42.36	EC001855	AA032192R	4547648886925	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S5M-L	Receiver cable M12 8-pin, female connector, shielded cable 5m	50.10	EC001855	AA032193G	4547648886932	#		GE	GEZ	CZE	8544.4290.90

2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
36.56	EC001855	AA041408M	4547648986458			GE	GEZ	CZE	8544.4290.90
36.76	EC001855	AA041414E	4547648986519	#		GE	GEZ	CZE	8544.4290.90
34.65	EC001855	AA041415C	4547648986526	#		GE	GEZ	CZE	8544.4290.90
21.22	EC001855	AA041419F	4547648986564			GE	GEZ	CZE	8544.4290.90
28.82	EC001855	AA041420M	4547648986571	#		GE	GEZ	CZE	8544.4290.90
34.65	EC001855	AA041421H	4547648986588	#		GE	GEZ	CZE	8544.4290.90
28.82	EC001855	AA041426R	4547648986632	#		GE	GEZ	CZE	8544.4290.90
29.69	EC002635	AA017984G	4536853900519	#		GE	GEZ	DEU	8544.4290.90
32.19	EC002635	AA018040C	4536853901219	#		GE	GEZ	HUN	8544.4290.90
14.11	EC002635	AA017990A	4536853900588	#		GE	GEZ	HUN	8544.4290.90
14.93	EC002635	AA017991M	4536853900618	#		GE	GEZ	HUN	8544.4290.90
26.84	EC002635	AA018041A	4536853900922	#		GE	GEZ	DEU	8544.4290.90
32.89	EC002635	AA018042M	4536853900939	#		GE	GEZ	HUN	8544.4290.90
17.05	EC002635	AA018020R	4536853900946	#		GE	GEZ	HUN	8544.4290.90
17.05	EC002635	AA018021G	4536853900953	#		GE	GEZ	HUN	8544.4290.90
11.65	EC002635	XS2C0001G	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
11.78	EC002635	XS2C0002E	4536854222337	#	50	GE	GEZ	JPN	8544.4290.90
12.91	EC002635	XS2C0003C	4536854222344	#	50	GE	GEZ	JPN	8544.4290.90
8.82	EC002635	XS2C0013M	4536854455919	#	30	GE	GEZ	JPN	8544.4290.90
8.77	EC002635	XS2C0014R	4536854455926	#		GE	GEZ	JPN	8544.4290.90
12.85	EC002635	XS2C0019M	4536854735523	#		GE	GEZ	JPN	8544.4290.90
13.24	EC002635	XS2G0001E	4536854225642	#	50	GE	GEZ	JPN	8544.4290.90
10.69	EC002635	XS2G0001B	4536854455971	#	30	GE	GEZ	JPN	8544.4290.90
10.26	EC002635	XS2G0012M	4536854455988			GE	GEZ	JPN	8544.4290.90
12.85	EC002635	XS2G0033C	4536854735516			GE	GEZ	JPN	8544.4290.90
13.50	EC002635	XS2G0032E	4536854735509			GE	GEZ	JPN	8544.4290.90
9.89	EC002635	XS5C0030A	4548583407824	#	50	GE	GEZ	JPN	8536.9010.00
9.89	EC002635	XS5G0035M	4548583407831	#	50	GE	GEZ	JPN	8536.9010.00
54.85	EC002925	XS5R0009M	4547648386449		10	GE	GEZ	JPN	8536.9010.00
8.66	EC003015	XS2Z0010C	4536854557408		20	GE	GEZ	JPN	8538.9099.99
7.40	EC003015	Y92E2010M	4536854247293	#	10	GE	GEZ	JPN	9031.9000.00
4.82	EC003015	Y92E6002A	4549734156547	#	50	GE	GEZ	THA	9031.9000.00
4.82	EC003015	Y92E6003M	4549734156554	#	50	GE	GEZ	THA	9031.9000.00
4.81	EC003015	Y92E2004F	4536854247286	#		GE	GEZ	JPN	9031.9000.00
3.80	EC003015	Y92E7137F	4549734190800			GE	GEZ	CHN	9031.9000.00
14.11	EC003015	Y92E7134A	4549734190770			GE	GEZ	CHN	9031.9000.00
4.36	EC003015	Y92E7138D	4549734190817			GE	GEZ	CHN	9031.9000.00
21.31	EC003015	Y92E7135M	4549734190787			GE	GEZ	CHN	9031.9000.00
3.47	EC003015	Y92E7136H	4549734190794			GE	GEZ	CHN	9031.9000.00
13.19	EC003015	Y92E7133C	4549734190763			GE	GEZ	CHN	9031.9000.00
<b>Görsel Denetim Sistemi FQ</b>									
5,560.00	EC004672	FQ2 1223D	4548583322479			GF	GFL	JPN	9031.9000.00
5,560.00	EC004672	FQ2 1306M	4548583107687			GF	GFL	JPN	9031.9000.00
6,150.00	EC004672	FQ2 1307R	4548583107694			GF	GFL	JPN	9031.9000.00
5,335.00	EC004672	FQ2 1225M	4548583322493			GF	GFL	JPN	9031.9000.00
4,104.00	EC004672	FQ2 1402D	4548583107724	#		GF	GFL	JPN	9031.9000.00
5,380.00	EC004672	FQ2 1404M	4548583107748	#		GF	GFL	JPN	9031.9000.00
4,968.00	EC004672	FQ2 1606M	4548583361980	#		GF	GFL	JPN	9031.9000.00
4,841.00	EC004672	FQ2 1607H	4548583361997			GF	GFL	JPN	9031.9000.00
6,105.00	EC004672	FQ2 1623M	4548583362154			GF	GFL	JPN	9031.9000.00
6,105.00	EC004672	FQ2 1631M	4548583362239			GF	GFL	JPN	9031.9000.00
4,841.00	EC004672	FQ2 1615R	4548583362079			GF	GFL	JPN	9031.9000.00
3,939.00	EC004672	FQ2 1608F	4548583362000	#		GF	GFL	JPN	9031.9000.00
6,235.00	EC004672	FQ2 1624H	4548583362161	#		GF	GFL	JPN	9031.9000.00
6,105.00	EC004672	FQ2 1632R	4548583362246			GF	GFL	JPN	9031.9000.00
4,175.00	EC004672	FQ2 1616G	4548583362086			GF	GFL	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FQ2-S15010F	FQ2 görsel denetim sensörü, tekli denetim, PNP, dar görüş(13mm)	1,545.00	EC004672	FQ2 1214E	4548583322387	#		GF	GFL	JPN	9031.9000.00
FQ2-S15050F	FQ2 görsel denetim sensörü, tekli denetim, PNP, standart görüş(50mm)	1,522.00	EC004672	FQ2 1215C	4548583322394	#		GF	GFL	JPN	9031.9000.00
FQ2-S15100N	FQ2 görsel denetim sensörü, tekli denetim, PNP, geniş görüş(300mm), kısa mesafe(380mm)	2,233.00	EC004672	FQ2 1217M	4548583322417	#		GF	GFL	JPN	9031.9000.00
FQ2-S25050F	FQ2 görsel denetim sensörü, standart, PNP, standart görüş(50mm)	2,482.00	EC004672	FQ2 1206D	4548583107601	#		GF	GFL	JPN	9031.9000.00
FQ2-S25100F	FQ2 görsel denetim sensörü, standart, PNP, geniş görüş(240mm), uzun mesafe(970mm)	2,533.00	EC004672	FQ2 1207B	4548583107618	#		GF	GFL	JPN	9031.9000.00
FQ2-S25100N	FQ2 görsel denetim sensörü, standart, PNP, geniş görüş(300mm), kısa mesafe(380mm)	3,497.00	EC004672	FQ2 1208M	4548583107625	#		GF	GFL	JPN	9031.9000.00
FQ-WD002-E	FQ2 paralel I/O kablosu, 2m	228.30	EC003015	AA050218D	4549734922951	#		GF	GFL	CZE	8544.4290.90
FQ-WD003-E	FQ I/O kablosu, 3m	151.60	EC003015	AA050219B	4549734922968	#		GF	GFL	CZE	8544.4290.90
FQ-WD005	FQ I/O cable, 5m	137.50	EC003015	FQ 3204A	4548583107465	#		GF	GFL	CHN	9031.9000.00
FQ-WD005-E	FQ I/O kablosu, 5m	185.80	EC003015	AA050220F	4549734922975	#		GF	GFL	CZE	8544.4290.90
FQ-WD010-E	FQ I/O cable, 10m	306.70	EC003015	AA050221D	4549734922982	#		GF	GFL	CZE	8544.4290.90
FQ-WD020	FQ I/O cable, 20m	881.50	EC003015	FQ 3203C	45476488310119	#		GF	GFL	CHN	8544.4290.90
FQ-WN002	FQ Ethernet cable, 2m	227.80	EC002599	FQ 3101M	4547648830065	#		GF	GFL	CHN	8544.4290.90
FQ-WN002-E	FQ Ethernet kablosu, 2m	98.55	EC002599	XSSW0157C	4548583129269	#		GF	GFL	JPN	8544.4290.90
FQ-WN003-E	FQ Ethernet kablosu, 3m	110.20	EC002599	XSSW0158A	4548583129276	#		GF	GFL	JPN	8544.4290.90
FQ-WN005	FQ Ethernet cable, bend resistant, 5 m	281.80	EC002599	FQ 3104E	4548583056312	#		GF	GFL	JPN	8544.4290.90
FQ-WN005-E	FQ Ethernet kablosu, 5m	131.90	EC002599	XSSW0159M	4548583129283	#		GF	GFL	JPN	8544.4290.90
FQ-WN010	Cable robotizado Ethernet FQ 10m	352.00	EC002599	FQ 3102R	4547648830072	#		GF	GFL	JPN	8544.4290.90
FQ-WN010-E	FQ2 Ethernet kablosu, 10m	184.30	EC002599	XSSW0160C	4548583129290	#		GF	GFL	JPN	8544.4290.90
FQ-WN020	FQ Ethernet cable, 20m	827.50	EC002599	FQ 3103G	4547648830089	#		GF	GFL	JPN	8544.4290.90
FQ-WU002	FQ sensor data unit cable for FQ-SDU*, 2m	302.70	EC003015	FQ 3301C	4548583107472	#		GF	GFL	JPN	9031.9000.00
FQ-WU010	FQ sensor data unit cable for FQ-SDU*, 10m	640.00	EC003015	FQ 3303M	4548583107496	#		GF	GFL	JPN	9031.9000.00
FQ-WU020	FQ sensor data unit cable for FQ-SDU*, 20m	1,061.00	EC003015	FQ 3304A	4548583107502	#		GF	GFL	JPN	9031.9000.00
FQ-XF1	FQ Polarizing Filter, (enclosed with sensor)	417.50	EC003015	FQ 9004A	4547648830157	#		GF	GFL	JPN	9031.9000.00
FQ-XL	Accessory FQ/FQ2 Mounting Bracket, (enclosed with sensor)	126.60	EC003015	FQ 9001G	4547648830126	#		GF	GFL	CHN	9031.9000.00
FQ-XPM	Accessory FQ/FQ2 Panel Mounting Adapter, for Touch Finder	368.60	EC003015	FQ 9003C	4547648830140	#		GF	GFL	CHN	9031.9000.00
FQ2-D30	FQ2 ayar konsolu, 3.5" dokunmatik renkli LCD ekran, SD card, 24VDC	1,818.00	EC003015	FQ2 2001F	4548583107755	#		GF	GFL	JPN	9031.9000.00
FQ-CR15010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, PNP	2,248.00	EC002999	FQ 5302B	4548583343337	#		GF	GFL	JPN	9031.8080.00
FQ-CR15100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP	2,351.00	EC002999	FQ 5306E	4548583343382	#		GF	GFL	JPN	9031.8080.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
FH-2050	FH medium speed & performance controller 2-core, NPN/PNP, 2 cameras	13,030.00	EC004672	FH 0066B	4549734133944	#		GF	GFR	JPN	9031.9000.00
FH-2050-10	FH medium speed & performance controller 2-core, NPN/PNP, 4 cameras	16,650.00	EC004672	FH 0067M	4549734133951	#		GF	GFR	JPN	9031.9000.00
FH-2050-20	FH medium speed & performance controller 2-core, NPN/PNP, 8 cameras	18,550.00	EC004672	FH 0068R	4549734133968	#		GF	GFR	JPN	9031.9000.00
FH-2051	FH medium speed & performance controller 2-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	13,030.00	EC004672	FH 0126M	4549734751391	#		GF	GFR	JPN	9031.9000.00
FH-2051-10	FH medium speed & performance controller 2-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	16,650.00	EC004672	FH 0127H	4549734751407	#		GF	GFR	JPN	9031.9000.00
FH-2051-20	FH medium speed & performance controller 2-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	18,550.00	EC004672	FH 0128F	4549734751414	#		GF	GFR	JPN	9031.9000.00
FH-5050	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras	19,650.00	EC004672	FH 0069G	4549734133975	#		GF	GFR	JPN	9031.9000.00
FH-5050-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras	24,200.00	EC004672	FH 0070M	4549734133982	#		GF	GFR	JPN	9031.9000.00
FH-5050-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras	26,680.00	EC004672	FH 0071R	4549734133999	#		GF	GFR	JPN	9031.9000.00
FH-5051	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	19,650.00	EC004672	FH 0115D	4549734711968	#		GF	GFR	JPN	9031.9000.00
FH-5550	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras	20,330.00	EC004672	FH 0087E	4549734145725	#		GF	GFR	JPN	9031.9000.00
FH-5550-10	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras	24,860.00	EC004672	FH 0088C	4549734145732	#		GF	GFR	JPN	9031.9000.00
FH-5550-20	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras	27,320.00	EC004672	FH 0089A	4549734145749	#		GF	GFR	JPN	9031.9000.00
FH-5551	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras, W10 IoT Enterprise LTSC 2019 64bit	20,330.00	EC004672	FH 0135R	4549734751483	#		GF	GFR	JPN	9031.9000.00
FH-5551-10	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras, W10 IoT Enterprise LTSC 2019 64bit	24,860.00	EC004672	FH 0136G	4549734751490	#		GF	GFR	JPN	9031.9000.00
FH-5551-20	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras, W10 IoT Enterprise LTSC 2019 64bit	27,320.00	EC004672	FH 0137E	4549734751506	#		GF	GFR	JPN	9031.9000.00
FH-L550	FH-Lite kontrolcü, standart, 2 kamera	8,335.00	EC004672	FH 0062M	4548583785779	#		GF	GFR	JPN	9031.9000.00
FH-L550-10	FH-Lite kontrolcü, standart, 4 kamera	9,795.00	EC004672	FH 0063H	4548583785786	#		GF	GFR	JPN	9031.9000.00
FH-L551	FH-Lite controller, standard grade, box type, 2 camera, W10 IoT Enterprise LTSC 2019 64bit	8,335.00	EC004672	FH 0122G	4549734751353	#		GF	GFR	JPN	9031.9000.00
FH-L551-10	FH-Lite controller, standard grade, box type, 4 camera, W10 IoT Enterprise LTSC 2019 64bit	9,795.00	EC004672	FH 0123E	4549734751360	#		GF	GFR	JPN	9031.9000.00
FH-SC	FH kamera, standart çözünürlük, renkli	2,216.00	EC004672	FH 0013A	4548583385498	#		GF	GFR	JPN	9031.9000.00
FH-SC02	FH kamera, yüksek çözünürlük 2M pixel, renkli	5,390.00	EC004672	FH 0011E	4548583385474	#		GF	GFR	JPN	9031.9000.00
FH-SC04	FH kamera, yüksek çözünürlük 4M pixel, renkli	10,750.00	EC004672	FH 0009C	4548583385450	#		GF	GFR	JPN	9031.9000.00
FH-SC05R	FH camera, high resolution 5M pixel, color, rolling shutter	3,140.00	EC004672	FH 0061A	4548583785809	#		GF	GFR	JPN	9031.9000.00
FH-SCX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, color	2,129.00	EC004672	FH 0084M	4549734145695	#		GF	GFR	JPN	9031.9000.00
FH-SCX01	FH Camera, high speed, 1.6 MPixel, C-Mount, global shutter, colour	2,998.00	EC004672	FH 0144H	4549734771131	#		GF	GFR	JPN	9031.9000.00
FH-SCX03	FH Camera, high speed, 3.2 MPixel, C-Mount, global shutter, colour	3,979.00	EC004672	FH 0146D	4549734771155	#		GF	GFR	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FH-SCX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color	6,930.00	EC004672	FH 0080H	4549734145657	#		GF	GFR	JPN	9031.9000.00
FH-SCX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, color	11,940.00	EC004672	FH 0086G	4549734145718	#		GF	GFR	JPN	9031.9000.00
FH-SM	FH kamera, standart çözünürlük, renksiz	2,216.00	EC004672	FH 0014M	4548583385504	#		GF	GFR	JPN	9031.9000.00
FH-SM02	FH kamera, yüksek çözünürlük 2M pixel, renksiz	5,390.00	EC004672	FH 0012C	4548583385481	#		GF	GFR	JPN	9031.9000.00
FH-SM04	FH kamera, yüksek çözünürlük 4M pixel, renksiz	10,750.00	EC004672	FH 0010G	4548583385467	#		GF	GFR	JPN	9031.9000.00
FH-SM05R	FH camera, high resolution 5M pixel, monochrome, rolling shutter	3,140.00	EC004672	FH 0060C	4548583385793	#		GF	GFR	JPN	9031.9000.00
FH-SM21R	FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, monochrome	11,180.00	EC004672	FH 0081F	4549734145664	#		GF	GFR	JPN	9031.9000.00
FH-SMX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome	2,129.00	EC004672	FH 0083B	4549734145688	#		GF	GFR	JPN	9031.9000.00
FH-SMX01	FH Camera, high speed, 1.6 MPixel, C-Mount, global shutter, monochrome	2,998.00	EC004672	FH 0143M	4549734777124	#		GF	GFR	JPN	9031.9000.00
FH-SMX03	FH Camera, high speed, 3.2 MPixel, C-Mount, global shutter, monochrome	3,979.00	EC004672	FH 0145F	4549734777148	#		GF	GFR	JPN	9031.9000.00
FH-SMX05	FH Camera, high speed, 5 MPixel, C-Mount, global shutter, monochrome	6,930.00	EC004672	FH 0079D	4549734145640	#		GF	GFR	JPN	9031.9000.00
FH-SMX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome	11,940.00	EC004672	FH 0085R	4549734145701	#		GF	GFR	JPN	9031.9000.00
FZ-S	FZ kamera, standart çözünürlük, renksiz	2,288.00	EC004672	FZ3 0254M	4548583329508	#		GF	GFR	CHN	9031.9000.00
FZ-S2M	FZ kamera, yüksek çözünürlük, 2M pixel	7,215.00	EC004672	FZ3 0256G	4548583368057	#		GF	GFR	CHN	9031.9000.00
FZ-SC	FZ kamera, standart çözünürlük, renkli	2,288.00	EC004672	FZ3 0255R	4548583329522	#		GF	GFR	CHN	9031.9000.00
FZ-SC2M	FZ kamera, yüksek çözünürlük, 2M pixel, renkli	7,215.00	EC004672	FZ3 0257E	4548583368064	#		GF	GFR	CHN	9031.9000.00
FZ-SQ050F	FZ-SQ intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm	1,835.00	EC004672	FZ3 0235D	4548583008809	#		GF	GFR	JPN	9031.9000.00
FZ-SQ100F	FZ-SQ intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm	1,907.00	EC004672	FZ3 0236B	4548583008816	#		GF	GFR	JPN	9031.9000.00
FZ-SQ100N	FZ-SQ intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm	2,582.00	EC004672	FZ3 0237M	4548583008823	#		GF	GFR	JPN	9031.9000.00
FH-UMAI1	AI filter installer for FH controller. USB license key dongle	9,980.00	EC003015	FH 0104R	4549734594783	#		GF	GFR	JPN	9031.9000.00
FJ-VSG 10M	FJ Gig-E camera interface cable, 10m	519.00	EC003015	FJ 0202A	4548583060937	#		GF	GFR	JPN	9031.9000.00
FJ-VSG 20M	FJ Gig-E camera interface cable, 20m	778.00	EC003015	FJ 0203M	4548583060944	#		GF	GFR	JPN	9031.9000.00
FJ-VSG 3M	FJ Gig-E camera interface cable, 3m	390.30	EC003015	FJ 0200E	4548583060913	#		GF	GFR	JPN	9031.9000.00
FJ-VSG 5M	FJ Gig-E camera interface cable, 5m	358.20	EC003015	FJ 0201C	4548583060920	#		GF	GFR	JPN	9031.9000.00
FJ-VSP2 10M	FJ Gig-E power and I/O cable, 10 m	413.90	EC003015	FJ 0214E	4549734597784	#		GF	GFR	JPN	8544.4290.90
FJ-VSP2 3M	FJ Gig-E power and I/O cable, 3 m	256.00	EC003015	FJ 0212R	4549734597760	#		GF	GFR	JPN	8544.4290.90
FJ-VSP2 5M	FJ Gig-E power and I/O cable, 5 m	298.20	EC003015	FJ 0213G	4549734597777	#		GF	GFR	JPN	8544.4290.90
FZ-V53 10M	Accessory vision, FH and FZ, standard camera cable, 10m	812.00	EC003015	FZ3 0404G	4548583533721	#		GF	GFR	CHN	8544.4290.90
FZ-V53 2M	FH ve FZ standart kamera kablosu, 2m	465.90	EC003015	FZ3 0401B	4548583533691	#		GF	GFR	CHN	8544.4290.90
FZ-V53 3M	Accessory vision, FH and FZ, standard camera cable, 3m	527.00	EC003015	FZ3 0402M	4548583533707	#		GF	GFR	CHN	8544.4290.90
FZ-V53 5M	FH ve FZ standart kamera kablosu, 5m	660.00	EC003015	FZ3 0403R	4548583533714	#		GF	GFR	CHN	8544.4290.90
FZ-V54 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m	2,065.00	EC003015	FZ3 0405E	4548583533738	#		GF	GFR	JPN	8544.4290.90
FZ-V5B3 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10m	974.00	EC003015	FZ3 0424A	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
FZ-V5B3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, 5m	824.50	EC003015	FZ3 0423C	4549734126915	#		GF	GFR	CHN	8544.4290.90
FZ-V5J	FZ Camera cable extension hub (max 3 cables 45m)	1,891.00	EC003015	FZ3 0042D	4547648445849	#		GF	GFR	JPN	9031.9000.00
FZ-V5L3 10M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10m	1,069.00	EC003015	FZ3 0409H	4548583533776	#		GF	GFR	JPN	8544.4290.90
FZ-V5L3 2M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 2m	674.00	EC003015	FZ3 0406C	4548583533745	#		GF	GFR	JPN	8544.4290.90
FZ-V5L3 5M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m	825.50	EC003015	FZ3 0408M	4548583533769	#		GF	GFR	JPN	8544.4290.90
FH-XCN	Power connector for FH controller	29.89	EC003015	FH 0040R	4548583571457	#		GF	GFR	JPN	9031.9000.00
FH-XDM-L	FH-L DIN rail mounting bracket	113.10	EC003015	FH 0052B	4548583763722	#		GF	GFR	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
FH-VMDA 2M	Vision system accessory FH conversion cable monitor DVI-RGB 2m	142.50	EC003015	FH 0032H	4548583564480	#		GF	GFZ	CHN	9031.9000.00
FH-VMDA 5M	Vision system accessory FH conversion cable monitor DVI-RGB 5m	244.20	EC003015	FH 0033F	4548583564497	#		GF	GFZ	CHN	9031.9000.00
FH-VUAB 2M	Vision system accessory FH USB cable touch panel 2m	71.30	EC001681	FH 0037R	4548583564534	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 5M	Vision system accessory FH USB cable touch panel 5m	91.75	EC001681	FH 0038G	4548583564541	#		GF	GFZ	JPN	9031.9000.00
FL-TCC1	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	713.00	EC003015	FL 2101D	4548583067011	#		GF	GFZ	JPN	9032.9000.90
XW22-050EE	Parallel I/O cable for terminal block XW2R- 34G-T, 0.5m	228.20	EC000237	XW220533G	4548583484962	#		GF	GFZ	JPN	9031.9000.00
XW22-100EE	Parallel I/O cable for terminal block XW2R- 34G-T, 1m	149.60	EC000237	XW220534E	4548583484979	#		GF	GFZ	JPN	9031.9000.00
XW22-200EE	Parallel I/O cable for terminal block XW2R- 34G-T, 2m	133.00	EC000237	XW220536A	4548583484993	#		GF	GFZ	JPN	9031.9000.00
XW22-S013-2	FH Paralel I/O kablosu, 2m	203.20	EC003015	XW220445D	4548583434455	#		GF	GFZ	JPN	9031.9000.00
FH-MT12	Vision system FH touch panel monitor 12	1,709.00	EC003015	FH 0031M	4548583564473	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-04514V	Lens 4.5mm	355.00	EC003015	3Z4S5125R	4548583496897	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0614H	Accessory vision, lens 6mm, high resolution, low distortion	926.00	EC003015	3Z4S5109G	4548583335479	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-0614V	Lens 6mm	586.00	EC003015	3Z4S5100C	4548583335387	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0813V	Lens 8mm	483.10	EC003015	3Z4S5101A	4548583335394	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0814H	Accessory vision, lens 8mm, high resolution, low distortion	829.00	EC003015	3Z4S5110M	4548583335486	#		GF	GFZ	JPN	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3Z45-LE SV-10028H	Lens 100mm,	748.50	EC003015	3Z45S133M	4549734509503			GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-1214H	Accessory vision, lens 12mm, high resolution, low distortion	805.00	EC003015	3Z45S111R	4548583335493	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-1214V	Lens 12mm	341.50	EC003015	3Z45S102M	4548583335400	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-1614H	Accessory vision, lens 16mm, high resolution, low distortion	774.50	EC003015	3Z45S112G	4548583335509	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-1614V	Lens 16mm	444.70	EC003015	3Z45S103H	4548583335417	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-2514H	Accessory vision, lens 25mm, high resolution, low distortion	487.90	EC003015	3Z45S113E	4548583335516	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-2514V	Lens 25mm	422.90	EC003015	3Z45S104F	4548583335424	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-3514H	Accessory vision, lens 35mm, high resolution, low distortion	686.50	EC003015	3Z45S114C	4548583335523	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-5014H	Accessory vision, lens 50mm, high resolution, low distortion	699.50	EC003015	3Z45S115A	4548583335530	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-7525H	Accessory vision, lens 75mm, high resolution, low distortion	635.50	EC003015	3Z45S132A	4549734509497	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR	Uzatma tüpleri (40, 20, 10, 5, 2, 1,0.5mm)	195.30	EC003015	3Z45S949G	4549734770194	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR05	Extension tube 0,5mm	22.37	EC003015	3Z45S950M	4549734776875	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR1	Extension tube 1mm	21.55	EC003015	3Z45S951R	4549734776882	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR10	Extension tube 10mm	49.32	EC003015	3Z45S954C	4549734776912	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR2	Extension tube 2mm	24.32	EC003015	3Z45S903R	4548583335578	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE SV-EXR40	Extension tube 40mm	86.80	EC003015	3Z45S959D	4549734776967	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-EXR5	Extension tube 5mm	42.29	EC003015	3Z45S904G	4548583335585	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE SV-PL270-SS	Polarizing filter for lens, M27.0 P0.5, with Anti-rotation mechanism	116.10	EC003015	3Z45S929B	4548583722545	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE VS-0814H1	Vision lens, high resolution, low distortion 8mm for 1-inch sensor size	820.50	EC003015	3Z45S118F	4548583417854	#		GF	GFZ	JPN	9031.9000.00
3Z45-LE VS-1214H1	Vision lens, high resolution, low distortion 12mm for 1-inch sensor size	749.00	EC003015	3Z45S127E	4549734181426	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-1614H1N	Vision lens, high resolution, low distortion, 16 mm for 1-inch sensor size	749.00	EC003015	3Z45S128C	4549734181433	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-2514H1	Vision lens, high resolution, low distortion 25mm for 1-inch sensor size	748.50	EC003015	3Z45S129A	4549734181440	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-3514H1	Vision lens, high resolution, low distortion 35mm for 1-inch sensor size	749.00	EC003015	3Z45S130E	4549734181457	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-5018H1	Vision lens, high resolution, low distortion 50mm for 1-inch sensor size	730.50	EC003015	3Z45S131C	4549734181464	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA1226	Accessory vision lens, ultra high resolution, low distortion 12 mm for 1/1-inch sensor size, C-Mount,	1,118.00	EC003015	3Z45G100R	4549734782609	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA1626	Accessory vision lens, ultra high resolution, low distortion 16 mm for 1/1-inch sensor size, C-Mount,	1,118.00	EC003015	3Z45G101G	4549734782616	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA2524	Accessory vision lens, ultra high resolution, low distortion 25 mm for 1/1-inch sensor size, C-Mount,	1,118.00	EC003015	3Z45G102E	4549734782623	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA3522	Accessory vision lens, ultra high resolution, low distortion 35 mm for 1/1-inch sensor size, C-Mount,	1,118.00	EC003015	3Z45G103C	4549734782630	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-HVA5024	Accessory vision lens, ultra high resolution, low distortion 50 mm for 1/1-inch sensor size, C-Mount,	1,118.00	EC003015	3Z45G104A	4549734782647	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-LLD25	Vision lens, ultra high resolution, low distortion 25 mm for 4/3-inch sensor size, C-Mount	1,325.00	EC003015	3Z45G006A	4549734745628	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-LLD35	Vision lens, ultra high resolution, low distortion 35 mm for 4/3-inch sensor size, C-Mount	1,365.00	EC003015	3Z45G007M	4549734745635	#		GF	GFZ	CHN	9031.9000.00
3Z45-LE VS-LLD50	Vision lens, ultra high resolution, low distortion 50 mm for 4/3-inch sensor size, C-Mount	1,365.00	EC003015	3Z45G008H	4549734745642	#		GF	GFZ	CHN	9031.9000.00
FL-BR13120W	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0,3m	1,363.00	EC003015	FL 0010F	4548583032965			GF	GFZ	JPN	9031.9000.00
FL-BR5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0,3m	595.50	EC003015	FL 0006H	4548583032927	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0,3m	735.50	EC003015	FL 0007F	4548583032934	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0,3m	971.50	EC003015	FL 0008D	4548583032941	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120W-H	Bar ODR-light, 91x20mm, high-brightness model, white LED, IP20, cable 0,3m	1,217.00	EC003015	FL 0009B	4548583032958	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0,3m	1,116.00	EC003015	FL 0012B	4548583035690	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0,3m	1,425.00	EC003015	FL 0013M	4548583035706	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W	Ring ODR-light, 50/28mm, wide area model, white LED, IP20, cable 0,3m	1,242.00	EC003015	FL 0014R	4548583035713	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0,3m	1,553.00	EC003015	FL 0015G	4548583035720	#		GF	GFZ	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	96.40	EC003015	FL 3020M	4548583035775	#		GF	GFZ	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0,3m	2,331.00	EC003015	FL 0016E	4548583035737	#		GF	GFZ	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0,3m	2,955.00	EC003015	FL 0017C	4548583035744	#		GF	GFZ	JPN	9031.9000.00
FL-PS140W	Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white	2,978.00	EC003015	FL 0019M	4549734168922	#		GF	GFZ	JPN	9031.9000.00
FL-PS90W	Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white	2,169.00	EC003015	FL 0018A	4549734168915	#		GF	GFZ	JPN	9031.9000.00
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	713.00	EC003015	FL 2002F	4548583032996	#		GF	GFZ	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	909.00	EC003015	FL 2004B	4548583033016	#		GF	GFZ	JPN	9032.9000.90
FL-TC1P5	Lighting Controller for Photometric Stereo Lights	881.00	EC003015	FL 0021A	4549734168946	#		GF	GFZ	JPN	9032.9000.90
FLV-ATC41024-C	Analog lighting controller dimming 4ch 24	629.00	EC003015	FL 3220B	4548583426016	#		GF	GFZ	CHN	9032.9000.90
FLV-BR11222W	Bar Light 112 x 22mm, white	1,840.00	EC003015	FL 4134A	4548583427297	#		GF	GFZ	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	776.00	EC003015	FL 4136H	4548583427310	#		GF	GFZ	CHN	9031.9000.00
FLV-DB10181W	Accessory vision, back light, direct, 101 x 81mm, white	2,043.00	EC003015	FL 8157B	4548583503069	#		GF	GFZ	JPN	9031.9000.00
FLV-DB130130R	Accessory vision, back light, direct, 130 x 130, red	2,638.00	EC003015	FL 8160B	4548583503090	#		GF	GFZ	JPN	9031.9000.00
FLV-DB130130W	Accessory vision, back light, direct, 130 x 130, white	2,638.00	EC003015	FL 8156D	4548583503052	#		GF	GFZ	JPN	9031.9000.00
FLV-DR12030W	Ring light, direct, 120mm dia, 30 deg, white	1,923.00	EC003015	FL 4101E	4548583426962	#		GF	GFZ	CHN	9031.9000.00
FLV-DR9030W	Ring light, direct, 90mm dia, 30 deg, white	1,475.00	EC003015	FL 4103A	4548583426986	#		GF	GFZ	CHN	9031.9000.00
FLV-FQ48W	Accessory vision, shadowless light, 48 mm, white	998.00	EC003015	FL 8201C	4548583503441	#		GF	GFZ	JPN	9031.9000.00
FLV-TCC1	standard camera-mount lighting controller 1ch for FLV	368.50	EC003015	FL 3101M	4548583425774	#		GF	GFZ	CHN	9032.9000.90
FLV-TCC4	standard camera-mount lighting controller 4ch for FLV	740.00	EC003015	FL 3102H	4548583425781	#		GF	GFZ	CHN	9032.9000.90
FLV-XC5	Extension cable 5m for standard lighting	66.30	EC003015	FL 4850H	4548583429178	#		GF	GFZ	CHN	8544.4290.90
FL-XC10	Extension standard cable, 10m	337.80	EC003015	FL 3005F	4548583032767	#		GF	GFZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FL-XC3	Extension standard cable, 3m	129.40	EC003015	FL 3003M	4548583032736			GF	GFZ	JPN	8544.4290.90
FL-XC5	Extension standard cable, 5m	181.90	EC003015	FL 3004H	4548583032750	#		GF	GFZ	JPN	8544.4290.90
<b>Makine Otomasyon KontrolörleriNJ5</b>											
NJ501-R300	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes	8,485.00	EC000236	NX010224R	4549734665704	#		HA	HAA	JPN	8471.5000.00
NJ501-R320	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client	9,135.00	EC000236	NX010227C	4549734665735	#		HA	HAA	JPN	8471.5000.00
NJ501-R400	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes	9,785.00	EC000236	NX010225G	4549734665711	#		HA	HAA	JPN	8471.5000.00
NJ501-R420	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client	10,440.00	EC000236	NX010228A	4549734665742	#		HA	HAA	JPN	8471.5000.00
NJ501-R500	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes	11,090.00	EC000236	NX010226E	4549734665728	#		HA	HAA	JPN	8471.5000.00
NJ501-R520	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client	11,740.00	EC000236	NX010229M	4549734665759	#		HA	HAA	JPN	8471.5000.00
NJ501-1300	Sysmac NJ5 CPU, 20MB hafıza, dahilli EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,444.00	EC000236	NX010002E	4548583020450	#		HA	HAA	JPN	8471.4100.00
NJ501-1320	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahilli EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,315.00	EC000236	NX010015G	4548583418028	#		HA	HAA	JPN	8471.4100.00
NJ501-1400	Sysmac NJ5 CPU, 20MB hafıza, dahilli EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,828.00	EC000236	NX010003C	4548583020467	#		HA	HAA	JPN	8471.4100.00
NJ501-1420	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahilli EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,800.00	EC000236	NX010016E	4548583418035	#		HA	HAA	JPN	8471.4100.00
NJ501-1500	Sysmac NJ5 CPU, 20MB hafıza, dahilli EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,800.00	EC000236	NX010004A	4548583020474	#		HA	HAA	JPN	8471.4100.00
NJ501-1520	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahilli EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	6,555.00	EC000236	NX010017C	4548583418042	#		HA	HAA	JPN	8471.4100.00
NJ501-4300	Sysmac NJ5 CPU, Robot kinematik (max 4 robot), 20MB hafıza, dahilli EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,800.00	EC000236	NX010009B	4548583137745	#		HA	HAA	JPN	8471.4100.00
NJ301-1100	Sysmac NJ3 CPU, 5MB hafıza, dahilli EtherCat (4 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	3,129.00	EC000236	NX010007F	4548583113121	#		HA	HAA	JPN	8471.4100.00
NJ301-1200	Sysmac NJ3 CPU, 5MB hafıza, dahilli EtherCat (8 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	3,758.00	EC000236	NX010008D	4548583113138	#		HA	HAA	JPN	8471.4100.00
NJ101-1000	Sysmac NJ1 CPU, 3MB hafıza, dahilli EtherCAT (2 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,663.00	EC000236	NX010043B	4548583593749	#		HA	HAA	JPN	8471.4100.00
NJ101-1020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahilli EtherCAT (2 servo eksen, toplamda 64 EtherCAT cihazı) ve EtherNet/IP	3,337.00	EC000236	NX010045R	4548583758803	#		HA	HAA	JPN	8471.4100.00
NJ101-9000	Sysmac NJ1 CPU, 3MB hafıza, dahilli EtherCAT (0 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,336.00	EC000236	NX010044M	4548583593756	#		HA	HAA	JPN	8471.4100.00
NJ101-9020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahilli EtherCAT (0 servo eksen, toplamda 64 EtherCAT cihazı) ve EtherNet/IP	2,921.00	EC000236	NX010046G	4548583758810	#		HA	HAA	JPN	8471.4100.00
NJ501-5300	Sysmac NJ5 CNC CPU, 20MB bellek, dahilli EtherCAT (16 servo eksen, toplam 192 EtherCAT düğümü) ve EtherNet / IP	8,540.00	EC000236	NX010104H	4549734145435	#		HA	HAA	JPN	8471.5000.00
NJ501-5300-1	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	7,590.00	EC000236	NX010243E	4549734711524	#		HA	HAA	JPN	8471.5000.00
<b>Makine Otomasyon KontrolörleriNX1</b>											
NX502-1300	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (16 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	5,595.00	EC000236	NX010307E	4550431037930	#		HA	HAB	JPN	8471.5000.00
NX502-1400	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (32 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	6,075.00	EC000236	NX010308C	4550431037947	#		HA	HAB	JPN	8471.5000.00
NX502-1500	Sysmac NX5 CPU with SQL Database Connectivity, 80 MB program and 260 MB data memory, built-in EtherCAT (64 servo axes, in total 256 EtherCAT nodes) and 2 Ethernet ports (OPC-UA and EtherNet/IP)	6,815.00	EC000236	NX010309A	4550431037954	#		HA	HAB	JPN	8471.5000.00
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,684.00	EC000236	NX010138B	4549734205313	#		HA	HAB	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,160.00	EC000236	NX010142M	4549734205351	#		HA	HAB	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,351.00	EC000236	NX010139M	4549734205320	#		HA	HAB	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,770.00	EC000236	NX010143R	4549734205368	#		HA	HAB	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,555.00	EC000236	NX010140D	4549734205337	#		HA	HAB	CHN	8471.4100.00
NX102-1220	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,861.00	EC000236	NX010144G	4549734205375	#		HA	HAB	CHN	8471.4100.00
NX102-9000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,014.00	EC000236	NX010137D	4549734205306	#		HA	HAB	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,557.00	EC000236	NX010141B	4549734205344	#		HA	HAB	CHN	8471.4100.00
NX-END02	Yedek parça - NX1P denetleyicisi için uç plakası	20.71	EC002584	NX010075M	4548583866553			HA	HAB	CHN	8471.6070.00
<b>Hareket KontrolörleriCK3E</b>											
CK3E-1210	Programmable Multi-Axis Controller µPower PMAC, 8 axes	4,270.00	EC000236	CK3E0008H	4549734695275	#		HA	HAC	JPN	8471.4100.00
CK3E-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	6,205.00	EC000236	CK3E0009F	4549734695282	#		HA	HAC	JPN	8471.4100.00
CK3E-1410	Programmable Multi-Axis Controller µPower PMAC, 32 axes	9,810.00	EC000236	CK3E0010M	4549734695299	#		HA	HAC	JPN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Hareket Kontrolörleri CK3M</b>											
CK5M-CPU131	CK5M Quad Core 1040 CPU, 2 GB RAM, 4 GB Flash, 16 EtherCAT axes. Up to 8 axis interface units can be connected via Expansion units, max 32 axis local.	8,355.00	EC000236	CK5M0001C	4549734770583			HA	HAD	JPN	8471.4100.00
CK5M-CPU141	CK5M Quad Core 1040 CPU, 2 GB RAM, 4 GB Flash, 32 EtherCAT axes. Up to 8 axis interface units can be connected via Expansion units, max 32 axis local.	11,710.00	EC000236	CK5M0002A	4549734770590			HA	HAD	JPN	8471.4100.00
CK3W-AD2100	CK3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)	1,557.00	EC001420	CK3W0024D	4549734537902			HA	HAD	CHN	8471.6070.00
CK3W-AD3100	CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1,917.00	EC001420	CK3W0023F	4549734537896			HA	HAD	CHN	8471.6070.00
CK3W-MD7120	CK3W Digital IO, IN/OUT:16/16, PNP	1,197.00	EC001419	CK3W0022H	4549734537889			HA	HAD	CHN	8471.6070.00
CK3W-PD048	CK3W Power Supply Unit for CK[J]M-CPU1[1]1, 5 VDC / 24 VDC, max current 8 A (5 VDC)	390.80	EC000599	CK3W0011B	4549734278881			HA	HAD	JPN	8471.8000.00
CK5W-EXS01	Expansion Slave Unit. Use this in the Expansion Rack located in the middle. This unit can only be used with the CK5M CPU Unit.	1,195.00	EC002584	CK5M0003M	4549734770606			HA	HAD	CHN	8471.8000.00
<b>Makine Otomasyon KontrolörleriNX1P2</b>											
NX1P2-1040DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,431.00	EC000236	NX010065C	4548583866454	#		HA	HAE	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,431.00	EC000236	NX010066A	4548583866461	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	2,080.00	EC000236	NX010067M	4548583866478			HA	HAE	CHN	8471.4100.00
NX1P2-1140DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	2,080.00	EC000236	NX010068H	4548583866485	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT	Sysmac NX1P CPU, 24 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,062.00	EC000236	NX010063G	4548583866430	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT1	Sysmac NX1P CPU, 24 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port	1,071.00	EC000236	NX010064E	4548583866447	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT	Sysmac NX1P CPU with 24 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	754.00	EC000236	NX010202H	4549734556712	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	754.00	EC000236	NX010203F	4549734556729	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	952.50	EC000236	NX010204D	4549734556736	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	952.50	EC000236	NX010205B	4549734556743	#		HA	HAE	CHN	8471.4100.00
<b>NX1P seçenek kartlar?</b>											
NX1W-ADB21	Sysmac NX1P Analog I/O vidası opsiyonel kartı, 2 x analog giriş 0 to 10 V, çözünürlük 1/4000 veya 0 to 20 mA, çözünürlük 1:2000	130.80	EC001596	NX010072F	4548583866522	#		HA	HAF	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P RS-232C vidası (15 m max.) opsiyonel seri haberleşme kartı	64.90	EC001604	NX010069F	4548583866492	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P RS422/485 vidası (50 m max.) opsiyonel seri haberleşme kartı	64.90	EC001604	NX010070M	4548583866508	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P RS422/485 vidası (izole 500 m max.) opsiyonel seri haberleşme kartı	129.90	EC001604	NX010071H	4548583866515	#		HA	HAF	CHN	8471.8000.00
NX1W-DAB21V	Sysmac NX1P Analog I/O vidası opsiyonel kartı, 2 x analog çıkış 0 to 10 V, çözünürlük 1:4000	143.40	EC001596	NX010073D	4548583866539	#		HA	HAF	CHN	8471.6070.00
NX1W-MAB221	Sysmac NX1P Analog I/O vidası opsiyonel kartı, 2 x analog inputs 0 to 10 V, çözünürlük 1:4000 veya 0 to 20 mA, çözünürlük 1:2000, 2 x analog outputs 0 to 10 V, çözünürlük 1:4000	272.90	EC001596	NX010074B	4548583866546	#		HA	HAF	CHN	8471.6070.00
<b>Makine Kontrolörleri NX701</b>											
NX701-1600	Sysmac NX7 CPU, 80MB hafıza, dahili EtherCAT (128 servo eksen, toplamda 512 Ethercat cihazı) ve 2 Ethernet IP pveyatu	6,790.00	EC000236	NX010038F	4548583593695	#		HA	HAG	JPN	8471.4100.00
NX701-1620	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	10,210.00	EC000236	NX010135H	4549734193863	#		HA	HAG	JPN	8471.4100.00
NX701-1700	Sysmac NX7 CPU, 80MB hafıza, dahili EtherCAT (256 servo eksen, toplamda 512 Ethercat cihazı) ve 2 Ethernet IP pveyatu	7,125.00	EC000236	NX010039D	4548583593701			HA	HAG	JPN	8471.4100.00
NX701-2600	Sysmac NX7 AI Controller, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	13,860.00	EC000236	NX010173M	4549734450201	#		HA	HAG	JPN	8471.5000.00
<b>Aksesuarlar NJ'ler ve NX1</b>											
NJ-PA3001	Sysmac NJ güç kaynağı 100-240 VAC, 30 W, "RUN" çıkış rölesi	331.90	EC000599	NX010005M	4548583020665	#		HA	HAZ	CHN	8504.4083.90
NJ-PD3001	Sysmac NJ güç kaynağı 24 VDC, 30 W, "RUN" çıkış rölesi	340.00	EC000599	NX010006H	4548583020672	#		HA	HAZ	CHN	8504.4083.90
NX-PA9001	Sysmac NX güç kaynağı, 100-240 VAC, 90 W, "RUN" çıkış rölesi	792.50	EC000599	NX010041F	4548583593725	#		HA	HAZ	JPN	8504.4083.90
NX-PD7001	Sysmac NX güç kaynağı, 24 VDC, 70 W, "RUN" çıkış rölesi	649.00	EC000599	NX010042D	4548583593732	#		HA	HAZ	JPN	8504.4083.90
HMC-SD292	2 GB SD hafıza kartı	287.50	EC000192	HMC 1042C	4549734719780	#		HA	HAZ	JPN	8471.9000.00
HMC-SD492	4 GB SD memory card	431.70	EC000192	HMC 1043A	4549734719797	#		HA	HAZ	JPN	8471.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>NX Serisi Uzak G/C</b>											
NX-ID3317	4 Dijital Giriş, Standart Hız, NPN 24 VDC, 12 mm genişlik	66.85	EC001599	NX020001A	4548583353008	#		HB	HBA	CHN	8471.6070.00
NX-ID3343	4 Dijital Giriş, Yüksek hız, NPN 24 VDC, 12 mm genişlik	130.40	EC001599	NX020007M	4548583353060	#		HB	HBA	CHN	8471.6070.00
NX-ID3344	4 Dijital Giriş, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 12 mm genişlik	230.00	EC001599	NX020009G	4548583353084	#		HB	HBA	CHN	8471.6070.00
NX-ID3417	4 Dijital Giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	66.85	EC001599	NX029094M	4549734450478	#		HB	HBA	NLD	8471.6070.00
NX-ID3443	4 Dijital Giriş, Yüksek hız, PNP 24 VDC, 12 mm genişlik	130.40	EC001599	NX020080A	4548583368378	#		HB	HBA	CHN	8471.6070.00
NX-ID3444	4 Dijital Giriş, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 12 mm genişlik	230.00	EC001599	NX020010M	4548583353091	#		HB	HBA	CHN	8471.6070.00
NX-ID4342	8 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	88.70	EC001599	NX029095R	4549734450485	#		HB	HBA	NLD	8471.6070.00
NX-ID4442	8 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	88.70	EC001599	NX029096G	4549734450492	#		HB	HBA	NLD	8471.6070.00
NX-ID5142-1	16 Digital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	150.50	EC001599	NX020106R	4548583572881	#		HB	HBA	CHN	8471.6070.00
NX-ID5142-5	16 Dijital Giriş, Standart Hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konnektör (dahil değildir)	164.70	EC001599	NX020093C	4548583552029	#		HB	HBA	CHN	8471.6070.00
NX-ID5342	16 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	153.00	EC001599	NX029097E	4549734450508	#		HB	HBA	NLD	8471.6070.00
NX-ID5442	16 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	153.00	EC001599	NX029098C	4549734450515	#		HB	HBA	NLD	8471.6070.00
NX-ID6142-5	32 Dijital giriş, Standart hız, NPN/PNP 24 VDC, 30 mm genişlik, MIL konnektör (dahil değil)	278.70	EC001599	NX020183B	4549734761680	#		HB	HBA	JPN	8471.6070.00
NX-ID6142-6	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	278.70	EC001599	NX020184M	4549734761697	#		HB	HBA	JPN	8471.6070.00
NX-ID6342	32 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 24 mm wide	256.70	EC001599	NX020209M	4550431043061	#		HB	HBA	CHN	8471.6070.00
NX-ID6442	32 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 24 mm wide	291.20	EC001599	NX020210C	4550431043078	#		HB	HBA	CHN	8471.6070.00
NX-OC2633	2 Dijital çıkış, Standart NA röle, 2 A, 250 VAC, 12 mm genişlik	83.70	EC001599	NX029099A	4549734450522	#		HB	HBA	NLD	8471.6070.00
NX-OC2733	2 Dijital Çıkış, NA+NK röle, 2 A, 250 VAC, 12 mm genişlik	87.75	EC001599	NX029100R	4549734450539	#		HB	HBA	NLD	8471.6070.00
NX-OD2154	2 Dijital Çıkış, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 0.5 A/point, 1 A/NX ünitesi, 12 mm genişlik	169.20	EC001599	NX020081M	4548583407596	#		HB	HBA	CHN	8471.6070.00
NX-OD2258	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 0.5 A/point, 1 A/NX Ünite, 12 mm genişlik	169.20	EC001599	NX020082H	4548583407602	#		HB	HBA	CHN	8471.6070.00
NX-OD3121	4 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	76.00	EC001599	NX020012G	4548583353114	#		HB	HBA	CHN	8471.6070.00
NX-OD3153	4 Dijital Çıkış, Yüksek hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	145.10	EC001599	NX020018F	4548583353176	#		HB	HBA	CHN	8471.6070.00
NX-OD3256	4 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	71.90	EC001599	NX029101G	4549734450546	#		HB	HBA	NLD	8471.6070.00
NX-OD3257	4 Dijital çıkış, Yüksek hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	138.60	EC001599	NX020019D	4548583353183	#		HB	HBA	CHN	8471.6070.00
NX-OD3268	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide	98.10	EC001599	NX020110G	4548583572928	#		HB	HBA	CHN	8471.6070.00
NX-OD4121	8 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 12 mm genişlik	99.75	EC001599	NX020014C	4548583353138	#		HB	HBA	CHN	8471.6070.00
NX-OD4256	8 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	105.20	EC001599	NX029102E	4549734450553	#		HB	HBA	NLD	8471.6070.00
NX-OD5121	16 Dijital çıkış, Standart hız, NPN 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	164.40	EC001599	NX029103C	4549734450560	#		HB	HBA	NLD	8471.6070.00
NX-OD5121-5	16 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	176.30	EC001599	NX020095M	4548583552043	#		HB	HBA	CHN	8471.6070.00
NX-OD5256	16 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	164.40	EC001599	NX029104A	4549734450577	#		HB	HBA	NLD	8471.6070.00
NX-OD5256-1	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	213.30	EC001599	NX020111E	4548583572935	#		HB	HBA	CHN	8471.6070.00
NX-OD5256-5	16 Dijital Çıkış, Standart Hız, PNP 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	181.20	EC001599	NX020097F	4548583552067	#		HB	HBA	CHN	8471.6070.00
NX-OD6121	32 Digital Outputs, Standard speed, NPN 12~24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 24 mm wide	278.30	EC001599	NX020211A	4550431043085	#		HB	HBA	CHN	8471.6070.00
NX-OD6121-5	32 Dijital Çıkış, Standart Hız, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MIL konnektör (dahil değil)	299.30	EC001599	NX020190E	4549734761758	#		HB	HBA	JPN	8471.6070.00
NX-OD6121-6	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	299.30	EC001599	NX020109C	4548583572911	#		HB	HBA	CHN	8471.6070.00
NX-OD6256	32 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 24 mm wide	268.80	EC001599	NX020212M	4550431043092	#		HB	HBA	CHN	8471.6070.00
NX-OD6256-5	32 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 30 mm genişlik, MIL konnektör (dahil değil)	299.30	EC001599	NX020098D	4548583552074	#		HB	HBA	CHN	8471.6070.00
NX-MD6121-5	16 Dijital Giriş + 16 Dijital NPN Çıkış, Standart Hız, 24 VDC, 30 mm genişlik, MIL konnektör (dahil değil)	289.20	EC001599	NX020099B	4548583552081	#		HB	HBA	CHN	8471.6070.00
NX-MD6121-6	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	289.20	EC001599	NX020112C	4548583572942	#		HB	HBA	CHN	8471.6070.00
NX-MD6256-5	16 Dijital Giriş + 16 Dijital PNP Çıkış, Standart Hız, 24 VDC, 30 mm genişlik, MIL konnektör (dahil değil)	289.20	EC001599	NX020100M	4548583552098	#		HB	HBA	CHN	8471.6070.00
NX-AD2203	2 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	263.10	EC001596	NX029085A	4549734450386	#		HB	HBA	NLD	8471.6070.00
NX-AD2204	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	263.10	EC001596	NX020034H	4548583353336	#		HB	HBA	CHN	8471.6070.00
NX-AD2208	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	338.10	EC001596	NX020035F	4548583353343	#		HB	HBA	CHN	8471.6070.00
NX-AD2603	2 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	263.10	EC001596	NX029086M	4549734450393	#		HB	HBA	NLD	8471.6070.00
NX-AD2604	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	263.10	EC001596	NX020025R	4548583353244	#		HB	HBA	CHN	8471.6070.00
NX-AD2608	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	338.10	EC001596	NX020026G	4548583353251	#		HB	HBA	CHN	8471.6070.00
NX-AD3203	4 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	299.90	EC001596	NX029087H	4549734450409	#		HB	HBA	NLD	8471.6070.00
NX-AD3204	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	299.90	EC001596	NX029088F	4549734450416	#		HB	HBA	NLD	8471.6070.00
NX-AD3208	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	466.70	EC001596	NX020038M	4548583353374	#		HB	HBA	CHN	8471.6070.00
NX-AD3603	4 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	299.90	EC001596	NX020172G	4549734761574	#		HB	HBA	JPN	8471.6070.00
NX-AD3604	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	299.90	EC001596	NX020028C	4548583353275	#		HB	HBA	CHN	8471.6070.00
NX-AD3608	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	466.70	EC001596	NX020029A	4548583353282	#		HB	HBA	CHN	8471.6070.00
NX-AD4203	8 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	412.50	EC001596	NX029089D	4549734450423	#		HB	HBA	NLD	8471.6070.00
NX-AD4204	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	412.50	EC001596	NX029090H	4549734450430	#		HB	HBA	NLD	8471.6070.00
NX-AD4208	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	599.00	EC001596	NX020041M	4548583353404	#		HB	HBA	CHN	8471.6070.00
NX-AD4603	8 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	412.50	EC001596	NX020030E	4548583353299	#		HB	HBA	CHN	8471.6070.00
NX-AD4604	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	412.50	EC001596	NX020031C	4548583353305	#		HB	HBA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-AD4608	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	599.00	EC001596	NX020032A	4548583353312	#		HB	HBA	CHN	8471.6070.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5 V, 0 to 20 mA, 4 to 20 mA, differential, resolution 16 bit, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP	1,365.00	EC001596	NX020145M	4549734209663	#		HB	HBA	CHN	8471.6070.00
NX-HB3101	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 NPN Çıkış, vidasız push-in bağlantı, 12 mm genişlik	515.00	EC001597	NX020122M	4548583801981	#		HB	HBA	CHN	8471.6070.00
NX-HB3201	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 PNP Çıkış, vidasız push-in bağlantı, 12 mm genişlik	515.00	EC001597	NX020123R	4548583801998	#		HB	HBA	CHN	8471.6070.00
NX-RS1201	1 x Load Cell Giriş, -5.0 to 5.0 mV/V, 24 bit, 125 µs, vidasız push-in bağlantı, 12 mm genişlik	623.50	EC001596	NX020121B	4548583799158	#		HB	HBA	JPN	8471.6070.00
NX-RS1201-K	1 x Load Cell input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	895.50	EC001596	NX020125E	4549734110235	#		HB	HBA	JPN	8471.6070.00
NX-TS2101	2 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WRe5-26,PLII, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik	307.00	EC001596	NX020050M	4548583353497	#		HB	HBA	CHN	8471.6070.00
NX-TS2102	2 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WRe5-26,PLII, çözünürlük 0.01°C, 10 ms/ünites, 12 mm genişlik	494.30	EC001596	NX020051H	4548583353503	#		HB	HBA	CHN	8471.6070.00
NX-TS2201	2 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 12 mm genişlik	307.00	EC001596	NX020056R	4548583353558	#		HB	HBA	CHN	8471.6070.00
NX-TS2202	2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), çözünürlük 0.01°C, 10 ms/ünites, 12 mm genişlik	494.30	EC001596	NX020057G	4548583353565	#		HB	HBA	CHN	8471.6070.00
NX-TS2204	2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünites, 12 mm genişlik	494.30	EC001596	NX020058E	4548583353572	#		HB	HBA	CHN	8471.6070.00
NX-TS3101	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WRe5-26,PLII, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik	391.30	EC001596	NX020053D	4548583353527	#		HB	HBA	CHN	8471.6070.00
NX-TS3102	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WRe5-26,PLII, çözünürlük 0.01°C, 10 ms/ünites, 24 mm genişlik	631.50	EC001596	NX020054B	4548583353534	#		HB	HBA	CHN	8471.6070.00
NX-TS3104	4 Termokupl Giriş, K,J,T,E,L,U,N,R,S,WRe5-26,PLII, çözünürlük 0.001°C, 60 ms/ünites, 24 mm genişlik	631.50	EC001596	NX020055M	4548583353541	#		HB	HBA	CHN	8471.6070.00
NX-TS3201	4 Sıcaklık Sensörü Giriş, RTD Pt100 (3-kablolu), Pt1000, çözünürlük 0.1 °C, 250 ms/Ünite, 24 mm genişlik	391.30	EC001596	NX020059C	4548583353589	#		HB	HBA	CHN	8471.6070.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	631.50	EC001596	NX020060G	4548583353596	#		HB	HBA	CHN	8471.6070.00
NX-TS3204	4 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünites, 24 mm genişlik	631.50	EC001596	NX020061E	4548583353602	#		HB	HBA	CHN	8471.6070.00
NX-DA2203	2 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	287.80	EC001596	NX020046A	4548583353459	#		HB	HBA	CHN	8471.6070.00
NX-DA2205	2 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	362.00	EC001596	NX020047M	4548583353466	#		HB	HBA	CHN	8471.6070.00
NX-DA2603	2 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	287.80	EC001596	NX029091F	4549734450447	#		HB	HBA	NLD	8471.6070.00
NX-DA2605	2 Analog Çıkış, +/- 10 V, çözünürlük 1/30000,10 µs/ch, 12 mm genişlik	362.00	EC001596	NX020043G	4548583353428	#		HB	HBA	CHN	8471.6070.00
NX-DA3203	4 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	329.70	EC001596	NX029092D	4549734450454	#		HB	HBA	NLD	8471.6070.00
NX-DA3205	4 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	489.10	EC001596	NX020049F	4548583353480	#		HB	HBA	CHN	8471.6070.00
NX-DA3603	4 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	329.70	EC001596	NX029093B	4549734450461	#		HB	HBA	NLD	8471.6070.00
NX-DA3605	4 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	489.10	EC001596	NX020045C	4548583353442	#		HB	HBA	CHN	8471.6070.00
NX-EC0112	1 Incremental Encoder NPN Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	313.60	EC001601	NX020101H	4548583552104	#		HB	HBA	CHN	8471.6070.00
NX-EC0122	1 Incremental Encoder PNP Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	293.00	EC001601	NX020062C	4548583353619	#		HB	HBA	CHN	8471.6070.00
NX-EC0132	1 Incremental Encoder Line driver Giriş, Faz A ve B: Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, NPN, 24 mm genişlik	489.10	EC001601	NX020103D	4548583552128	#		HB	HBA	CHN	8471.6070.00
NX-EC0142	1 Incremental Encoder Line driver Giriş, Faz A ve B: Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, PNP, 24 mm genişlik	453.90	EC001601	NX020064M	4548583353633	#		HB	HBA	CHN	8471.6070.00
NX-EC0212	2 Incremental Encoder NPN Giriş, Faz A ve B: Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	350.20	EC001601	NX020102F	4548583552111	#		HB	HBA	CHN	8471.6070.00
NX-EC0222	2 Incremental Encoder PNP Giriş, Faz A ve B: tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	326.40	EC001601	NX020063A	4548583353626	#		HB	HBA	CHN	8471.6070.00
NX-ECS112	1 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12 mm genişlik	412.50	EC001601	NX020065H	4548583353640	#		HB	HBA	CHN	8471.6070.00
NX-ECS212	2 SSI Encoder Giriş, EIA Standart RS-422-A, 32 bits max veri uzunluğu, 12mm genişlik	489.10	EC001601	NX020066F	4548583353657	#		HB	HBA	CHN	8471.6070.00
NX-PG0112	1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, NPN, 12 mm genişlik	370.20	EC001601	NX020104B	4548583552135	#		HB	HBA	CHN	8471.6070.00
NX-PG0122	1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, PNP, 12 mm genişlik	345.30	EC001601	NX020067D	4548583353664	#		HB	HBA	CHN	8471.6070.00
NX-PG0232-5	2 x Line Driver Puls Çıkış, NPN, 4 Mpps, 1 x MIL connector, 12 mm genişlik	823.50	EC001601	NX020119M	4548583783461	#		HB	HBA	JPN	8471.6070.00
NX-PG0242-5	2 x Line Driver Puls Çıkış, PNP, 4 Mpps, 1 x MIL connector, 12 mm genişlik	823.50	EC001601	NX020120D	4548583783478	#		HB	HBA	JPN	8471.6070.00
NX-PG0332-5	4 x Line Driver Puls Çıkış, NPN, 4 Mpps, 2 x MIL connectors, 24 mm genişlik	1,176.00	EC001601	NX020117D	4548583783447	#		HB	HBA	JPN	8471.6070.00
NX-PG0342-5	4 x Line Driver Puls Çıkış, PNP, 4 Mpps, 2 x MIL connectors, 24 mm genişlik	1,176.00	EC001601	NX020118B	4548583783454	#		HB	HBA	JPN	8471.6070.00
NX-CIF101	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-232C, bastırılmalı terminal, 12 mm genişlik	480.30	EC001604	NX020114M	4548583588653	#		HB	HBA	JPN	8471.8000.00
NX-CIF105	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-422/485C, bastırılmalı terminal, 12 mm genişlik	480.30	EC001604	NX020115H	4548583588660	#		HB	HBA	JPN	8471.8000.00
NX-CIF210	Seri Haberleşme Arayüzü Ünitesi, 2 x RS-232C, 9-pin D-sub, 30 mm genişlik	565.50	EC001604	NX020116F	4548583588677	#		HB	HBA	JPN	8471.8000.00
NX-ECT101	NX-series EtherCAT® Slave Unit. High-speed data exchange based on EtherCAT.	823.50	EC001604	NX020171R	4549734754347	#		HB	HBA	CHN	8471.8000.00
NX-EIP201	Expansion EtherNet/IP unit, connects to Left hand side of CPU	2,796.00	EC001604	NX020208A	4550431037961	#		HB	HBA	JPN	8471.8000.00
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	496.30	EC001597	NXTC1000D	4549734191388	#		HB	HBA	CHN	8471.6070.00
NX-TC2406	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	454.90	EC001597	NXTC1001B	4549734191395	#		HB	HBA	CHN	8471.6070.00
NX-TC2407	2 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat and Cool control, Push-in Plus terminals	467.70	EC001597	NXTC1002M	4549734191401	#		HB	HBA	CHN	8471.6070.00
NX-TC2408	2 loops, Thermocouple/Pt100 input, 2 Analog Outputs, 4 - 20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	531.50	EC001597	NXTC1003R	4549734191418	#		HB	HBA	CHN	8471.6070.00
NX-TC3405	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	632.00	EC001597	NXTC1004G	4549734191425	#		HB	HBA	CHN	8471.6070.00
NX-TC3406	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	568.50	EC001597	NXTC1005E	4549734191432	#		HB	HBA	CHN	8471.6070.00
NX-TC3407	4 loops, Thermocouple/Pt100 input, PNP 8 Digital Outputs 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	581.00	EC001597	NXTC1006C	4549734191449	#		HB	HBA	CHN	8471.6070.00
NX-ECC203	Uzak I/O, NX, 2 port EtherCAT Coupler, 125 µs döngü süresi, max I/O akımı 10 A, sonlandırıcı ile birlikte teslim edilir	275.20	EC001603	NX020105M	4548583561939	#		HB	HBA	CHN	8471.6070.00
NX-EIC202	Uzak I/O, NX, EtherNet/IP Coupler, 63 I/O ünitesi, bağımsız günlük kontrolcüsünü destekler, 10A max	438.20	EC001603	NX020092E	4548583523333	#		HB	HBA	CHN	8471.6070.00
NX-ILM400	NX serisi I/O-Link master IP20, 4 kanal	296.40	EC001599	NX021000R	4548583819139	#		HB	HBA	JPN	8471.6070.00
NX-PC0010	NX G/Ç güç bağlantı ünitesi, IOG, 5-24 V DC Giriş, 16 terminal	57.60	EC001600	NX029105M	4549734450584	#		HB	HBA	NLD	8471.8000.00
NX-PC0020	NX G/Ç güç bağlantı ünitesi, IOV, 5-24 V DC Giriş, 16 terminal	57.60	EC001600	NX029106H	4549734450591	#		HB	HBA	NLD	8471.8000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-PC0030	NX G/C güç bağlantı ünitesi, IOV+IOG, 5-24 V DC Giriş, 8 + 8 terminal	57.60	EC001600	NX029107F	4549734450607	#		HB	HBA	NLD	8471.8000.00
NX-PD1000	NX bus ve G/C güç besleme, 24 V DC Giriş, non-isolated,12 mm genişlik	104.30	EC001600	NX029108D	4549734450614	#		HB	HBA	NLD	8471.8000.00
NX-PF0630	NX G/C güç besleme ünitesi, 5-24 V DC Giriş, 8 terminal	72.15	EC001600	NX029109B	4549734450621	#		HB	HBA	NLD	8471.8000.00
NX-PF0730	Uzak I/O, NX, güç besleme ünitesi, 10A	64.35	EC001600	NX029110F	4549734450638	#		HB	HBA	NLD	8471.8000.00
NX-PNC202	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	603.00	EC001603	NX020169G	4549734710978	#		HB	HBA	CHN	8471.8000.00
NX-TBX01	Ground bağlama terminali,14 terminal	55.10	EC001600	NX020073R	4548583353725	#		HB	HBA	CHN	8471.6070.00
NX-AUX01	NX-serisi aksesuarı, DIN ray montajı ayırıcı, 1 sette 3 adet	26.45	EC002584	NX020078M	4548583364561	#		HB	HBA	JPN	8471.6070.00
NX-AUX02	Terminal blok kodlama pinleri veya 10x NX I/O ünitesiesi (Terminal Blok: 30 pin, ünitesi: 30 pin)	13.30	EC002584	NX020079H	4548583365148	#		HB	HBA	CHN	8471.6070.00
NX-END01	NX I/O serisi için sonlandırma kapağı (yedek amaçlı)	13.02	EC002584	NX020074G	4548583353732	#		HB	HBA	CHN	8471.6070.00
NX-TBA082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B)	14.57	EC002584	NX020085B	4548583476516	#		HB	HBA	CHN	8536.9010.00
NX-TBA122	Replacement screwless push-in connector with 12 wiring terminals (marked A+B)	12.45	EC002584	NX020086M	4548583476523	#		HB	HBA	CHN	8536.9010.00
NX-TBA162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	13.03	EC002584	NX020087R	4548583476530	#		HB	HBA	CHN	8536.9010.00
NX-TBB162	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	12.45	EC002584	NX020089E	4548583476554	#		HB	HBA	CHN	8536.9010.00
NX-TBC082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B+FG)	12.45	EC002584	NX020090R	4548583476561	#		HB	HBA	CHN	8536.9010.00
NX-TBC162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B+FG)	12.45	EC002584	NX020091G	4548583476578	#		HB	HBA	CHN	8536.9010.00
<b>NXR Serisi</b>											
NXR-ILM08C-EIT	NXR Series IO-Link Master Unit IP67, 8 ports, EtherNet/IP	839.00	EC001599	NXR 0001E	4549734605632	#		HB	HBB	JPN	8471.6070.00
NXR-ID166C-IL2	NXR Series IO-Hub IP67, 16 input, 8x M12 connectors	410.30	EC001599	NXR 0003A	4549734605656	#		HB	HBB	JPN	8471.6070.00
NXR-CD166C-IL2	NXR Series IO-Hub IP67, 16 input/output, 8x M12 connectors	506.50	EC001599	NXR 0002C	4549734605649	#		HB	HBB	JPN	8471.6070.00
<b>NX Eminiyet Ürünleri</b>											
NX-SL3300	Güvenlik Kontrolörü, NX, 32 güvenlik master bağlantı, 256 güvenlik I/O ya kadar	392.20	EC000236	NXS32007C	4549734766111	#		HC	HCA	JPN	8471.6070.00
NX-SL3500	NX-serisi I/O, NX Güvenlik kontrolör, 1024 güvenlik I/O ya kadar ve 2Mb hafıza kapasitesi	882.00	EC000236	NXS32008A	4549734766128	#		HC	HCA	JPN	8471.6070.00
NX-SL5500	Safety controller, CIP-S and EtherCAT, 128 safety master connections, up to 1024 safety I/O, 2 MB memory capacity, SD Backup/Restore supported	1,078.00	EC000236	NXS30011M	4549734205702	#		HC	HCA	CHN	8471.6070.00
NX-SL5700	Safety controller, CIP-S and EtherCAT, 254 safety master connections, up to 2032 safety I/O, 4 MB memory capacity, SD Backup/Restore supported	1,471.00	EC000236	NXS30010B	4549734205696	#		HC	HCA	CHN	8471.6070.00
NX-SID800	8 Dijital Güvenlik Girişi, PNP 24 VDC, 12 mm genişlik	486.80	EC001599	NXS36005R	4549734450027	#		HC	HCA	NLD	8471.6070.00
NX-SIH400	4 Dijital Güvenlik Girişi, PNP 24 VDC, yüksek bağlanabilirlik ünite, 12 mm genişlik	377.40	EC001599	NXS36009A	4549734450058	#		HC	HCA	NLD	8471.6070.00
NX-SOD400	4 Dijital Güvenlik Çıkışı, PNP 24 VDC, 0.5 A/nokta, 2.0 A/NX Ünite, 12 mm genişlik	417.50	EC001599	NXS36003B	4549734450010	#		HC	HCA	NLD	8471.6070.00
NX-SOH200	2 Dijital Güvenlik Çıkışı, PNP 24 VDC, 2.0 A/nokta, 4.0 A/NX Ünite, 12 mm genişlik	363.30	EC001599	NXS36006G	4549734450034	#		HC	HCA	NLD	8471.6070.00
NX-CSG320	Safety Gateway for CIP-Safety, SD-Card slot, iBus connection up to 10 A, Interface 1: Ethernet/IP port, Interface 2: CIP-Safety switching ports	1,396.00	EC001604	NXS30012R	4549734205719	#		HC	HCA	CHN	8471.8000.00
<b>OAT Scara</b>											
17211-116000	SCARA Robot eCobra 600 Pro, 5.5 kg taşıma kapasitesi, 600 mm erişim, IP20	25,720.00	EC003245	R6A 6052D	4549734445221	#		IB	IBA	JPN	8479.5000.00
RL4-1166000	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	22,130.00	EC003245	R6A 0279F	4549734671156	#		IB	IBA	JPN	8479.5000.00
RL4-1166010	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	25,120.00	EC003245	R6A 0280M	4549734671163	#		IB	IBA	JPN	8479.5000.00
RL4-1168000	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	27,410.00	EC003245	R6A 0283D	4549734671194	#		IB	IBA	JPN	8479.5000.00
RL4-1168010	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	30,430.00	EC003245	R6A 0284B	4549734671200	#		IB	IBA	JPN	8479.5000.00
RL4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	33,200.00	EC003245	R6A 0285M	4549734671217	#		IB	IBA	JPN	8479.5000.00
RL4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	27,330.00	EC003245	R6A 0281H	4549734671170	#		IB	IBA	JPN	8479.5000.00
RL4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	30,370.00	EC003245	R6A 0282F	4549734671187	#		IB	IBA	JPN	8479.5000.00
RL4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	31,990.00	EC003245	R6A 0286R	4549734671224	#		IB	IBA	JPN	8479.5000.00
RL4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	35,090.00	EC003245	R6A 0287G	4549734671231	#		IB	IBA	JPN	8479.5000.00
RL4-2168030	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	37,850.00	EC003245	R6A 0288E	4549734671248	#		IB	IBA	JPN	8479.5000.00
RS4-2053002	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	12,150.00	EC003245	R6A 0374A	4549734693011	#		IB	IBA	CHN	8479.5000.00
RS4-2054002	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	13,500.00	EC003245	R6A 0375M	4549734693028	#		IB	IBA	CHN	8479.5000.00
RS4-2054102	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ENET	13,500.00	EC003245	R6A 0379B	4549734693066	#		IB	IBA	CHN	8479.5000.00
RS4-2055002	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ENET	14,840.00	EC003245	R6A 0376H	4549734693035	#		IB	IBA	CHN	8479.5000.00
RS4-2055004	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-ENET	16,180.00	EC003245	R6A 0377F	4549734693042	#		IB	IBA	CHN	8479.5000.00
RS4-2055102	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ENET	14,840.00	EC003245	R6A 0380F	4549734693073	#		IB	IBA	CHN	8479.5000.00
RS4-2055104	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-ENET	16,020.00	EC003245	R6A 0381D	4549734693080	#		IB	IBA	CHN	8479.5000.00
RS4-2056502	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	29,320.00	EC003245	R6A 7188G	4549734759557	#		IB	IBA	NLD	8479.5000.00

Item Number	Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock Qty.	Gr.	Fam	COO	Tariff Code
RS4-2056504		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	30,590.00	EC003245	R6A 7191G	4549734759588		IB	IBA	NLD	8479.5000.00
RS4-2056512		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	36,490.00	EC003245	R6A 4429D	4549734769990		IB	IBA	NLD	8479.5000.00
RS4-2056514		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	37,860.00	EC003245	R6A 4430H	4549734770002		IB	IBA	NLD	8479.5000.00
RS4-2056542		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	39,690.00	EC003245	R6A 7190R	4549734759571		IB	IBA	NLD	8479.5000.00
RS4-2056544		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	40,950.00	EC003245	R6A 7193C	4549734759601		IB	IBA	NLD	8479.5000.00
RS4-2056553		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	32,250.00	EC003245	R6A 7189E	4549734759564		IB	IBA	NLD	8479.5000.00
RS4-2056555		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	33,490.00	EC003245	R6A 7192E	4549734759595		IB	IBA	NLD	8479.5000.00
RS4-2056702		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	29,320.00	EC003245	R6A 7194A	4549734759618		IB	IBA	NLD	8479.5000.00
RS4-2056704		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	30,590.00	EC003245	R6A 7197F	4549734759649		IB	IBA	NLD	8479.5000.00
RS4-2056712		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	36,490.00	EC003245	R6A 4431F	4549734770019		IB	IBA	NLD	8479.5000.00
RS4-2056714		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	37,860.00	EC003245	R6A 4432D	4549734770026		IB	IBA	NLD	8479.5000.00
RS4-2056742		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	39,690.00	EC003245	R6A 7196H	4549734759632		IB	IBA	NLD	8479.5000.00
RS4-2056744		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	40,950.00	EC003245	R6A 7199R	4549734759663		IB	IBA	NLD	8479.5000.00
RS4-2056753		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	32,250.00	EC003245	R6A 7195M	4549734759625		IB	IBA	NLD	8479.5000.00
RS4-2056755		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	33,490.00	EC003245	R6A 7198D	4549734759656		IB	IBA	NLD	8479.5000.00
RS4-2057502		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	30,590.00	EC003245	R6A 7200M	4549734759670		IB	IBA	NLD	8479.5000.00
RS4-2057504		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	31,880.00	EC003245	R6A 7203D	4549734759700		IB	IBA	NLD	8479.5000.00
RS4-2057512		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	37,860.00	EC003245	R6A 4433B	4549734770033		IB	IBA	NLD	8479.5000.00
RS4-2057514		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	39,140.00	EC003245	R6A 4434M	4549734770040		IB	IBA	NLD	8479.5000.00
RS4-2057542		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	40,950.00	EC003245	R6A 7202F	4549734759694		IB	IBA	NLD	8479.5000.00
RS4-2057544		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	42,180.00	EC003245	R6A 7205M	4549734759724		IB	IBA	NLD	8479.5000.00
RS4-2057553		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	33,490.00	EC003245	R6A 7201H	4549734759687		IB	IBA	NLD	8479.5000.00
RS4-2057555		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	34,720.00	EC003245	R6A 7204B	4549734759717		IB	IBA	NLD	8479.5000.00
RS4-2057702		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	30,590.00	EC003245	R6A 7206R	4549734759731		IB	IBA	NLD	8479.5000.00
RS4-2057704		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	31,880.00	EC003245	R6A 7209C	4549734759762		IB	IBA	NLD	8479.5000.00
RS4-2057712		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	37,860.00	EC003245	R6A 4435R	4549734770057		IB	IBA	NLD	8479.5000.00
RS4-2057714		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	39,140.00	EC003245	R6A 4436G	4549734770064		IB	IBA	NLD	8479.5000.00
RS4-2057742		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	40,950.00	EC003245	R6A 7208E	4549734759755		IB	IBA	NLD	8479.5000.00
RS4-2057744		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	42,180.00	EC003245	R6A 7211E	4549734759786		IB	IBA	NLD	8479.5000.00
RS4-2057753		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	33,490.00	EC003245	R6A 7207G	4549734759748		IB	IBA	NLD	8479.5000.00
RS4-2057755		i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	34,720.00	EC003245	R6A 7210G	4549734759779		IB	IBA	NLD	8479.5000.00
RS4-2058502		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ENET	31,880.00	EC003245	R6A 7212C	4549734759793		IB	IBA	NLD	8479.5000.00
RS4-2058504		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ENET	33,150.00	EC003245	R6A 7215H	4549734759823		IB	IBA	NLD	8479.5000.00
RS4-2058512		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	39,140.00	EC003245	R6A 4437E	4549734770071		IB	IBA	NLD	8479.5000.00
RS4-2058514		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ENET	40,440.00	EC003245	R6A 4438C	4549734770088		IB	IBA	NLD	8479.5000.00
RS4-2058542		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	42,180.00	EC003245	R6A 7214M	4549734759816		IB	IBA	NLD	8479.5000.00
RS4-2058544		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ENET	43,430.00	EC003245	R6A 7217D	4549734759847		IB	IBA	NLD	8479.5000.00
RS4-2058553		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	34,720.00	EC003245	R6A 7213A	4549734759809		IB	IBA	NLD	8479.5000.00
RS4-2058555		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ENET	35,970.00	EC003245	R6A 7216F	4549734759830		IB	IBA	NLD	8479.5000.00
RS4-2058702		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ENET	31,880.00	EC003245	R6A 7218R	4549734759854		IB	IBA	NLD	8479.5000.00
RS4-2058704		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ENET	33,150.00	EC003245	R6A 7221B	4549734759885		IB	IBA	NLD	8479.5000.00
RS4-2058712		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	39,140.00	EC003245	R6A 4439A	4549734770095		IB	IBA	NLD	8479.5000.00
RS4-2058714		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ENET	40,440.00	EC003245	R6A 4440E	4549734770101		IB	IBA	NLD	8479.5000.00
RS4-2058742		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	42,180.00	EC003245	R6A 7220D	4549734759878		IB	IBA	NLD	8479.5000.00
RS4-2058744		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ENET	43,430.00	EC003245	R6A 7223R	4549734759908		IB	IBA	NLD	8479.5000.00
RS4-2058753		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	34,720.00	EC003245	R6A 7219M	4549734759861		IB	IBA	NLD	8479.5000.00
RS4-2058755		i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ENET	35,970.00	EC003245	R6A 7222M	4549734759892		IB	IBA	NLD	8479.5000.00
RS4-2063002		i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	12,150.00	EC003245	R6A 0972C	4549734766623		IB	IBA	CHN	8479.5000.00
RS4-2063102		i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	12,150.00	EC003245	R6A 0976F	4549734766661		IB	IBA	CHN	8479.5000.00
RS4-2064002		i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	13,500.00	EC003245	R6A 0973A	4549734766630		IB	IBA	CHN	8479.5000.00
RS4-2064102		i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	13,500.00	EC003245	R6A 0977D	4549734766678		IB	IBA	CHN	8479.5000.00
RS4-2065002		i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-ECAT	14,840.00	EC003245	R6A 0974M	4549734766647		IB	IBA	CHN	8479.5000.00
RS4-2065004		i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-ECAT	16,180.00	EC003245	R6A 0975H	4549734766654		IB	IBA	CHN	8479.5000.00
RS4-2065102		i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	14,840.00	EC003245	R6A 0978B	4549734766685		IB	IBA	CHN	8479.5000.00
RS4-2065104		i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-ECAT	16,180.00	EC003245	R6A 0979M	4549734766692		IB	IBA	CHN	8479.5000.00
RS4-2066502		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	29,320.00	EC003245	R6A 0480B	4549734704359		IB	IBA	NLD	8479.5000.00
RS4-2066504		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	30,590.00	EC003245	R6A 0481M	4549734704366		IB	IBA	NLD	8479.5000.00
RS4-2066512		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	36,490.00	EC003245	R6A 4419G	4549734769891		IB	IBA	NLD	8479.5000.00
RS4-2066514		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	37,860.00	EC003245	R6A 4418R	4549734769884		IB	IBA	NLD	8479.5000.00
RS4-2066542		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	39,690.00	EC003245	R6A 7108R	4549734738712		IB	IBA	NLD	8479.5000.00
RS4-2066544		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	40,950.00	EC003245	R6A 7109G	4549734738729		IB	IBA	NLD	8479.5000.00
RS4-2066553		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	32,250.00	EC003245	R6A 7120H	4549734738835		IB	IBA	NLD	8479.5000.00
RS4-2066555		i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	33,490.00	EC003245	R6A 7121F	4549734738842		IB	IBA	NLD	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2066702	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	29,320.00	EC003245	R6A 0482R	4549734704373			IB	IBA	NLD	8479.5000.00
RS4-2066704	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	30,590.00	EC003245	R6A 0483G	4549734704380			IB	IBA	NLD	8479.5000.00
RS4-2066712	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	36,490.00	EC003245	R6A 4417M	4549734769877			IB	IBA	NLD	8479.5000.00
RS4-2066714	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	37,860.00	EC003245	R6A 4420M	4549734769907			IB	IBA	NLD	8479.5000.00
RS4-2066742	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	39,690.00	EC003245	R6A 7102M	4549734738651			IB	IBA	NLD	8479.5000.00
RS4-2066744	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	40,950.00	EC003245	R6A 7103H	4549734738668			IB	IBA	NLD	8479.5000.00
RS4-2066753	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	32,250.00	EC003245	R6A 7114C	4549734738774			IB	IBA	NLD	8479.5000.00
RS4-2066755	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	33,490.00	EC003245	R6A 7115A	4549734738781			IB	IBA	NLD	8479.5000.00
RS4-2067502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	30,590.00	EC003245	R6A 0484E	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	31,880.00	EC003245	R6A 0485C	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067512	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	37,860.00	EC003245	R6A 4421R	4549734769914			IB	IBA	NLD	8479.5000.00
RS4-2067514	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	39,140.00	EC003245	R6A 4422G	4549734769921			IB	IBA	NLD	8479.5000.00
RS4-2067542	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	40,950.00	EC003245	R6A 7110M	4549734738736			IB	IBA	NLD	8479.5000.00
RS4-2067544	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	42,180.00	EC003245	R6A 7111R	4549734738743			IB	IBA	NLD	8479.5000.00
RS4-2067553	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	33,490.00	EC003245	R6A 7122D	4549734738859			IB	IBA	NLD	8479.5000.00
RS4-2067555	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	34,720.00	EC003245	R6A 7123B	4549734738866			IB	IBA	NLD	8479.5000.00
RS4-2067702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	30,590.00	EC003245	R6A 0486A	4549734704410			IB	IBA	NLD	8479.5000.00
RS4-2067704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	31,880.00	EC003245	R6A 0487M	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2067712	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	37,860.00	EC003245	R6A 4423E	4549734769938			IB	IBA	NLD	8479.5000.00
RS4-2067714	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	39,140.00	EC003245	R6A 4424C	4549734769945			IB	IBA	NLD	8479.5000.00
RS4-2067742	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	40,950.00	EC003245	R6A 7104F	4549734738675			IB	IBA	NLD	8479.5000.00
RS4-2067744	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	42,180.00	EC003245	R6A 7105D	4549734738682			IB	IBA	NLD	8479.5000.00
RS4-2067753	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	33,490.00	EC003245	R6A 7116M	4549734738798			IB	IBA	NLD	8479.5000.00
RS4-2067755	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	34,720.00	EC003245	R6A 7117H	4549734738804			IB	IBA	NLD	8479.5000.00
RS4-2068502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-ECAT	31,880.00	EC003245	R6A 0488H	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-ECAT	33,150.00	EC003245	R6A 0489F	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068512	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	39,140.00	EC003245	R6A 4425A	4549734769952			IB	IBA	NLD	8479.5000.00
RS4-2068514	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, CR/ESD, ICS-ECAT	40,440.00	EC003245	R6A 4426M	4549734769969			IB	IBA	NLD	8479.5000.00
RS4-2068542	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	42,180.00	EC003245	R6A 7112G	4549734738750			IB	IBA	NLD	8479.5000.00
RS4-2068544	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-ECAT	43,430.00	EC003245	R6A 7113E	4549734738767			IB	IBA	NLD	8479.5000.00
RS4-2068553	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	34,720.00	EC003245	R6A 7124M	4549734738873			IB	IBA	NLD	8479.5000.00
RS4-2068555	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-ECAT	35,970.00	EC003245	R6A 7125R	4549734738880			IB	IBA	NLD	8479.5000.00
RS4-2068702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	31,880.00	EC003245	R6A 0490M	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-ECAT	33,150.00	EC003245	R6A 0491H	4549734704465			IB	IBA	NLD	8479.5000.00
RS4-2068712	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	39,140.00	EC003245	R6A 4427H	4549734769976			IB	IBA	NLD	8479.5000.00
RS4-2068714	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, CR/ESD, ICS-ECAT	40,440.00	EC003245	R6A 4428F	4549734769983			IB	IBA	NLD	8479.5000.00
RS4-2068742	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	42,180.00	EC003245	R6A 7106B	4549734738699			IB	IBA	NLD	8479.5000.00
RS4-2068744	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-ECAT	43,430.00	EC003245	R6A 7107M	4549734738705			IB	IBA	NLD	8479.5000.00
RS4-2068753	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	34,720.00	EC003245	R6A 7118F	4549734738811			IB	IBA	NLD	8479.5000.00
RS4-2068755	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-ECAT	35,970.00	EC003245	R6A 7119D	4549734738828			IB	IBA	NLD	8479.5000.00

## OAT Delta

17201-45604	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	27,480.00	EC003245	R6A 7022H	4549734263726			IB	IBB	NLD	8479.5000.00
17214-26004	Parallel Robot Quattro ePLC650H P34, 185° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling	50,250.00	EC003245	R6A 7068F	4549734263795			IB	IBB	NLD	8479.5000.00
RX3-2065600	IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, ICS-ECAT	32,470.00	EC003245	R6A 6972F	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, ICS-ECAT	37,860.00	EC003245	R6A 6974B	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	IX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, ICS-ECAT	33,810.00	EC003245	R6A 6973D	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	IX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, ICS-ECAT	39,200.00	EC003245	R6A 6975M	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	50,050.00	EC003245	R6A 6976R	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	50,050.00	EC003245	R6A 6979C	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	50,050.00	EC003245	R6A 6982C	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	50,050.00	EC003245	R6A 6985H	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	IX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	58,200.00	EC003245	R6A 6977G	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	58,200.00	EC003245	R6A 6980G	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	58,200.00	EC003245	R6A 6983A	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	IX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	58,200.00	EC003245	R6A 6986F	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	IX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	51,350.00	EC003245	R6A 6978E	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	IX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	51,350.00	EC003245	R6A 6981E	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	IX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	51,350.00	EC003245	R6A 6984M	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	IX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	51,350.00	EC003245	R6A 6987D	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	56,800.00	EC003245	R6A 6988B	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	56,800.00	EC003245	R6A 6991B	4549734704663			IB	IBB	NLD	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RX4-2166302	IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	56,800.00	EC003245	R6A 6994G	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, ICS-ECAT	56,800.00	EC003245	R6A 6997A	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	IX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	65,050.00	EC003245	R6A 6989M	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	65,050.00	EC003245	R6A 6992M	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	65,050.00	EC003245	R6A 6995E	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	IX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, ICS-ECAT	65,050.00	EC003245	R6A 6998M	4549734704731			IB	IBB	NLD	8479.5000.00
RX4-2166320	IX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	58,200.00	EC003245	R6A 6990D	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	IX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	58,200.00	EC003245	R6A 6993R	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	IX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	58,200.00	EC003245	R6A 6996C	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	IX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, ICS-ECAT	58,200.00	EC003245	R6A 6999H	4549734704748			IB	IBB	NLD	8479.5000.00
<b>OAT Eklemleri</b>											
17211-38000	Articulated Robot Viper ePLC850, 5 kg taşıma kapasitesi, 855 mm erişim, IP40	43,930.00	EC003245	R6A 4171F	4549734783125	#		IB	IBC	JPN	8479.5000.00
RL6-2066000	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP40, EtherCAT	41,000.00	EC003245	R6A 0360A	4549734685795			IB	IBC	JPN	8479.5000.00
RL6-2066010	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT	46,100.00	EC003245	R6A 0361M	4549734685801			IB	IBC	JPN	8479.5000.00
RL6-2066020	Viper 650, 5 kg payload, 653 mm reach, 6 axis, Cleanroom, EtherCAT	50,300.00	EC003245	R6A 0362H	4549734685818			IB	IBC	JPN	8479.5000.00
RL6-2068000	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT	42,650.00	EC003245	R6A 0363F	4549734685825			IB	IBC	JPN	8479.5000.00
RL6-2068010	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT	50,450.00	EC003245	R6A 0364D	4549734685832			IB	IBC	JPN	8479.5000.00
RL6-2068020	Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT	55,050.00	EC003245	R6A 0365B	4549734685849			IB	IBC	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
37032-00000	Mobile Robot, LD-60, without Battery, with OS32C LIDAR	34,910.00	EC000000	R6A 2040R	4549734491303			IB	IBD	JPN	8479.5000.00
37032-00002	Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR	37,820.00	EC000000	R6A 2041G	4549734491310			IB	IBD	JPN	8479.5000.00
37032-10004	Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	39,660.00	EC000000	R6A 2042E	4549734491327			IB	IBD	JPN	8479.5000.00
37032-20000	Mobile Robot, LD-60, ESD, without Battery, with OS32C LIDAR	41,240.00	EC000000	R6A 2049B	4549734491396			IB	IBD	JPN	8479.5000.00
37032-20002	Mobile Robot Docking Station Kit, LD-60, ESD, Charger, without Battery, with OS32C LIDAR	44,150.00	EC000000	R6A 2050F	4549734491402			IB	IBD	JPN	8479.5000.00
37032-20004	Mobile Robot Starter Kit, LD-60, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	45,990.00	EC000000	R6A 2051D	4549734491419			IB	IBD	JPN	8479.5000.00
37042-00000	Mobile Robot, LD-90, without Battery, with OS32C LIDAR	34,910.00	EC000000	R6A 2043C	4549734491334			IB	IBD	JPN	8479.5000.00
37042-00002	Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR	37,820.00	EC000000	R6A 2044A	4549734491341			IB	IBD	JPN	8479.5000.00
37042-10004	Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	39,660.00	EC000000	R6A 2045M	4549734491358			IB	IBD	JPN	8479.5000.00
37042-20000	Mobile Robot, LD-90, ESD, without Battery, with OS32C LIDAR	41,240.00	EC000000	R6A 2052B	4549734491426			IB	IBD	JPN	8479.5000.00
37042-20002	Mobile Robot Docking Station Kit, LD-90, ESD, Charger, without Battery, with OS32C LIDAR	44,150.00	EC000000	R6A 2053M	4549734491433			IB	IBD	JPN	8479.5000.00
37042-20004	Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	45,990.00	EC000000	R6A 2054R	4549734491440			IB	IBD	JPN	8479.5000.00
37062-00000	Mobile Robot, LD-90x, without Battery, with OS32C LIDAR	39,980.00	EC000000	R6A 2046H	4549734491365			IB	IBD	JPN	8479.5000.00
37062-00002	Mobile Robot Docking Station Kit, LD-90x, Charger, without Battery, with OS32C LIDAR	42,890.00	EC000000	R6A 2047F	4549734491372			IB	IBD	JPN	8479.5000.00
37062-10004	Mobile Robot Starter Kit, LD-90x, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	44,730.00	EC000000	R6A 2048D	4549734491389			IB	IBD	JPN	8479.5000.00
37062-20000	Mobile Robot, LD-90x, ESD, without Battery, with OS32C LIDAR	46,310.00	EC000000	R6A 2055G	4549734491457			IB	IBD	JPN	8479.5000.00
37062-20002	Mobile Robot Docking Station Kit, LD-90x, ESD, Charger, without Battery, with OS32C LIDAR	50,500.00	EC000000	R6A 2056E	4549734491464			IB	IBD	JPN	8479.5000.00
37062-20004	Mobile Robot Starter Kit, LD-90x, ESD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	52,350.00	EC000000	R6A 2057C	4549734491471			IB	IBD	JPN	8479.5000.00
37222-00000	Mobile Robot, LD-250, with OS32C LIDAR, without Battery	47,570.00	EC000000	R6A 8013D	4549734578664			IB	IBD	JPN	8479.5000.00
37222-00002	Mobile Robot Docking Station Kit, LD-250, with Charger, OS32C LIDAR, without Battery	50,500.00	EC000000	R6A 8014B	4549734578653	#		IB	IBD	JPN	8479.5000.00
37222-10004	Mobile Robot Starter Kit, LD-250, with Charger, Joystick, Top Plate, OS32C LIDAR, without Battery	52,350.00	EC000000	R6A 8015M	4549734578660			IB	IBD	JPN	8479.5000.00
37222-20000	Mobile Robot, LD-250, ESD, without Battery	56,200.00	EC000000	R6A 2074C	4549734670982			IB	IBD	JPN	8479.5000.00
37222-20002	Mobile Robot Docking Station Kit, LD-250, ESD, with Charger, without Battery	59,100.00	EC000000	R6A 2075A	4549734670999			IB	IBD	JPN	8479.5000.00
37222-20004	Mobile Robot Starter Kit, LD-250, ESD, with Charger, Joystick, Top Plate, without Battery	60,950.00	EC000000	R6A 2076M	4549734671002			IB	IBD	JPN	8479.5000.00
20452-000	Mobile Robot Battery for all LD	5,105.00	EC000000	R6A 8012F	4549734580120	#		IB	IBD	CHN	8507.6000.90
<b>OAT İşbirlikçi Robotlar</b>											
RT6-0007001	Bundle, Cobot, TM5-700, HW3.2	31,320.00	EC003245	RT6 5000M	4549734596527			IB	IBE	TWN	8479.5000.00
RT6-0007002	Bundle, Cobot, TM5-700, 12 m cable, HW3.2	32,630.00	EC003245	RT6 5001H	4549734596534			IB	IBE	TWN	8479.5000.00
RT6-0007021	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP	32,640.00	EC003245	RT6 5268A	4549734671354			IB	IBE	TWN	8479.5000.00
RT6-0007022	Bundle, Cobot, TM5-700, 12 m cable, HW3.2, PROFINET & EtherNet/IP	33,940.00	EC003245	RT6 5269M	4549734671361			IB	IBE	TWN	8479.5000.00
RT6-0007031	Bundle, Cobot, TM5-700, HW3.2, Food Grade Grease	34,460.00	EC003245	RT6 5300R	4549734751728			IB	IBE	TWN	8479.5000.00
RT6-0007041	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	35,900.00	EC003245	RT6 5308D	4549734751803			IB	IBE	TWN	8479.5000.00
RT6-0009001	Bundle, Cobot, TM5-900, HW3.2	31,320.00	EC003245	RT6 5007G	4549734596596			IB	IBE	TWN	8479.5000.00
RT6-0009002	Bundle, Cobot, TM5-900, 12 m cable, HW3.2	32,630.00	EC003245	RT6 5008E	4549734596602			IB	IBE	TWN	8479.5000.00
RT6-0009021	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP	32,640.00	EC003245	RT6 5274F	4549734671415			IB	IBE	TWN	8479.5000.00
RT6-0009022	Bundle, Cobot, TM5-900, 12 m cable, HW3.2, PROFINET & EtherNet/IP	33,940.00	EC003245	RT6 5275D	4549734671422			IB	IBE	TWN	8479.5000.00
RT6-0009031	Bundle, Cobot, TM5-900, HW3.2, Food Grade Grease	34,460.00	EC003245	RT6 5301G	4549734751735			IB	IBE	TWN	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-0009041	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	35,900.00	EC003245	RT6 5309B	4549734751810			IB	IBE	TWN	8479.5000.00
RT6-0017001	Bundle, Cobot, TM5X-700 (model without camera), HW3.2	30,010.00	EC003245	RT6 5002F	4549734596541			IB	IBE	TWN	8479.5000.00
RT6-0017002	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2	31,320.00	EC003245	RT6 5003D	4549734596558			IB	IBE	TWN	8479.5000.00
RT6-0017021	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	31,330.00	EC003245	RT6 5270C	4549734671378			IB	IBE	TWN	8479.5000.00
RT6-0017022	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	32,640.00	EC003245	RT6 5271A	4549734671385			IB	IBE	TWN	8479.5000.00
RT6-0017031	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, Food Grade Grease	33,020.00	EC003245	RT6 5302E	4549734751742			IB	IBE	TWN	8479.5000.00
RT6-0017041	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	34,470.00	EC003245	RT6 5310F	4549734751827			IB	IBE	TWN	8479.5000.00
RT6-0019001	Bundle, Cobot, TM5X-900 (model without camera), HW3.2	30,010.00	EC003245	RT6 5010G	4549734596626			IB	IBE	TWN	8479.5000.00
RT6-0019002	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2	31,320.00	EC003245	RT6 5011E	4549734596633			IB	IBE	TWN	8479.5000.00
RT6-0019021	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	31,330.00	EC003245	RT6 5277M	4549734671446			IB	IBE	TWN	8479.5000.00
RT6-0019022	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	32,640.00	EC003245	RT6 5278R	4549734671453			IB	IBE	TWN	8479.5000.00
RT6-0019031	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, Food Grade Grease	33,020.00	EC003245	RT6 5303C	4549734751759			IB	IBE	TWN	8479.5000.00
RT6-0019041	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	34,470.00	EC003245	RT6 5311D	4549734751834			IB	IBE	TWN	8479.5000.00
RT6-0107001	Bundle, Cobot, TM5M-700, HW3.2	35,230.00	EC003245	RT6 5004B	4549734596565			IB	IBE	TWN	8479.5000.00
RT6-0107011	Bundle, Cobot, TM5M-700, Semi, HW3.2	39,140.00	EC003245	RT6 5005M	4549734596572			IB	IBE	TWN	8479.5000.00
RT6-0107021	Bundle, Cobot, TM5M-700, HW3.2, PROFINET & EtherNet/IP	36,550.00	EC003245	RT6 5272M	4549734671392			IB	IBE	TWN	8479.5000.00
RT6-0109001	Bundle, Cobot, TM5M-900, HW3.2	35,230.00	EC003245	RT6 5009C	4549734596619			IB	IBE	TWN	8479.5000.00
RT6-0109011	Bundle, Cobot, TM5M-900, Semi, HW3.2	39,140.00	EC003245	RT6 5012C	4549734596640			IB	IBE	TWN	8479.5000.00
RT6-0109021	Bundle, Cobot, TM5M-900, HW3.2, PROFINET & EtherNet/IP	36,550.00	EC003245	RT6 5276B	4549734671439			IB	IBE	TWN	8479.5000.00
RT6-0117001	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2	33,930.00	EC003245	RT6 5006F	4549734596589			IB	IBE	TWN	8479.5000.00
RT6-0117021	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	35,240.00	EC003245	RT6 5273H	4549734671408			IB	IBE	TWN	8479.5000.00
RT6-0119001	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2	33,930.00	EC003245	RT6 5013A	4549734596657			IB	IBE	TWN	8479.5000.00
RT6-0119021	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	35,240.00	EC003245	RT6 5279G	4549734671460			IB	IBE	TWN	8479.5000.00
RT6-1001301	Bundle, Cobot, TM12, HW3.2	43,060.00	EC003245	RT6 5014M	4549734596664			IB	IBE	TWN	8479.5000.00
RT6-1001302	Bundle, Cobot, TM12, 12 m cable, HW3.2	44,370.00	EC003245	RT6 5015H	4549734596671			IB	IBE	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	44,390.00	EC003245	RT6 5280M	4549734671477			IB	IBE	TWN	8479.5000.00
RT6-1001322	Bundle, Cobot, TM12, 12 m cable, HW3.2, PROFINET & EtherNet/IP	45,690.00	EC003245	RT6 5281R	4549734671484			IB	IBE	TWN	8479.5000.00
RT6-1001331	Bundle, Cobot, TM12, HW3.2, Food Grade Grease	47,350.00	EC003245	RT6 5304A	4549734751766			IB	IBE	TWN	8479.5000.00
RT6-1001341	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	48,830.00	EC003245	RT6 5312B	4549734751841			IB	IBE	TWN	8479.5000.00
RT6-1011301	Bundle, Cobot, TM12X (model without camera), HW3.2	41,750.00	EC003245	RT6 5016F	4549734596688			IB	IBE	TWN	8479.5000.00
RT6-1011302	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2	43,060.00	EC003245	RT6 5017D	4549734596695			IB	IBE	TWN	8479.5000.00
RT6-1011321	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP	43,080.00	EC003245	RT6 5282G	4549734671491			IB	IBE	TWN	8479.5000.00
RT6-1011331	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	44,390.00	EC003245	RT6 5283E	4549734671507			IB	IBE	TWN	8479.5000.00
RT6-1011341	Bundle, Cobot, TM12X (model without camera), HW3.2, Food Grade Grease	45,940.00	EC003245	RT6 5306H	4549734751780			IB	IBE	TWN	8479.5000.00
RT6-1011341	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	47,390.00	EC003245	RT6 5314R	4549734751865			IB	IBE	TWN	8479.5000.00
RT6-1101301	Bundle, Cobot, TM12M, HW3.2	46,980.00	EC003245	RT6 5018B	4549734596701			IB	IBE	TWN	8479.5000.00
RT6-1101311	Bundle, Cobot, TM12M, Semi, HW3.2	52,200.00	EC003245	RT6 5019M	4549734596718			IB	IBE	TWN	8479.5000.00
RT6-1101321	Bundle, Cobot, TM12M, HW3.2, PROFINET & EtherNet/IP	48,300.00	EC003245	RT6 5284C	4549734671514			IB	IBE	TWN	8479.5000.00
RT6-1111301	Bundle, Cobot, TM12MX (model without camera), HW3.2	45,680.00	EC003245	RT6 5020D	4549734596725			IB	IBE	TWN	8479.5000.00
RT6-1111321	Bundle, Cobot, TM12MX (model without camera), HW3.2, PROFINET & EtherNet/IP	46,990.00	EC003245	RT6 5285A	4549734671521			IB	IBE	TWN	8479.5000.00
RT6-2001101	Bundle, Cobot, TM14, HW3.2	45,680.00	EC003245	RT6 5021B	4549734596732			IB	IBE	TWN	8479.5000.00
RT6-2001102	Bundle, Cobot, TM14, 12 m cable, HW3.2	46,980.00	EC003245	RT6 5022M	4549734596749			IB	IBE	TWN	8479.5000.00
RT6-2001121	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP	46,990.00	EC003245	RT6 5286M	4549734671538			IB	IBE	TWN	8479.5000.00
RT6-2001122	Bundle, Cobot, TM14, 12 m cable, HW3.2, PROFINET & EtherNet/IP	48,300.00	EC003245	RT6 5287H	4549734671545			IB	IBE	TWN	8479.5000.00
RT6-2001131	Bundle, Cobot, TM14, HW3.2, Food Grade Grease	50,250.00	EC003245	RT6 5305M	4549734751773			IB	IBE	TWN	8479.5000.00
RT6-2001141	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	51,700.00	EC003245	RT6 5313M	4549734751858			IB	IBE	TWN	8479.5000.00
RT6-2011101	Bundle, Cobot, TM14X (model without camera), HW3.2	44,370.00	EC003245	RT6 5023R	4549734596756			IB	IBE	TWN	8479.5000.00
RT6-2011102	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2	45,680.00	EC003245	RT6 5024G	4549734596763			IB	IBE	TWN	8479.5000.00
RT6-2011121	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP	45,690.00	EC003245	RT6 5288F	4549734671552			IB	IBE	TWN	8479.5000.00
RT6-2011122	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	46,990.00	EC003245	RT6 5289D	4549734671569			IB	IBE	TWN	8479.5000.00
RT6-2011131	Bundle, Cobot, TM14X (model without camera), HW3.2, Food Grade Grease	48,800.00	EC003245	RT6 5307F	4549734751797			IB	IBE	TWN	8479.5000.00
RT6-2011141	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	50,250.00	EC003245	RT6 5315G	4549734751872			IB	IBE	TWN	8479.5000.00
RT6-2101101	Bundle, Cobot, TM14M, HW3.2	49,590.00	EC003245	RT6 5025E	4549734596770			IB	IBE	TWN	8479.5000.00
RT6-2101111	Bundle, Cobot, TM14M, Semi, HW3.2	54,850.00	EC003245	RT6 5026C	4549734596787			IB	IBE	TWN	8479.5000.00
RT6-2101121	Bundle, Cobot, TM14M, HW3.2, PROFINET & EtherNet/IP	50,900.00	EC003245	RT6 5290H	4549734671576			IB	IBE	TWN	8479.5000.00
RT6-2111101	Bundle, Cobot, TM14MX (model without camera), HW3.2	48,290.00	EC003245	RT6 5027A	4549734596794			IB	IBE	TWN	8479.5000.00
RT6-2111121	Bundle, Cobot, TM14MX (model without camera), HW3.2, PROFINET & EtherNet/IP	49,610.00	EC003245	RT6 5291F	4549734671583			IB	IBE	TWN	8479.5000.00
RT6-3009001	Bundle, Cobot, TM16, HW3.2	49,640.00	EC003245	RT6 5335A	4549734766531			IB	IBE	TWN	8479.5000.00
RT6-3009021	Bundle, Cobot, TM16, HW3.2, PROFINET & EtherNet/IP	50,950.00	EC003245	RT6 5340H	4549734766586			IB	IBE	TWN	8479.5000.00
RT6-3019001	Bundle, Cobot, TM16X (model without camera), HW3.2	46,100.00	EC003245	RT6 5336M	4549734766548			IB	IBE	TWN	8479.5000.00
RT6-3019021	Bundle, Cobot, TM16X (model without camera), HW3.2, PROFINET & EtherNet/IP	47,390.00	EC003245	RT6 5341F	4549734766593			IB	IBE	TWN	8479.5000.00
RT6-3109001	Bundle, Cobot, TM16M, HW3.2	53,200.00	EC003245	RT6 5337H	4549734766555			IB	IBE	TWN	8479.5000.00
RT6-3109011	Bundle, Cobot, TM16M, Semi, HW3.2	57,950.00	EC003245	RT6 5339D	4549734766579			IB	IBE	TWN	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-3109021	Bundle, Cobot, TM16M, HW3.2, PROFINET & EtherNet/IP	54,500.00	EC003245	RT6 5342D	4549734766609			IB	IBE	TWN	8479.5000.00
RT6-3119001	Bundle, Cobot, TM16MX (model without camera), HW3.2	50,850.00	EC003245	RT6 5338F	4549734766562			IB	IBE	TWN	8479.5000.00
RT6-3119021	Bundle, Cobot, TM16MX (model without camera), HW3.2, PROFINET & EtherNet/IP	52,150.00	EC003245	RT6 5343B	4549734766616			IB	IBE	TWN	8479.5000.00
RT6-4001301	Bundle, Cobot, TM20, HW3.2	52,350.00	EC003245	RT6 5357B	4550431036988			IB	IBE	TWN	8479.5000.00
RT6-4001302	Bundle, Cobot, TM20, 12 m cable, HW3.2	53,550.00	EC003245	RT6 5358M	4550431036995			IB	IBE	TWN	8479.5000.00
RT6-4001321	Bundle, Cobot, TM20, HW3.2, PROFINET & EtherNet/IP	53,550.00	EC003245	RT6 5363G	4550431037046			IB	IBE	TWN	8479.5000.00
RT6-4001322	Bundle, Cobot, TM20, 12 m cable, HW3.2, PROFINET & EtherNet/IP	54,800.00	EC003245	RT6 5364E	4550431037053			IB	IBE	TWN	8479.5000.00
RT6-4011301	Bundle, Cobot, TM20X (model without camera), HW3.2	51,100.00	EC003245	RT6 5359R	4550431037008			IB	IBE	TWN	8479.5000.00
RT6-4011302	Bundle, Cobot, TM20X (model without camera), 12 m cable, HW3.2	52,350.00	EC003245	RT6 5360B	4550431037015			IB	IBE	TWN	8479.5000.00
RT6-4011321	Bundle, Cobot, TM20X (model without camera), HW3.2, PROFINET & EtherNet/IP	52,350.00	EC003245	RT6 5365C	4550431037060			IB	IBE	TWN	8479.5000.00
RT6-4011322	Bundle, Cobot, TM20X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	53,550.00	EC003245	RT6 5366A	4550431037077			IB	IBE	TWN	8479.5000.00
RT6-4101301	Bundle, Cobot, TM20M, HW3.2	56,000.00	EC003245	RT6 5361M	4550431037022			IB	IBE	TWN	8479.5000.00
RT6-4101321	Bundle, Cobot, TM20M, HW3.2, PROFINET & EtherNet/IP	57,200.00	EC003245	RT6 5367M	4550431037084			IB	IBE	TWN	8479.5000.00
RT6-4111301	Bundle, Cobot, TM20MX (model without camera), HW3.2	54,800.00	EC003245	RT6 5362R	4550431037039			IB	IBE	TWN	8479.5000.00
RT6-4111321	Bundle, Cobot, TM20MX (model without camera), HW3.2, PROFINET & EtherNet/IP	56,000.00	EC003245	RT6 5368H	4550431037091			IB	IBE	TWN	8479.5000.00
RT6-0009004	Bundle, Cobot, TM55, HW5.0	32,490.00	EC003245	RT6 5496M	4550431067593			IB	IBE	TWN	8479.5000.00
RT6-0009005	Bundle, Cobot, TM55, 12 m cable, HW5.0	33,610.00	EC003245	RT6 5497H	4550431067609			IB	IBE	TWN	8479.5000.00
RT6-0009024	Bundle, Cobot, TM55, HW5.0, PROFINET & EtherNet/IP	33,720.00	EC003245	RT6 5524R	4550431067876			IB	IBE	TWN	8479.5000.00
RT6-0009025	Bundle, Cobot, TM55, 12 m cable, HW5.0, PROFINET & EtherNet/IP	34,840.00	EC003245	RT6 5525G	4550431067883			IB	IBE	TWN	8479.5000.00
RT6-0019004	Bundle, Cobot, TM55-X (model without camera), HW5.0	30,950.00	EC003245	RT6 5498F	4550431067616			IB	IBE	TWN	8479.5000.00
RT6-0019005	Bundle, Cobot, TM55-X (model without camera), 12 m cable, HW5.0	32,600.00	EC003245	RT6 5499D	4550431067623			IB	IBE	TWN	8479.5000.00
RT6-0019024	Bundle, Cobot, TM55-X (model without camera), HW5.0, PROFINET & EtherNet/IP	32,250.00	EC003245	RT6 5526E	4550431067890			IB	IBE	TWN	8479.5000.00
RT6-0019025	Bundle, Cobot, TM55-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	33,900.00	EC003245	RT6 5527C	4550431067906			IB	IBE	TWN	8479.5000.00
RT6-0109004	Bundle, Cobot, TM55-M, HW5.0	35,490.00	EC003245	RT6 5500A	4550431067630			IB	IBE	TWN	8479.5000.00
RT6-0109005	Bundle, Cobot, TM55-M, 3 m cable, HW5.0	35,490.00	EC003245	RT6 5501M	4550431067647			IB	IBE	TWN	8479.5000.00
RT6-0109024	Bundle, Cobot, TM55-M, HW5.0, PROFINET & EtherNet/IP	36,720.00	EC003245	RT6 5528A	4550431067913			IB	IBE	TWN	8479.5000.00
RT6-0109025	Bundle, Cobot, TM55-M, 3 m cable, HW5.0, PROFINET & EtherNet/IP	36,720.00	EC003245	RT6 5529M	4550431067920			IB	IBE	TWN	8479.5000.00
RT6-1001304	Bundle, Cobot, TM12S, HW5.0	41,790.00	EC003245	RT6 5510R	4550431067739			IB	IBE	TWN	8479.5000.00
RT6-1001305	Bundle, Cobot, TM12S, 12 m cable, HW5.0	42,910.00	EC003245	RT6 5511G	4550431067746			IB	IBE	TWN	8479.5000.00
RT6-1001324	Bundle, Cobot, TM12S, HW5.0, PROFINET & EtherNet/IP	43,020.00	EC003245	RT6 5538R	4550431068019			IB	IBE	TWN	8479.5000.00
RT6-1001325	Bundle, Cobot, TM12S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	44,140.00	EC003245	RT6 5539G	4550431068026			IB	IBE	TWN	8479.5000.00
RT6-1011304	Bundle, Cobot, TM12S-X (model without camera), HW5.0	40,670.00	EC003245	RT6 5512E	4550431067753			IB	IBE	TWN	8479.5000.00
RT6-1011305	Bundle, Cobot, TM12S-X (model without camera), 12 m cable, HW5.0	41,790.00	EC003245	RT6 5513C	4550431067760			IB	IBE	TWN	8479.5000.00
RT6-1011324	Bundle, Cobot, TM12S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	41,900.00	EC003245	RT6 5540M	4550431068033			IB	IBE	TWN	8479.5000.00
RT6-1011325	Bundle, Cobot, TM12S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	43,020.00	EC003245	RT6 5541R	4550431068040			IB	IBE	TWN	8479.5000.00
RT6-1101304	Bundle, Cobot, TM12S-M, HW5.0	45,100.00	EC003245	RT6 5514A	4550431067777			IB	IBE	TWN	8479.5000.00
RT6-1101305	Bundle, Cobot, TM12S-M, 3m cable, HW5.0	45,100.00	EC003245	RT6 5515M	4550431067784			IB	IBE	TWN	8479.5000.00
RT6-1101314	Bundle, Cobot, TM12S-M, Semi, HW5.0	47,880.00	EC003245	RT6 5516H	4550431067791			IB	IBE	TWN	8479.5000.00
RT6-1101324	Bundle, Cobot, TM12S-M, HW5.0, PROFINET & EtherNet/IP	46,600.00	EC003245	RT6 5542G	4550431068057			IB	IBE	TWN	8479.5000.00
RT6-1101325	Bundle, Cobot, TM12S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	46,600.00	EC003245	RT6 5543E	4550431068064			IB	IBE	TWN	8479.5000.00
RT6-1101354	Bundle, Cobot, TM12S-M, Semi, HW5.0, PROFINET & EtherNet/IP	49,180.00	EC003245	RT6 5544C	4550431068071			IB	IBE	TWN	8479.5000.00
RT6-2001104	Bundle, Cobot, TM14S, HW5.0	42,690.00	EC003245	RT6 5517F	4550431067807			IB	IBE	TWN	8479.5000.00
RT6-2001105	Bundle, Cobot, TM14S, 12 m cable, HW5.0	43,810.00	EC003245	RT6 5518D	4550431067814			IB	IBE	TWN	8479.5000.00
RT6-2001124	Bundle, Cobot, TM14S, HW5.0, PROFINET & EtherNet/IP	43,920.00	EC003245	RT6 5545A	4550431068088			IB	IBE	TWN	8479.5000.00
RT6-2001125	Bundle, Cobot, TM14S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	45,040.00	EC003245	RT6 5546M	4550431068095			IB	IBE	TWN	8479.5000.00
RT6-2011104	Bundle, Cobot, TM14S-X (model without camera), HW5.0	41,570.00	EC003245	RT6 5519B	4550431067821			IB	IBE	TWN	8479.5000.00
RT6-2011105	Bundle, Cobot, TM14S-X (model without camera), 12 m cable, HW5.0	42,690.00	EC003245	RT6 5520F	4550431067838			IB	IBE	TWN	8479.5000.00
RT6-2011124	Bundle, Cobot, TM14S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	42,800.00	EC003245	RT6 5547H	4550431068101			IB	IBE	TWN	8479.5000.00
RT6-2011125	Bundle, Cobot, TM14S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	43,920.00	EC003245	RT6 5548F	4550431068118			IB	IBE	TWN	8479.5000.00
RT6-2101104	Bundle, Cobot, TM14S-M, HW5.0	46,200.00	EC003245	RT6 5521D	4550431067845			IB	IBE	TWN	8479.5000.00
RT6-2101105	Bundle, Cobot, TM14S-M, 3m cable, HW5.0	46,200.00	EC003245	RT6 5522B	4550431067852			IB	IBE	TWN	8479.5000.00
RT6-2101114	Bundle, Cobot, TM14S-M, Semi, HW5.0	51,300.00	EC003245	RT6 5523M	4550431067869			IB	IBE	TWN	8479.5000.00
RT6-2101124	Bundle, Cobot, TM14S-M, HW5.0, PROFINET & EtherNet/IP	47,500.00	EC003245	RT6 5549D	4550431068125			IB	IBE	TWN	8479.5000.00
RT6-2101125	Bundle, Cobot, TM14S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	47,500.00	EC003245	RT6 5550H	4550431068132			IB	IBE	TWN	8479.5000.00
RT6-2101154	Bundle, Cobot, TM14S-M, Semi, HW5.0, PROFINET & EtherNet/IP	52,600.00	EC003245	RT6 5551F	4550431068149			IB	IBE	TWN	8479.5000.00
RT6-6007004	Bundle, Cobot, TM7S, HW5.0	32,490.00	EC003245	RT6 5503F	4550431067661			IB	IBE	TWN	8479.5000.00
RT6-6007005	Bundle, Cobot, TM7S, 12 m cable, HW5.0	33,610.00	EC003245	RT6 5504D	4550431067678			IB	IBE	TWN	8479.5000.00
RT6-6007024	Bundle, Cobot, TM7S, HW5.0, PROFINET & EtherNet/IP	33,720.00	EC003245	RT6 5531A	4550431067944			IB	IBE	TWN	8479.5000.00
RT6-6007025	Bundle, Cobot, TM7S, 12 m cable, HW5.0, PROFINET & EtherNet/IP	34,840.00	EC003245	RT6 5532M	4550431067951			IB	IBE	TWN	8479.5000.00
RT6-6017004	Bundle, Cobot, TM7S-X (model without camera), HW5.0	30,950.00	EC003245	RT6 5505B	4550431067685			IB	IBE	TWN	8479.5000.00
RT6-6017005	Bundle, Cobot, TM7S-X (model without camera), 12 m cable, HW5.0	32,600.00	EC003245	RT6 5506M	4550431067692			IB	IBE	TWN	8479.5000.00
RT6-6017024	Bundle, Cobot, TM7S-X (model without camera), HW5.0, PROFINET & EtherNet/IP	32,250.00	EC003245	RT6 5533H	4550431067968			IB	IBE	TWN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-6017025	Bundle, Cobot, TM7S-X (model without camera), 12 m cable, HW5.0, PROFINET & EtherNet/IP	33,900.00	EC003245	RT6 5534F	4550431067975			IB	IBE	TWN	8479.5000.00
RT6-6107004	Bundle, Cobot, TM7S-M, HW5.0	35,490.00	EC003245	RT6 5507R	4550431067708			IB	IBE	TWN	8479.5000.00
RT6-6107005	Bundle, Cobot, TM7S-M, 3m cable, HW5.0	35,490.00	EC003245	RT6 5508G	4550431067715			IB	IBE	TWN	8479.5000.00
RT6-6107024	Bundle, Cobot, TM7S-M, HW5.0, PROFINET & EtherNet/IP	36,720.00	EC003245	RT6 5535D	4550431067982			IB	IBE	TWN	8479.5000.00
RT6-6107025	Bundle, Cobot, TM7S-M, 3m cable, HW5.0, PROFINET & EtherNet/IP	36,720.00	EC003245	RT6 5536B	4550431067999			IB	IBE	TWN	8479.5000.00
<b>Robot Mobil Agir Hizmet</b>											
37480-00000	Mobile Robot, HD-1500, without Battery	110,400.00	EC000000	R6A 8030D	4549734670388			IB	IBH	USA	8479.5000.00
37480-00002	Mobile Robot Docking Station Kit, HD-1500, Charger, No Battery	126,600.00	EC000000	R6A 7687M	4549734670302			IB	IBH	USA	8479.5000.00
37480-00010	Mobile Robot, HD-1500, Side Lasers, without Battery	116,100.00	EC000000	R6A 8033R	4549734670418			IB	IBH	USA	8479.5000.00
37480-00100	Mobile Robot, HD-1500, Single HAPS, without Battery	112,800.00	EC000000	R6A 8031B	4549734670395			IB	IBH	USA	8479.5000.00
37480-00110	Mobile Robot, HD-1500, Single HAPS, Side Lasers, without Battery	118,500.00	EC000000	R6A 8036C	4549734670449			IB	IBH	USA	8479.5000.00
37480-00200	Mobile Robot, HD-1500, Double HAPS, without Battery	115,000.00	EC000000	R6A 8032M	4549734670401			IB	IBH	USA	8479.5000.00
37480-00210	Mobile Robot, HD-1500, Double HAPS, Side Lasers, without Battery	120,800.00	EC000000	R6A 8037A	4549734670456			IB	IBH	USA	8479.5000.00
37480-10004	Mobile Robot Starter Kit, HD-1500, Charger, Pendant, Top Plate, without Battery	130,100.00	EC000000	R6A 8041M	4549734670494			IB	IBH	USA	8479.5000.00
37480-10104	Mobile Robot Starter Kit, HD-1500, Single HAPS, Charger, Pendant, Top Plate, without Battery	132,500.00	EC000000	R6A 8042H	4549734670500			IB	IBH	USA	8479.5000.00
37480-10114	Mobile Robot Starter Kit, HD-1500, Single HAPS, Side Lasers, Charger, Pendant, Top Plate, without Battery	138,300.00	EC000000	R6A 8044D	4549734670524			IB	IBH	USA	8479.5000.00
37480-10204	Mobile Robot Starter Kit, HD-1500, Double HAPS, Charger, Pendant, Top Plate, without Battery	134,800.00	EC000000	R6A 8043F	4549734670517			IB	IBH	USA	8479.5000.00
37480-10214	Mobile Robot Starter Kit, HD-1500, Double HAPS, Side Lasers, Charger, Pendant, Top Plate, without Battery	140,600.00	EC000000	R6A 8045B	4549734670531			IB	IBH	USA	8479.5000.00
68310-000	Mobile Robot Charging Station - Power Supply (For HD-1500)	12,900.00	EC000000	R6A 7693E	4549734670623			IB	IBH	USA	8479.9070.99
68330-000	Mobile Robot Battery for HD-1500	20,210.00	EC000000	R6A 7691R	4549734670609			IB	IBH	USA	8507.6000.90
68910-000	Mobile Robot Charging Station - Docking Target (For HD-1500)	3,715.00	EC000000	R6A 7694C	4549734670630			IB	IBH	USA	8479.9070.99
68910-010	Mobile Robot Charging Station - Charging Bundle (Power Supply and Docking Target) (For HD-1500)	16,500.00	EC000000	R6A 7688R	4549734670579			IB	IBH	USA	8479.9070.99
68925-010	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single Sensor, Magnetic tape, 50 m roll	4,621.00	EC000000	R6A 9349M	4549734764117			IB	IBH	USA	8479.9070.99
68925-020	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double Sensor, Magnetic tape, 50 m roll	5,600.00	EC000000	R6A 9350C	4549734764124			IB	IBH	USA	8479.9070.99
68940-000L	Pendant (for HD-1500)	1,742.00	EC000000	R6A 7690M	4549734670593			IB	IBH	USA	8479.9070.99
68945-010	Side Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	6,390.00	EC000000	R6A 7689G	4549734670586			IB	IBH	USA	8479.9070.99
68950-000	Top Plate for HD-1500	1,974.00	EC000000	R6A 7692G	4549734670616			IB	IBH	USA	8479.9070.99
68955-000	Wireless Antenna Extension Kit - For HD-1500	109.00	EC000000	R6A 9351A	4549734764131			IB	IBH	TWN	8479.9070.99
<b>OAT Diğer Robotlar</b>											
2FG7-GRIPPER	2FG7 Gripper OnRobot	4,541.00	EC003554	AA057231M	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	5,235.00	EC003554	AA057198D	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2:1	Robotiq Gripper - Kit Dual - Cable Splitter	206.40	EC003554	AA021631R	4549734970679	#		IB	IBS	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapter plate with a "Y" shape to install 2 grippers at the wrist	566.00	EC003554	AA021637H	4549734970686	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	5,125.00	EC003554	AA018368B	4549734967860	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	4,956.00	EC003554	AA018365H	4549734967877	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	4,956.00	EC003554	AA055219M	4549734985215			IB	IBS	CAN	8479.9070.99
FTS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	5,235.00	EC003554	AA058485G	4549734796330	#		IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	960.00	EC003554	AA056878R	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	960.00	EC003554	AA056879G	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	960.00	EC003554	AA056880M	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	5,810.00	EC003554	AA057228M	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-E kit	4,124.00	EC003554	AA018389E	4549734967853	#		IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-E kit with Wrist Connect Kit	4,124.00	EC003554	AA055218A	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	865.00	EC003554	AA055227M	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	419.20	EC003554	AA055228R	4549734985307			IB	IBS	CAN	8479.9070.99
MG10	MG10-Gripper OnRobot	2,740.00	EC003554	AA058084C	4549734792417			IB	IBS	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	979.50	EC003554	AA057204B	4549734892445			IB	IBS	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	3,408.00	EC003554	AA057239E	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,320.00	EC003554	AA057241G	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,360.00	EC003554	AA056883E	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	979.50	EC003554	AA056903C	4549734889964			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-NEW	Quick Changer Robot Side OnRobot	647.50	EC003554	AA062555C	4549734836166			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	614.00	EC003554	AA056882G	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	489.40	EC003554	AA056902E	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M3	OnRobot Rail M3	329.70	EC003554	AA062655M	4549734837019			IB	IBS	JPN	8479.9070.99
RAIL-M4	OnRobot Rail M4	326.30	EC003554	AA057230A	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	11,160.00	EC003554	AA057196H	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	5,550.00	EC003554	AA056875D	4549734889698			IB	IBS	DNK	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	4,320.00	EC003554	AA056898C	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	6,650.00	EC003554	AA056876B	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	5,180.00	EC003554	AA056899A	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	8,850.00	EC003554	AA057215H	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,501.00	EC003554	AA057232H	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2,546.00	EC003554	AA057229H	4549734892773			IB	IBS	DNK	8479.9070.99
SG-A-H	Soft Gripper SG-A-H OnRobot	1,162.00	EC003554	AA057200M	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	1,162.00	EC003554	AA057201H	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	4,698.00	EC003554	AA057199B	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	1,162.00	EC003554	AA057202F	4549734892469			IB	IBS	DNK	8479.9070.99
VAC-OMRON-EPICK-KIT1	Epick Kit for Omron / One (1) Cup	5,055.00	EC003554	AA028461F	4549734975117			IB	IBS	CAN	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	6,245.00	EC003554	AA056877M	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	4,502.00	EC003554	AA056900R	4549734889933			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	3,708.00	EC003554	AA057197F	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender. Only for Cobots with camera - OnRobot	155.20	EC003554	AA058083E	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	6,290.00	EC003554	AA058082G	4549734792431			IB	IBS	DNK	8479.9070.99
<b>OAT İşbirlikçi Aksesuarlar</b>											
DUAL-QUICK-CHANGER-ONROBOT	Dual Quick Changer OnRobot	2,775.00	EC003554	AA064014E	4549734849692			IB	IBV	DNK	8479.9070.99
RT6-A000002	Accessory, TM, Kit, Calibration Set with Additional Pin	456.80	EC003554	RT6 5029H	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A000004	Accessory, TM, USB DONGLE	187.20	EC003554	RT6 5299A	4549734488884			IB	IBV	TWN	8471.8000.00
RT6-A000008	Accessory, TM, TM LAND MARK	9.16	EC003554	RT6 5030A	4549734488891	#		IB	IBV	TWN	8479.5000.00
RT6-A000009	Accessory, TM, ROBOT STAND	3,903.00	EC003554	RT6 5031M	4549734488907	#		IB	IBV	TWN	8479.5000.00
RT6-A000020	Omron TM Cobot Teach Pendant HW3.2	3,088.00	EC003554	RT6 3277M	4549734717885	#		IB	IBV	TWN	8479.9070.99
RT6-A000021	Accessory, OMRON LAND MARK	9.05	EC003554	RT6 5293B	4549734715713	#		IB	IBV	TWN	8479.5000.00
RT6-A000022	Accessory, TM, Polarizer Light Module	299.80	EC003554	RT6 5377G	4550431047328			IB	IBV	TWN	8479.9070.99
RT6-A000024	Accessory, TM SCREEN (Teaching Pendant) with Pen (HW5.0 only)	1,790.00	EC003554	RT6 5560E	4550431071897			IB	IBV	TWN	8479.9070.99
RT6-A000025	Accessory, TM Polarizer Light Module, S Series HW5.0	210.00	EC003554	RT6 5559A	4550431071880			IB	IBV	TWN	8479.9070.99
RT6-S100000	License, Software, TM Identify & Measure	2,832.00	EC003554	RT6 5295R	4549734488969			IB	IBV	TWN	8523.5190.00
RT6-S100002	License, Software, TM External Vision	1,162.00	EC003554	RT6 5296G	4549734488976			IB	IBV	TWN	8523.5190.00
RT6-S100003	License, Software, TM OCR	797.00	EC003554	RT6 5297E	4549734488983			IB	IBV	TWN	8523.5190.00
RT6-S100005	License, Software, TMFlow Editor - Offline AOI	693.00	EC003554	RT6 5298C	4549734488990			IB	IBV	TWN	8523.5190.00
RT6-S100006	License, Software, Omron TM Operator Suite	2,055.00	EC003554	RT6 3271M	4549734711449			IB	IBV	TWN	8523.5190.00
RT6-S100009	License, Software, Omron TM Runtime & Palletizing Wizard	465.00	EC003554	RT6 3274E	4549734711470			IB	IBV	TWN	8523.5190.00
RT6-S200001	License, TMFlow Editor	693.00	EC003554	RT6 5294M	4549734488945			IB	IBV	TWN	8523.5190.00
<b>OAT Mobil Aksesuarlar</b>											
20271-903	Bundle. Fleet Simulator, EM2100 appliance and Perpetual Fleet Simulator License	19,650.00	EC000000	R6A 2083B	4549734511346			IB	IBW	USA	8479.9070.99
12477-000	Mobile Robot Charging Station (For LD-60/90/250)	7,680.00	EC000000	R6A 6430R	4549734189873	#		IB	IBW	JPN	8479.9070.99
12477-050	Mobile Robot Charging Station - Extended Wall mount (For Cart Transporters)	7,680.00	EC000000	R6A 6694H	4549734189880			IB	IBW	JPN	8479.9070.99
12944-000	Top Plate Assembly for LD-60/90	1,447.00	EC000000	R6A 2530C	4549734578356			IB	IBW	JPN	8479.9070.99
13456-000	Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250	6,675.00	EC000000	R6A 6156C	4549734123013	#		IB	IBW	MYS	8479.9070.99
13456-100	Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250	7,255.00	EC000000	R6A 6157A	4549734133852	#		IB	IBW	MYS	8479.9070.99
13558-000	Joystick (for all LD)	1,335.00	EC000000	R6A 3486H	4549734123655	#		IB	IBW	USA	8537.1098.99
13660-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll	4,757.00	EC000000	R6A 4380H	4549734737814	#		IB	IBW	USA	8479.9070.99
13660-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll	4,214.00	EC000000	R6A 4379D	4549734737807			IB	IBW	USA	8479.9070.99
13700-000	Mobile Robot Acuity Option with leveling kit	9,310.00	EC000000	R6A 3690R	4549734133821			IB	IBW	DEU	8479.9070.99
13700-100	Mobile Robot Acuity Option without leveling kit	8,220.00	EC000000	R6A 3691G	4549734133838			IB	IBW	DEU	8479.9070.99
14165-000	DB44HD Breakout cable	524.50	EC000000	R6A 3692E	4549734133845	#		IB	IBW	USA	8544.4290.90
14925-000	Magnetic Tape, 25 mm wide for Track Following Sensor, 50 m Length - For all LD	560.00	EC000000	R6A 8278A	4549734694742			IB	IBW	JPN	8479.9070.99
20458-002	Top Plate Assembly for LD-250	1,255.00	EC000000	R6A 2534F	4549734664516			IB	IBW	JPN	8479.9070.99
21374-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Double Sensor, Magnetic tape, 50 m roll	5,885.00	EC000000	R6A 4378F	4549734737791			IB	IBW	USA	8479.9070.99
21374-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll	4,852.00	EC000000	R6A 4377H	4549734737784			IB	IBW	USA	8479.9070.99
23419-802	Mobile Robots, Mobile IO Box	1,308.00	EC000000	R6A 6183M	4549734760768	#		IB	IBW	NLD	8536.6990.99
23419-812	Mobile Robots, Power supply for Mobile IO Box	109.00	EC000000	R6A 6184R	4549734760775	#		IB	IBW	NLD	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>OAT Aksesuarlar</b>											
10051-003	ADEPT Cobra 600/800 All Spare_Part T20 Pendant Adapter Cable	592.50	EC003554	R6A 8510A	4549734680370	#		IB	IBZ	CHN	8544.4290.90
18823-100	Cable, USER to Wire Lead, 1.5m	341.40	EC003554	R6A 7324C	4549734770163	#		IB	IBZ	MYS	8544.4290.90
18908-000	Bracket, Camera, Mount, i4H SCARA	807.00	EC003554	R6A 7320M	4549734770125			IB	IBZ	USA	8479.9070.99
19106-100	Tool Flange, i4H, Legacy Mount	365.00	EC003554	R6A 7319G	4549734770118			IB	IBZ	NLD	8479.9070.99
19140-100	Cable, TIO to Wire Lead, 1.5m	294.30	EC003554	R6A 7325A	4549734770170	#		IB	IBZ	MYS	8544.4290.90
19165-000	Solenoid Valve Kit, i4H	983.50	EC003554	R6A 7322G	4549734770149			IB	IBZ	JPN	8479.9070.99
19464-003F	Kit, Bellows Add-on, 210mm, i4H	3,885.00	EC003554	R6A 9537R	4549734767910			IB	IBZ	NLD	8479.9070.99
19464-004F	Kit, Bellows Add-on, 410mm, i4H	5,255.00	EC003554	R6A 9538G	4549734767927			IB	IBZ	NLD	8479.9070.99
20089-000	Bracket, Wall Mount, i4H	1,319.00	EC003554	R6A 7323E	4549734770156			IB	IBZ	TWN	8479.9070.99
21636-000	i4H Adapter Plate (available to mount the robot to a mounting surface designed for an eCobra 600/800 robot type).	290.80	EC003554	R6A 0341E	4549734723008			IB	IBZ	USA	8479.9070.99
22295-000	Adapter, Camera, Mount, i4H-SCARA	206.10	EC003554	R6A 7321R	4549734770132			IB	IBZ	USA	8479.9070.99
22839-000	Kit, Bellows, i4L, 180mm Quill	2,485.00	EC003554	R6A 6165B	4549734763936			IB	IBZ	JPN	8479.9070.99
22868-000	Kit, Bellows, i4L, 350mm Quill	3,374.00	EC003554	R6A 6163F	4549734763929			IB	IBZ	JPN	8479.9070.99
22871-000	Kit, i4L Camera Mount	175.50	EC003554	R6A 6159H	4549734763905			IB	IBZ	USA	8479.9070.99
22872-000	Kit, Solenoid Valve, i4L	912.50	EC003554	R6A 6161M	4549734763912			IB	IBZ	JPN	8479.9070.99
23912-000	Kit, 24V DC Supply, 240W, 5 Meter, Fixed Accessories	264.90	EC003554	R6A 6167R	4549734763943			IB	IBZ	IDN	8504.4083.90
23913-000	Kit, 48V DC Supply, 960W, 5 Meter, Fix Accessories	954.00	EC003554	R6A 6169E	4549734763950			IB	IBZ	IDN	8504.4083.90
05284-101	Anyfeeder Surface, POM, Flat, White, SX240	511.00	EC000000	R6A 7260C	4549734264648			IB	IBZ	CHE	8479.9070.99
05284-208	Anyfeeder Backlight - IR 875 nm, SX240	5,385.00	EC000000	R6A 7267M	4549734264716			IB	IBZ	CHE	8479.9070.99
12480-500	Anyfeeder SX-240 without Feed Surface	36,870.00	EC000000	R6A 7282D	4549734264839			IB	IBZ	CHE	8479.9070.99
14269-501	Anyfeeder SX340, No Feed Surface, integrated Backlight (IR)	54,350.00	EC000000	R6A 7006F	4549734491549			IB	IBZ	CHE	8479.9070.99
30240-001	Industrial Feeder iPF-240, red backlight	21,750.00	EC000000	R6A 5604G	4550431062208			IB	IBZ	CHE	8479.9070.99
30240-001F	iPF Accessory: RED backlight for iPF-240	2,940.00	EC000000	R6A 9660M	4550431062567	#		IB	IBZ	CHE	8539.5100.00
30240-002	Industrial Feeder iPF-240, white backlight	21,750.00	EC000000	R6A 5605E	4550431062215			IB	IBZ	CHE	8479.9070.99
30240-002F	iPF Accessory: WHITE backlight for iPF-240	2,940.00	EC000000	R6A 9661H	4550431062574	#		IB	IBZ	CHE	8539.5100.00
30240-003	Industrial Feeder iPF-240, infrared backlight	21,750.00	EC000000	R6A 5606C	4550431062222			IB	IBZ	CHE	8479.9070.99
30240-003F	iPF Accessory: INFRARED backlight for iPF-240	3,490.00	EC000000	R6A 9662F	4550431062581	#		IB	IBZ	CHE	8539.5100.00
30240-004	Industrial Feeder iPF-240, without backlight	19,750.00	EC000000	R6A 5607A	4550431062239			IB	IBZ	CHE	8479.9070.99
30240-101	Platform for industrial feeder iPF-240 - Left purge	3,740.00	EC000000	R6A 5608M	4550431062246			IB	IBZ	CHE	8479.9070.99
30240-101F	iPF Accessory: Left purge actuator KIT for iPF-240	2,290.00	EC000000	R6A 9644H	4550431062413	#		IB	IBZ	CHE	8479.9070.99
30240-102	Platform for industrial feeder iPF-240 - Right purge	3,740.00	EC000000	R6A 5609H	4550431062253			IB	IBZ	CHE	8479.9070.99
30240-102F	iPF Accessory: Right purge actuator KIT for iPF-240	2,290.00	EC000000	R6A 9645F	4550431062420	#		IB	IBZ	CHE	8479.9070.99
30240-103	Platform for industrial feeder iPF-240 - Standard frame, flat	1,095.00	EC000000	R6A 5610A	4550431062260			IB	IBZ	CHE	8479.9070.99
30240-103F	iPF Accessory: Purge actuator for iPF-240	970.00	EC000000	R6A 9647B	4550431062444	#		IB	IBZ	KOR	8479.9070.99
30240-104	ESD Platform for industrial feeder iPF-240 - Left purge	4,020.00	EC000000	R6A 5611M	4550431062277			IB	IBZ	CHE	8479.9070.99
30240-104F	iPF Accessory: Platform ONLY, Left purge, flat for iPF-240	1,460.00	EC000000	R6A 9648M	4550431062451	#		IB	IBZ	CHE	8479.9070.99
30240-105	ESD Platform for industrial feeder iPF-240 - Right purge	4,020.00	EC000000	R6A 5612H	4550431062284			IB	IBZ	CHE	8479.9070.99
30240-105F	iPF Accessory: Platform ONLY, Right purge, flat for iPF-240	1,460.00	EC000000	R6A 9649R	4550431062468	#		IB	IBZ	CHE	8479.9070.99
30240-106	ESD Platform for industrial feeder iPF-240 - Standard frame, flat	1,370.00	EC000000	R6A 5613F	4550431062291			IB	IBZ	CHE	8479.9070.99
30240-106F	iPF Accessory: ESD Platform ONLY, Left purge, flat for iPF-240	1,740.00	EC000000	R6A 9650B	4550431062475	#		IB	IBZ	CHE	8479.9070.99
30240-107	Platform for industrial feeder iPF-240 - Standard frame, anti-roll 1	1,440.00	EC000000	R6A 5614D	4550431062307			IB	IBZ	CHE	8479.9070.99
30240-107F	iPF Accessory: ESD Platform ONLY, Right purge, flat for iPF-240	1,740.00	EC000000	R6A 9651M	4550431062482	#		IB	IBZ	CHE	8479.9070.99
30240-108	Platform for industrial feeder iPF-240 - Standard frame, anti-roll 2	1,460.00	EC000000	R6A 5615B	4550431062314			IB	IBZ	CHE	8479.9070.99
30240-108F	iPF Accessory: Screw kit for iPF-240 platform mount	340.00	EC000000	R6A 9653G	4550431062642	#		IB	IBZ	CHE	8479.9070.99
30240-109	iPF Hopper Base - M size	3,390.00	EC000000	R6A 5616M	4550431062321			IB	IBZ	CHE	8479.9070.99
30380-001	Industrial Feeder iPF-380, red backlight	24,750.00	EC000000	R6A 5594F	4550431062109			IB	IBZ	CHE	8479.9070.99
30380-001F	iPF Accessory: RED backlight for iPF-380	3,620.00	EC000000	R6A 9657M	4550431062536	#		IB	IBZ	FRA	8539.5100.00
30380-002	Industrial Feeder iPF-380, white backlight	24,750.00	EC000000	R6A 5595D	4550431062116			IB	IBZ	CHE	8479.9070.99
30380-002F	iPF Accessory: WHITE backlight for iPF-380	3,620.00	EC000000	R6A 9658H	4550431062543	#		IB	IBZ	FRA	8539.5100.00
30380-003	Industrial Feeder iPF-380, infrared backlight	24,750.00	EC000000	R6A 5596G	4550431062123			IB	IBZ	CHE	8479.9070.99
30380-003F	iPF Accessory: INFRARED backlight for iPF-380	4,390.00	EC000000	R6A 9659F	4550431062550	#		IB	IBZ	FRA	8539.5100.00
30380-004	Industrial Feeder iPF-380, without backlight	21,750.00	EC000000	R6A 5597M	4550431062130			IB	IBZ	CHE	8479.9070.99
30380-101	Platform frame for industrial feeder iPF-380 - Left purge	2,700.00	EC000000	R6A 5598R	4550431062147			IB	IBZ	CHE	8479.9070.99
30380-101F	iPF Accessory: Purge actuator for iPF-380 and iPF-530	970.00	EC000000	R6A 9646D	4550431062437	#		IB	IBZ	KOR	8479.9070.99
30380-102	Platform frame for industrial feeder iPF-380 - Right purge	2,700.00	EC000000	R6A 5599G	4550431062154			IB	IBZ	CHE	8479.9070.99
30380-102F	iPF Accessory: BALL JOINTS SET for iPF-380 and iPF-530	335.00	EC000000	R6A 9652R	4550431062499	#		IB	IBZ	CHE	8479.9070.99
30380-103	Platform frame for industrial feeder iPF-380 - Standard	550.00	EC000000	R6A 5600D	4550431062161			IB	IBZ	SVN	8479.9070.99
30380-201	Platform Surface for industrial feeder iPF-380 - Flat	310.00	EC000000	R6A 5601B	4550431062178			IB	IBZ	CHE	8479.9070.99
30380-202	Platform Surface for industrial feeder iPF-380 - Anti-roll 1	850.00	EC000000	R6A 5602M	4550431062185			IB	IBZ	CHE	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
30380-203	Platform Surface for industrial feeder IPF-380 - Anti-roll 2	1,040.00	EC000000	R6A 5603R	4550431062192			IB	IBZ	CHE	8479.9070.99
30530-001	Industrial Feeder IPF-530, red backlight	27,750.00	EC000000	R6A 5584R	4550431062000			IB	IBZ	CHE	8479.9070.99
30530-001F	IPF Accessory: RED backlight for IPF-530	4,290.00	EC000000	R6A 9654E	4550431062505	#		IB	IBZ	FRA	8539.5100.00
30530-002	Industrial Feeder IPF-530, white backlight	27,750.00	EC000000	R6A 5585G	4550431062017			IB	IBZ	CHE	8479.9070.99
30530-002F	IPF Accessory: WHITE backlight for IPF-530	4,290.00	EC000000	R6A 9655C	4550431062512	#		IB	IBZ	FRA	8539.5100.00
30530-003	Industrial Feeder IPF-530, infrared backlight	27,750.00	EC000000	R6A 5586E	4550431062024			IB	IBZ	CHE	8479.9070.99
30530-003F	IPF Accessory: INFRARED backlight for IPF-530	5,290.00	EC000000	R6A 9656A	4550431062529	#		IB	IBZ	FRA	8539.5100.00
30530-004	Industrial Feeder IPF-530 without backlight	23,750.00	EC000000	R6A 5587C	4550431062031			IB	IBZ	CHE	8479.9070.99
30530-101	Platform frame for industrial feeder IPF-530 - Left purge	2,780.00	EC000000	R6A 5588A	4550431062048			IB	IBZ	CHE	8479.9070.99
30530-102	Platform frame for industrial feeder IPF-530 - Right purge	2,780.00	EC000000	R6A 5589M	4550431062055			IB	IBZ	CHE	8479.9070.99
30530-103	Platform frame for industrial feeder IPF-530 - Standard	550.00	EC000000	R6A 5590C	4550431062062			IB	IBZ	SVN	8479.9070.99
30530-201	Platform Surface for industrial feeder IPF-530 - Flat	310.00	EC000000	R6A 5591A	4550431062079			IB	IBZ	CHE	8479.9070.99
30530-202	Platform Surface for industrial feeder IPF-530 - Anti-roll 1	1,040.00	EC000000	R6A 5592M	4550431062086			IB	IBZ	CHE	8479.9070.99
30530-203	Platform Surface for industrial feeder IPF-530 - Anti-roll 2	1,220.00	EC000000	R6A 5593H	4550431062093			IB	IBZ	CHE	8479.9070.99
30600-001	IPF Hopper Container - 3 L and max 12 kg	610.00	EC000000	R6A 5617R	4550431062338			IB	IBZ	PRT	8479.9070.99
30600-002	IPF Hopper Container - 7 L and max 12 kg	710.00	EC000000	R6A 5618G	4550431062345			IB	IBZ	PRT	8479.9070.99
30600-003	IPF Hopper Container - 14 L and max 20 kg	810.00	EC000000	R6A 5620R	4550431062369			IB	IBZ	PRT	8479.9070.99
30600-004	IPF Hopper Base - L size	3,690.00	EC000000	R6A 5619E	4550431062352			IB	IBZ	CHE	8479.9070.99
30600-005	IPF Hopper mounting kit	840.00	EC000000	R6A 5621G	4550431062376			IB	IBZ	PRT	8479.9070.99
30600-101F	IPF Accessory: Hopper I/O 2 m cable	75.00	EC000000	R6A 9643M	4550431062406	#		IB	IBZ	CZE	8479.9070.99
30600-240F	IPF Accessory: 5 m power cable for IPF-240	225.00	EC000000	R6A 9642A	4550431062390	#		IB	IBZ	CHE	8479.9070.99
30600-380F	IPF Accessory: 5 m power cable for IPF-380 and IPF-530	330.00	EC000000	R6A 9641C	4550431062383	#		IB	IBZ	CHE	8479.9070.99
04677-030	IO Blox uzatma kablosu, 3.0M (IO Blox'u robota bağlar)	246.90	EC003554	R6A 0966R	4549734677028	#		IB	IBZ	USA	8544.4290.90
09443-000	Kablo, Konveyör enkoderi, M12 Dişi, Y-Adapter, 2-enkoder desteği, 3 Metre	240.20	EC003554	R6A 7301D	4549734677172	#		IB	IBZ	CHN	8544.4290.90
09446-050	enkoder uzatma kablosu, M12 Erkek, M12 Dişi, 8pin, 5 Metre	356.90	EC003554	R6A 7302B	4549734677189	#		IB	IBZ	USA	8544.4290.90
09742-001	Adept TR-1 Konveyör enkoder Kit IP65	1,189.00	EC003554	R6A 8547M	4549734680738	#		IB	IBZ	USA	8479.9070.99
10046-010	T20 Pendant, 10m Kablolu	2,845.00	EC003554	R6A 7311A	4549734677271	#		IB	IBZ	AUT	8537.1098.99
10048-000	T20 Pendant-Jumper Plug	123.30	EC003554	R6A 7799M	4549734678261	#		IB	IBZ	USA	8536.9010.00
11585-000	Kablo, eAIB XSYS Kablosu, 4 m	187.50	EC003554	R6A 7032E	4549734492089	#		IB	IBZ	CHN	8479.9070.99
13323-000	Kablo montajı XSYSTEM Adapter, jampere ile birlikte	187.50	EC003554	R6A 7033C	4549734492096	#		IB	IBZ	CHN	8479.9070.99
13463-000	XBELTIO Kablosu	1,178.00	EC003554	R6A 7034A	4549734492102	#		IB	IBZ	USA	8479.9070.99
19300-000	SmartController EX	5,175.00	EC003554	R6A 0970G	4549734677066	#		IB	IBZ	JPN	8479.9070.99
20410-000	ACE Sight Software License (4.x)	6,285.00	EC003554	R6A 0955C	4549734524070	#		IB	IBZ	USA	8523.5190.00
20433-000	PackXpert + ACE Sight Software License (4.x)	9,095.00	EC003554	R6A 0956A	4549734524087	#		IB	IBZ	USA	8523.5190.00
21857-100	Kit, Small Scanner + 3D Pick Manager License	25,840.00	EC003554	R6A 8026F	4549734605465	#		IB	IBZ	SVK	8479.9070.99
21857-200	Kit, Medium Scanner + 3D Pick Manager License	32,300.00	EC003554	R6A 8027D	4549734605472	#		IB	IBZ	SVK	8479.9070.99
21857-300	Kit, Large Scanner + 3D Pick Manager License	38,750.00	EC003554	R6A 8028B	4549734605489	#		IB	IBZ	SVK	8479.9070.99
21857-900	Calibration Kit 3D Pick Manager	155.20	EC003554	R6A 8029M	4549734605496	#		IB	IBZ	SVK	8479.9070.99
24114-250	Kit, Kamera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS	1,526.00	EC003554	R6A 7019H	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-300	Kit, Kamera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS	4,268.00	EC003554	R6A 7021M	4549734492010	#		IB	IBZ	DEU	8479.9070.99
27400-29006	Lamp, Filmnt, W2x4.6D, 6V, 1.2	15.41	EC003554	R6A 7730C	4549734677585	#		IB	IBZ	USA	8539.2998.90
90356-30200	IO Blox 8/IP-8/OP (1st IO Blox - robot'a bağlar)	610.00	EC003554	R6A 7966G	4549734679930	#		IB	IBZ	USA	8536.9010.00
90356-40100	XIO Termination Block, 12/IP-8/OP	610.00	EC003554	R6A 7930F	4549734679572	#		IB	IBZ	USA	8536.9010.00
AC1-152000	IPC Robots, Application Controller	5,180.00	EC003554	AC1 0101M	4549734524056	#		IB	IBZ	NLD	8471.5000.00
<b>Servo Sürücüler 1S-Serisi</b>											
R88D-1SN01H-ECT	1S servo sürücü, EtherCAT, 100 W, 1~ 230 VAC	985.50	EC002572	R8D10004C	4548583789166	#		MB	MBA	JPN	8504.4095.90
R88D-1SN02H-ECT	1S servo sürücü, EtherCAT, 200 W, 1~ 230 VAC	1,215.00	EC002572	R8D10005A	4548583789173	#		MB	MBA	JPN	8504.4095.90
R88D-1SN04H-ECT	1S servo sürücü, EtherCAT, 400 W, 1~ 230 VAC	1,292.00	EC002572	R8D10006M	4548583789180	#		MB	MBA	JPN	8504.4095.90
R88D-1SN06F-ECT	1S servo sürücü, EtherCAT, 600 W, 3~ 400 VAC	1,327.00	EC002572	R8D10012D	4548583789241	#		MB	MBA	JPN	8504.4095.90
R88D-1SN08H-ECT	1S servo sürücü, EtherCAT, 800 W, 1~ 230 VAC	1,318.00	EC002572	R8D10007H	4548583789197	#		MB	MBA	JPN	8504.4095.90
R88D-1SN10F-ECT	1S servo sürücü, EtherCAT, 1 kW, 3~ 400 VAC	1,419.00	EC002572	R8D10013B	4548583789258	#		MB	MBA	JPN	8504.4095.90
R88D-1SN150F-ECT	1S servo drive, EtherCAT type, 15 kW, 3~ 400 VAC	8,155.00	EC002572	R8D10022A	4549734210041	#		MB	MBA	JPN	8504.4095.90
R88D-1SN15F-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 3~ 400 VAC	1,475.00	EC002572	R8D10014M	4548583789265	#		MB	MBA	JPN	8504.4095.90
R88D-1SN15H-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 1~ 230 VAC	1,920.00	EC002572	R8D10009D	4548583789210	#		MB	MBA	JPN	8504.4095.90
R88D-1SN20F-ECT	1S servo sürücü, EtherCAT, 2 kW, 3~ 400 VAC	1,789.00	EC002572	R8D10015R	4548583789272	#		MB	MBA	JPN	8504.4095.90
R88D-1SN30F-ECT	1S servo sürücü, EtherCAT, 3 kW, 3~ 400 VAC	1,954.00	EC002572	R8D10016G	4548583789289	#		MB	MBA	JPN	8504.4095.90
R88D-1SN55F-ECT	1S servo drive, EtherCAT type, 5.5 kW, 3~ 400 VAC	2,971.00	EC002572	R8D10020E	4549734210027	#		MB	MBA	PHL	8504.4095.90
R88D-1SN75F-ECT	1S servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC	5,300.00	EC002572	R8D10021C	4549734210034	#		MB	MBA	PHL	8504.4095.90
R88D-1SAN02H-ECT	15A servo drive with safety, EtherCAT type, 200 W, 1~ 230 VAC	1,482.00	EC002572	R8D12000A	4549734219419	#		MB	MBA	CHN	8504.4095.90



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-1SAN04H-ECT	15A servo drive with safety, EtherCAT type, 400 W, 1~ 230 VAC	1,578.00	EC002572	R8D12001M	4549734219426	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN08H-ECT	15A servo drive with safety, EtherCAT type, 800 W, 1~ 230 VAC	1,609.00	EC002572	R8D12002H	4549734219433	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN10F-ECT	15A servo drive with safety, EtherCAT type, 1 kW, 3~ 400 VAC	1,731.00	EC002572	R8D12007R	4549734219488	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN15F-ECT	15A servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400 VAC	1,799.00	EC002572	R8D12008G	4549734219495	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN15H-ECT	15A servo drive with safety, EtherCAT type, 1.5 kW, 1~ 230 VAC	2,342.00	EC002572	R8D12004D	4549734219457	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN20F-ECT	15A servo drive with safety, EtherCAT type, 2 kW, 3~ 400 VAC	2,184.00	EC002572	R8D12009E	4549734219501	#		MB	MBA	CHN	8504.4095.90
R88D-1SAN30F-ECT	15A servo drive with safety, EtherCAT type, 3 kW, 3~ 400 VAC	2,384.00	EC002572	R8D12010R	4549734219518	#		MB	MBA	CHN	8504.4095.90
<b>Servo Motorlar 1S-Serisi</b>											
R88M-1L1K030C-B52	15 AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute enkoder, frenli	2,299.00	EC001851	R8M10061B	4548583789890	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030C-S2	15 AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute enkoder	1,960.00	EC001851	R8M10045M	4548583789739	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-B52	15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2,630.00	EC001851	R8M10266F	4549734172479	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-S2	15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	2,177.00	EC001851	R8M10265H	4549734172462	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-B52	15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute enkoder, frenli	2,307.00	EC001851	R8M10056F	4548583789845	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-S2	15 AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute enkoder	1,909.00	EC001851	R8M10040M	4548583789685	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-B52	15 AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute enkoder, frenli	2,499.00	EC001851	R8M10062M	4548583789906	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-S2	15 AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute enkoder	2,006.00	EC001851	R8M10046R	4548583789746	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-B52	15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	3,029.00	EC001851	R8M10268B	4549734172493	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-S2	15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	2,468.00	EC001851	R8M10267D	4549734172486	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-B52	15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute enkoder, frenli	2,659.00	EC001851	R8M10057D	4548583789852	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-S2	15 AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute enkoder	2,166.00	EC001851	R8M10041H	4548583789692	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-B52	15 AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute enkoder, frenli	2,975.00	EC001851	R8M10063R	4548583789913	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-S2	15 AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute enkoder	2,472.00	EC001851	R8M10047G	4548583789753	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-B52	15 AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute enkoder, frenli	3,330.00	EC001851	R8M10064G	4548583789920	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-S2	15 AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute enkoder	2,831.00	EC001851	R8M10048E	4548583789760	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-B52	15 AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute enkoder, with brake	4,186.00	EC001851	R8M10350F	4549734210669	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-S2	15 AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute enkoder	3,485.00	EC001851	R8M10348D	4549734210645	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-B52	15 AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute enkoder, with brake	5,160.00	EC001851	R8M10358A	4549734210744	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-S2	15 AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute enkoder	4,448.00	EC001851	R8M10356E	4549734210720	#		MB	MBB	JPN	8501.5220.89
R88M-1L75030C-B52	15 AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute enkoder, frenli	2,279.00	EC001851	R8M10060D	4548583789883	#		MB	MBB	JPN	8501.5100.90
R88M-1L75030C-S2	15 AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute enkoder	1,865.00	EC001851	R8M10044B	4548583789722	#		MB	MBB	JPN	8501.5100.90
R88M-1M10030H-B52	15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	1,094.00	EC001851	R8M10258E	4549734172384	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030H-S2	15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	794.50	EC001851	R8M10257G	4549734172387	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-B52	15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute enkoder, frenli	1,366.00	EC001851	R8M10052C	4548583789807	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-S2	15 AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute enkoder	991.50	EC001851	R8M10036A	4548583789647	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-B52	15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	1,164.00	EC001851	R8M10260G	4549734172417	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-S2	15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	852.00	EC001851	R8M10259C	4549734172400	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-B52	15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute enkoder, frenli	1,457.00	EC001851	R8M10053A	4548583789814	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-S2	15 AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute enkoder	1,065.00	EC001851	R8M10037M	4548583789654	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-B52	15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1,341.00	EC001851	R8M10262C	4549734172431	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-S2	15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	997.50	EC001851	R8M10261E	4549734172424	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-B52	15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute enkoder, frenli	1,674.00	EC001851	R8M10054M	4548583789821	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-S2	15 AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute enkoder	1,245.00	EC001851	R8M10038H	4548583789661	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030H-B52	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1,547.00	EC001851	R8M10264M	4549734172455	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030H-S2	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	1,162.00	EC001851	R8M10263A	4549734172448	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030T-B52	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute enkoder, frenli	1,928.00	EC001851	R8M10055H	4548583789838	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030T-S2	15 AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute enkoder	1,455.00	EC001851	R8M10039F	4548583789678	#		MB	MBB	PHL	8501.5100.90
R88M-1M11K015C-B52	15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	7,385.00	EC001851	R8M10390E	4549734211062	#		MB	MBB	JPN	8501.5230.90
R88M-1M11K015C-S2	15 AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	6,105.00	EC001851	R8M10388C	4549734211048	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-B52	15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	8,995.00	EC001851	R8M10398M	4549734211147	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-S2	15 AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	7,715.00	EC001851	R8M10396D	4549734211123	#		MB	MBB	JPN	8501.5230.90
R88M-1M1K020C-B52	15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,919.00	EC001851	R8M11165G	4549734165204	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020C-S2	15 AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,364.00	EC001851	R8M11155M	4549734165105	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020H-B52	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	2,260.00	EC001851	R8M10270D	4549734172516	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020H-S2	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1,791.00	EC001851	R8M10269M	4549734172509	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020T-B52	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,982.00	EC001851	R8M11159B	4549734165143	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020T-S2	15 AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,572.00	EC001851	R8M11149E	4549734165044	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520C-B52	15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	2,041.00	EC001851	R8M11166E	4549734165211	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520C-S2	15 AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,727.00	EC001851	R8M11156H	4549734165112	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520H-B52	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	2,343.00	EC001851	R8M10272M	4549734172530	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520H-S2	15 AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	1,941.00	EC001851	R8M10271B	4549734172523	#		MB	MBB	PHL	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-1M1K520T-BS2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	2,058.00	EC001851	R8M11160F	4549734165150			MB	MBB	PHL	8501.5220.89
R88M-1M1K520T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,704.00	EC001851	R8M11150R	4549734165051			MB	MBB	PHL	8501.5220.89
R88M-1M2K020C-BS2	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder, frenli	2,267.00	EC001851	R8M11167C	4549734165228	#		MB	MBB	PHL	8501.5220.89
R88M-1M2K020C-S2	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder	1,858.00	EC001851	R8M11157F	4549734165129	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K020C-BS2	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder, frenli	2,802.00	EC001851	R8M11168A	4549734165235	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K020C-S2	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder	2,201.00	EC001851	R8M11158D	4549734165136	#		MB	MBB	PHL	8501.5220.89
R88M-1M40020C-BS2	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, frenli	1,770.00	EC001851	R8M11163M	4549734165181	#		MB	MBB	PHL	8501.5100.90
R88M-1M40020C-S2	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	1,266.00	EC001851	R8M11153C	4549734165082	#		MB	MBB	PHL	8501.5100.90
R88M-1M4K015C-BS2	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	3,290.00	EC001851	R8M10366B	4549734210829	#		MB	MBB	PHL	8501.5220.89
R88M-1M4K015C-S2	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2,583.00	EC001851	R8M10364F	4549734210805	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-BS2	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	3,613.00	EC001851	R8M10374C	4549734210904	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-S2	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2,905.00	EC001851	R8M10372G	4549734210881	#		MB	MBB	PHL	8501.5220.89
R88M-1M60020C-BS2	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, frenli	1,839.00	EC001851	R8M11164R	4549734165198	#		MB	MBB	PHL	8501.5100.90
R88M-1M60020C-S2	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1,325.00	EC001851	R8M11154A	4549734165099	#		MB	MBB	PHL	8501.5100.90
R88M-1M7K515C-BS2	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	5,945.00	EC001851	R8M10382D	4549734210980	#		MB	MBB	PHL	8501.5220.89
R88M-1M7K515C-S2	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	5,230.00	EC001851	R8M10380H	4549734210966	#		MB	MBB	PHL	8501.5220.89
R88M-1M2K010C-BS2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder, frenli	3,336.00	EC001851	R8M11231R	4549734165860			MB	MBB	PHL	8501.5220.89
R88M-1M2K010C-S2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder	2,717.00	EC001851	R8M11225D	4549734165808	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K010C-BS2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder, frenli	3,974.00	EC001851	R8M11232G	4549734165877	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K010C-S2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder	3,406.00	EC001851	R8M11226B	4549734165815	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010C-BS2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,166.00	EC001851	R8M11230M	4549734165833	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010C-S2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,789.00	EC001851	R8M11224F	4549734165792	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010T-BS2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,260.00	EC001851	R8M11227M	4549734165822	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010T-S2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,780.00	EC001851	R8M11221A	4549734165761	#		MB	MBB	PHL	8501.5220.89
R88M-1AL1K030C-BS2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,803.00	EC001851	R8M12085M	4549734220378	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K030C-S2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,391.00	EC001851	R8M12083D	4549734220354	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K030T-BS2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,815.00	EC001851	R8M12029M	4549734219815	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K030T-S2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,330.00	EC001851	R8M12027C	4549734219792	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K530C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	3,050.00	EC001851	R8M12093A	4549734220453	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K530C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,446.00	EC001851	R8M12091E	4549734220439	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K530T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	3,244.00	EC001851	R8M12037M	4549734219891	#		MB	MBB	JPN	8501.5220.89
R88M-1AL1K530T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,640.00	EC001851	R8M12035D	4549734219877	#		MB	MBB	JPN	8501.5220.89
R88M-1AL2K030C-BS2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	3,627.00	EC001851	R8M12101F	4549734220538	#		MB	MBB	JPN	8501.5220.89
R88M-1AL2K030C-S2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	3,015.00	EC001851	R8M12099M	4549734220514	#		MB	MBB	JPN	8501.5220.89
R88M-1AL3K030C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	4,061.00	EC001851	R8M12109A	4549734220613	#		MB	MBB	JPN	8501.5220.89
R88M-1AL3K030C-S2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	3,455.00	EC001851	R8M12107E	4549734220590	#		MB	MBB	JPN	8501.5220.89
R88M-1AL75030C-BS2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,780.00	EC001851	R8M12077M	4549734220293	#		MB	MBB	JPN	8501.5100.90
R88M-1AL75030C-S2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	2,274.00	EC001851	R8M12075C	4549734220279	#		MB	MBB	JPN	8501.5100.90
R88M-1AM20030T-BS2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1,777.00	EC001851	R8M12005B	4549734219570	#		MB	MBB	PHL	8501.5100.90
R88M-1AM20030T-S2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1,300.00	EC001851	R8M12003F	4549734219556	#		MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-BS2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	2,041.00	EC001851	R8M12013C	4549734219655	#		MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-S2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,520.00	EC001851	R8M12011G	4549734219631	#		MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-BS2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,352.00	EC001851	R8M12021D	4549734219730	#		MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-S2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,773.00	EC001851	R8M12019B	4549734219716	#		MB	MBB	PHL	8501.5100.90
R88M-1AM1K515C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,491.00	EC001851	R8M12117B	4549734220699	#		MB	MBB	PHL	8501.5220.89
R88M-1AM1K515C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	2,106.00	EC001851	R8M12115F	4549734220675	#		MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,511.00	EC001851	R8M12061C	4549734220132	#		MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	2,078.00	EC001851	R8M12059A	4549734220118	#		MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	3,418.00	EC001851	R8M12125C	4549734220774	#		MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-S2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2,685.00	EC001851	R8M12123G	4549734220750	#		MB	MBB	PHL	8501.5220.89

#### Servo Aksesuarları ->

R88A-CR1A001-SCF-E	1S serisi servo enkoder kablosu, 1.5m, 230V: 50-750W	129.50	EC002615	AA045285C	4548583972438	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A003CF-E	1S serisi servo enkoder kablosu, 3m, 230V: 50-750W	136.10	EC002615	AA045278M	4548583972360	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A005CF-E	1S serisi servo enkoder kablosu, 5m, 230V: 50-750W	145.50	EC002615	AA045289F	4548583972476	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A010CF-E	1S serisi servo enkoder kablosu, 10m, 230V: 50-750W	168.90	EC002615	AA045286A	4548583972445	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A015CF-E	1S serisi servo enkoder kablosu, 15m, 230V: 50-750W	197.60	EC002615	AA045290M	4548583972483	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A020CF-E	1S serisi servo enkoder kablosu, 20m, 230V: 50-750W	242.00	EC002615	AA045279R	4548583972377	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A030CF-E	1S serisi servo enkoder kablosu, 30m, 230V: 50-750W	322.60	EC002615	AA045281M	4548583972391	#		MB	MBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CR1B001-5NF-E	15 serisi servo enkoder kablosu, 1,5m, 230V: 900W-1.5kW, 400V: 400W-15kW	157.30	EC002615	AA045287M	4548583972452	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B003NF-E	15 serisi servo enkoder kablosu, 3m, 230V: 900W-1.5kW, 400V: 400W-15kW	161.40	EC002615	AA045282R	4548583972407	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B005NF-E	15 serisi servo enkoder kablosu, 5m, 230V: 900W-1.5kW, 400V: 400W-15kW	169.10	EC002615	AA045284E	4548583972421	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B010NF-E	15 serisi servo enkoder kablosu, 10m, 230V: 900W-1.5kW, 400V: 400W-15kW	201.60	EC002615	AA045288H	4548583972469	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B015NF-E	15 serisi servo enkoder kablosu, 15m, 230V: 900W-1.5kW, 400V: 400W-15kW	229.90	EC002615	AA045291H	4548583972490	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B020NF-E	15 serisi servo enkoder kablosu, 20m, 230V: 900W-1.5kW, 400V: 400W-15kW	282.00	EC002615	AA045292F	4548583972506	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B030NF-E	15 serisi servo enkoder kablosu, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW	374.60	EC002615	AA045295M	4548583972537	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B040NF-E	15 serisi servo enkoder kablosu, 40m, 230V: 900W-1.5kW, 400V: 400W-15kW	471.40	EC002615	AA045294B	4548583972520	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B050NF-E	15 serisi servo enkoder kablosu, 50m, 230V: 900W-1.5kW, 400V: 400W-15kW	600.50	EC002615	AA045293D	4548583972513	#		MB	MBZ	ITA	8544.4290.90
R88A-CA1A001-5BF-E	15 serisi servo fren kablosu, 1,5m, 230V: 100-750W	121.00	EC002615	AA045304C	4548583972629	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A001-5SF-E	15 serisi servo motor güç kablosu, 1,5m, 230V: 100-750W	185.30	EC002615	AA045324H	4548583972827	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BF-E	15 serisi servo fren kablosu, 3m, 230V: 100-750W	129.00	EC002615	AA045298E	4548583972568	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BFR	15 series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	72.30	EC002615	R8A11227M	4549734196208	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A003SF-E	15 serisi servo motor güç kablosu, 3m, 230V: 100-750W	189.70	EC002615	AA045337M	4548583972957	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003FR	15 series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	121.90	EC002615	R8A11222R	4549734196154	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A005BF-E	15 serisi servo fren kablosu, 5m, 230V: 100-750W	133.10	EC002615	AA045303E	4548583972612	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A005SF-E	15 serisi servo motor güç kablosu, 5m, 230V: 100-750W	197.60	EC002615	AA045338H	4548583972964	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BF-E	15 serisi servo fren kablosu, 10m, 230V: 100-750W	153.30	EC002615	AA045300M	4548583972582	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BFR	15 series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	164.40	EC002615	R8A11229F	4549734196222	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A010SF-E	15 serisi servo motor güç kablosu, 10m, 230V: 100-750W	226.00	EC002615	AA045342F	4548583973008	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A015BF-E	15 serisi servo fren kablosu, 15m, 230V: 100-750W	175.40	EC002615	AA045299C	4548583972575	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A015BFR	15 series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	557.50	EC002615	R8A11230M	4549734196239	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A015SF-E	15 serisi servo motor güç kablosu, 15m, 230V: 100-750W	282.00	EC002615	AA045309D	4548583972674	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A020BF-E	15 serisi servo fren kablosu, 20m, 230V: 100-750W	193.40	EC002615	AA045301R	4548583972599	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A020BFR	15 series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	816.50	EC002615	R8A11231H	4549734196246	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A020SF-E	15 serisi servo motor güç kablosu, 20m, 230V: 100-750W	318.30	EC002615	AA045319A	4548583972773	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A0205FR	15 series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	950.00	EC002615	R8A11385C	4549734722537	#		MB	MBZ	CHN	8544.4290.90
R88A-CA1A030BF-E	15 serisi servo fren kablosu, 30m, 230V: 100-750W	234.00	EC002615	AA045297G	4548583972551	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A030SF-E	15 serisi servo motor güç kablosu, 30m, 230V: 100-750W	386.50	EC002615	AA045321C	4548583972797	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C001-5SF-E	15 serisi servo motor güç kablosu, 1,5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	185.30	EC002615	AA045330B	4548583972889	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C003SF-E	15 serisi servo motor güç kablosu, 3m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	193.40	EC002615	AA045349C	4548583973077	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C005BF-E	15 serisi servo motor güç kablosu, 5m, frenli, 230V: 900W-1.5kW	298.40	EC002615	AA045311F	4548583972698	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C005SF-E	15 serisi servo motor güç kablosu, 5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	213.70	EC002615	AA045306M	4548583972643	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C007SF-E	15 series servo motor power cable, 7 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W (2000 & 3000 rpm)	275.50	EC002615	AA051825M	4549734938822	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C010BF-E	15 serisi servo motor güç kablosu, 10m, frenli, 230V: 900W-1.5kW	362.60	EC002615	AA045334E	4548583972926	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C010SF-E	15 serisi servo motor güç kablosu, 10m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	253.90	EC002615	AA045325F	4548583972834	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C015BF-E	15 serisi servo motor güç kablosu, 15m, frenli, 230V: 900W-1.5kW	435.20	EC002615	AA045329R	4548583972872	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C015SF-E	15 serisi servo motor güç kablosu, 15m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	302.20	EC002615	AA045345M	4548583973039	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C020SF-E	15 serisi servo motor güç kablosu, 20m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	459.00	EC002615	AA045307H	4548583972650	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C030SF-E	15 serisi servo motor güç kablosu, 30m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	590.50	EC002615	AA045335C	4548583972933	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E001-5BF-E	15 serisi servo motor güç kablosu, 1,5m, frenli, 400V: 400W-3kW	290.20	EC002615	AA045339F	4548583972971	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E001-5SF-E	15 serisi servo motor güç kablosu, 1,5m, frensiz, 400V: 2kW(1000rpm) & 3kW	217.70	EC002615	AA045336A	4548583972940	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E003BF-E	15 serisi servo motor güç kablosu, 3m, frenli, 400V: 400W-3kW	314.60	EC002615	AA045305A	4548583972636	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E003SF-E	15 serisi servo motor güç kablosu, 3m, frensiz, 400V: 2kW(1000rpm) & 3kW	234.00	EC002615	AA045314M	4548583972728	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E005BF-E	15 serisi servo motor güç kablosu, 5m, frenli, 400V: 400W-3kW	350.50	EC002615	AA045326D	4548583972841	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E005SF-E	15 serisi servo motor güç kablosu, 5m, frensiz, 400V: 2kW(1000rpm) & 3kW	253.90	EC002615	AA045340M	4548583972988	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010BF-E	15 serisi servo motor güç kablosu, 10m, frenli, 400V: 400W-3kW	435.20	EC002615	AA045344B	4548583973022	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010SF-E	15 serisi servo motor güç kablosu, 10m, frensiz, 400V: 2kW(1000rpm) & 3kW	326.50	EC002615	AA045308F	4548583972667	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015BF-E	15 serisi servo motor güç kablosu, 15m, frenli, 400V: 400W-3kW	539.50	EC002615	AA045332R	4548583972902	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015SF-E	15 serisi servo motor güç kablosu, 15m, frensiz, 400V: 2kW(1000rpm) & 3kW	402.80	EC002615	AA045310H	4548583972681	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020BF-E	15 serisi servo motor güç kablosu, 20m, frenli, 400V: 400W-3kW	629.00	EC002615	AA045328M	4548583972865	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020SF-E	15 serisi servo motor güç kablosu, 20m, frensiz, 400V: 2kW(1000rpm) & 3kW	511.00	EC002615	AA045346R	4548583973046	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E030BF-E	15 serisi servo motor güç kablosu, 30m, frenli, 400V: 400W-3kW	842.50	EC002615	AA045348E	4548583973060	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E040BF-E	15 serisi servo motor güç kablosu, 40m, frenli, 400V: 400W-3kW	1,085.00	EC002615	AA045315R	4548583972735	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E050BF-E	15 serisi servo motor güç kablosu, 50m, frenli, 400V: 400W-3kW	1,282.00	EC002615	AA045323M	4548583972810	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1G003BF	15 series servo motor power cable, 3 m, with brake, 400 V: 4 kW to 5.5 kW	333.80	EC002615	R8A19000R	4549734209755	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G003SF	15 series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW	289.20	EC002615	R8A19001G	4549734209670	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005BF	15 series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW	370.10	EC002615	R8A19002E	4549734209762	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005SF	15 series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW	321.60	EC002615	R8A19003C	4549734209687	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010BF	15 series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW	486.10	EC002615	R8A19004A	4549734209779	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010SF	15 series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW	414.70	EC002615	R8A19005M	4549734209694	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015BF	15 series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW	614.00	EC002615	R8A19006H	4549734209786	#		MB	MBZ	POL	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1G015SF	15 series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW	502.50	EC002615	R8A19007F	4549734209700	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020BF	15 series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW	733.50	EC002615	R8A19008D	4549734209793	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020SF	15 series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW	598.00	EC002615	R8A19009B	4549734209717	#		MB	MBZ	POL	8544.4290.90
R88A-CA1GE10BF	15 series servo motor EXTENSION power cable, 10 m, 400 V: 4 kW to 5.5 kW	581.50	EC002615	R8A19010F	4549734451499	#		MB	MBZ	POL	8544.4290.90
R88A-CA1GE20BF	15 series servo motor EXTENSION power cable, 20 m, 400 V: 4 kW to 5.5 kW	828.00	EC002615	R8A19011D	4549734451505	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H003BF	15 series servo motor power cable, 3 m, with brake, 400 V: 7.5 kW	414.70	EC002615	R8A19012B	4549734451338	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005BF	15 series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW	528.00	EC002615	R8A19014R	4549734451345	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005SF	15 series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW	467.20	EC002615	R8A19015G	4549734451291	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010BF	15 series servo motor power cable, 10 m, with brake, 400 V: 7.5 kW	696.00	EC002615	R8A19016E	4549734451352	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010SF	15 series servo motor power cable, 10 m, non braked, 400 V: 7.5 kW	665.50	EC002615	R8A19017C	4549734451307	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015BF	15 series servo motor power cable, 15 m, with brake, 400 V: 7.5 kW	879.50	EC002615	R8A19018A	4549734451369	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015SF	15 series servo motor power cable, 15 m, non braked, 400 V: 7.5 kW	874.00	EC002615	R8A19019M	4549734451314	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020BF	15 series servo motor power cable, 20 m, with brake, 400 V: 7.5 kW	1,085.00	EC002615	R8A19020C	4549734451376	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020SF	15 series servo motor power cable, 20 m, non braked, 400 V: 7.5 kW	1,075.00	EC002615	R8A19021A	4549734451321	#		MB	MBZ	POL	8544.4290.90
R88A-CA1HE10BF	15 series servo motor EXTENSION power cable, 10 m, 400 V: 7.5 kW	730.50	EC002615	R8A19022M	4549734451529	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J010SF	15 series servo motor power cable, 10 m, non braked, 400 V: 11 kW & 15 kW	892.50	EC002615	R8A19029G	4549734209854	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J020SF	15 series servo motor power cable, 20 m, non braked, 400 V: 11 kW & 15 kW	1,415.00	EC002615	R8A19033E	4549734209878	#		MB	MBZ	POL	8544.4290.90
R88A-F1S103-SE	15 Servo RFI filtre; 230 VAC tek-faz, 100 and 200 W drives	86.25	EC002564	AA045209H	4548583971677	#		MB	MBZ	THA	8529.9097.00
R88A-F1S105-SE	15 Servo RFI filtre; 230 VAC tek-faz, 400 W sürücü	92.40	EC002564	AA045210A	4548583971684	#		MB	MBZ	THA	8529.9097.00
R88A-F1S108-SE	15 Servo RFI filtre; 230 VAC tek-faz, 800 W sürücü	98.50	EC002564	AA045208M	4548583971660	#		MB	MBZ	THA	8529.9097.00
R88A-F1S116-SE	15 Servo RFI filtre; 230 VAC tek-faz, 1.5 kW sürücü	125.30	EC002564	AA045212H	4548583971707	#		MB	MBZ	THA	8529.9097.00
R88A-F1S216	15 Servo RFI filtre; 200 VAC (3-faz input), for 1.5 kW to 3 kW drives	462.20	EC002564	R8A10008E	4548583786776	#		MB	MBZ	MYS	8529.9097.00
R88A-F1S309-SE	15 Servo RFI filtre; 400 VAC, 600 W - 3 kW sürücü	131.60	EC002564	AA045211M	4548583971691	#		MB	MBZ	THA	8529.9097.00
R88A-F1S330-SE	15 Servo RFI filtre; 400 VAC, for 5.5 kW to 7.5 kW drives	255.20	EC002564	AA030750M	4549734976558	#		MB	MBZ	THA	8529.9097.00
R88A-F1S350-SE	15 Servo RFI filtre; 400 VAC, for 15 kW drives	386.00	EC002564	AA030751R	4549734976565	#		MB	MBZ	THA	8529.9097.00
R88A-F1SA108-SE	15A Servo RFI filtre; 230 VAC single-phase, for 200 W to 800 W drives	119.60	EC002564	AA055117G	4549734984287	#		MB	MBZ	THA	8529.9097.00
R88A-F1SA116-SE	15A Servo RFI filtre; 230 VAC single-phase, for 1.5 kW drives	155.90	EC002564	AA055118E	4549734984294	#		MB	MBZ	THA	8529.9097.00
R88A-F1SA309-SE	15A Servo RFI filtre; 400 VAC, for 1 kW to 3 kW drives	158.60	EC002564	AA055119C	4549734984300	#		MB	MBZ	THA	8529.9097.00
R88A-CX1A003BF	15A series servo hybrid cable, 3 m, with brake, 230V: 200-750W	495.00	EC002615	R8A19049A	4549734218931	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A003SF	15A series servo hybrid cable, 3 m, non braked, 230V: 200-750W	383.10	EC002615	R8A19054H	4549734219013	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005BF	15A series servo hybrid cable, 5 m, with brake, 230V: 200-750W	559.00	EC002615	R8A19050E	4549734218948	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005SF	15A series servo hybrid cable, 5 m, non braked, 230V: 200-750W	446.90	EC002615	R8A19055F	4549734219020	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010BF	15A series servo hybrid cable, 10 m, with brake, 230V: 200-750W	656.00	EC002615	R8A19051C	4549734218955	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010SF	15A series servo hybrid cable, 10 m, non braked, 230V: 200-750W	543.00	EC002615	R8A19056D	4549734219037	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015BF	15A series servo hybrid cable, 15 m, with brake, 230V: 200-750W	783.50	EC002615	R8A19052A	4549734218962	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015SF	15A series servo hybrid cable, 15 m, non braked, 230V: 200-750W	671.50	EC002615	R8A19057B	4549734219044	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020BF	15A series servo hybrid cable, 20 m, with brake, 230V: 200-750W	943.00	EC002615	R8A19053M	4549734218979	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020SF	15A series servo hybrid cable, 20 m, non braked, 230V: 200-750W	831.00	EC002615	R8A19058M	4549734219051	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE10BF	15A series servo EXTENSION hybrid cable, 10 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	719.00	EC002615	R8A19091B	4549734451840	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE20BF	15A series servo EXTENSION hybrid cable, 20 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	1,023.00	EC002615	R8A19092M	4549734451857	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003BF	15A series servo hybrid cable, 3 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	543.00	EC002615	R8A19074B	4549734451659	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003SF	15A series servo hybrid cable, 3 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	431.10	EC002615	R8A19069F	4549734451604	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005BF	15A series servo hybrid cable, 5 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	607.50	EC002615	R8A19075M	4549734451666	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005SF	15A series servo hybrid cable, 5 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	495.00	EC002615	R8A19070M	4549734451611	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010BF	15A series servo hybrid cable, 10 m, with brake, 230 V: 1 kW to 1.5 kW, 400V: 750 W to 3 kW	704.00	EC002615	R8A19076R	4549734451673	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010SF	15A series servo hybrid cable, 10 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	591.50	EC002615	R8A19071H	4549734451628	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015BF	15A series servo hybrid cable, 15 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	831.00	EC002615	R8A19077G	4549734451680	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015SF	15A series servo hybrid cable, 15 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	719.00	EC002615	R8A19072F	4549734451635	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020BF	15A series servo hybrid cable, 20 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	990.50	EC002615	R8A19078E	4549734451697	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020SF	15A series servo hybrid cable, 20 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	879.50	EC002615	R8A19073D	4549734451642	#		MB	MBZ	POL	8544.4290.90
R88A-CN101A	15 motor connector (CNC) for 230 V, 0.1 to 1 kW	119.40	EC002584	R8A11217B	4548583859623	#		MB	MBZ	JPN	8536.9010.00
R88A-CN101B	15 Brake interlock connector (CN12)	127.10	EC002584	R8A11218M	4548583859630	#		MB	MBZ	JPN	8536.9010.00
R88A-CN101R	15 connector for encoder cable (drive side)	80.75	EC002584	R8A11208C	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
R88A-CN102P	15 main circuit connector (CNA) for 230 V, 0.1 to 1 kW	167.50	EC002584	R8A11214H	4548583859593	#		MB	MBZ	JPN	8536.9010.00
R88A-CN104R	15 connector for encoder cable (motor side); for 400 V and from 900 W, 230 V motors	101.50	EC002584	R8A11209A	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
R88A-CN111A	15 connector for power cable (motor side); for 100-750 W, 230 V motors	91.85	EC002584	R8A11210E	4548583789111	#		MB	MBZ	CHN	8536.9010.00
R88A-RR12025	External regeneration resistor, capacity: 24 W, 25 Ohm	103.20	EC002615	R8A10021B	4548583786905	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30016	External regeneration resistor, capacity: 60 W, 16 Ohm	302.30	EC002615	R8A11210A	4549734505192	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30020	External regeneration resistor 60 W, 20 Ω	302.30	EC002615	R8A10026C	4548583786950	#		MB	MBZ	JPN	8533.4090.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-RR30025	External regeneration resistor, capacity: 60 W, 25 Ohm	302.30	EC002615	R8A10027A	4548583786967	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30033	External regeneration resistor, capacity: 60 W, 33 Ohm	302.30	EC002615	R8A10028M	4548583786974	#		MB	MBZ	JPN	8533.4090.00
R88A-SC0115-E	15 series cable clamp A. Used in 230 V drives up to 750 W	11.94	EC002584	AA047709M	4548583996397	#		MB	MBZ	ITA	8504.5000.90
R88A-SC0215-E	15 series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	13.25	EC002584	AA047710D	4548583996403	#		MB	MBZ	ITA	8504.5000.90
R88A-SC10CA	15 series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	58.35	EC002584	R8A19048C	4549734540001	#		MB	MBZ	JPN	8504.5000.90
<b>Endüstriyel PC NY</b>											
NYE2A-20S11-07WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, black case	2,826.00	EC001412	NYE10002A	4549734777353	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-07WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 7 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, silver case	2,826.00	EC001412	NYE10001C	4549734777346	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-09WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, black case	3,179.00	EC001412	NYE10004H	4549734777377	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-09WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 9 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, silver case	3,179.00	EC001412	NYE10003M	4549734777360	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-12WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, black case	5,065.00	EC001412	NYE10006D	4549734777391	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-12WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 12 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, silver case	5,065.00	EC001412	NYE10005F	4549734777384	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-15WR1200	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, black case	5,540.00	EC001412	NYE10008M	4549734777414	#		NA	NAA	NLD	8471.6070.00
NYE2A-20S11-15WR1300	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom E3950 CPU, 15 inch, 1 x RS-232C, 2 x Ethernet (10/100/1000 Base-T), 2 x USB 2.0 Ports, 1 x USB 3.0 Port, 128 GB CFAST, 24 VDC, silver case	5,540.00	EC001412	NYE10007B	4549734777407	#		NA	NAA	NLD	8471.6070.00
NYB1E-514P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), PCIe slot, NY Monitor Link	10,700.00	EC001413	NYB10962A	4549734755399	#		NA	NAA	NLD	8471.4100.00
NYB1E-524P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), PCIe slot +HW RAID1, NY Monitor Link	12,020.00	EC001413	NYB10963M	4549734755405	#		NA	NAA	NLD	8471.4100.00
NYB27-30460	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB Cfast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,890.00	EC001413	NYB10565M	4549734687881	#		NA	NAA	NLD	8471.4100.00
NYB27-30466	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB Cfast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,225.00	EC001413	NYB10566R	4549734687898	#		NA	NAA	NLD	8471.4100.00
NYB27-30470	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB Cfast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,260.00	EC001413	NYB10571E	4549734687942	#		NA	NAA	NLD	8471.4100.00
NYB27-30476	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB Cfast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,595.00	EC001413	NYB10572C	4549734687959	#		NA	NAA	NLD	8471.4100.00
NYB27-314D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,405.00	EC001413	NYB10550B	4549734687737	#		NA	NAA	NLD	8471.4100.00
NYB27-314D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,405.00	EC001413	NYB10551M	4549734687744	#		NA	NAA	NLD	8471.4100.00
NYB27-314D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,700.00	EC001413	NYB10552R	4549734687751	#		NA	NAA	NLD	8471.4100.00
NYB27-314K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,600.00	EC001413	NYB10514F	4549734687379	#		NA	NAA	NLD	8471.4100.00
NYB27-314K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,600.00	EC001413	NYB10515D	4549734687386	#		NA	NAA	NLD	8471.4100.00
NYB27-314K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,900.00	EC001413	NYB10516B	4549734687393	#		NA	NAA	NLD	8471.4100.00
NYB27-314L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,915.00	EC001413	NYB10523E	4549734687461	#		NA	NAA	NLD	8471.4100.00
NYB27-314L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,915.00	EC001413	NYB10524C	4549734687478	#		NA	NAA	NLD	8471.4100.00
NYB27-314L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,215.00	EC001413	NYB10525A	4549734687485	#		NA	NAA	NLD	8471.4100.00
NYB27-314M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,550.00	EC001413	NYB10532D	4549734687553	#		NA	NAA	NLD	8471.4100.00
NYB27-314M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,550.00	EC001413	NYB10533B	4549734687560	#		NA	NAA	NLD	8471.4100.00
NYB27-314M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,845.00	EC001413	NYB10534M	4549734687577	#		NA	NAA	NLD	8471.4100.00
NYB27-314P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,190.00	EC001413	NYB10541C	4549734687645	#		NA	NAA	NLD	8471.4100.00
NYB27-314P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,190.00	EC001413	NYB10542A	4549734687652	#		NA	NAA	NLD	8471.4100.00
NYB27-314P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,480.00	EC001413	NYB10543M	4549734687669	#		NA	NAA	NLD	8471.4100.00
NYB27-324D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,650.00	EC001413	NYB10699A	4549734730518	#		NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-324D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,650.00	EC001413	NYB10700R	4549734730525			NA	NAA	NLD	8471.4100.00
NYB27-324D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,615.00	EC001413	NYB10701G	4549734730532			NA	NAA	NLD	8471.4100.00
NYB27-324D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,650.00	EC001413	NYB10702E	4549734730549			NA	NAA	NLD	8471.4100.00
NYB27-324E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,810.00	EC001413	NYB10711D	4549734730631			NA	NAA	NLD	8471.4100.00
NYB27-324E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,810.00	EC001413	NYB10712B	4549734730648			NA	NAA	NLD	8471.4100.00
NYB27-324E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,115.00	EC001413	NYB10713M	4549734730655			NA	NAA	NLD	8471.4100.00
NYB27-324E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,810.00	EC001413	NYB10714R	4549734730662			NA	NAA	NLD	8471.4100.00
NYB27-324K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,855.00	EC001413	NYB10651G	4549734730037			NA	NAA	NLD	8471.4100.00
NYB27-324K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,855.00	EC001413	NYB10652E	4549734730044			NA	NAA	NLD	8471.4100.00
NYB27-324K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,155.00	EC001413	NYB10653C	4549734730051			NA	NAA	NLD	8471.4100.00
NYB27-324K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,850.00	EC001413	NYB10654A	4549734730068			NA	NAA	NLD	8471.4100.00
NYB27-324L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,165.00	EC001413	NYB10663M	4549734730150			NA	NAA	NLD	8471.4100.00
NYB27-324L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,165.00	EC001413	NYB10664R	4549734730167			NA	NAA	NLD	8471.4100.00
NYB27-324L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,940.00	EC001413	NYB10665G	4549734730174			NA	NAA	NLD	8471.4100.00
NYB27-324L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,190.00	EC001413	NYB10666E	4549734730181			NA	NAA	NLD	8471.4100.00
NYB27-324M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,530.00	EC001413	NYB10675D	4549734730273			NA	NAA	NLD	8471.4100.00
NYB27-324M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,530.00	EC001413	NYB10676B	4549734730280			NA	NAA	NLD	8471.4100.00
NYB27-324M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,790.00	EC001413	NYB10677M	4549734730297			NA	NAA	NLD	8471.4100.00
NYB27-324M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,570.00	EC001413	NYB10678R	4549734730303			NA	NAA	NLD	8471.4100.00
NYB27-324P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,440.00	EC001413	NYB10687H	4549734730396			NA	NAA	NLD	8471.4100.00
NYB27-324P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,440.00	EC001413	NYB10688F	4549734730402			NA	NAA	NLD	8471.4100.00
NYB27-324P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,725.00	EC001413	NYB10689D	4549734730419			NA	NAA	NLD	8471.4100.00
NYB27-324P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,435.00	EC001413	NYB10690H	4549734730426			NA	NAA	NLD	8471.4100.00
NYB27-40460	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,025.00	EC001413	NYB10567G	4549734687904			NA	NAA	NLD	8471.4100.00
NYB27-40466	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,370.00	EC001413	NYB10568E	4549734687911			NA	NAA	NLD	8471.4100.00
NYB27-40470	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,395.00	EC001413	NYB10573A	4549734687966			NA	NAA	NLD	8471.4100.00
NYB27-40476	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,745.00	EC001413	NYB10574M	4549734687973			NA	NAA	NLD	8471.4100.00
NYB27-414D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,550.00	EC001413	NYB10553G	4549734687768			NA	NAA	NLD	8471.4100.00
NYB27-414D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,550.00	EC001413	NYB10554E	4549734687775			NA	NAA	NLD	8471.4100.00
NYB27-414D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,840.00	EC001413	NYB10555C	4549734687782			NA	NAA	NLD	8471.4100.00
NYB27-414K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,745.00	EC001413	NYB10517M	4549734687409			NA	NAA	NLD	8471.4100.00
NYB27-414K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,745.00	EC001413	NYB10518R	4549734687416			NA	NAA	NLD	8471.4100.00
NYB27-414K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,040.00	EC001413	NYB10519G	4549734687423			NA	NAA	NLD	8471.4100.00
NYB27-414L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,050.00	EC001413	NYB10526M	4549734687492			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-414L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,050.00	EC001413	NYB10527H	4549734687508			NA	NAA	NLD	8471.4100.00
NYB27-414L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,355.00	EC001413	NYB10528F	4549734687515			NA	NAA	NLD	8471.4100.00
NYB27-414M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,170.00	EC001413	NYB10535R	4549734687584			NA	NAA	NLD	8471.4100.00
NYB27-414M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,690.00	EC001413	NYB10536G	4549734687591			NA	NAA	NLD	8471.4100.00
NYB27-414M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,975.00	EC001413	NYB10537E	4549734687607			NA	NAA	NLD	8471.4100.00
NYB27-414P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,320.00	EC001413	NYB10544H	4549734687676			NA	NAA	NLD	8471.4100.00
NYB27-414P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,320.00	EC001413	NYB10545F	4549734687683			NA	NAA	NLD	8471.4100.00
NYB27-414P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,620.00	EC001413	NYB10546D	4549734687690			NA	NAA	NLD	8471.4100.00
NYB27-414P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), 1 PCIe + 2 drive slots, GigE LAN	8,200.00	EC001413	NYB10964H	4549734758567			NA	NAA	NLD	8471.4100.00
NYB27-424D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,800.00	EC001413	NYB10703C	4549734730556			NA	NAA	NLD	8471.4100.00
NYB27-424D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,800.00	EC001413	NYB10704A	4549734730563			NA	NAA	NLD	8471.4100.00
NYB27-424D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,095.00	EC001413	NYB10705M	4549734730570			NA	NAA	NLD	8471.4100.00
NYB27-424D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,790.00	EC001413	NYB10706H	4549734730587			NA	NAA	NLD	8471.4100.00
NYB27-424E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,955.00	EC001413	NYB10715G	4549734730679			NA	NAA	NLD	8471.4100.00
NYB27-424E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,955.00	EC001413	NYB10716E	4549734730686			NA	NAA	NLD	8471.4100.00
NYB27-424E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,255.00	EC001413	NYB10717C	4549734730693			NA	NAA	NLD	8471.4100.00
NYB27-424E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,950.00	EC001413	NYB10718A	4549734730709			NA	NAA	NLD	8471.4100.00
NYB27-424K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,990.00	EC001413	NYB10655M	4549734730075			NA	NAA	NLD	8471.4100.00
NYB27-424K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,990.00	EC001413	NYB10656H	4549734730082			NA	NAA	NLD	8471.4100.00
NYB27-424K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,290.00	EC001413	NYB10657F	4549734730099			NA	NAA	NLD	8471.4100.00
NYB27-424K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,990.00	EC001413	NYB10658D	4549734730105			NA	NAA	NLD	8471.4100.00
NYB27-424L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,300.00	EC001413	NYB10667C	4549734730198			NA	NAA	NLD	8471.4100.00
NYB27-424L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,300.00	EC001413	NYB10668A	4549734730204			NA	NAA	NLD	8471.4100.00
NYB27-424L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,595.00	EC001413	NYB10669M	4549734730211			NA	NAA	NLD	8471.4100.00
NYB27-424L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,300.00	EC001413	NYB10670C	4549734730228			NA	NAA	NLD	8471.4100.00
NYB27-424M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,795.00	EC001413	NYB10679G	4549734730310			NA	NAA	NLD	8471.4100.00
NYB27-424M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,795.00	EC001413	NYB10680M	4549734730327			NA	NAA	NLD	8471.4100.00
NYB27-424M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,050.00	EC001413	NYB10681R	4549734730334			NA	NAA	NLD	8471.4100.00
NYB27-424M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,830.00	EC001413	NYB10682G	4549734730341			NA	NAA	NLD	8471.4100.00
NYB27-424P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,575.00	EC001413	NYB10691F	4549734730433			NA	NAA	NLD	8471.4100.00
NYB27-424P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,575.00	EC001413	NYB10692D	4549734730440			NA	NAA	NLD	8471.4100.00
NYB27-424P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,870.00	EC001413	NYB10693B	4549734730457			NA	NAA	NLD	8471.4100.00
NYB27-424P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,575.00	EC001413	NYB10694M	4549734730464			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-50460	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,345.00	EC001413	NYB10569C	4549734687928			NA	NAA	NLD	8471.4100.00
NYB27-50466	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,690.00	EC001413	NYB10570G	4549734687935			NA	NAA	NLD	8471.4100.00
NYB27-50470	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,735.00	EC001413	NYB10575H	4549734687980			NA	NAA	NLD	8471.4100.00
NYB27-50476	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	7,070.00	EC001413	NYB10576F	4549734687997			NA	NAA	NLD	8471.4100.00
NYB27-514D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,880.00	EC001413	NYB10556A	4549734687799			NA	NAA	NLD	8471.4100.00
NYB27-514D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,880.00	EC001413	NYB10557M	4549734687805			NA	NAA	NLD	8471.4100.00
NYB27-514D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,165.00	EC001413	NYB10558H	4549734687812			NA	NAA	NLD	8471.4100.00
NYB27-514K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,070.00	EC001413	NYB10520M	4549734687430			NA	NAA	NLD	8471.4100.00
NYB27-514K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,070.00	EC001413	NYB10521R	4549734687447			NA	NAA	NLD	8471.4100.00
NYB27-514K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,365.00	EC001413	NYB10522G	4549734687454			NA	NAA	NLD	8471.4100.00
NYB27-514L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,375.00	EC001413	NYB10529D	4549734687522			NA	NAA	NLD	8471.4100.00
NYB27-514L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,375.00	EC001413	NYB10530H	4549734687539			NA	NAA	NLD	8471.4100.00
NYB27-514L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,675.00	EC001413	NYB10531F	4549734687546			NA	NAA	NLD	8471.4100.00
NYB27-514M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	8,010.00	EC001413	NYB10538C	4549734687614			NA	NAA	NLD	8471.4100.00
NYB27-514M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	8,010.00	EC001413	NYB10539A	4549734687621			NA	NAA	NLD	8471.4100.00
NYB27-514M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	8,305.00	EC001413	NYB10540E	4549734687638			NA	NAA	NLD	8471.4100.00
NYB27-514P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,655.00	EC001413	NYB10547B	4549734687706			NA	NAA	NLD	8471.4100.00
NYB27-514P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,655.00	EC001413	NYB10548M	4549734687713			NA	NAA	NLD	8471.4100.00
NYB27-514P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,955.00	EC001413	NYB10549R	4549734687720			NA	NAA	NLD	8471.4100.00
NYB27-524D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,120.00	EC001413	NYB10707F	4549734730594			NA	NAA	NLD	8471.4100.00
NYB27-524D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,120.00	EC001413	NYB10708D	4549734730600			NA	NAA	NLD	8471.4100.00
NYB27-524D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,415.00	EC001413	NYB10709B	4549734730617			NA	NAA	NLD	8471.4100.00
NYB27-524D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,115.00	EC001413	NYB10710F	4549734730624			NA	NAA	NLD	8471.4100.00
NYB27-524E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,290.00	EC001413	NYB10719M	4549734730716			NA	NAA	NLD	8471.4100.00
NYB27-524E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,290.00	EC001413	NYB10720C	4549734730723			NA	NAA	NLD	8471.4100.00
NYB27-524E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,590.00	EC001413	NYB10721A	4549734730730			NA	NAA	NLD	8471.4100.00
NYB27-524E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,290.00	EC001413	NYB10722M	4549734730747			NA	NAA	NLD	8471.4100.00
NYB27-524K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,310.00	EC001413	NYB10659B	4549734730112			NA	NAA	NLD	8471.4100.00
NYB27-524K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,310.00	EC001413	NYB10660F	4549734730129			NA	NAA	NLD	8471.4100.00
NYB27-524K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,610.00	EC001413	NYB10661D	4549734730136			NA	NAA	NLD	8471.4100.00
NYB27-524K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,310.00	EC001413	NYB10662B	4549734730143			NA	NAA	NLD	8471.4100.00
NYB27-524L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,620.00	EC001413	NYB10671A	4549734730235			NA	NAA	NLD	8471.4100.00
NYB27-524L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,620.00	EC001413	NYB10672M	4549734730242			NA	NAA	NLD	8471.4100.00
NYB27-524L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,920.00	EC001413	NYB10673H	4549734730259			NA	NAA	NLD	8471.4100.00
NYB27-524L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,620.00	EC001413	NYB10674F	4549734730266			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-524M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	9,055.00	EC001413	NYB10683E	4549734730358			NA	NAA	NLD	8471.4100.00
NYB27-524M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	9,055.00	EC001413	NYB10684C	4549734730365			NA	NAA	NLD	8471.4100.00
NYB27-524M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,305.00	EC001413	NYB10685A	4549734730372			NA	NAA	NLD	8471.4100.00
NYB27-524M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	9,100.00	EC001413	NYB10686M	4549734730389			NA	NAA	NLD	8471.4100.00
NYB27-524P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,900.00	EC001413	NYB10695R	4549734730471			NA	NAA	NLD	8471.4100.00
NYB27-524P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,900.00	EC001413	NYB10696G	4549734730488			NA	NAA	NLD	8471.4100.00
NYB27-524P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,200.00	EC001413	NYB10697E	4549734730495			NA	NAA	NLD	8471.4100.00
NYB27-524P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,900.00	EC001413	NYB10698C	4549734730501			NA	NAA	NLD	8471.4100.00
NYB2A-20450	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,469.00	EC001413	NYB10472G	4549734532761			NA	NAA	NLD	8471.4100.00
NYB2A-20456	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,843.00	EC001413	NYB10473E	4549734532778			NA	NAA	NLD	8471.4100.00
NYB2A-20460	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,619.00	EC001413	NYB10474C	4549734532785			NA	NAA	NLD	8471.4100.00
NYB2A-20466	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,994.00	EC001413	NYB10475A	4549734532792			NA	NAA	NLD	8471.4100.00
NYB2A-20470	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,935.00	EC001413	NYB10476M	4549734532808			NA	NAA	NLD	8471.4100.00
NYB2A-20476	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,311.00	EC001413	NYB10477H	4549734532815			NA	NAA	NLD	8471.4100.00
NYB2A-30450	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,560.00	EC001413	NYB10480H	4549734532864			NA	NAA	NLD	8471.4100.00
NYB2A-30456	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,935.00	EC001413	NYB10481F	4549734532853			NA	NAA	NLD	8471.4100.00
NYB2A-30460	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,711.00	EC001413	NYB10482D	4549734532860			NA	NAA	NLD	8471.4100.00
NYB2A-30466	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,083.00	EC001413	NYB10483B	4549734532877			NA	NAA	NLD	8471.4100.00
NYB2A-30470	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,027.00	EC001413	NYB10484M	4549734532884			NA	NAA	NLD	8471.4100.00
NYB2A-30476	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,401.00	EC001413	NYB10485R	4549734532891			NA	NAA	NLD	8471.4100.00
NYB2C-20450	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,702.00	EC001413	NYB10894C	4549734754712			NA	NAA	NLD	8471.4100.00
NYB2C-20456	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,088.00	EC001413	NYB10895A	4549734754729			NA	NAA	NLD	8471.4100.00
NYB2C-20460	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,864.00	EC001413	NYB10896G	4549734719674			NA	NAA	NLD	8471.4100.00
NYB2C-20466	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,251.00	EC001413	NYB10896M	4549734754736			NA	NAA	NLD	8471.4100.00
NYB2C-20470	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,200.00	EC001413	NYB10897H	4549734754743			NA	NAA	NLD	8471.4100.00
NYB2C-20476	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,587.00	EC001413	NYB10898F	4549734754750			NA	NAA	NLD	8471.4100.00
NYB2C-21491	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,690.00	EC001413	NYB10899D	4549734754767			NA	NAA	NLD	8471.4100.00
NYB2C-21492	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,690.00	EC001413	NYB10900A	4549734754774			NA	NAA	NLD	8471.4100.00
NYB2C-21496	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,245.00	EC001413	NYB10901M	4549734754781			NA	NAA	NLD	8471.4100.00
NYB2C-214C1	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,234.00	EC001413	NYB10902H	4549734754798			NA	NAA	NLD	8471.4100.00
NYB2C-214C2	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,234.00	EC001413	NYB10903F	4549734754804			NA	NAA	NLD	8471.4100.00
NYB2C-214C6	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,781.00	EC001413	NYB10904D	4549734754811			NA	NAA	NLD	8471.4100.00
NYB2C-214K1	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,535.00	EC001413	NYB10905B	4549734754828			NA	NAA	NLD	8471.4100.00
NYB2C-214K2	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,535.00	EC001413	NYB10906M	4549734754835			NA	NAA	NLD	8471.4100.00
NYB2C-214K6	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,085.00	EC001413	NYB10907R	4549734754842			NA	NAA	NLD	8471.4100.00
NYB2C-30450	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,900.00	EC001413	NYB10908G	4549734754859			NA	NAA	NLD	8471.4100.00
NYB2C-30456	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,286.00	EC001413	NYB10909E	4549734754866			NA	NAA	NLD	8471.4100.00
NYB2C-30460	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,352.00	EC001413	NYB10585E	4549734719681			NA	NAA	NLD	8471.4100.00
NYB2C-30470	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,787.00	EC001413	NYB10586C	4549734719698			NA	NAA	NLD	8471.4100.00
NYB2C-30476	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,787.00	EC001413	NYB10910R	4549734754873			NA	NAA	NLD	8471.4100.00
NYB2C-31491	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,820.00	EC001413	NYB10911G	4549734754880			NA	NAA	NLD	8471.4100.00
NYB2C-31492	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,820.00	EC001413	NYB10912E	4549734754897			NA	NAA	NLD	8471.4100.00
NYB2C-31496	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,375.00	EC001413	NYB10913C	4549734754903			NA	NAA	NLD	8471.4100.00
NYB2C-314C1	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,356.00	EC001413	NYB10914A	4549734754910			NA	NAA	NLD	8471.4100.00
NYB2C-314C2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,356.00	EC001413	NYB10915M	4549734754927			NA	NAA	NLD	8471.4100.00
NYB2C-314C6	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,905.00	EC001413	NYB10916H	4549734754934			NA	NAA	NLD	8471.4100.00
NYB2C-314K1	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,658.00	EC001413	NYB10917F	4549734754941			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB2C-314K2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,658.00	EC001413	NYB10918D	4549734754958			NA	NAA	NLD	8471.4100.00
NYB2C-314K6	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,210.00	EC001413	NYB10919B	4549734754965			NA	NAA	NLD	8471.4100.00
NYB2C-314L2	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,182.00	EC001413	NYB13150C	4550431044747			NA	NAA	NLD	8471.4100.00
NYB2C-40460	Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,827.00	EC001413	NYB10920F	4549734754972			NA	NAA	NLD	8471.4100.00
NYB35-21491	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,445.00	EC001413	NYB10921D	4549734754989			NA	NAA	NLD	8471.4100.00
NYB35-21492	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,445.00	EC001413	NYB10922B	4549734754996			NA	NAA	NLD	8471.4100.00
NYB35-21496	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,995.00	EC001413	NYB10923M	4549734755009			NA	NAA	NLD	8471.4100.00
NYB35-214C1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,974.00	EC001413	NYB10924R	4549734755016			NA	NAA	NLD	8471.4100.00
NYB35-214C2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,974.00	EC001413	NYB10925G	4549734755023			NA	NAA	NLD	8471.4100.00
NYB35-214C6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,530.00	EC001413	NYB10926E	4549734755030			NA	NAA	NLD	8471.4100.00
NYB35-214K1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,280.00	EC001413	NYB10927C	4549734755047			NA	NAA	NLD	8471.4100.00
NYB35-214K2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,280.00	EC001413	NYB10928A	4549734755054			NA	NAA	NLD	8471.4100.00
NYB35-214K6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,830.00	EC001413	NYB10929M	4549734755061			NA	NAA	NLD	8471.4100.00
NYB35-224K1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,130.00	EC001413	NYB10597R	4549734729499			NA	NAA	NLD	8471.4100.00
NYB35-224K2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,130.00	EC001413	NYB10598G	4549734729505			NA	NAA	NLD	8471.4100.00
NYB35-224K6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,405.00	EC001413	NYB10599E	4549734729512			NA	NAA	NLD	8471.4100.00
NYB35-224L1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,520.00	EC001413	NYB10600B	4549734729529			NA	NAA	NLD	8471.4100.00
NYB35-224L2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,520.00	EC001413	NYB10601M	4549734729536			NA	NAA	NLD	8471.4100.00
NYB35-224L6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,780.00	EC001413	NYB10602R	4549734729543			NA	NAA	NLD	8471.4100.00
NYB35-30370	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	4,054.00	EC001413	NYB10428M	4549734262552			NA	NAA	NLD	8471.4100.00
NYB35-30450	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,182.00	EC001413	NYB10930C	4549734755078			NA	NAA	NLD	8471.4100.00
NYB35-30456	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,570.00	EC001413	NYB10931A	4549734755085			NA	NAA	NLD	8471.4100.00
NYB35-30460	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,343.00	EC001413	NYB10932M	4549734755092			NA	NAA	NLD	8471.4100.00
NYB35-30466	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,729.00	EC001413	NYB10933H	4549734755108			NA	NAA	NLD	8471.4100.00
NYB35-30470	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,280.00	EC001413	NYB10891R	4549734737449			NA	NAA	NLD	8471.4100.00
NYB35-30476	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,720.00	EC001413	NYB10934F	4549734755115			NA	NAA	NLD	8471.4100.00
NYB35-31391	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	6,895.00	EC001413	NYB10288M	4549734206549			NA	NAA	NLD	8471.4100.00
NYB35-31491	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,575.00	EC001413	NYB10935D	4549734755122			NA	NAA	NLD	8471.4100.00
NYB35-31492	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,575.00	EC001413	NYB10936B	4549734755139			NA	NAA	NLD	8471.4100.00
NYB35-31496	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,120.00	EC001413	NYB10937M	4549734755146			NA	NAA	NLD	8471.4100.00
NYB35-314C1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,100.00	EC001413	NYB10938R	4549734755153			NA	NAA	NLD	8471.4100.00
NYB35-314C2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,100.00	EC001413	NYB10939G	4549734755160			NA	NAA	NLD	8471.4100.00
NYB35-314C6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,655.00	EC001413	NYB10940M	4549734755177			NA	NAA	NLD	8471.4100.00
NYB35-314K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,400.00	EC001413	NYB10941R	4549734755184			NA	NAA	NLD	8471.4100.00
NYB35-314K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,400.00	EC001413	NYB10942G	4549734755191			NA	NAA	NLD	8471.4100.00
NYB35-314K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,955.00	EC001413	NYB10943E	4549734755207			NA	NAA	NLD	8471.4100.00
NYB35-324D1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,959.00	EC001413	NYB10603G	4549734729550			NA	NAA	NLD	8471.4100.00
NYB35-324D2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,959.00	EC001413	NYB10604E	4549734729567			NA	NAA	NLD	8471.4100.00
NYB35-324D6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,255.00	EC001413	NYB10605C	4549734729574			NA	NAA	NLD	8471.4100.00
NYB35-324E1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,120.00	EC001413	NYB10606A	4549734729581			NA	NAA	NLD	8471.4100.00
NYB35-324E2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,120.00	EC001413	NYB10607M	4549734729598			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-324E6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,420.00	EC001413	NYB10608H	4549734729604			NA	NAA	NLD	8471.4100.00
NYB35-324K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,275.00	EC001413	NYB10609F	4549734729611			NA	NAA	NLD	8471.4100.00
NYB35-324K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,275.00	EC001413	NYB10610M	4549734729628			NA	NAA	NLD	8471.4100.00
NYB35-324K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,565.00	EC001413	NYB10611H	4549734729635			NA	NAA	NLD	8471.4100.00
NYB35-324L1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,665.00	EC001413	NYB10612F	4549734729642			NA	NAA	NLD	8471.4100.00
NYB35-324L2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,665.00	EC001413	NYB10613D	4549734729659			NA	NAA	NLD	8471.4100.00
NYB35-324L6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,920.00	EC001413	NYB10614B	4549734729666			NA	NAA	NLD	8471.4100.00
NYB35-324M1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,070.00	EC001413	NYB10615M	4549734729673			NA	NAA	NLD	8471.4100.00
NYB35-324M2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,070.00	EC001413	NYB10616R	4549734729680			NA	NAA	NLD	8471.4100.00
NYB35-324M6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,315.00	EC001413	NYB10617G	4549734729697			NA	NAA	NLD	8471.4100.00
NYB35-324P1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,920.00	EC001413	NYB10618E	4549734729703			NA	NAA	NLD	8471.4100.00
NYB35-324P2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,920.00	EC001413	NYB10619C	4549734729710			NA	NAA	NLD	8471.4100.00
NYB35-324P6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,205.00	EC001413	NYB10620G	4549734729727			NA	NAA	NLD	8471.4100.00
NYB35-40450	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,548.00	EC001413	NYB10944C	4549734755214			NA	NAA	NLD	8471.4100.00
NYB35-40456	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,937.00	EC001413	NYB10945A	4549734755221			NA	NAA	NLD	8471.4100.00
NYB35-40460	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,709.00	EC001413	NYB10946M	4549734755238			NA	NAA	NLD	8471.4100.00
NYB35-40466	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,100.00	EC001413	NYB10947H	4549734755245			NA	NAA	NLD	8471.4100.00
NYB35-40470	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,045.00	EC001413	NYB10948F	4549734755252			NA	NAA	NLD	8471.4100.00
NYB35-40476	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,045.00	EC001413	NYB10949D	4549734755269			NA	NAA	NLD	8471.4100.00
NYB35-414D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,435.00	EC001413	NYB10950H	4549734755276			NA	NAA	NLD	8471.4100.00
NYB35-414D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,050.00	EC001413	NYB10951F	4549734755283			NA	NAA	NLD	8471.4100.00
NYB35-414D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,045.00	EC001413	NYB10952B	4549734755290			NA	NAA	NLD	8471.4100.00
NYB35-414E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,360.00	EC001413	NYB10953B	4549734755306			NA	NAA	NLD	8471.4100.00
NYB35-414E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,140.00	EC001413	NYB10954M	4549734755313			NA	NAA	NLD	8471.4100.00
NYB35-414E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,450.00	EC001413	NYB10955R	4549734755320			NA	NAA	NLD	8471.4100.00
NYB35-414K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,790.00	EC001413	NYB10893E	4549734752671			NA	NAA	NLD	8471.4100.00
NYB35-414K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,260.00	EC001413	NYB10956G	4549734755337			NA	NAA	NLD	8471.4100.00
NYB35-414K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,570.00	EC001413	NYB10957E	4549734755344			NA	NAA	NLD	8471.4100.00
NYB35-414M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,595.00	EC001413	NYB10958C	4549734755351			NA	NAA	NLD	8471.4100.00
NYB35-414M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,630.00	EC001413	NYB10959A	4549734755368			NA	NAA	NLD	8471.4100.00
NYB35-414M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,920.00	EC001413	NYB10960E	4549734755375			NA	NAA	NLD	8471.4100.00
NYB35-424D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,140.00	EC001413	NYB10621E	4549734729734			NA	NAA	NLD	8471.4100.00
NYB35-424D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,140.00	EC001413	NYB10622C	4549734729741			NA	NAA	NLD	8471.4100.00
NYB35-424D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,430.00	EC001413	NYB10623A	4549734729758			NA	NAA	NLD	8471.4100.00
NYB35-424E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,300.00	EC001413	NYB10624M	4549734729765			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,300.00	EC001413	NYB10625H	4549734729772			NA	NAA	NLD	8471.4100.00
NYB35-424E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,600.00	EC001413	NYB10626F	4549734729789			NA	NAA	NLD	8471.4100.00
NYB35-424K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,445.00	EC001413	NYB10627D	4549734729796			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-424K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,445.00	EC001413	NYB10628B	4549734729802			NA	NAA	NLD	8471.4100.00
NYB35-424K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,735.00	EC001413	NYB10629M	4549734729819			NA	NAA	NLD	8471.4100.00
NYB35-424L1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,830.00	EC001413	NYB10630D	4549734729826			NA	NAA	NLD	8471.4100.00
NYB35-424L2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,830.00	EC001413	NYB10631B	4549734729833			NA	NAA	NLD	8471.4100.00
NYB35-424L6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,125.00	EC001413	NYB10632M	4549734729840			NA	NAA	NLD	8471.4100.00
NYB35-424M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,320.00	EC001413	NYB10633R	4549734729857			NA	NAA	NLD	8471.4100.00
NYB35-424M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,320.00	EC001413	NYB10634G	4549734729864			NA	NAA	NLD	8471.4100.00
NYB35-424M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,580.00	EC001413	NYB10635E	4549734729871			NA	NAA	NLD	8471.4100.00
NYB35-424P1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,085.00	EC001413	NYB10636C	4549734729888			NA	NAA	NLD	8471.4100.00
NYB35-424P2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,085.00	EC001413	NYB10637A	4549734729895			NA	NAA	NLD	8471.4100.00
NYB35-424P6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,375.00	EC001413	NYB10638M	4549734729901			NA	NAA	NLD	8471.4100.00
NYB35-50460	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,963.00	EC001413	NYB10961C	4549734755382			NA	NAA	NLD	8471.4100.00
NYB35-50469	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, 4 Ethernet Ports	7,340.00	EC001413	NYB10966D	4549734772501			NA	NAA	NLD	8471.4100.00
NYP27-30000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,800.00	EC001414	NYP10831C	4549734688000			NA	NAA	NLD	8471.4100.00
NYP27-30006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,135.00	EC001414	NYP10832A	4549734688017			NA	NAA	NLD	8471.4100.00
NYP27-30460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,730.00	EC001414	NYP10837B	4549734688062			NA	NAA	NLD	8471.4100.00
NYP27-30466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,070.00	EC001414	NYP10838M	4549734688079			NA	NAA	NLD	8471.4100.00
NYP27-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,095.00	EC001414	NYP10843G	4549734688123			NA	NAA	NLD	8471.4100.00
NYP27-30476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,430.00	EC001414	NYP10844E	4549734688130			NA	NAA	NLD	8471.4100.00
NYP27-40000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,945.00	EC001414	NYP10833M	4549734688024			NA	NAA	NLD	8471.4100.00
NYP27-40006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,280.00	EC001414	NYP10834H	4549734688031			NA	NAA	NLD	8471.4100.00
NYP27-40460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,870.00	EC001414	NYP10839R	4549734688086			NA	NAA	NLD	8471.4100.00
NYP27-40466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,205.00	EC001414	NYP10840B	4549734688093			NA	NAA	NLD	8471.4100.00
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,235.00	EC001414	NYP10845C	4549734688147			NA	NAA	NLD	8471.4100.00
NYP27-40476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,565.00	EC001414	NYP10846A	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,250.00	EC001414	NYP10835F	4549734688048			NA	NAA	NLD	8471.4100.00
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,505.00	EC001414	NYP10836D	4549734688055			NA	NAA	NLD	8471.4100.00
NYP27-50460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,175.00	EC001414	NYP10841M	4549734688109			NA	NAA	NLD	8471.4100.00
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,525.00	EC001414	NYP10842R	4549734688116			NA	NAA	NLD	8471.4100.00
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,550.00	EC001414	NYP10847M	4549734688161			NA	NAA	NLD	8471.4100.00
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,890.00	EC001414	NYP10848H	4549734688178			NA	NAA	NLD	8471.4100.00
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,159.00	EC001414	NYP10687F	4549734532938			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-20360-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	3,693.00	EC001414	NYP10607H	4549734262712			NA	NAA	NLD	8471.4100.00
NYP2C-20450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,529.00	EC001414	NYP10985R	4549734755412			NA	NAA	NLD	8471.4100.00
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,692.00	EC001414	NYP10989A	4549734755450			NA	NAA	NLD	8471.4100.00
NYP2C-20470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,030.00	EC001414	NYP10993M	4549734755498			NA	NAA	NLD	8471.4100.00
NYP2C-21491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,315.00	EC001414	NYP10997B	4549734755535			NA	NAA	NLD	8471.4100.00
NYP2C-21492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,315.00	EC001414	NYP10999R	4549734755559			NA	NAA	NLD	8471.4100.00
NYP2C-21496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,920.00	EC001414	NYP11001F	4549734755573			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,705.00	EC001414	NYP11003B	4549734755597			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,705.00	EC001414	NYP11005R	4549734755610			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,315.00	EC001414	NYP11007E	4549734755634			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,045.00	EC001414	NYP11009A	4549734755658			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,045.00	EC001414	NYP11011C	4549734755672			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,650.00	EC001414	NYP11013M	4549734755696			NA	NAA	NLD	8471.4100.00
NYP2C-30450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,727.00	EC001414	NYP11015F	4549734755719			NA	NAA	NLD	8471.4100.00
NYP2C-30460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,889.00	EC001414	NYP11019R	4549734755757			NA	NAA	NLD	8471.4100.00
NYP2C-30470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,225.00	EC001414	NYP11023G	4549734755795			NA	NAA	NLD	8471.4100.00
NYP2C-31491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,440.00	EC001414	NYP11026A	4549734755818			NA	NAA	NLD	8471.4100.00
NYP2C-31492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,440.00	EC001414	NYP11028H	4549734755832			NA	NAA	NLD	8471.4100.00
NYP2C-31496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,050.00	EC001414	NYP11030M	4549734755856			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,850.00	EC001414	NYP11032F	4549734755870			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,850.00	EC001414	NYP11034B	4549734755894			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,460.00	EC001414	NYP11036R	4549734755917			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,180.00	EC001414	NYP11038E	4549734755931			NA	NAA	NLD	8471.4100.00
NYP2C-314K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,180.00	EC001414	NYP11040G	4549734755955			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,795.00	EC001414	NYP11042C	4549734755979			NA	NAA	NLD	8471.4100.00
NYP35-21491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,050.00	EC001414	NYP11044M	4549734755993			NA	NAA	NLD	8471.4100.00
NYP35-21492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,050.00	EC001414	NYP11046F	4549734756013			NA	NAA	NLD	8471.4100.00
NYP35-21496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,650.00	EC001414	NYP11048B	4549734756037			NA	NAA	NLD	8471.4100.00
NYP35-214C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,505.00	EC001414	NYP11050D	4549734756051			NA	NAA	NLD	8471.4100.00
NYP35-214C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,505.00	EC001414	NYP11052M	4549734756075			NA	NAA	NLD	8471.4100.00
NYP35-214C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,065.00	EC001414	NYP11054G	4549734756099			NA	NAA	NLD	8471.4100.00
NYP35-214K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,795.00	EC001414	NYP11056C	4549734756112			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-214K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,795.00	EC001414	NYP11058M	4549734756136			NA	NAA	NLD	8471.4100.00
NYP35-214K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,390.00	EC001414	NYP11060A	4549734756150			NA	NAA	NLD	8471.4100.00
NYP35-30450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,020.00	EC001414	NYP11062H	4549734756174			NA	NAA	NLD	8471.4100.00
NYP35-30460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,170.00	EC001414	NYP11066M	4549734756211			NA	NAA	NLD	8471.4100.00
NYP35-31491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,190.00	EC001414	NYP11074A	4549734756297			NA	NAA	NLD	8471.4100.00
NYP35-31492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,190.00	EC001414	NYP11076H	4549734756310			NA	NAA	NLD	8471.4100.00
NYP35-31496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	9,790.00	EC001414	NYP11078D	4549734756334			NA	NAA	NLD	8471.4100.00
NYP35-314C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,590.00	EC001414	NYP11080F	4549734756358			NA	NAA	NLD	8471.4100.00
NYP35-314C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,590.00	EC001414	NYP11082B	4549734756372			NA	NAA	NLD	8471.4100.00
NYP35-314C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,200.00	EC001414	NYP11084R	4549734756396			NA	NAA	NLD	8471.4100.00
NYP35-314K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,930.00	EC001414	NYP11086E	4549734756419			NA	NAA	NLD	8471.4100.00
NYP35-314K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,930.00	EC001414	NYP11088A	4549734756433			NA	NAA	NLD	8471.4100.00
NYP35-314K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,525.00	EC001414	NYP11090C	4549734756457			NA	NAA	NLD	8471.4100.00
NYP35-40450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,385.00	EC001414	NYP11092M	4549734756471			NA	NAA	NLD	8471.4100.00
NYP35-40460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,550.00	EC001414	NYP11096B	4549734756518			NA	NAA	NLD	8471.4100.00
NYP35-40470-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	NYP11100D	4549734756556			NA	NAA	NLD	8471.4100.00
NYP27-30000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,060.00	EC001414	NYP10849F	4549734688185			NA	NAA	NLD	8471.4100.00
NYP27-30006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,410.00	EC001414	NYP10850M	4549734688192			NA	NAA	NLD	8471.4100.00
NYP27-30460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,000.00	EC001414	NYP10855M	4549734688246			NA	NAA	NLD	8471.4100.00
NYP27-30466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,335.00	EC001414	NYP10856R	4549734688253			NA	NAA	NLD	8471.4100.00
NYP27-30470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,365.00	EC001414	NYP10861E	4549734688307			NA	NAA	NLD	8471.4100.00
NYP27-30476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,695.00	EC001414	NYP10862C	4549734688314			NA	NAA	NLD	8471.4100.00
NYP27-40000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,205.00	EC001414	NYP10851H	4549734688208			NA	NAA	NLD	8471.4100.00
NYP27-40006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,540.00	EC001414	NYP10852F	4549734688215			NA	NAA	NLD	8471.4100.00
NYP27-40460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,135.00	EC001414	NYP10857G	4549734688260			NA	NAA	NLD	8471.4100.00
NYP27-40466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,470.00	EC001414	NYP10858E	4549734688277			NA	NAA	NLD	8471.4100.00
NYP27-40470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,500.00	EC001414	NYP10863A	4549734688321			NA	NAA	NLD	8471.4100.00
NYP27-40476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,830.00	EC001414	NYP10864M	4549734688338			NA	NAA	NLD	8471.4100.00
NYP27-50000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,525.00	EC001414	NYP10853D	4549734688222			NA	NAA	NLD	8471.4100.00
NYP27-50006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,850.00	EC001414	NYP10854B	4549734688239			NA	NAA	NLD	8471.4100.00
NYP27-50460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,445.00	EC001414	NYP10859C	4549734688284			NA	NAA	NLD	8471.4100.00
NYP27-50466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,790.00	EC001414	NYP10860G	4549734688291			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-50470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,815.00	EC001414	NYP10865H	4549734688345			NA	NAA	NLD	8471.4100.00
NYP27-50476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,150.00	EC001414	NYP10866F	4549734688352			NA	NAA	NLD	8471.4100.00
NYP2A-20460-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,399.00	EC001414	NYP10696E	4549734533027			NA	NAA	NLD	8471.4100.00
NYP2C-20350-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3,843.00	EC001414	NYP10604C	4549734262682			NA	NAA	NLD	8471.4100.00
NYP2C-20450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,876.00	EC001414	NYP10986G	4549734755429			NA	NAA	NLD	8471.4100.00
NYP2C-20460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,879.00	EC001414	NYP10990E	4549734755467			NA	NAA	NLD	8471.4100.00
NYP2C-20470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,375.00	EC001414	NYP10994H	4549734755504			NA	NAA	NLD	8471.4100.00
NYP2C-21491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,350.00	EC001414	NYP10998M	4549734755542			NA	NAA	NLD	8471.4100.00
NYP2C-21492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,350.00	EC001414	NYP11000H	4549734755566			NA	NAA	NLD	8471.4100.00
NYP2C-21496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,945.00	EC001414	NYP11002D	4549734755580			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,760.00	EC001414	NYP11004M	4549734755603			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,760.00	EC001414	NYP11006G	4549734755627			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,370.00	EC001414	NYP11008C	4549734755641			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,105.00	EC001414	NYP11010E	4549734755665			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,105.00	EC001414	NYP11012A	4549734755689			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,700.00	EC001414	NYP11014H	4549734755702			NA	NAA	NLD	8471.4100.00
NYP2C-30360-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	4,123.00	EC001414	NYP10612D	4549734262767			NA	NAA	NLD	8471.4100.00
NYP2C-30450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,080.00	EC001414	NYP11016D	4549734755726			NA	NAA	NLD	8471.4100.00
NYP2C-30460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,235.00	EC001414	NYP11020B	4549734755764			NA	NAA	NLD	8471.4100.00
NYP2C-30470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,570.00	EC001414	NYP11024E	4549734755801			NA	NAA	NLD	8471.4100.00
NYP2C-31491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,490.00	EC001414	NYP11027M	4549734755825			NA	NAA	NLD	8471.4100.00
NYP2C-31492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,490.00	EC001414	NYP11029F	4549734755849			NA	NAA	NLD	8471.4100.00
NYP2C-31496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,080.00	EC001414	NYP11031H	4549734755863			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,895.00	EC001414	NYP11033D	4549734755887			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,895.00	EC001414	NYP11035M	4549734755900			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,505.00	EC001414	NYP11037G	4549734755924			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,235.00	EC001414	NYP11039C	4549734755948			NA	NAA	NLD	8471.4100.00
NYP2C-314K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,235.00	EC001414	NYP11041E	4549734755962			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,835.00	EC001414	NYP11043A	4549734755986			NA	NAA	NLD	8471.4100.00
NYP35-213K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128 GB SSD-iMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	7,480.00	EC001414	NYP10439C	4549734207126			NA	NAA	NLD	8471.4100.00
NYP35-21491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,080.00	EC001414	NYP11045H	4549734756006			NA	NAA	NLD	8471.4100.00
NYP35-21492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,080.00	EC001414	NYP11047D	4549734756020			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-21496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,460.00	EC001414	NYP11049M	4549734756044			NA	NAA	NLD	8471.4100.00
NYP35-214C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,460.00	EC001414	NYP11051B	4549734756068			NA	NAA	NLD	8471.4100.00
NYP35-214C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,505.00	EC001414	NYP11053R	4549734756082			NA	NAA	NLD	8471.4100.00
NYP35-214C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,095.00	EC001414	NYP11055E	4549734756105			NA	NAA	NLD	8471.4100.00
NYP35-214K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,835.00	EC001414	NYP11057A	4549734756129			NA	NAA	NLD	8471.4100.00
NYP35-214K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,835.00	EC001414	NYP11059H	4549734756143			NA	NAA	NLD	8471.4100.00
NYP35-214K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,425.00	EC001414	NYP11061M	4549734756167			NA	NAA	NLD	8471.4100.00
NYP35-30450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,345.00	EC001414	NYP11063F	4549734756181			NA	NAA	NLD	8471.4100.00
NYP35-30460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,510.00	EC001414	NYP11067R	4549734756228			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,850.00	EC001414	NYP11070R	4549734756259			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, Ni plating	7,235.00	EC001414	NYP11071G	4549734756266			NA	NAA	NLD	8471.4100.00
NYP35-31491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,215.00	EC001414	NYP11075M	4549734756303			NA	NAA	NLD	8471.4100.00
NYP35-31492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,215.00	EC001414	NYP11077F	4549734756327			NA	NAA	NLD	8471.4100.00
NYP35-31496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	9,800.00	EC001414	NYP11079B	4549734756341			NA	NAA	NLD	8471.4100.00
NYP35-314C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,645.00	EC001414	NYP11081D	4549734756365			NA	NAA	NLD	8471.4100.00
NYP35-314C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,645.00	EC001414	NYP11083M	4549734756389			NA	NAA	NLD	8471.4100.00
NYP35-314C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,235.00	EC001414	NYP11085G	4549734756402			NA	NAA	NLD	8471.4100.00
NYP35-314K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,965.00	EC001414	NYP11087C	4549734756426			NA	NAA	NLD	8471.4100.00
NYP35-314K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,965.00	EC001414	NYP11089M	4549734756440			NA	NAA	NLD	8471.4100.00
NYP35-314K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD IMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,560.00	EC001414	NYP11091A	4549734756464			NA	NAA	NLD	8471.4100.00
NYP35-40450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,710.00	EC001414	NYP11093H	4549734756488			NA	NAA	NLD	8471.4100.00
NYP35-40460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,875.00	EC001414	NYP11097M	4549734756525			NA	NAA	NLD	8471.4100.00
NYP35-40470-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,225.00	EC001414	NYP11101B	4549734756563			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,835.00	EC001414	NYP10867D	4549734688369			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,130.00	EC001414	NYP10885B	4549734688543			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,165.00	EC001414	NYP10868B	4549734688376			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,455.00	EC001414	NYP10886M	4549734688550			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,765.00	EC001414	NYP10873R	4549734688420			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,055.00	EC001414	NYP10891G	4549734688604			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,095.00	EC001414	NYP10874G	4549734688437			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,385.00	EC001414	NYP10892E	4549734688611			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast IMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,130.00	EC001414	NYP10879H	4549734688482			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-30470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,415.00	EC001414	NYP10897F	4549734688666			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,465.00	EC001414	NYP10880A	4549734688499			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,755.00	EC001414	NYP10898D	4549734688673			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,965.00	EC001414	NYP10869M	4549734688383			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,260.00	EC001414	NYP10887R	4549734688567			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,305.00	EC001414	NYP10870D	4549734688390			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,595.00	EC001414	NYP10888G	4549734688574			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,895.00	EC001414	NYP10875E	4549734688444			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,190.00	EC001414	NYP10893C	4549734688628			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,230.00	EC001414	NYP10876C	4549734688451			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,525.00	EC001414	NYP10894A	4549734688635			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,260.00	EC001414	NYP10881M	4549734688505			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,550.00	EC001414	NYP10899B	4549734688680			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,605.00	EC001414	NYP10882H	4549734688512			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,890.00	EC001414	NYP10900M	4549734688697			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,285.00	EC001414	NYP10871B	4549734688406			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,570.00	EC001414	NYP10889E	4549734688581			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,625.00	EC001414	NYP10872M	4549734688413			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,920.00	EC001414	NYP10890R	4549734688598			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,215.00	EC001414	NYP10877A	4549734688468			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,500.00	EC001414	NYP10895M	4549734688642			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,550.00	EC001414	NYP10878M	4549734688475			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,845.00	EC001414	NYP10896H	4549734688659			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,585.00	EC001414	NYP10883F	4549734688529			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,870.00	EC001414	NYP10901H	4549734688703			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,920.00	EC001414	NYP10884D	4549734688536			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	10,210.00	EC001414	NYP10902F	4549734688710			NA	NAA	NLD	8471.4100.00
NYP2A-20460-19WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,070.00	EC001414	NYP10789R	4549734539555			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,625.00	EC001414	NYP10987E	4549734755436			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,030.00	EC001414	NYP10988C	4549734755443			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,770.00	EC001414	NYP10991C	4549734755474			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,175.00	EC001414	NYP10992A	4549734755481			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-20470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,080.00	EC001414	NYP10995F	4549734755511			NA	NAA	NLD	8471.4100.00
NYP2C-20470-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,565.00	EC001414	NYP10996D	4549734755528			NA	NAA	NLD	8471.4100.00
NYP2C-30370-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,195.00	EC001414	NYP10727R	4549734538886			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,740.00	EC001414	NYP11017B	4549734755733			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,170.00	EC001414	NYP11018M	4549734755740			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,890.00	EC001414	NYP11021M	4549734755771			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,170.00	EC001414	NYP11022R	4549734755788			NA	NAA	NLD	8471.4100.00
NYP2C-30470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,195.00	EC001414	NYP10983B	4549734717847			NA	NAA	NLD	8471.4100.00
NYP35-30370-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,645.00	EC001414	NYP10742B	4549734539036			NA	NAA	NLD	8471.4100.00
NYP35-30370-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,955.00	EC001414	NYP10750C	4549734539111			NA	NAA	NLD	8471.4100.00
NYP35-30450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,160.00	EC001414	NYP11064D	4549734756198			NA	NAA	NLD	8471.4100.00
NYP35-30450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,505.00	EC001414	NYP11065B	4549734756204			NA	NAA	NLD	8471.4100.00
NYP35-30460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,340.00	EC001414	NYP11068G	4549734756235			NA	NAA	NLD	8471.4100.00
NYP35-30460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,650.00	EC001414	NYP11069E	4549734756242			NA	NAA	NLD	8471.4100.00
NYP35-30470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,645.00	EC001414	NYP11072E	4549734756273			NA	NAA	NLD	8471.4100.00
NYP35-30470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,955.00	EC001414	NYP11073C	4549734756280			NA	NAA	NLD	8471.4100.00
NYP35-40000-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,185.00	EC001414	NYP10745G	4549734539067			NA	NAA	NLD	8471.4100.00
NYP35-40450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,415.00	EC001414	NYP11094F	4549734756495			NA	NAA	NLD	8471.4100.00
NYP35-40450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,770.00	EC001414	NYP11095D	4549734756501			NA	NAA	NLD	8471.4100.00
NYP35-40460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,550.00	EC001414	NYP11098R	4549734756532			NA	NAA	NLD	8471.4100.00
NYP35-40460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,910.00	EC001414	NYP11099G	4549734756549			NA	NAA	NLD	8471.4100.00
NYP35-40470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,865.00	EC001414	NYP11102M	4549734756570			NA	NAA	NLD	8471.4100.00
NYP35-40470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,305.00	EC001414	NYP11103R	4549734756587			NA	NAA	NLD	8471.4100.00
NY532-1500-012443660	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non ECC), 128 GB CFast MLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port, 15.4" display with capacitive touchscreen	12,180.00	EC001414	NY510317R	4549734599061			NA	NAA	NLD	8471.4100.00
NY512-2300-1X445T1X	AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	17,530.00	EC001413	NY510382R	4549734695558			NA	NAA	NLD	8471.4100.00
NY512-2400-1X445T1X	AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	18,120.00	EC001413	NY510383G	4549734695565			NA	NAA	NLD	8471.4100.00
NY512-2500-1X445T1X	AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	19,010.00	EC001413	NY510384E	4549734695572			NA	NAA	NLD	8471.4100.00
NY532-2300-112445T10	AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, 15.4" display with capacitive touchscreen	18,730.00	EC001414	NY510388H	4549734695619			NA	NAA	NLD	8471.4100.00
NY532-2400-112445T10	AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	19,330.00	EC001414	NY510389F	4549734695626			NA	NAA	NLD	8471.4100.00
NY532-2500-112445T10	AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-IMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	20,190.00	EC001414	NY510390M	4549734695633			NA	NAA	NLD	8471.4100.00
NYM15W-C1000	Endüstriyel Monitor, 15.4", kapasitif multtouch ekran, DVI-D	2,313.00	EC001428	NYM10002H	4548583813038			NA	NAA	NLD	8528.5291.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYM19W-C1000	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port	3,010.00	EC001428	NYM10005B	4549734279239			NA	NAA	NLD	8528.5291.00
NY000-AT04-NS	CFAST 128GB, with NS-Runtime (spare part)	423.00	EC002584	NY000041M	4549734778442			NA	NAA	NLD	8471.7098.00
NY000-AB00	Box PC için duvar tipi montaj aparatı	76.80	EC002584	NY000001M	4548583873308	#		NA	NAA	NLD	8471.8000.00
NY000-AB01	Box PC için kitap tipi montaj aparatı	69.55	EC002584	NY000002R	4548583873315			NA	NAA	NLD	8471.8000.00
NY000-AB04	Book mount bracket for following PC Models: NYB35-*0*, NYB2C-*0*, NYB2A-*0*	78.65	EC002584	NY000024M	4549734262972	#		NA	NAA	NLD	8473.3080.00
<b>Yazılım HMI</b>											
NA-RTL001	Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License	1,955.00	EC001435	NAR69000D	4549734592536	#		OA	OAB	CHN	8523.5190.00
<b>Scada Yazılımı</b>											
RTC4	MOVICON NEXT V4 Run Time Client	1,991.00	EC001435	AA056944M	4549734890243			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K	Movicon Pro Runtime Scada 20,000 Tags	7,960.00	EC001435	AA056940H	4549734890281			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-1W	Movicon Next Pro RunTime Client Server 20,000 tags 1x Web Client Option	9,015.00	EC001435	AA056920C	4549734890175			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-5W-A-M	Movicon Pro Runtime Scada 20,000 Tags, 5 Web Clients, Alarm Dispatcher (SMS, Email, VOIP), Multidriver Pack.	13,190.00	EC001435	AA062886B	4549734839242			OB	OBA	ITA	8523.5190.00
RTCS4-F-40K	Movicon Pro Runtime Scada 40,000 Tags	9,155.00	EC001435	AA056941F	4549734890274			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K	Movicon Pro Runtime Scada 5,000 Tags	5,835.00	EC001435	AA056942D	4549734890267			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W	Movicon Pro SCADA. Client/Server 5000 tag + 1 Web client	6,770.00	EC001435	AA056943B	4549734890250			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W-O	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option	7,830.00	EC001435	AA057435E	4549734894593			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-A	Movicon Next Pro RunTime Client Server 5000 tags 5x Web Client Option +Alarm Dispatcher	11,540.00	EC001435	AA056921A	4549734890168			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-AS	Movicon Pro SCADA. Client/Server 5000 tag + 5 Web client + Alarm Dispatcher + Alarm Statistics	10,750.00	EC001435	AA063990B	4549734849517			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-O-AS-3D	Movicon Pro SCADA. Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization	13,540.00	EC001435	AA056922M	4549734890113			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-A	Movicon Next Pro RunTime Client Server 5000 tags +Alarm Dispatcher	6,800.00	EC001435	AA056939D	4549734890298			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-M	Movicon Next Pro RunTime Client Server 5000 tags +Multidriver (32) option	6,800.00	EC001435	AA056938F	4549734890304			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-O	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	6,900.00	EC001435	AA057476B	4549734895019			OB	OBA	ITA	8523.5190.00
<b>Scada Yazılımı (OEM ve aksesua)</b>											
DEV4	Movicon Next V4 SCADA Editor, 1 License	2,519.00	EC001435	AA056762F	4549734999595			OB	OBZ	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA Editor 3 Licenses package	3,523.00	EC001435	AA056820G	4549734889230			OB	OBZ	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA Editor 10 Licenses package	7,055.00	EC001435	AA056821E	4549734889223			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	1,991.00	EC001435	AA056799E	4549734999922			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	2,214.00	EC001435	AA056796M	4549734999939			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option	2,651.00	EC001435	AA056798G	4549734999946			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D Option	2,877.00	EC001435	AA056797R	4549734999953			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	2,320.00	EC001435	AA056801M	4549734999960			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option	2,982.00	EC001435	AA056800B	4549734999977			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data logger+3D Option	3,206.00	EC001435	AA056795B	4549734999984			OB	OBZ	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data logger	4,304.00	EC001435	AA056802R	4549734889001			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2,601.00	EC001435	AA056809F	4549734889018			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2,826.00	EC001435	AA056807M	4549734889025			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option	3,263.00	EC001435	AA056808H	4549734889032			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D Option	3,487.00	EC001435	AA056806A	4549734889056			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2,935.00	EC001435	AA056811H	4549734889070			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option with 1 webclients option	3,595.00	EC001435	AA056810M	4549734889087			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4,000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	3,928.00	EC001435	AA057538F	4549734895620			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H-1DRV	Movicon OEM Runtime Client-Server 4,000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	4,150.00	EC001435	AA057089R	4549734891479			OB	OBZ	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	4,194.00	EC001435	AA056805C	4549734889094			OB	OBZ	ITA	8523.5190.00
<b>Filo Yönetim Yazılım Lisansı</b>											
20271-701	License, 1 Yr, FLOW IQ	1,090.00	EC000000	R6A 4230E	4549734750929			OC	OCA	USA	8479.5000.00
20271-800	License, 1 Yr, Fleet Operations Workspace Core, Primary	1,090.00	EC000000	R6A 2509E	4549734511254		11	OC	OCA	USA	8479.5000.00
20271-802	License, 1 Yr, Fleet Operations Workspace Core, Secondary	1,090.00	EC000000	R6A 2511G	4549734511278			OC	OCA	USA	8479.5000.00
20271-806	License, 5 Yr, Fleet Operations Workspace Core, Primary	6,815.00	EC000000	R6A 2528A	4549734547475			OC	OCA	USA	8479.5000.00
20271-807	License, 5 Yr, Fleet Operations Workspace Core, Secondary	6,815.00	EC000000	R6A 2529M	4549734547482			OC	OCA	USA	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Mobil Diğer lisanslar</b>											
20271-804	License, Fleet Simulator, Perpetual Fleet Simulator License for existing EM2100 devices	10,190.00	EC000000	R6A 2513C	4549734511292			OC	OCB	USA	8479.5000.00
20271-805	License, One-Shot, Cell Alignment Positioning System (CAPS)	2,742.00	EC000000	R6A 2514A	4549734511308			OC	OCB	USA	8479.5000.00
<b>İzleme Ürünü K6</b>											
K6CM-CI2MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	900.00	EC002613	K6CM0017H	4549734605182			RA	RAA	JPN	9030.3370.00
K6CM-CI2MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	900.00	EC002613	K6CM0018F	4549734605199			RA	RAA	JPN	9030.3370.00
K6CM-ISMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	950.00	EC002613	K6CM0005D	4549734178716			RA	RAA	JPN	9030.3370.00
K6CM-ISMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	950.00	EC002613	K6CM0006B	4549734178723			RA	RAA	JPN	9030.3370.00
K6CM-VBMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	650.00	EC002613	K6CM0001A	4549734178679			RA	RAA	JPN	9030.8900.00
K6CM-VBMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	650.00	EC002613	K6CM0002M	4549734178686			RA	RAA	JPN	9030.8900.00
K6PM-THMD-EIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	700.00	EC000601	K6PM0001F	4549734500920			RA	RAA	JPN	9031.8080.00
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	750.00	EC002498	K7GE0001R	4549734673921			RA	RAA	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	750.00	EC002498	K7GE0002G	4549734673938			RA	RAA	JPN	9030.3370.00
<b>K7T Condition Monitoring Controller</b>											
K7TM-A2MA	Heater resistance monitoring device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,368.00	EC002498	K7TM0001M	4549734725385			RA	RAB	JPN	9030.3370.00
K7TM-A2MD	Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,368.00	EC002498	K7TM0002H	4549734725392			RA	RAB	JPN	9030.3370.00
<b>İzleme Ürünü Aksesuarı K6</b>											
K6CM-CICB005	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 5A rated primary-side current	80.00	EC002048	K6CM0008R	4549734178747			RA	RAZ	JPN	9030.3370.00
K6CM-CICB025	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 25A rated primary-side current	80.00	EC002048	K6CM0009G	4549734178754			RA	RAZ	JPN	9030.3370.00
K6CM-CICB100	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 100A rated primary-side current	85.00	EC002048	K6CM0010M	4549734178761			RA	RAZ	JPN	9030.3370.00
K6CM-CICB200	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 200A rated primary-side current	85.00	EC002048	K6CM0011R	4549734178778			RA	RAZ	JPN	9030.3370.00
K6CM-CICB400	CT sensor for Current analysis model K6CM-CIM, K7TM, and K7DD, 400A rated primary-side current	95.00	EC002048	K6CM0012G	4549734178785			RA	RAZ	JPN	9030.3370.00
K6CM-CICB600	CT sensor for Current analysis model K6CM-CIM and K7TM, 600A rated primary-side current	95.00	EC002048	K6CM0013E	4549734178792			RA	RAZ	JPN	9030.3370.00
K6CM-ISZB52	ZCT sensor for Insulation Resistance model K6CM-ISM, 200 to 480 VAC, 52mm dia. Through hole	850.00	EC002615	K6CM0014C	4549734178808			RA	RAZ	JPN	9030.3370.00
K6CM-VBS1	Sensor head & Pre-amplifier for Vibration & temperature model K6CM-VBS1, M6 screw attachment part also included	600.00	EC002615	K6CM0007M	4549734178730			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT1	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	52.55	EC002615	K6CM0016M	4549734489058			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT2	Magnet mounting attachment for vibration sensor	153.00	EC002615	K6CM0025R	4549734753272			RA	RAZ	JPN	9030.8900.00
K6PM-THS3232	Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° x 90°	500.00	EC001195	K6PM0011C	4549734500937			RA	RAZ	JPN	9031.8080.00
K7GE-MG1	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	200.00	EC002498	K7GE0003E	4549734673945			RA	RAZ	JPN	9030.3370.00
<b>Endüstriyel Kameralar</b>											
STC-HD213DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	687.00	EC004672	3Z457457G	4549734667029	#		SA	SAA	JPN	9031.9000.00
STC-HD213DV-CS	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased	687.00	EC004672	3Z457459C	4549734667043			SA	SAA	JPN	9031.9000.00
STC-HD213SDI	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased	797.50	EC004672	3Z457458E	4549734667036			SA	SAA	JPN	9031.9000.00
STC-HD213SDI-CS	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased	797.50	EC004672	3Z457460G	4549734667050			SA	SAA	JPN	9031.9000.00
31940-010-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,150.00	EC004672	AA057037F	4549734891349			SA	SAA	JPN	9031.9000.00
31940-011-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,150.00	EC004672	AA057038D	4549734891332			SA	SAA	JPN	9031.9000.00
31940-100-E	Kit, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fps, B/W, M series, 10 m IO/power cable, camera tripod mount	1,197.00	EC004672	AA057051A	4549734891226			SA	SAA	JPN	9031.9000.00
31940-120-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,273.00	EC004672	AA057052M	4549734891219			SA	SAA	JPN	9031.9000.00
31940-121-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,273.00	EC004672	AA057053H	4549734891202			SA	SAA	JPN	9031.9000.00
31940-130-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,174.00	EC004672	AA057039B	4549734891325			SA	SAA	JPN	9031.9000.00



Catalog Description (Image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
31940-131-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,174.00	EC004672	AA057040F	4549734891318			SA	SAA	JPN	9031.9000.00
31940-160-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,191.00	EC004672	AA057041D	4549734891301			SA	SAA	JPN	9031.9000.00
31940-161-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, color, M Series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,191.00	EC004672	AA057042B	4549734891295			SA	SAA	JPN	9031.9000.00
31940-200-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,289.00	EC004672	AA057043M	4549734891288			SA	SAA	JPN	9031.9000.00
31940-201-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,289.00	EC004672	AA057044R	4549734891271			SA	SAA	JPN	9031.9000.00
31940-240-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,338.00	EC004672	AA057054F	4549734891196			SA	SAA	JPN	9031.9000.00
31940-241-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,338.00	EC004672	AA057055D	4549734891189			SA	SAA	JPN	9031.9000.00
31940-320-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,354.00	EC004672	AA057045G	4549734891264			SA	SAA	JPN	9031.9000.00
31940-321-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,354.00	EC004672	AA057046E	4549734891127			SA	SAA	JPN	9031.9000.00
31940-500-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,500.00	EC004672	AA057047C	4549734891122			SA	SAA	JPN	9031.9000.00
31940-501-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,500.00	EC004672	AA057048A	4549734891165			SA	SAA	JPN	9031.9000.00
31940-530-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,132.00	EC004672	AA057049M	4549734891240			SA	SAA	JPN	9031.9000.00
31940-531-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,132.00	EC004672	AA057050C	4549734891233			SA	SAA	JPN	9031.9000.00
STC-MBA1002POE	GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT91003, 1/2.3", 1.67 µm, 10.3 fps, Rolling Shutter, C Mount, Cased, POE	719.00	EC004672	32457934M	4549734594929			SA	SAA	JPN	9031.9000.00
STC-MBA503POE-HS	Vision Camera, area scan, GigE Vision small CMOS camera, monochrome, 5 MP, rolling	741.50	EC004672	32457632D	4549734780193			SA	SAA	JPN	9031.9000.00
STC-MBE132POE	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	559.00	EC004672	32457926R	4549734594844			SA	SAA	JPN	9031.9000.00
STC-MBS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	1,217.00	EC004672	32457252C	4549734548486			SA	SAA	JPN	9031.9000.00
STC-MBS163POE	GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	590.00	EC004672	32457244B	4549734548410			SA	SAA	JPN	9031.9000.00
STC-MBS202POE	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	819.00	EC004672	32457246R	4549734548434	#		SA	SAA	JPN	9031.9000.00
STC-MBS2041POE	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	1,244.00	EC004672	32457254M	4549734548519			SA	SAA	JPN	9031.9000.00
STC-MBS231POE	GigE Vision Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	826.00	EC004672	32457409G	4549734664325			SA	SAA	JPN	9031.9000.00
STC-MBS312POE	GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels, 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	1,088.00	EC004672	32457248E	4549734548458			SA	SAA	JPN	9031.9000.00
STC-MBS43POE	GigE Vision Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	539.00	EC004672	32457242F	4549734548397			SA	SAA	JPN	9031.9000.00
STC-MBS500POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	1,228.00	EC004672	32457250G	4549734548412			SA	SAA	JPN	9031.9000.00
STC-MBS52POE	GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	559.00	EC004672	32457928E	4549734594866			SA	SAA	JPN	9031.9000.00
STC-MBS642POE	GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	639.50	EC004672	32457932C	4549734594905			SA	SAA	JPN	9031.9000.00
STC-MBS881POE	GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	2,395.00	EC004672	32457935H	4549734594936			SA	SAA	JPN	9031.9000.00
STC-MCA503POE-HS	Vision Camera, area scan, GigE Vision small CMOS camera, color, 5 MP, rolling	741.50	EC004672	32457633B	4549734780209			SA	SAA	JPN	9031.9000.00
STC-MCE132POE	GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	559.00	EC004672	32457927G	4549734594851			SA	SAA	JPN	9031.9000.00
STC-MCS122BPOE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX304, 1.1", 3.45 µm, 8.9 fps, Global Shutter, C Mount, Cased, POE	3,195.00	EC004672	32457938B	4549734594967			SA	SAA	JPN	9031.9000.00
STC-MCS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	1,217.00	EC004672	32457253A	4549734548502			SA	SAA	JPN	9031.9000.00
STC-MCS163POE	GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	590.00	EC004672	32457245M	4549734548427			SA	SAA	JPN	9031.9000.00
STC-MCS202POE	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	819.00	EC004672	32457247G	4549734548441			SA	SAA	JPN	9031.9000.00
STC-MCS2041POE	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	1,244.00	EC004672	32457255H	4549734548526			SA	SAA	JPN	9031.9000.00
STC-MCS231POE	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	826.00	EC004672	32457410M	4549734664332			SA	SAA	JPN	9031.9000.00
STC-MCS312POE	GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	1,088.00	EC004672	32457249C	4549734548465			SA	SAA	JPN	9031.9000.00
STC-MCS43POE	GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	539.00	EC004672	32457243D	4549734548403			SA	SAA	JPN	9031.9000.00
STC-MCS500POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	1,228.00	EC004672	32457251E	4549734548489			SA	SAA	JPN	9031.9000.00
STC-MCS52POE	GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	559.00	EC004672	32457929C	4549734594875			SA	SAA	JPN	9031.9000.00
STC-MCS642POE	GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	639.50	EC004672	32457933A	4549734594912			SA	SAA	JPN	9031.9000.00
STC-MCS881POE	GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	2,395.00	EC004672	32457936F	4549734594943			SA	SAA	JPN	9031.9000.00
STC-MBS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2,595.00	EC004672	32457381C	4549734609814			SA	SAA	JPN	9031.9000.00
STC-MCS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2,595.00	EC004672	32457382A	4549734609920			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	6,885.00	EC004672	32457383M	4549734609937			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	6,885.00	EC004672	32457384H	4549734609944			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPF	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	6,885.00	EC004672	32457095D	4549734199544			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	6,885.00	EC004672	32457385F	4549734609951			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	6,885.00	EC004672	32457386D	4549734609968			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPF	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	6,885.00	EC004672	32457096B	4549734199551			SA	SAA	JPN	9031.9000.00
STC-OSB25OCL	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased	6,550.00	EC004672	32457379A	4549734609890			SA	SAA	JPN	9031.9000.00
STC-OSB25OCL-F	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F Mount, Cased	6,550.00	EC004672	32457380E	4549734609906			SA	SAA	JPN	9031.9000.00
STC-SPB20PCL	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	892.50	EC004672	32457389R	4549734609999			SA	SAA	JPN	9031.9000.00
STC-SPB52PCL	Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	613.00	EC004672	32457387B	4549734609975			SA	SAA	JPN	9031.9000.00
STC-SPC202PCL	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	892.50	EC004672	32457390H	4549734610001			SA	SAA	JPN	9031.9000.00
STC-SPC52PCL	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	614.00	EC004672	32457388M	4549734609982			SA	SAA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FS-B2KU7DGES-C	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE	1,897.00	EC004672	3Z457469M	4549734667142			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-F	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE	1,947.00	EC004672	3Z457470D	4549734667159			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-M42	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE	1,923.00	EC004672	3Z457471B	4549734667166			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGES-F	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, F-Mount, POE	2,347.00	EC004672	3Z457467D	4549734667128			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGES-M42	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, M42-Mount, POE	2,308.00	EC004672	3Z457468B	4549734667135			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-C	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE	1,897.00	EC004672	3Z457479H	4549734669900			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-F	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE	1,947.00	EC004672	3Z457480A	4549734669917			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-M42	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE	1,923.00	EC004672	3Z457481M	4549734669924			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGES-F	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE	2,347.00	EC004672	3Z457477A	4549734669887			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGES-M42	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE	2,347.00	EC004672	3Z457478M	4549734669894			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar için Aksesuar</b>											
STC-FDR-SW01	Factory drive recorder for SENTECH cameras	1,277.00	EC000809	3Z457499B	4549734718486			SA	SAB	JPN	9031.9000.00
CAB-USB3-02	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m	46.56	EC003015	3Z457421F	4549734667180			SA	SAB	PHL	8544.4290.90
CAB-USB3-02-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m	109.30	EC003015	3Z457426G	4549734667234			SA	SAB	PHL	8544.4290.90
CAB-USB3-03	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	55.90	EC003015	3Z457422D	4549734667197			SA	SAB	PHL	8544.4290.90
CAB-USB3-03-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m	136.00	EC003015	3Z457427E	4549734667241			SA	SAB	PHL	8544.4290.90
CAB-USB3-05	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	65.25	EC003015	3Z457423B	4549734667203			SA	SAB	PHL	8544.4290.90
CAB-USB3-05-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m	199.60	EC003015	3Z457428C	4549734667258			SA	SAB	PHL	8544.4290.90
CAB-USB3-07	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	140.00	EC003015	3Z457424M	4549734667210			SA	SAB	PHL	8544.4290.90
CAB-USB3-07-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m	332.60	EC003015	3Z457429A	4549734667265			SA	SAB	PHL	8544.4290.90
CAB-USB3-10	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	252.70	EC003015	3Z457425R	4549734667227			SA	SAB	PHL	8544.4290.90
CAB-KWA-IEA	Converter, 6-pin connector to 5 Series pin assignment	73.20	EC003015	3Z457420H	4549734667173			SA	SAB	JPN	9031.9000.00
RC-HD133	Remote Control Unit for all DVI/SDI camera models	166.50	EC003015	3Z457810F	4549734200035			SA	SAB	JPN	9031.9000.00
TP-JQA	Tripod Mount for Cube Camera	39.91	EC003015	3Z457451H	4549734667487			SA	SAB	CHN	9031.9000.00
TP-KWA2	Tripod Mount for M-Series Camera	39.91	EC003015	3Z457450M	4549734667470			SA	SAB	CHN	9031.9000.00
<b>Barkod Okuyucular / Kamera Ürünleri</b>											
V420-F00L12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC002999	V4205275R	4549734573733			SB	SBA	JPN	9031.9000.00
V420-F00L12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC002999	V4205276G	4549734573740			SB	SBA	JPN	9031.9000.00
V420-F00L12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205277E	4549734573757			SB	SBA	JPN	9031.9000.00
V420-F00L12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,527.00	EC002999	V4205278C	4549734573764			SB	SBA	JPN	9031.9000.00
V420-F00L12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205279A	4549734573771			SB	SBA	JPN	9031.9000.00
V420-F00L12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC002999	V4205280E	4549734573788			SB	SBA	JPN	9031.9000.00
V420-F00M03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,666.00	EC002999	V4205231G	4549734573290			SB	SBA	MYS	9031.9000.00
V420-F00M03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,330.00	EC002999	V4205232E	4549734573306			SB	SBA	MYS	9031.9000.00
V420-F00M03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205233C	4549734573313			SB	SBA	MYS	9031.9000.00
V420-F00M03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,129.00	EC002999	V4205234A	4549734573320			SB	SBA	MYS	9031.9000.00
V420-F00M03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205235M	4549734573337			SB	SBA	MYS	9031.9000.00
V420-F00M03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,463.00	EC002999	V4205236H	4549734573344			SB	SBA	MYS	9031.9000.00
V420-F00M12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC002999	V4205243M	4549734573412			SB	SBA	JPN	9031.9000.00
V420-F00M12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC002999	V4205244R	4549734573429			SB	SBA	JPN	9031.9000.00
V420-F00M12M-SRP	V420 Code Reader, 1.2 MP monochrome, medium view, autofocus 50-300 mm, white light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205245G	4549734573436			SB	SBA	JPN	9031.9000.00
V420-F00M12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,527.00	EC002999	V4205246E	4549734573443	#		SB	SBA	JPN	9031.9000.00
V420-F00M12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205247C	4549734573450			SB	SBA	JPN	9031.9000.00
V420-F00M12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC002999	V4205248A	4549734573467			SB	SBA	JPN	9031.9000.00
V420-F00M50C-NNP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205253H	4549734573511			SB	SBA	JPN	9031.9000.00
V420-F00M50C-NNX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,463.00	EC002999	V4205254F	4549734573528			SB	SBA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V420-F000M50C-SWP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,932.00	EC002999	V4205255D	4549734573535			SB	SBA	JPN	9031.9000.00
V420-F000M50C-SWX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,596.00	EC002999	V4205256B	4549734573542			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC002999	V4205269D	4549734573672			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC002999	V4205270H	4549734573689			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205271F	4549734573696			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC002999	V4205272D	4549734573702			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205273B	4549734573719			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC002999	V4205274M	4549734573726			SB	SBA	JPN	9031.9000.00
V420-F000W03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,666.00	EC002999	V4205225B	4549734573238			SB	SBA	MYS	9031.9000.00
V420-F000W03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,330.00	EC002999	V4205226M	4549734573245			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205227R	4549734573252			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,129.00	EC002999	V4205228G	4549734573269			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205229E	4549734573276			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,463.00	EC002999	V4205230R	4549734573283			SB	SBA	MYS	9031.9000.00
V420-F000W12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC002999	V4205237F	4549734573351			SB	SBA	JPN	9031.9000.00
V420-F000W12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC002999	V4205238D	4549734573368			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205239B	4549734573375			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,527.00	EC002999	V4205240F	4549734573382			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC002999	V4205241D	4549734573399			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC002999	V4205242B	4549734573405			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC002999	V4205249M	4549734573474			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,463.00	EC002999	V4205250C	4549734573481			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1,932.00	EC002999	V4205251A	4549734573498			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2,596.00	EC002999	V4205252M	4549734573504			SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC002999	V4305374M	4549734576536			SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC002999	V4305375R	4549734576543			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305376G	4549734576550			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,927.00	EC002999	V4305377E	4549734576567	#		SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305378C	4549734576574			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC002999	V4305379A	4549734576581			SB	SBA	JPN	9031.9000.00
V430-F000M03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,064.00	EC002999	V4305330R	4549734576093			SB	SBA	MYS	9031.9000.00
V430-F000M03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,729.00	EC002999	V4305331G	4549734576109			SB	SBA	MYS	9031.9000.00
V430-F000M03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305332E	4549734576116			SB	SBA	MYS	9031.9000.00
V430-F000M03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,527.00	EC002999	V4305333C	4549734576123	#		SB	SBA	MYS	9031.9000.00
V430-F000M03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305334A	4549734576130			SB	SBA	MYS	9031.9000.00
V430-F000M03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,862.00	EC002999	V4305335M	4549734576147			SB	SBA	MYS	9031.9000.00
V430-F000M12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC002999	V4305342B	4549734576215			SB	SBA	JPN	9031.9000.00
V430-F000M12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC002999	V4305343M	4549734576222			SB	SBA	JPN	9031.9000.00
V430-F000M12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,593.00	EC002999	V4305380E	4549734576598	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC002999	V4305381C	4549734576604			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305344R	4549734576239			SB	SBA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F000M12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,927.00	EC002999	V4305345G	4549734576246	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305346E	4549734576253			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC002999	V4305347C	4549734576260	#		SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305352M	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,862.00	EC002999	V4305353H	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,330.00	EC002999	V4305354F	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,995.00	EC002999	V4305355D	4549734576345			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC002999	V4305368F	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC002999	V4305369D	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC002999	V4305382A	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC002999	V4305383M	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305370H	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC002999	V4305371F	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305372D	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC002999	V4305373B	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F000W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,064.00	EC002999	V4305324D	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F000W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,729.00	EC002999	V4305325B	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305326M	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,527.00	EC002999	V4305327R	4549734576062			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305328G	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,862.00	EC002999	V4305329E	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F000W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC002999	V4305336H	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F000W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC002999	V4305337F	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305338D	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,927.00	EC002999	V4305339B	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC002999	V4305340F	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC002999	V4305341D	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC002999	V4305348A	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,862.00	EC002999	V4305349M	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,330.00	EC002999	V4305350C	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,995.00	EC002999	V4305351A	4549734576307			SB	SBA	JPN	9031.9000.00
V440-FXXXV50M-NNX	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET	2,823.00	EC002999	V4405002H	4549734702874			SB	SBA	JPN	9031.9000.00
V320-F050M12M-NNP	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No outer light, 1D/2D decoder, RS-232, Ethernet via USB, IP40	1,265.00	EC002999	V3205055C	4549734569064			SB	SBA	JPN	9031.9000.00
FIS-0003-0001G	MS-3 Barcode Reader, Single Line, Low Density	1,610.00	EC002999	324U4378F	4549734216517			SB	SBA	JPN	8471.6070.00
FIS-0003-0003G	MS-3 Barcode Reader, Raster, Low Density	1,698.00	EC002999	324U4380H	4549734216531	#		SB	SBA	JPN	8471.6070.00
FIS-0830-1004G	QX-830 Industrial Barcode Reader, Raster Line, Low Density, Serial+Ethernet	3,072.00	EC002999	324U4367M	4549734733120			SB	SBA	USA	8471.6070.00
FIS-0830-1005G	QX-830 Scanner, Raster Line, MD, Serial & Ethernet	3,072.00	EC002999	324U4368R	4549734733137			SB	SBA	USA	8471.6070.00
FIS-0870-1005G	QX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet	4,787.00	EC002999	324U4376M	4549734733212			SB	SBA	USA	8471.6070.00
V450-HDS3608-0001	Code reader, handheld, DPM (Direct part mark), Wired	2,236.00	EC002999	V4505001C	4549734576635			SB	SBA	TWN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V450-HDS3678-0001	Code reader, handheld, DPM (Direct part mark), Wireless	3,022.00	EC002999	V4505002A	4549734576642			SB	SBA	TWN	8471.6070.00
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	510.00	EC002999	V4105002G	4549734570930	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black grey, wired	449.70	EC002999	V4105001R	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black grey, wired, with X-Mode	749.50	EC002999	V4105003E	4549734570947	#		SB	SBA	MEX	8471.6070.00
<b>Barkod Doğrulama Ürünleri</b>											
9510-5-3.0	LVS-9510 Verifier, 3" FoV	10,070.00	EC000000	3Z4U4254B	4549734217255	#		SB	SBB	USA	9031.9000.00
9510-5-4.0	LVS-9510 Verifier, 4" FoV	10,070.00	EC000000	3Z4U4255M	4549734217262	#		SB	SBB	USA	9031.9000.00
9510-5-4.5	LVS-9510 Verifier, 4.5" FoV	10,070.00	EC000000	3Z4U4256R	4549734217279	#		SB	SBB	USA	9031.9000.00
9510-5-6.250	LVS-9510 Verifier, 6.25" FoV	10,070.00	EC000000	3Z4U4257G	4549734217286	#		SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	9,485.00	EC000000	3Z4U4258E	4549734217293	#		SB	SBB	USA	9031.9000.00
9580-DPM-HD	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting, high density	8,650.00	EC000000	3Z4U4260G	4549734217316	#		SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	11,820.00	EC000000	3Z4U4261E	4549734217323	#		SB	SBB	USA	9031.9000.00
<b>Barkod Okuyucular</b>											
F420-F000L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,128.00	EC004672	F4205317E	4549734565073			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC004672	F4205316G	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,792.00	EC004672	F4205318C	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205320E	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205319A	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,924.00	EC004672	F4205321C	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205323M	4549734565134			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205322A	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,593.00	EC004672	F4205324H	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F000M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC004672	F4205251R	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,666.00	EC004672	F4205250M	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,393.00	EC004672	F4205252G	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205254C	4549734564441			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205253E	4549734564434			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,526.00	EC004672	F4205255A	4549734564458			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205257H	4549734564472			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205256M	4549734564465			SB	SBC	MYS	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,128.00	EC004672	F4205269A	4549734564595			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC004672	F4205268C	4549734564588			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,792.00	EC004672	F4205270E	4549734564601			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205272A	4549734564625			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205271C	4549734564618			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Vionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,924.00	EC004672	F4205273M	4549734564632			SB	SBC	JPN	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205275F	4549734564656			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205274H	4549734564649			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205284E	4549734564748			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205283G	4549734564731			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,526.00	EC004672	F4205285C	4549734564755			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,995.00	EC004672	F4205287M	4549734564779			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,932.00	EC004672	F4205286A	4549734564762			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,326.00	EC004672	F4205288H	4549734564786			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,128.00	EC004672	F4205308F	4549734564984			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC004672	F4205307H	4549734564977			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,792.00	EC004672	F4205309D	4549734564991			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205311F	4549734565011			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205310H	4549734565004			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,924.00	EC004672	F4205312D	4549734565028			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205314M	4549734565042			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205313B	4549734565035			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,924.00	EC004672	F4205315R	4549734565059			SB	SBC	JPN	9031.9000.00
F420-F000W03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,729.00	EC004672	F4205242M	4549734564328			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,666.00	EC004672	F4205241A	4549734564311			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,393.00	EC004672	F4205243H	4549734564335			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205245D	4549734564359			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205244F	4549734564342			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,526.00	EC004672	F4205246B	4549734564366			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205248R	4549734564380			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205247M	4549734564373			SB	SBC	MYS	9031.9000.00
F420-F000W12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,128.00	EC004672	F4205260H	4549734564502			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,064.00	EC004672	F4205259D	4549734564496			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,792.00	EC004672	F4205261F	4549734564519			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205263B	4549734564533			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205262D	4549734564526			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,924.00	EC004672	F4205264M	4549734564540			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	3,260.00	EC004672	F4205266G	4549734564564			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,197.00	EC004672	F4205265R	4549734564557			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000W12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,593.00	EC004672	F4205267E	4549734564571			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,862.00	EC004672	F4205278M	4549734564687			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,799.00	EC004672	F4205277B	4549734564670			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,526.00	EC004672	F4205279R	4549734564694			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,995.00	EC004672	F4205281M	4549734564717			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,932.00	EC004672	F4205280B	4549734564700			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,526.00	EC004672	F4305317R	4549734568319			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC004672	F4305316M	4549734568302			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,192.00	EC004672	F4305318G	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305320R	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC004672	F4305319E	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305321G	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305323C	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,991.00	EC004672	F4305324A	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC004672	F4305251B	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,064.00	EC004672	F4305250D	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,792.00	EC004672	F4305252M	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305254G	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC004672	F4305253R	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC004672	F4305255E	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305257A	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,863.00	EC004672	F4305256C	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,593.00	EC004672	F4305258M	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,526.00	EC004672	F4305269E	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC004672	F4305268G	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,192.00	EC004672	F4305270R	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRR	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305326H	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305325M	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,988.00	EC004672	F4305327F	4549734568418			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305329B	4549734568432			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305328D	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,656.00	EC004672	F4305330F	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305272E	4549734567862			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000M12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC004672	F4305271G	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305273C	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305275M	4549734567893	#		SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,262.00	EC004672	F4305274A	4549734567886	#		SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,991.00	EC004672	F4305276H	4549734567909	#		SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305284R	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC004672	F4305283M	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC004672	F4305285G	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,393.00	EC004672	F4305287C	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,330.00	EC004672	F4305286E	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,059.00	EC004672	F4305288A	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,526.00	EC004672	F4305308M	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC004672	F4305307A	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,192.00	EC004672	F4305309H	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRR	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305332B	4549734568463			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305331D	4549734568456			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,988.00	EC004672	F4305333M	4549734568470			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305335G	4549734568494			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305334R	4549734568487			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,988.00	EC004672	F4305336E	4549734568500			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305311M	4549734568258			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC004672	F4305310A	4549734568241			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305312H	4549734568265			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305314D	4549734568289			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC004672	F4305313F	4549734568272			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305315B	4549734568296			SB	SBC	JPN	9031.9000.00
F430-F000W03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,128.00	EC004672	F4305242C	4549734567565			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,064.00	EC004672	F4305241E	4549734567558			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,792.00	EC004672	F4305243A	4549734567572			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305245H	4549734567596			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC004672	F4305244M	4549734567589			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC004672	F4305246F	4549734567602			SB	SBC	MYS	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheel)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000W03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305248B	4549734567626			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,863.00	EC004672	F4305247D	4549734567619			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,593.00	EC004672	F4305249M	4549734567633			SB	SBC	MYS	9031.9000.00
F430-F000W12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,526.00	EC004672	F4305260A	4549734567749			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,463.00	EC004672	F4305259H	4549734567732			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,192.00	EC004672	F4305261M	4549734567756			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305263F	4549734567770			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,596.00	EC004672	F4305262H	4549734567763			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,325.00	EC004672	F4305264D	4549734567787			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,659.00	EC004672	F4305266M	4549734567800			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,262.00	EC004672	F4305265B	4549734567794			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,991.00	EC004672	F4305267R	4549734567817			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,260.00	EC004672	F4305278D	4549734567923			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,197.00	EC004672	F4305277F	4549734567916			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,924.00	EC004672	F4305279B	4549734567930			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,393.00	EC004672	F4305281D	4549734567954			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,330.00	EC004672	F4305280F	4549734567947			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,059.00	EC004672	F4305282B	4549734567961			SB	SBC	JPN	9031.9000.00
F440-FXXX50M-NNA	Smart camera, no Optics, 5 MP, mono, no light, AutoVISION + Verification	4,246.00	EC004672	F4405001G	4549734782548	#		SB	SBC	JPN	8525.8900.00
F440-FXXX50M-NNS	Smart camera, no optics, 5 MP, mono, no light, AutoVISION Sensor	3,216.00	EC004672	F4405000R	4549734782531	#		SB	SBC	JPN	8525.8900.00
F440-FXXX50M-NNV	Smart camera, no Optics, 5 MP, mono, no light, AutoVISION + Verification + Visionscape	4,900.00	EC004672	F4405002E	4549734782555	#		SB	SBC	JPN	8525.8900.00
F320-F102W50C-NNA	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light, AutoVISION, RS-232, Ethernet via USB, IP40	2,064.00	EC004672	F3205131M	4549734559614			SB	SBC	JPN	9031.9000.00
<b>Lazer Isaretleyci</b>											
MX-Z2000H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 90x90 mm, Marking Resolution 2µm, Working distance 170±10 mm, 200 to 240 VAC, 50/60 Hz	54,600.00	EC000000	MXZ02200C	4549734523868	#		SB	SBU	JPN	8456.1190.00
MX-Z2050H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	54,600.00	EC000000	MXZ02250M	4549734523875	#		SB	SBU	JPN	8456.1190.00
<b>Kamera Aksesuarları</b>											
CBA-RF2-C09ZAR	Serial interface cable for V410/V450 to EA3600 gateway, 2 m	100.10	EC003015	AA057472M	4549734894968			SB	SBZ	USA	9031.9000.00
EA3600-R1CP-11	EtherNet/IP gateway for V410-H & V450-H	988.50	EC001604	AA057474F	4549734894982			SB	SBZ	USA	9031.9000.00
EA3600-S1CP-11	PROFINET gateway for V410-H & V450-H	988.50	EC001604	AA057473H	4549734894975			SB	SBZ	USA	9031.9000.00
12-9000937-01	Cradle / Charger, HDS-3678, V450-H	399.90	EC003015	324U4329H	4549734218214			SB	SBZ	CHN	9031.9000.00
12-9000942-01	Cable, USB, Shielded, 2 m, Ext. 12 V, HDS-3600 / V450-H *** Power Supply Required ***	38.80	EC001681	324U4330A	4549734218238			SB	SBZ	CHN	8544.4210.00
12-9000943-01	Cable, USB, Shielded, 4.6 m, Ext. 12 V, HDS-3600/V450-H *** Power Supply Required ***	86.70	EC001681	324U4331M	4549734218245			SB	SBZ	CHN	8544.4210.00
12-9000946-01	Cable, USB, Shielded, 2 m, HDS-3600/V450-H	60.05	EC001681	324U4332H	4549734218252			SB	SBZ	CHN	8544.4210.00
12-9000953-01	Cable, RS-232, DB9 female, 2 m, straight, HDS-3600 / V450-H	55.40	EC001681	324U4345M	4549734440905			SB	SBZ	CHN	8544.4290.90
98-9000045-03	V/F 4x0-F Red high brightness standard LED installation kit	182.50	EC003015	324U4194E	4549734722889			SB	SBZ	USA	9031.9000.00
98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678/V450-H, AC Power Cord Required	54.50	EC003015	324U4338G	4549734218313			SB	SBZ	CHN	9031.9000.00
98-9000186-01	Stand, Intelligent, HS-360X, V450-H	79.75	EC003015	324U4341G	4549734218344			SB	SBZ	USA	9031.9000.00
98-9000224-01	Battery, HDS-3678, V450-H	55.40	EC003015	324U4348D	4549734444132			SB	SBZ	CHN	9031.9000.00
V330-AF1	V/F 3x0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	39.91	EC003015	V3305121R	4549734583268			SB	SBZ	USA	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V330-AF2	V/F 3x0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	39.91	EC003015	V3305122G	4549734583275			SB	SBZ	USA	9031.9000.00
V410-AC0-1	V410-H AC Power supply 5.2 VDC, 1.1 A	72.50	EC003015	V4105004C	4549734570954			SB	SBZ	CHN	8471.6070.00
V410-AS0	Presentation stand, hands free operation, V410-H	78.55	EC003015	V4105005A	4549734570961	#		SB	SBZ	MEX	9031.9000.00
V410-WR-2M	RS-232 interface cable, DB9 connector, 2 m	55.90	EC001681	V4105007H	4549734570985	#		SB	SBZ	CHN	8544.4210.00
V410-WUB-2M	USB interface cable, 2 m	55.90	EC001681	V4105006M	4549734570978	#		SB	SBZ	CHN	8544.4210.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	153.30	EC003015	V4205293G	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	153.30	EC003015	V4205294E	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	233.00	EC003015	V4205295C	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WRUX-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	233.00	EC003015	V4205292R	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WRX-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	269.00	EC003015	V4205290B	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WU8X-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	212.90	EC003015	V4205291M	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	89.50	EC003015	V4205288M	4549734555654	#		SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	109.90	EC003015	V4205289R	4549734555661			SB	SBZ	USA	8544.4290.90
V430-AF0R	V/F 430-F Ringlight Front Window Installation Kit	109.90	EC003015	V4305439R	4549734555852			SB	SBZ	USA	9031.9000.00
V430-AF10	Front Window Installation Kit for V/F4X0-FXXXXXXX-XXX	59.90	EC003015	V4305449F	4549734600989			SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXXX-XXX	73.20	EC003015	V4305450M	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXXX-XXX	111.80	EC003015	V4305451H	4549734601009	#		SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	242.20	EC003015	V4305440B	4549734555869			SB	SBZ	USA	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	242.20	EC003015	V4305441M	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF3	V/F 4x0-F Right angle mirror	233.00	EC003015	V4305022R	4549734191975			SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	342.40	EC003015	V4305435F	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V4XX	111.80	EC003015	V4305436D	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red filter Installation Kit	109.90	EC003015	V4305437B	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue filter Installation Kit	109.90	EC003015	V4305438M	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	182.40	EC003015	V4305430E	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	270.30	EC003015	V4305434H	4549734555807			SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	182.40	EC003015	V4305429A	4549734555753			SB	SBZ	USA	9031.9000.00
V430-AUR	V/F 430-F IR Ring Light Installation Kit	270.30	EC003015	V4305433M	4549734555791			SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	182.40	EC003015	V4305427E	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	270.30	EC003015	V4305431C	4549734555777			SB	SBZ	USA	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	182.40	EC003015	V4305428C	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALWR	V/F 430-F White Ring Light Installation Kit	270.30	EC003015	V4305432A	4549734555784			SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	59.90	EC003015	V4305023G	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Tripod Mounting Block Kit	59.90	EC003015	V4305024E	4549734191999	#		SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	121.30	EC003015	V4305442R	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	150.60	EC003015	V4305443G	4549734555890	#		SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	45.23	EC003015	V4305444E	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	138.60	EC003015	V4305445C	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	113.20	EC003015	V4305446A	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	151.90	EC003015	V4305447M	4549734555937			SB	SBZ	USA	9031.9000.00
V430-W8-10M-E	V/F 430-F M12 to Flying Leads Cable, 10 m	207.00	EC003015	AA062220A	4549734833103			SB	SBZ	ITA	8544.4290.90
V430-W8-15M-E	V/F 430-F M12 to flying leads cable, 15 m	238.30	EC003015	AA062227R	4549734833189			SB	SBZ	ITA	8544.4290.90
V430-W8-20M-E	V/F 430-F M12 to Flying Leads Cable, 20 m	257.20	EC003015	AA062221M	4549734833110			SB	SBZ	ITA	8544.4290.90
V430-W8-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	166.60	EC003015	V4305011C	4549734191869	#		SB	SBZ	USA	8544.4290.90
V430-W8-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	209.90	EC003015	V4305013M	4549734191883	#		SB	SBZ	USA	8544.4290.90
V430-W8LD-10M-E	V/F 430-F M12 to flying leads cable, right angle down, 10 m	207.00	EC003015	AA062250C	4549734833431			SB	SBZ	ITA	8544.4290.90
V430-W8LD-15M-E	V/F 430-F M12 to flying leads cable, right angle down, 15 m	238.30	EC003015	AA062251A	4549734833424			SB	SBZ	ITA	8544.4290.90
V430-W8LD-20M-E	V/F 430-F M12 to flying leads cable, right angle down, 20 m	257.20	EC003015	AA062252M	4549734833417			SB	SBZ	ITA	8544.4290.90
V430-W8LD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	179.90	EC003015	V4305015F	4549734191906	#		SB	SBZ	USA	8544.4290.90
V430-W8LD-5M-E	V/F 430-F M12 to flying leads cable, right angle down, 5 m	175.90	EC003015	AA062253H	4549734833400			SB	SBZ	ITA	8544.4290.90
V430-W8LU-10M-E	V/F 430-F M12 to flying leads cable, right angle up, 10 m	207.00	EC003015	AA062254F	4549734833479			SB	SBZ	ITA	8544.4290.90
V430-W8LU-15M-E	V/F 430-F M12 to flying feads cable, right angle up, 15 m	238.30	EC003015	AA062255D	4549734833462			SB	SBZ	ITA	8544.4290.90
V430-W8LU-20M-E	V/F 430-F M12 to flying leads cable, right angle up, 20 m	257.20	EC003015	AA062256B	4549734833455			SB	SBZ	ITA	8544.4290.90
V430-W8LU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	179.90	EC003015	V4305016D	4549734191913			SB	SBZ	USA	8544.4290.90
V430-W8LU-5M-E	V/F 430-F M12 to flying leads cable, right angle up, 5 m	175.90	EC003015	AA062257M	4549734833448			SB	SBZ	ITA	8544.4290.90
V430-WE-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	207.00	EC002599	AA062218M	4549734833080			SB	SBZ	ITA	8544.4210.00
V430-WE-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 15 m	238.30	EC002599	AA062219H	4549734833097			SB	SBZ	ITA	8544.4210.00
V430-WE-1M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 1 m	122.60	EC002599	V4305426G	4549734555647			SB	SBZ	USA	8544.4210.00
V430-WE-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	257.20	EC002599	AA062217A	4549734833073			SB	SBZ	ITA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	167.70	EC002599	V4305010E	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	209.90	EC002599	V4305014H	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 10 m	207.00	EC002599	AA062235M	4549734833257			SB	SBZ	ITA	8544.4210.00
V430-WELD-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 15 m	238.30	EC002599	AA062237F	4549734833271			SB	SBZ	ITA	8544.4210.00



Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-WELD-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 1 m	122.60	EC002599	AA062247C	4549734833370			SB	SBZ	ITA	8544.4210.00
V430-WELD-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 20 m	257.20	EC002599	AA062245G	4549734833356			SB	SBZ	ITA	8544.4210.00
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	167.70	EC002599	V4305017B	4549734191920	#		SB	SBZ	USA	8544.4210.00
V430-WELD-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 5 m	175.90	EC002599	AA062249M	4549734833394			SB	SBZ	ITA	8544.4210.00
V430-WELU-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 10 m	207.00	EC002599	AA062233C	4549734833240			SB	SBZ	ITA	8544.4210.00
V430-WELU-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 15 m	238.30	EC002599	AA062236H	4549734833264			SB	SBZ	ITA	8544.4210.00
V430-WELU-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 1 m	122.60	EC002599	AA062246E	4549734833363			SB	SBZ	ITA	8544.4210.00
V430-WELU-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 20 m	257.20	EC002599	AA062232E	4549734833233			SB	SBZ	ITA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	167.70	EC002599	V4305018M	4549734191937	#		SB	SBZ	USA	8544.4210.00
V430-WELU-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 5 m	175.90	EC002599	AA062248A	4549734833387			SB	SBZ	ITA	8544.4210.00
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	132.90	EC003015	V4305421F	4549734555593			SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	166.60	EC003015	V4305422D	4549734555609			SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	199.60	EC003015	V4305423B	4549734555616			SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2.7 m	599.00	EC003015	V4305425R	4549734555630			SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2.7 m	332.60	EC003015	V4305424M	4549734555623			SB	SBZ	USA	8544.4290.90
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	132.90	EC003015	V4305419D	4549734555579			SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	138.60	EC003015	V4305420H	4549734555586			SB	SBZ	USA	8544.4290.90
V440-AM1	R-70 Smart series ring light mounting kit	81.55	EC003015	V4405005B	4549734702904			SB	SBZ	USA	9031.9000.00
V440-AM2	R-100 Smart series ring light mounting kit	94.10	EC003015	V4405006M	4549734702911			SB	SBZ	USA	9031.9000.00
<b>Görsel Denetim Sistemleri FH</b>											
FHV7H-C004-C	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,838.00	EC004672	FHV70107C	4549734283885	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-C	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,505.00	EC004672	FHV70108A	4549734283892	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-S12	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, 24 VDC, IP40, pre-assembled	7,230.00	EC004672	FHV70122G	4549734284035			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S12-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,915.00	EC004672	FHV70150B	4549734284318			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S16-MC	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 16 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,035.00	EC004672	FHV70162F	4549734284431			SC	SCA	JPN	9031.8080.00
FHV7H-C032-C	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	6,450.00	EC004672	FHV70109M	4549734283908	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-H06-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, high speed liquid lens module, focal length 6mm, multi color illuminator 24 VDC, IP67, pre-assembled	10,710.00	EC004672	FHV70571M	4549734497060			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S09-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 9 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,965.00	EC004672	FHV70147B	4549734284288			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S25-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 25 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,965.00	EC004672	FHV70171E	4549734284523			SC	SCA	JPN	9031.8080.00
FHV7H-C050-C	FH Vision Smart Camera, high performance, color type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	7,445.00	EC004672	FHV70110C	4549734283915			SC	SCA	JPN	9031.8080.00
FHV7H-C063R-C	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,505.00	EC004672	FHV70111A	4549734283922	#		SC	SCA	JPN	9031.8080.00
FHV7H-C063R-S12-W	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP40, pre-assembled	7,915.00	EC004672	FHV70152R	4549734284332			SC	SCA	JPN	9031.8080.00
FHV7H-C120R-C	FH Vision Smart Camera, high performance, color type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	6,450.00	EC004672	FHV70112M	4549734283939	#		SC	SCA	JPN	9031.8080.00
FHV7H-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,838.00	EC004672	FHV70001H	4549734282826	#		SC	SCA	JPN	9031.8080.00
FHV7H-M004-S06-W	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 6 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,250.00	EC004672	FHV70047F	4549734283281			SC	SCA	JPN	9031.8080.00
FHV7H-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,505.00	EC004672	FHV70002F	4549734282833	#		SC	SCA	JPN	9031.8080.00
FHV7H-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	6,450.00	EC004672	FHV70003D	4549734282840	#		SC	SCA	JPN	9031.8080.00
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,505.00	EC004672	FHV70005M	4549734282864	#		SC	SCA	JPN	9031.8080.00
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	6,450.00	EC004672	FHV70006R	4549734282871	#		SC	SCA	JPN	9031.8080.00
FHV7X-C063R-S06	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, 24 VDC, IP40, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	7,230.00	EC004672	FHV72076M	4549734747523			SC	SCA	JPN	9031.8080.00
FHV7X-C063R-S06-W	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 6 mm, white illuminator, 24 VDC, IP40, pre-assembled, W10 IoT Enterprise LTSC 2019 64bit	7,915.00	EC004672	FHV72078G	4549734747547			SC	SCA	JPN	9031.8080.00

Catalog Description (image)	Item Long Description (Web page)	2024 List Price	ETIM Class	Item Number (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7X-C063R-S12-MC	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP40, pre-assembled, W10 IoT 64bit	9,035.00	EC004672	FHV72083C	4549734747592			SC	SCA	JPN	9031.8080.00
FHV-VDB2 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	664.00	EC003015	FHV 2069F	4549734780889	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	201.70	EC003015	FHV 2066A	4549734780858	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	258.90	EC003015	FHV 2067M	4549734780865	#		SC	SCA	CHN	8544.4290.90
FHV-VDB2 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	377.40	EC003015	FHV 2068H	4549734780872	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB2 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	377.40	EC003015	FHV 2073D	4549734780926	#		SC	SCA	CHN	8544.4290.90
FHV-VNB2 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	478.10	EC002599	FHV 2059R	4549734780780			SC	SCA	CHN	8544.4210.00
FHV-VNB2 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	916.50	EC002599	FHV 2060B	4549734780797			SC	SCA	CHN	8544.4210.00
FHV-VNB2 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	191.80	EC002599	FHV 2056D	4549734780759			SC	SCA	CHN	8544.4210.00
FHV-VNB2 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	237.10	EC002599	FHV 2057B	4549734780766			SC	SCA	CHN	8544.4210.00
FHV-VNB2 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	306.30	EC002599	FHV 2058M	4549734780773			SC	SCA	CHN	8544.4210.00
FHV-VNB-2M-E	FHV7 Ethernet cable, straight 2 m, M12 connector	191.80	EC002599	AA062516B	4549734835787	#		SC	SCA	ITA	8544.4210.00
FHV-VNBX2 5M	FHV7 Ethernet cable, straight, super bend resistant, 5 m, M12 connector	1,181.00	EC002599	FHV 2086F	4549734781053	#		SC	SCA	CHN	8544.4210.00
FHV-VNLB2 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	306.30	EC002599	FHV 2063G	4549734780827			SC	SCA	CHN	8544.4210.00
FHV-VUB2 5M	Smart Camera data unit cable, bend resistant, 5 m	449.30	EC003015	FHV 2078E	4549734780971	#		SC	SCA	CHN	8544.4290.90
FHV7H-C016-S25-W-K	FHV7 Starter Kit including FHV7H-C016-S25-W, FHV-VNB 2m, FHV-VDB 2m, FHV-XHD-L, FHV-XFC-C	8,235.00	EC004672	FHV71002A	4549734523646			SC	SCA	JPN	9031.8080.00
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1,759.00	EC003015	FHV 0001F	4549734282512			SC	SCA	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1,759.00	EC003015	FHV 0002D	4549734282529			SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	1,010.00	EC003015	FHV 0003B	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	1,010.00	EC003015	FHV 0004M	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	1,010.00	EC003015	FHV 0005R	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	1,010.00	EC003015	FHV 0006G	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	1,010.00	EC003015	FHV 0007E	4549734282574			SC	SCA	CHN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	2,233.00	EC003015	FHV 0011C	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	1,118.00	EC003015	FHV 0009A	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	664.00	EC003015	FHV 1001A	4549734496117			SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	817.50	EC003015	FHV 1002M	45497344496124	#		SC	SCA	JPN	9031.9000.00
<b>Görsel Denetim Sistemleri Aksesuarları FH</b>											
FHV-XDF	FHV7 Diffusion filter	661.00	EC003015	FHV 3001B	4549734451949			SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	232.20	EC003015	FHV 3006C	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	266.80	EC003015	FHV 3007A	4549734452007			SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	237.10	EC003015	FHV 3005E	4549734451987	#		SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	81.30	EC003015	FHV 3008M	4549734452014			SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	278.20	EC003015	FHV 3002M	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	789.50	EC003015	FHV 3003R	4549734451963			SC	SCZ	JPN	9031.9000.00
<b>Robot Yedek Parçaları</b>											
ROBOT RE-PAINT	After Sales Robotic Services : Robot re-paint	667.50		AA053189C				YR	YRA	NLD	